

Integrating the Healthcare Enterprise



5

**IHE Patient Care Coordination
Technical Framework Supplement**

10

**Dynamic Care Team Management
(DCTM)**

FHIR[®] STU3

Using Resources at FMM Level 2-5

15

Rev. 1.0 – Draft for Public Comment

20

Date: May 26, 2017
Author: PCC Technical Committee
Email: pcc@ihe.net

25

Please verify you have the most recent version of this document. See [here](#) for Trial Implementation and Final Text versions and [here](#) for Public Comment versions.

Foreword

30 This is a supplement to the IHE Patient Care Coordination Technical Framework V11.0. Each supplement undergoes a process of public comment and trial implementation before being incorporated into the volumes of the Technical Frameworks.

This supplement is published on May 26, 2017 for public comment. Comments are invited and may be submitted at http://www.ihe.net/PCC_Public_Comments. In order to be considered in development of the trial implementation version of the supplement, comments must be received by June 25, 2017.

35 This supplement describes changes to the existing technical framework documents.

“Boxed” instructions like the sample below indicate to the Volume Editor how to integrate the relevant section(s) into the relevant Technical Framework volume.

<i>Amend Section X.X by the following:</i>
--

40 Where the amendment adds text, make the added text **bold underline**. Where the amendment removes text, make the removed text **~~bold strikethrough~~**. When entire new sections are added, introduce with editor’s instructions to “add new text” or similar, which for readability are not bolded or underlined.

General information about IHE can be found at: <http://ihe.net>.

45 Information about the IHE Patient Care Coordination domain can be found at: http://ihe.net/IHE_Domains.

Information about the organization of IHE Technical Frameworks and Supplements and the process used to create them can be found at: http://ihe.net/IHE_Process and <http://ihe.net/Profiles>.

50 The current version of the IHE Patient Care Coordination Technical Framework can be found at: http://ihe.net/Technical_Frameworks.

CONTENTS

55	Introduction to this Supplement.....	6
	Open Issues and Questions	6
	Closed Issues	6
	General Introduction.....	9
60	Appendix A – Actor Summary Definitions	9
	Appendix B – Transaction Summary Definitions	9
	Glossary	9
	Volume 1 – Profiles	12
	Copyright Licenses	12
65	Domain-specific additions	12
	X Dynamic Care Team Management (DCTM) Profile.....	12
	X.1 DCTM Actors, Transactions, and Content Modules	13
	X.1.1 Actor Descriptions and Actor Profile Requirements.....	15
	X.1.1.1 Care Team Contributor.....	15
70	X.1.1.2 Care Team Service.....	15
	X.2 DCTM Actor Options	15
	X.2.1 Subscribe to Care Team Updates	16
	X.3 DCTM Required Actor Groupings	16
	X.4 DCTM Overview	16
75	X.4.1 Concepts.....	17
	X.4.2 Use Cases	19
	X.4.2.1 Use Case: Chronic Conditions.....	19
	X.4.2.1.1 DCTM Use Case Description.....	19
	X.4.2.1.1.1 Encounter-focused Care Team: Primary Care Physician; Patient	21
80	X.4.2.1.1.2 Condition-focused Care Team: Primary Care Physician; Allied Health Care Providers; Specialists; Patient	22
	X.4.2.1.1.3 Episode-focused Care Team: ED Visit and Hospital Admission	24
	X.4.2.1.1.4 Care Coordination Focused Care Team: Primary Care, Nursing and Physical Therapy Follow-up Visits	25
85	X.4.2.1.1.5 Research Focused Care Team: Diabetes Research Participation	26
	X.5 DCTM Security Considerations.....	26
	X.6 DCTM Cross Profile Considerations	26
	Appendices.....	27
	Volume 2 – Transactions	28
90	3.Y1 Update Care Team [PCC-Y1].....	28
	3.Y1.1 Scope.....	28
	3.Y1.2 Actor Roles.....	28
	3.Y1.3 Referenced Standards	28
	3.Y1.4 Interaction Diagram.....	29
95	3.Y1.4.1 Update Care Team	29
	3.Y1.4.1.1 Trigger Events	29

	3.Y1.4.1.2 Message Semantics.....	29
	3.Y1.4.1.3 Expected Actions.....	29
100	3.Y1.4.2 Create Care Team.....	30
	3.Y1.4.2.1 Trigger Events.....	30
	3.Y1.4.2.2 Message Semantics.....	30
	3.Y1.4.2.3 Expected Actions.....	30
	3.Y1.5 Security Considerations.....	30
105	3.Y2 Search for Care Team [PCC-Y2].....	30
	3.Y2.1 Scope.....	30
	3.Y2.2 Actor Roles.....	31
	3.Y2.3 Referenced Standards.....	31
	3.Y2.4 Interaction Diagram.....	31
110	3.Y2.4.1 Search for Care Team.....	32
	3.Y2.4.1.1 Trigger Events.....	32
	3.Y2.4.1.2 Message Semantics.....	32
	3.Y2.4.1.3 Expected Actions.....	32
	3.Y2.5 Security Considerations.....	32
115	3.Y3 Retrieve Care Team [PCC-Y3].....	32
	3.Y3.1 Scope.....	32
	3.Y3.2 Actor Roles.....	33
	3.Y3.3 Referenced Standards.....	33
	3.Y3.4 Interaction Diagram.....	33
120	3.Y3.4.1 Retrieve Care Team.....	34
	3.Y3.4.1.1 Trigger Events.....	34
	3.Y3.4.1.2 Message Semantics.....	34
	3.Y3.4.1.3 Expected Actions.....	34
	3.Y3.5 Security Considerations.....	34
125	3.Y4 Subscribe to Care Team Updates [PCC-Y4].....	34
	3.Y4.1 Scope.....	34
	3.Y4.2 Actor Roles.....	34
	3.Y4.3 Referenced Standards.....	35
	3.Y4.4 Interaction Diagram.....	35
130	3.Y4.4.1 Subscribe to Care Team Updates.....	35
	3.Y4.4.1.1 Trigger Events.....	35
	3.Y4.4.1.2 Message Semantics.....	36
	3.Y4.4.1.3 Expected Actions.....	36
	3.Y4.4.2 Update Subscription to Care Team Updates.....	36
135	3.Y4.4.2.1 Trigger Events.....	36
	3.Y4.4.2.2 Message Semantics.....	36
	3.Y4.4.2.3 Expected Actions.....	37
	3.Y4.5 Security Considerations.....	37
140	3.Y5 Provide Care Team [PCC-Y5].....	37
	3.Y5.1 Scope.....	37
	3.Y5.2 Actor Roles.....	37

	3.Y5.3 Referenced Standards	37
	3.Y5.4 Interaction Diagram	38
	3.Y5.4.1 Provide Care Team.....	38
	3.Y5.4.1.1 Trigger Events	38
145	3.Y5.4.1.2 Message Semantics.....	38
	3.Y5.4.1.3 Expected Actions.....	38
	3.Y5.5 Security Considerations	38
	Appendices.....	39
	Volume 2 Namespace Additions.....	39
150	Volume 3 – Content Modules.....	40
	5 Namespaces and Vocabularies.....	41
	6 Content Modules	42
	6.3.1 CDA Content Modules NA.....	42
	6.6 HL7 FHIR Content Module	42
155	6.6.1 dctmCareTeam	42
	6.6.2 dctmSubscription.....	43
	Appendices.....	45
	Volume 3 Namespace Additions.....	45
	Volume 4 – National Extensions	46
160		

Introduction to this Supplement

The Dynamic Care Team Management (DCTM) Profile will provide a mechanism to facilitate system interactions to support care team membership such as:

- 165
- Discovering Care Teams
 - Creating/updating Care Teams
 - Listing Care Teams

170 DCTM Profile provides the structures and transactions for care team management and sharing information about Care Teams that meet the needs of many, such as providers, patients and payers. Care Teams can be dynamically updated as the patient interacts with the healthcare system. HL7^{®1} FHIR^{®2} resources and transactions are used by this profile. This profile does not define, nor assume, a single Care Team for a patient.

Open Issues and Questions

- 175
1. Seeking feedback: Do we need do something to tag the care team as dynamic? Comparable to templateIDs in CDA to show conformance. How are others doing this when they profile FHIR resources?
 2. Seeking feedback: Should we add email as channel type to subscription resource? Is email a useful subscription type for care team in addition to rest-hook?
 - 180 3. Seeking feedback: Can a care team get created without participants? Should we constrain CareTeam.participant to 1..* or leave it at 0..*?
 4. Due to a delay in the availability of the tool used to construct the StructureDefinitions for CareTeam resource profile and subscription resource profile, the StructureDefinitions are not completed. Please see a conceptual representation of the sturctureDefinitions at 6.6.4 (dctmCareTeam) and 6.6.5 (dctmSubscription).

185 Closed Issues

- 190
1. [Closed April 24, 2017] Should there be explicit instructions in here on how to delete a subscription?
 - a. Response: the subscription resource ‘end’ element is used to delete the subscription
 2. [Closed April 24, 2017] How would a subscriber discover the id of a subscription if it lost it?
 - a. Response: By querying for any part of the subscription resource. Will need to know the query parameters.

¹ HL7 is the registered trademark of Health Level Seven International.

² FHIR is a registered trademark of Health Level Seven International.

3. [Closed April 24, 2017] Does the Service have the ability to implement a policy that says something like:
- 195 *All subscriptions will be terminated after 30 days of inactivity. Subscribers will be informed of the cancellation (or not).*
- a. Response: the subscription 0 days of inactivity. Subscribers will be informed of the canceledateTime to end.
4. [Closed April 24, 2017] Need to differentiate this profile from XDW- WD concept:
- 200 Definition of Care Team Contributor and Care Team Service: These are very close to the more specific terms HT Participant and HT Manager found in XCHT-WD. I know the technologies differ and there are some differences in responsibilities. However, the responsibilities are close enough that common terms should be used in both profiles. Can you just change the supplement and put it out again for Public Comment? Or it may
- 205 require a CP to the XCHT-WD supplement.
- a. Response: XDW-WD HT Participant and HT Manager would be a special case that would be participants on a Care Team. Suggestion made that PCC may need to revisit the PCC actors and how they relate to each other and provide follow-up as future analysis.
5. [Closed April 24, 2017] Does a Care Team Service have to support the model where someone creates a Care Team with a single contributor and then adds individual contributors sequentially? I would think the answer is yes
- 210 a. Response: Yes, see X.4.1 Concepts.
6. [Closed April 24, 2017] What about the model where someone wants to create a Care Team with zero contributors and then add individual contributors sequentially?
- 215 a. Response: This version of the profile requires at least one participant – See 6.6.1 Care Team
7. [Closed April 24, 2017] – Section X.5 Security Considerations – Steve Moore wrote a CP to ITI for them to include general Volume 1, Section X.5 security information in an appendix. If they accept that CP (with modifications), you will be able to reference it and only add deltas that are important to the current work.
- 220 a. Response: updated X.5 Security Considerations to reference ITI Appendix Z
8. [Closed February 9, 2017] Need to determine the FHIR version that will be used and what do about future updates and HL7 work groups plans for addressing resource updates.
- 225 a. HL7 FHIR STU3 will be used (See <http://hl7.org/fhir/STU3/index.html>)
- b. Future updates of FHIR resources will be handled via IHE Change Proposals.
9. [Closed March 13, 2017] Need to examine HPD for care team functionality and determine if we should include in this profile.

- 230 a. Response: Care teams are not supported by IHE HPD Profile. Per HPD Profile, “Provider Information Directory - Supports a directory of healthcare providers. The directory can include:
- Only Individual Providers
 - Only Organizational Providers
- 235 • Organizational Providers and Individual Providers”³
10. [Closed February 9, 2017] How are care team members removed from the care team?
- a. Response: See 3.Y1 Update Care Team [PCC-Y1]
11. [Closed February 9, 2017] How will Care Team updates occur? If doing this real time need a way to keep the updates.
- 240 a. Response: See 3.Y1 Update Care Team [PCC-Y1]
12. [Closed March 13, 2017] Who’s the entity that is responsible for the updates to the care team – what actor? Who is responsible for adding folks to the care team? Concerns about data compete ...
- a. Response: See X.1.1.1 Care Team Contributor Actor
- 245 13. [Closed March 13, 2017] Continuation of care – who is actively involved with the patient and need to be the one that is contacted – who to call?
- a. Response: This is handled by care team resource participant - CareTeam.participant.role
14. [Closed February 9, 2017] Is this profile meant to capture the ability to have real- time communication with care team members (like IM)?
- 250 a. Response: Care Team communication capability as intended by the Coordination of Care Services (CCS) functional model is not supported by this profile at this time.
15. [Closed March 13, 2017] If you subscribed and have provided an update, do you receive provide care team transaction?
- 255 a. Response: Yes, because you’ve subscribed, you will get all updates. See 3.Y4.4.1 Subscribe to Care Team Updates

³ Retrieved March 13, 2017 from http://ihe.net/uploadedFiles/Documents/ITI/IHE_ITI_Suppl_HPDPDF.pdf

General Introduction

260 *Update the following Appendices to the General Introduction as indicated below. Note that these are not appendices to Volume 1.*

Appendix A – Actor Summary Definitions

Add the following actors to the IHE Technical Frameworks General Introduction list of actors:

Actor	Definition
Care Team Contributor	This actor reads, creates and updates Care Teams hosted by a Care Team Service.
Care Team Service	This actor manages Care Teams received from Care Team Contributors, and provide notification of updates and access to updated Care Teams to subscribers.

Appendix B – Transaction Summary Definitions

265 *Add the following transactions to the IHE Technical Frameworks General Introduction list of Transactions:*

None

Glossary

270 *Add the following glossary terms to the IHE Technical Frameworks General Introduction Glossary:*

Glossary Term	Definition
Clinical Care Team	A clinical care team for a given patient consists of the health professionals—physicians, advanced practice registered nurses, other registered nurses, physician assistants, clinical pharmacists, and other health care professionals—with the training and skills needed to provide high-quality, coordinated care specific to the patient's clinical needs and circumstances ⁴ .

⁴ Retrieved 12/05/2016 from <http://annals.org/aim/article/1737233/principles-supporting-dynamic-clinical-care-teams-american-college-physicians-position>

Glossary Term	Definition
Care Team Management	Parties who manage and/or provide care or service as specified and agreed to in the Care Plan, including: clinicians (including providers), other paid and informal caregivers, and the patient. Care Team Members may include individuals who do not provide direct care such as a Care Manager ⁵ .
Coordination of Care Services Functional Model: Care Team Capability	A working care team is the foundation of effective communication, interaction channels and maintenance of current clinical context awareness. Care team, communication and interactions are the heart of collaborative coordination of care ⁶ .
Encounter-focused Care Team	This type of team focuses on one specific encounter. The encounter is determined by the context of use ⁷ .
Episode-focused Care Team	This type of team focuses on one specific episode of care. The episode of care is determined by the context of use ⁸ .
Condition-focused Care Team	This type of team focuses on one specific condition. The condition is determined by the context of use ⁹ .
Care-coordination focused Care Team	This type of team focuses on overall care coordination. The members of the team are determined or selected by an individual or organization. When determined by an organization, the team may be assigned or based on the person’s enrollment in a particular program ¹⁰ .

⁵ Retrieved 12/05/2016 from <http://wiki.siframework.org/file/view/LCC%20Care%20Plan%20Exchange%20Use%20Case%20Final.pdf/442230840/LCC%20Care%20Plan%20Exchange%20Use%20Case%20Final.pdf>

⁶ Retrieved 03/05/2017 from http://www.hl7.org/implement/standards/product_brief.cfm?product_id=452

⁷ Retrieved 04/12/2017 http://wiki.hl7.org/images/d/db/HL7_Care-Team-Types-v009_2017-01-09.pptx

⁸ Retrieved 04/12/2017 http://wiki.hl7.org/images/d/db/HL7_Care-Team-Types-v009_2017-01-09.pptx

⁹ Retrieved 04/12/2017 http://wiki.hl7.org/images/d/db/HL7_Care-Team-Types-v009_2017-01-09.pptx

¹⁰ Retrieved 04/12/2017 http://wiki.hl7.org/images/d/db/HL7_Care-Team-Types-v009_2017-01-09.pptx

Glossary Term	Definition
Research-focused Care Team	Patients enrolled in a clinical trial may have a team that is part of that clinical trial. In many cases that team may be involved in interventions that are part of the protocol for that clinical trial and often related to a primary diagnosis of the patient, such as a chemotherapy trial for a cancer patient. That research team may include a provider whom the patient was already engaged with or the patient may have been referred to the clinical trial or enrolled on their own volition. Team members might include a principal investigator, sub-investigator, research coordinator site coordinator, research nurse, or others involved in conducting the trial. ¹¹
Utilization Review	A critical evaluation (as by a physician or nurse) of health-care services provided to patients that is made especially for the purpose of controlling costs and monitoring quality of care ¹² .

¹¹ Retrieved 04/12/2017 http://wiki.hl7.org/images/d/db/HL7_Care-Team-Types-v009_2017-01-09.pptx

¹² Retrieved 12/15/2016 from <https://www.merriam-webster.com/dictionary/utilization%20review>

Volume 1 – Profiles

Copyright Licenses

NA

275 *Add the following to the IHE Technical Frameworks General Introduction Copyright section:*

Domain-specific additions

NA

Add Section X

280

X Dynamic Care Team Management (DCTM) Profile

285 The Dynamic Care Team Management (DCTM) Profile provides the means for sharing care team information about a patient’s care teams that meet the needs of many users, such as providers, patients and payers. A patient and providers may be associated with multiple types of care teams at any given time. Patients are suffering from an increasing number of complex or chronic health conditions which require frequent episodes of care involving multiple care providers. With this complexity, it is difficult to identify and coordinate care amongst providers and caregivers. The ability to inform providers and patients with care team information and the functions to support improving care provision is needed.

290 The World Health Organization (WHO) stipulates approximately 63% of all annual deaths are due to non-communicable or chronic diseases. The US Medicare and Medicaid Services (CMS) department’s claims data show that \$17.4 billion dollars was spent on re-admissions to hospital within 30 days of discharge in 2004.¹³

295 Effective collaboration and communication is needed to support the provision of patient-centered care. DCTM would enable the efficient provision of health information that is needed for effective care planning and collaboration between applicable care team members and the patient.

300 The DCTM Profile provides the structures and transactions for sharing Care Team information dynamically as the patient interacts with the healthcare system. FHIR resources and transactions are used by this profile. This profile does not define, nor assume, a single Care Team for a patient. The care team functionalities are derived from the HL7 Care Coordination Service

¹³ Coleman, MD. MPH, Eric A. "Preparing Patients and Caregivers to Participate in Care Delivered Across Settings: The Care Transitions Intervention." *Journal of the American Geriatric Society* 52, (2004): 1817-1825.

(CCS) Functional Model¹⁴ care team membership sub-capabilities. This profile utilizes the following sub-capabilities used in CCS Care Team Membership Capability:

- Add Care Team Member - Supports the ability to directly add members to the care team.
- 305 • List my Care Teams - Supports the ability of an individual to list all care teams for which they (or the patient) have an active membership.
- Remove Care Team Member - Supports the ability to either permanently remove or inactivate an individual from the care team
- 310 • Discover Care Teams - Supports the ability to determine who the other Care Teams are and their members in order to engage them in communication, negotiation, harmonization and coordinated execution of the plan (via other CCS capabilities not utilized in this profile)

X.1 DCTM Actors, Transactions, and Content Modules

This section defines the actors, transactions, and/or content modules in this profile. General definitions of actors are given in the Technical Frameworks General Introduction Appendix A at http://ihe.net/Technical_Frameworks.

Figure X.1-1 shows the actors directly involved in the DCTM Profile and the relevant transactions between them. If needed for context, other actors that may be indirectly involved due to their participation in other related profiles are shown in dotted lines. Actors that have a mandatory grouping are shown in conjoined boxes.

320

¹⁴ Retrieved February 8, 2017 from <http://www.hl7.org/Special/committees/patientcare/index.cfm>




Figure X.1-1: DCTM Actor Diagram

325

Table X.1-1: DCTM Profile - Actors and Transactions

Actors	Transactions	Optionality	Reference
Care Team Contributor	Update Care Team	R	PCC TF-2: 3.Y1
	Search for Care Team	R	PCC TF-2: 3.Y2
	Retrieve Care Team	R	PCC TF-2: 3.Y3
	Subscribe to Care Team Updates	O note 1	PCC TF-2: 3.Y4
	Provide Care Team	C	PCC TF-2: 3.Y5
Care Team Service	Search for Care Team	R	PCC TF-2: 3.Y2
	Retrieve Care Team	R	PCC TF-2: 3.Y3
	Update Care Team	R	PCC TF-2: 3.Y1
	Subscribe to Care Team Updates	R	PCC TF-2: 3.Y4
	Provide Care Team	R (as initiator)	PCC TF-2: 3.Y5

Note 1: If Subscribe to Care Team Updates is supported, will have to support Provide Care Team

Table X.1-1 lists the transactions for each actor directly involved in the DCTM Profile. To claim compliance with this profile, an actor shall support all required transactions (labeled “R”) and may support the optional transactions (labeled “O”).

330 **X.1.1 Actor Descriptions and Actor Profile Requirements**

Most requirements are documented in Transactions (Volume 2) and Content Modules (Volume 3). This section documents any additional requirements on profile’s actors.

X.1.1.1 Care Team Contributor

335 This actor reads, creates and updates Care Teams hosted by a Care Team Service. Updates include removal of care team participants. Care team participant.period can be used to determine historical plus forward-looking aspects for members of the care team.

In order to ensure data integrity, as is necessary when multiple Care Team Contributors are attempting to update to the same Care Team, the Care Team Contributor SHALL use the following pattern, (from <http://hl7.org/fhir/http.html#transactional-integrity>).

- 340 • Before updating, the Care Team Contributor SHALL read the latest version of the Care Team;
- The Care Team Contributor SHALL apply the changes (additions, updates, deletions) it wants to the Care Team, leaving all other information intact;
- 345 • The Care Team Contributor SHALL write the Care Team back as an update interaction, and is able to handle a failure response, commonly due to other Contributor Updates (usually by trying again).

If a Care Team Contributor follows this pattern, then information from other systems that they do not manage will be maintained through the update.

X.1.1.2 Care Team Service

350 This actor manages Care Team updates received from Care Team Contributors, and provides notification of updates and access to subscribers of Care Teams.

As described above under the Care Team Contributor, the Care Team Service receives a Care Team and manages versions of the Care Team as a whole. Note – the Care Team Service SHALL support versioning of the CareTeam resource.

355 The Care Team Service SHALL support the delete interaction for the Subscription resource. See: <http://hl7.org/fhir/http.html#delete>. This enables a Care Team Contributor to unsubscribe from updates for a care team.

X.2 DCTM Actor Options

360 Options that may be selected for each actor in this profile, if any, are listed in the TableX.2-1. Dependencies between options when applicable are specified in notes.

Table X.2-1: DCTM - Actors and Options

Actor	Option Name	Reference
Care Team Contributor	Subscribe to Care Team Updates	3.Y4
Care Team Service	No options defined	--

X.2.1 Subscribe to Care Team Updates

365 Support for this Subscribe to Care Team Updates means that the optional Subscribe to Care Team Updates [PCC-Y4] and the optional Provide Care Team [PCC-Y5] are both supported.

The alternative to subscribing to care team updates is a polling process, where a Care Team Contributor would periodically query for a CareTeam resource history and determine that a Retrieve Care Team was necessary.

X.3 DCTM Required Actor Groupings

370

Table X.3-1: DCTM - Required Actor Groupings

DCTM Actor	Actor to be grouped with	Reference	Content Bindings Reference
Care Team Contributor	none		
Care Team Service	none		

X.4 DCTM Overview

375 Patient centered collaborative focused care teams are needed for effective care planning to occur. Care planning is needed to manage medically complex and/or functionally impaired individuals as they interact with the health care system. Often, these individuals require real time coordination of the care as they receive care from multiple care providers and care settings. These care providers make up patient centered collaborative focused care teams. Effective care planning and care coordination amongst care teams for patient with complex health problems and needs are needed throughout the world. Both the European Union and the United States are currently working to encourage more effective use of information and communication technology to support the delivery of health services. This has led to the promotion of interoperability of health information and communication technology products and services.¹⁵

380

¹⁵ Transatlantic eHealth/health IT Cooperation Roadmap. (2015, November). Retrieved February 12, 2016, from https://www.healthit.gov/sites/default/files/eu-us-roadmap_final_nov2015_consultationversion.pdf

385 In the United States, providers and payers are interested in ensuring that patients are receiving
effective and efficient care. The CMS EHR incentive programs provide financial incentives to
care providers for the meaningful use of certified EHR technology that supports care
coordination¹⁶. According to the United States Office of the National Coordinator for Health
390 Information Technology’s Connecting Health and Care for the Nation Shared Nationwide
Interoperability Roadmap, “Providers also play a critical role in coordinating care with other
providers in support of patients. However, coordinating care and engaging with multi-
disciplinary, cross-organization care, support and service teams has been incredibly difficult with
the tools available today. Technology that does not facilitate the sharing and use of electronic
health information that providers need, when they need it, often creates additional challenges to
care coordination. Additionally, care coordination via electronic means requires workflow
395 changes for providers and their staff, particularly to close referral loops and ensure all of an
individual’s health information is available to the entire care, support and services team. These
workflow changes are not insignificant and must be overcome in order to enable
interoperability.”¹⁷

400 This profile depicts how information about multiple care teams can be shared and used to
coordinate care.

X.4.1 Concepts

The care team concepts described in this profile are patient centered with the overarching goal to
support collaborative care. Care teams have many different meanings to many different people.
Each discipline has its own definition of what a care team is and what it contains. The concept of
405 care team is also often jurisdictional and can be defined in many different ways.

Care teams can be made up of a single individual, a single group of individuals or multiple
groups of individuals providing various types of services.

Care teams made up of a group or groups of individuals are often found in situations that utilize
multi-disciplinary teams. The services provided by these teams can be clinical and non-clinical.

410 An example of a care team made up of a single individual is a patient who provides self-care and
may consider his caregiver team a team of one, himself. He provides his clinical care by self-
administering his medications, checking his own blood glucose levels etc. He provides his non-
clinical care by taking care of his own administrative or financial needs such as scheduling his
own appointments and paying for his own care services. Another example is a physical therapist
415 who may have his own physical therapy business in which he functions independently providing
physical therapy services to patients in an out-patient setting. He provides non-clinical services
such as billing, appointment scheduling, etc.

¹⁶ Health IT Regulations: Meaningful Use Regulations. (2015, March 20). Retrieved February 12, 2016, from
<https://www.healthit.gov/policy-researchers-implementers/meaningful-use-regulations>

¹⁷ Connecting Health and Care for the Nation A Shared Nationwide Interoperability Roadmap. (2015, December
22). Retrieved February 12, 2016, from <https://www.healthit.gov/sites/default/files/hie-interoperability/nationwide-interoperability-roadmap-final-version-1.0.pdf>

Care teams can be discipline and or condition specific. Examples of discipline specific care teams include, but not limited to, cardiology care team, nursing care team, respiratory care team, etc. Conditions specific care team examples include, but not limited to, diabetes care team, oncology care team, wound care team, etc. These care teams are often clinical in nature because of the types of services provided to the patient. Some care teams can be non-clinical in nature providing services that may be administrative, personal care, social or community based. Other care teams can provide both clinical and non-clinical services.

420
425 The HL7 Learning Health System’s Patient-Centered Care Team Domain Analysis Model project¹⁸ has defined the following classification of types of care team: Encounter-focused Care Team, Episode-focused Care Team, Condition-focused Care Team, Care-coordination focused Care Team and Research-focused Care Team. This classification is used to include care team members specific to a particular care plan, an episode of care, an encounter or to reflect all team members across these perspectives.

430
435 A patient may be associated with multiple types of care teams at any given time. For example, a patient may be provided care by his or her PCP and/or specialist based on the encounter-focused care team paradigm. Consequently, the patient may have an inpatient stay involving episode-focused care team. During the inpatient stay, the patient care may be coordinated utilizing a care coordination-focused care team. The care provided for the patient may be for a condition that requires the need for a condition-focused care team. The patient’s situation may provide the opportunity for him or her to participate in a research-focused care team. Similarly, participants can be associated with multiple care teams at any given time as well. For example, the patient’s PCP may participate in an event-focused team and in the episode-focused team by continuing to provide care if the patient gets admitted to an inpatient setting. The PCP also participates in the condition-focused team while managing the patient’s condition. The PCP or a specialist who is involved in the patient’s care may be participating in a research-focused team in which he oversees the care of his patients participating in a research study. A care team member could fill more than one role from more than one organization on the same care team. The PCP could function in a role as part of one organization (e.g., primary care provider for the medical clinic) while at the same time function in another role as part of another organization (e.g., primary investigator on the National Institute of Health research team). Both organizations could be part of the same care team.

440
445
450 The point here is to reiterate that the concept of care team is often jurisdictional and can be defined in many different ways.

¹⁸ Retrieved April 10, 2017 from http://wiki.hl7.org/index.php?title=Patient-Centered_Care_Team_Domain_Analysis_Model

X.4.2 Use Cases

This profile reuses the HL7 Care Plan Domain Analysis Model specification storyboard 2: Chronic Conditions¹⁹ with permission from HL7 Patient Care Work Group. Slight modifications have been made to the storyboard in order to depict care team management needed for chronic disease management as well as transition of care episodes.

For the purpose of IHE profiling, the storyboard is being referred to as a use case.

X.4.2.1 Use Case: Chronic Conditions

The use case provides narrative description of clinical scenarios where the need for a care team is identified, created or updated during care provision. For a process flow diagram of this entire use case, see the diagram at: ftp://ftp.ihe.net/TF_Implementation_Material/PCC/DCTM/

X.4.2.1.1 DCTM Use Case Description

The purpose of the HL7 chronic conditions storyboard (use case) is to illustrate the purpose and interaction of types of care teams for a patient involved in the care and treatment of a case of Type II Diabetes Mellitus with complications.

The use case is sub-divided to reflect HL7 Care Team Definition Project's classification of types of care teams:

Encounter-focused Care Team

- Primary Care Physician (PCP)
- Patient

Condition-focused Care Team (e.g., Diabetes)

- PCP
- Specialists
- Allied Health Care Providers
- Patient

Episode-focused Care Team

- Emergency Department (ED)
 - Care Providers
 - Patient
- Hospital (In-patient stay)

¹⁹ HL7 Care Plan Domain Analysis Model specification retrieved from http://www.hl7.org/implement/standards/product_brief.cfm?product_id=435

- 480
- Care Providers
 - Discharge Planner
 - Patient

Care-coordination focused Care Team

- PCP
- 485
- Home Health
 - Case manager
 - Care providers
 - Patient
 - Research-focused team
- 490
- Primary Investigator
 - Sub-investigator
 - Research coordinator
 - Site coordinator
 - Research nurse
- 495
- Patient

The use case contains the following actors and roles.

- Primary Care Physician: Dr. Patricia Primary
 - Patient: Mr. Bob Anyman
 - Diabetic Educator: Ms. Edith Teaching
- 500
- Dietitian/Nutritionist: Ms. Debbie Nutrition
 - Physical Therapist: Mr. Ed Active
 - Pharmacist: Ms. Susan Script
 - Optometrist: Dr. Victor Vision
 - Podiatrist: Dr. Barry Bunion
- 505
- Psychologist: Dr. Larry Listener
 - Emergency Department Physician: Dr. Eddie Emergent
 - Hospital Attending Physician: Dr. Allen Attend
 - Discharge Planner: Debra Discharge

- Case Manager: Nurse Nancy Case
- 510 • Home Health Nurse: Nurse Angie Able
- Home Health Physical Therapist: Peter Physical
- Primary Investigator: Dr. Rick Research
- Sub-investigator: Nurse Mary Reese

X.4.2.1.1.1 Encounter-focused Care Team: Primary Care Physician; Patient

515 **Pre-conditions:** Patient Mr. Bob Anyman relocated to a new city a year ago and has identified a new primary care physician (PCP). He attends his primary care physician clinic because he has been feeling generally unwell in the past 7-8 months. His recent blood test results reveal abnormal glucose challenge test profile.

520 **Description of Care:** Dr. Patricia Primary reviews Mr. Anyman’s medical history, presenting complaints and the oral glucose tolerance test results and concludes the patient suffers from Type II Diabetes Mellitus (Type II DM). Dr. Primary accesses Mr. Anyman’s medical record, and records the clinical assessment findings and the diagnosis. Dr. Primary discusses with Mr. Anyman the identified problems, potential risks, goals, management strategies and intended outcomes. Dr. Primary identifies Bob as a potential candidate for a nationwide Type II DM

525 research study. She informs Bob of the study purpose and criteria for participation. Bob consents to participate in the study. Dr. Primary also makes Bob aware of her practice contact information and who to call in cases of emergency. Dr. Primary is aware that although Bob is married, he is his own primary caregiver.

530 **Post Condition:** Dr. Primary draws up a customized chronic condition (Type II DM) care plan identifying the need for a condition-focused care team.




Figure X.4.2.1.1.1-1: Encounter-focused Care Team: Basic Process Flow in DCTM Profile

535

X.4.2.1.1.2 Condition-focused Care Team: Primary Care Physician; Allied Health Care Providers; Specialists; Patient

Pre-conditions: Dr. Primary generates a set of referrals to these allied health care providers and specialists needed to treat Mr. Anyman’s diabetic condition. Scheduling of consultations with diabetic educator, dietitian, physical therapist, community pharmacist, optometrist, and podiatrist (allied health care providers) is discussed and agreed to by the patient. The frequency of visit to allied health care providers is scheduled according to the national professional recommendation for collaborative diabetes care. Dr. Primary also notices signs and symptoms of mood changes in the patient after the diagnosis is made. She recommends that the patient may benefit from seeing a clinical psychologist to which the patient also agrees.

540

545

The allied health care providers and specialists accept the referral and schedule a first visit with the patient – Mr. Bob Anyman.

The case is assigned to the following individual allied health care providers and referrals made to the applicable specialists for provision of applicable services:

550

- A. Diabetic Education Services: Ms. Edith Teaching (Diabetic Educator) for development and implementation of comprehensive diabetic education program and plan to ensure that

the patient understands the nature of the disease, the problem, potential complications and how best to manage the condition and prevention of potential complications.


- 555 B. Dietary/Nutrition Services: Ms. Debbie Nutrition (Dietitian/Nutritionist) for development and implementation of a nutrition care plan for diabetes to ensure effective stabilization of the blood glucose level with the help of effective diet control.
- C. Physical Therapy Services: Mr. Ed Active (Physical Therapist) for development and implementation of an exercise regime.
- 560 D. Pharmacy Services: In certain countries (e.g., Australia), the community pharmacist (Ms. Susan Script) provides patient with education on diabetic medications prescribed for the patient by Dr. Primary, and development and implementation of an effective and safe medication management program. The objectives are to gain and maintain effective control of the condition and to prevent hypo- and hyper- glyceemic episodes.
- 565 E. Clinical Psychology Services: Dr. Larry Listener (clinical psychologist) for counseling and to develop and implement an emotional support program; this includes a plan to reduce the impact of emotional stress brought about by the newly diagnosed condition and to improve the patient’s psychological well-being. The plan may include enrolling patient in diabetic support group.
- 570 F. Optometry Services: Dr. Victor Vision (Optometrist) for regular (e.g., 6 monthly) visual and retinal screening and to educate patient on the eye care and how best to prevent/minimize the risks of ocular complications.
- G. Podiatry Services: Dr. Barry Bunion (Podiatrist) for education on the risks of foot complications and to develop and implement an effective foot care program including regular self-assessment, care of the feet and follow-up visits.

575 **Description of Care:** The patient is registered in the health care record system operated by the allied health provider clinics. Any additional or new information provided by the patient is recorded in the health care record system. The allied health care provider and specialists update the clinical notes and the care plan with the assessment details, and any changes to the management plan including new advice to the patient. The date of next visit is also determined.

580 Each care provider makes Bob aware of their practice contact information and who to call in cases of emergency. Each care provider is aware that although Bob is married, he is his own primary caregiver.

Post Condition: Any updates or changes to the various care teams are recorded in their health care record system.

585



590 **Figure X.4.2.1.1.2-1: Condition-focused Care Team: Basic Process Flow in DCTM Profile**

X.4.2.1.1.3 Episode-focused Care Team: ED Visit and Hospital Admission

595 **Pre-Condition:** Mr. Bob Anyman took a 3-month holiday in Australia during the southern hemisphere spring season, missed the influenza immunization window in his northern hemisphere home country, and forgot about the immunization after he returned home. He develops a severe episode of influenza with broncho-pneumonia and very high blood glucose level (spot BSL = 23 mM) as complications. He suffers from increasing shortness of breath and suffers a fall on a Saturday afternoon.

600 Mr. Anyman presents himself at the emergency department of his local hospital as Dr. Primary’s clinic is closed over the weekend.

605 **Description of Care:** Mr. Anyman is initially seen in the emergency department (ED) by Dr. Eddie Emergent and is later admitted to the hospital. Upon arrival in the ED, the patient is registered and all care provided is documented in the ED health care record system. Bob is subsequently admitted to the hospital and placed under the care of physicians from the general medicine clinical unit. During the hospitalization, Bob is provided care services by various clinical care teams which include medical services, nursing services, nutrition and dietary services, physical therapy services, and respiratory services. Non-clinical services are also provided by ancillary care teams.

610 Bob’s medical care includes a course of IV antibiotics and insulin injections to stabilize the blood glucose level. Bob also suffered a joint injury as a result of the fall he had. Nursing

services includes administration of Bob’s medications and educating Bob about his condition and treatment. Bob is provided physical therapy services to improve his recovery from his joint injury. Bob is assessed by the hospital attending physician, Dr. Allen Attend, as medically fit for discharge. All care provided is documented in the hospital health care record system.

615 Planning for discharge is initiated soon after admission as per hospital discharge planning protocol. Discharge planning is done by the **in-patient case management team** in collaboration with Bob’s care providers. The case management team also provides non-clinical services such as utilization review to ensure that provided health services is appropriate for billing purposes. All case management activities are documented in the hospital health care record system.

620 **Post Condition:** The discharge plan is finalized on the day of discharge by the discharge planner, Debra Discharge. Discharge plans include continuation of Bob’s care after he leaves the hospital with care teams at the next level of care. Bob will need medical, nursing, and physical therapy services post discharge. Debra Discharge confirms that the applicable teams that will provide these services post discharge are made aware when Bob is discharged.

625 Note: The process flow pattern for this episode-focused care team is the same as encounter-focused care team. See Figure X.4.2.1.1.1-1.

X.4.2.1.1.4 Care Coordination Focused Care Team: Primary Care, Nursing and Physical Therapy Follow-up Visits

630 **Pre-Condition:** Patient Mr. Bob Anyman is scheduled for a post-hospital discharge consultation with his primary care provider, Dr. Primary. Bob is also scheduled to receive nursing and physical therapy services at his home post discharge.

635 **Description of Care:** Home health case manager, Nurse Nancy Case reviews patient Mr. Anyman’s hospital discharge summary and discharge orders. She discusses Bob’s care plan with him and makes it available for Bob’s PCP, Dr. Primary to review. Bob’s care plan includes orders for home health nursing and physical therapy services. Nurse Nancy Case arranges nursing services with the home health nursing team and physical therapy services with the home health physical therapy team. Bob is seen by Nurse Angie Able for his nursing care and by PT Peter Physical for his physical therapy.

A week after discharge, Bob is seen and evaluated by his PCP, Dr. Primary.

640 Bob needs assistance with activities of daily living (ADLs). He hires a personal care assistant to provide needed services. This information is documented in the home health care record system.

645 **Post Condition:** Dr. Primary is the physician of record for the care provided by the home health nurse and the physical therapist. She updates Bob’s Diabetes care team providers of the change in Bob’s condition and the services he is currently receiving. The home health providers are made aware of Bob’s diabetes care team providers and will contact them if needed. All home care services are documented in the home health care record system.

Note: The process flow pattern for this care coordination care team is the same as condition-focused care team. See Figure X.4.2.1.1.2-1.

X.4.2.1.1.5 Research Focused Care Team: Diabetes Research Participation

650 **Pre-Condition:** Bob has consented to participate a diabetes research relating to medication adherence. Bob is accepted in the study and is enrolled

Description of Care: The purpose of the research study is to measure Bob’s adherence to his diabetes care. Dr. Rick Researcher is the primary investigator of the research study. His team gathers and evaluates data on the diabetes care Bob receives and the type of care providers
655 providing Bob’s diabetes care. Bob is seen by a nurse who is a sub-investigator for the study in Bob’s city. The nurse conducts an enrollment interview and administers a survey questionnaire about Bob’s knowledge of his DM and his self-management. She also obtains Bob’s consent to access his records related to his care in the other facilities where he is seen. He will return every 6 months for a follow-up visit with the study nurse for a period of 3 years.

660 **Post Condition:** Any updates or changes to Bob’s care and the various care teams are shared.

Note: The process flow pattern for this care coordination care team is the same as condition-focused care team. See Figure X.4.2.1.1.2-1.

X.5 DCTM Security Considerations

See ITI TF-2.x Appendix Z.8 “Mobile Security Considerations”

665 Note: This assumes the approval of the current ITI-CP-1036 regarding Appendix Z.8 “Mobile Security Considerations”.

X.6 DCTM Cross Profile Considerations

A Content Consumer in Patient Care Coordination might be grouped with a Care Team Contributor to enable the filtering and display of Care Team content. A Content Creator might be
670 grouped with a Care Team Contributor to enable the creation or update of clinical content. A Reconciliation Agent might be grouped with a Care Team Contributor and also with a Care Team Service to facilitate the reconciliation processes. As mentioned in the security considerations section, a Secure Node in the ATNA Profile might be grouped with any and all of the actors in this profile. Note that Care team may be referenced from zero or more care plans.
675 Please see Section X.4 DCTM Overview for a description of the relationship between care planning and care teams.

Appendices

Volume 2 – Transactions


Add Section 3.Y

680 3.Y1 Update Care Team [PCC-Y1]

3.Y1.1 Scope

This transaction is used to update or to create a care team. A CareTeam resource is submitted to a Care Team Service where the update or creation is handled.

3.Y1.2 Actor Roles



685

Figure 3.Y1.2-1: Use Case Diagram


Table 3.Y1.2-1: Actor Roles

Actor:	Care Team Contributor
Role:	The Care Team Contributor submits a care team that is updated, or needs to be created.
Actor:	Care Team Service
Role:	The Care Team Service receives submitted care teams for management as per FHIR Resource Integrity management.

690 3.Y1.3 Referenced Standards

HL7 FHIR standard release 3 (STU)

3.Y1.4 Interaction Diagram



3.Y1.4.1 Update Care Team

695 The Care Team Contributor submits a care team that has been edited to a Care Team Service. The Care Team Service handles the FHIR CareTeam Resource according to FHIR Resource integrity.

3.Y1.4.1.1 Trigger Events

700 An existing care team has been edited, and the set of attributes for the care team are to be committed to a Care Team Service.

3.Y1.4.1.2 Message Semantics

This is an HTTP or HTTPS PUT of a CareTeam resource, as constrained by this profile.

The base URL for this is: [base]/CareTeam/[id]

Where the body of the transaction contains the CareTeam resource.

705 See <http://hl7.org/fhir/http.html#update>.

3.Y1.4.1.3 Expected Actions

When updating an existing care team, the Care Team Contributor shall merge changes into a recently received CareTeam, leaving unchanged content unaltered.

710 When a care team is updated, a new version of the care team resource is created with the care team members that are participating. If there is a need for a historical list of care team member, update the care team.participant.period

If the Care Team Service returns an error to the Update Care Team transaction, as would happen if the version of the CareTeam is old, then the Care Team Contributor should perform the steps

715 of Retrieve Care Team, merge changes, and then attempt Update Care Team again. For example, two providers retrieved copies of a care team, one after another, and then attempt to update the care team later.

Since the Care Team Service SHALL support versioning of the CareTeam resources, the response SHALL contain meta.versionId. See: <http://hl7.org/fhir/http.html#create> on the response from the Care Team Service.

720 **3.Y1.4.2 Create Care Team**

The Care Team Contributor submits a newly created care team to a Care Team Service.

3.Y1.4.2.1 Trigger Events

Newly created care team content is ready to be saved to a Care Team Service.

3.Y1.4.2.2 Message Semantics

725 This is an HTTP or HTTPS POST of a CareTeam resource, as constrained by this profile.

The base URL for this is: [base]/CareTeam

Where the body of the transaction contains the CareTeam resource.

See: <http://hl7.org/fhir/http.html#create>

3.Y1.4.2.3 Expected Actions

730 The Care Team Service responds, with success or error, as defined by the FHIR RESTful create interaction. See: <http://hl7.org/fhir/http.html#create>

3.Y1.5 Security Considerations


See X.5 DCTM Security Considerations

3.Y2 Search for Care Team [PCC-Y2]

735 **3.Y2.1 Scope**

This transaction is used to find a care team. The Care Team Contributor searches for a care team of interest. A care team located by search may then be retrieved for viewing or updating.

3.Y2.2 Actor Roles



740

Figure 3.Y2.2-1: Use Case Diagram


Table 3.Y2.2-1: Actor Roles

Actor:	Care Team Contributor
Role:	The Care Team Contributor initiates Search for Care Team in order to locate a care team of interest.
Actor:	Care Team Service
Role:	The Care Team Service responds to the Search for Care Team according to the search parameters and values provided in the transaction.

745 **3.Y2.3 Referenced Standards**

HL7 FHIR standard release 3 (STU)

3.Y2.4 Interaction Diagram



750

755

3.Y2.4.1 Search for Care Team

The Search for Care Team is implemented through the FHIR search operation using the REST platform constrained to the HTTP or HTTPS GET.

3.Y2.4.1.1 Trigger Events

760 The Search for Care Team may be initiated for a number of different reasons:

1. need to view a care team;
2. need to update a portion of a care team
3. need to subscribe to updates for a care team

3.Y2.4.1.2 Message Semantics

765 This is a standard FHIR search operation on the CareTeam resource. It SHALL use the HTTP or HTTPS GET protocol

The URL for this operation is: [base]/CareTeam/_search

See the FHIR CareTeam resource Search Parameters at <http://build.fhir.org/careteam.html#search>

770 3.Y2.4.1.3 Expected Actions

The Care Team Contributor initiates the search using HTTP or HTTPS GET, and the Care Team Service responds according to the [FHIR Search specification](#) with zero or more care teams that match the search parameter values supplied with the search message. Specifically, the Care Team Service returns a [bundle](#) as the HTTP Response, where the bundle includes the resources that are the results of the search.

3.Y2.5 Security Considerations

See X.5 DCTM Security Considerations.

3.Y3 Retrieve Care Team [PCC-Y3]

3.Y3.1 Scope

780 This transaction is used to retrieve a specific care team using a known FHIR CareTeam resource id.

3.Y3.2 Actor Roles




Figure 3.Y3.2-1: Use Case Diagram

785

Table 3.Y3.2-1: Actor Roles


Actor:	Care Team Contributor
Role:	The Care Team Contributor requests a specific care team using the CareTeam id
Actor:	Care Team Service
Role:	The Care Team Service returns the requested CareTeam resource, or an error if the requested id does not exist.

3.Y3.3 Referenced Standards

HL7 FHIR standard release 3 (STU)

790

3.Y3.4 Interaction Diagram



795

3.Y3.4.1 Retrieve Care Team

800 The Care Team Contributor retrieves a specific care team from the Care Team Service.

3.Y3.4.1.1 Trigger Events

Any time a specific care team needs to be retrieved, for the purposes of viewing or in conjunction with the preparation for an update to a care team.

3.Y3.4.1.2 Message Semantics

805 The message is a FHIR HTTP or HTTPS GET of a CareTeam resources where the parameter provided is the CareTeam.id with an option to ask for a specific version of the given CareTeam

The URL for this operation is: [base]/CareTeam/[id]

or, if this is an historical, version specific retrieval: [base]/CareTeam/[id]/_history/[vid]

3.Y3.4.1.3 Expected Actions

810 The Care Team Contributor initiates the retrieve request using HTTP or HTTPS GET, and the Care Team Service responds according to the FHIR GET specification with the requested care team or an error message. See: <http://hl7.org/fhir/http.html#read>

3.Y3.5 Security Considerations

See X.5 DCTM Security Considerations.

815 3.Y4 Subscribe to Care Team Updates [PCC-Y4]


3.Y4.1 Scope

This transaction is used to subscribe to updates made to a Care Team.

As noted in TF-1:X.1.1.2, the Care Team Service SHALL support RESTful delete of the subscription, as well as the following messages for creating and updating a Subscription. See:

820 <http://hl7.org/fhir/subscription.html>

3.Y4.2 Actor Roles



825

Figure 3.Y4.2-1: Use Case Diagram


Table 3.Y4.2-1: Actor Roles

Actor:	Care Team Contributor
Role:	The Care Team Contributor subscribes to updates based upon changes to a CareTeam resource.
Actor:	Care Team Service
Role:	The Care Team Service evaluates the involved resources of the Subscription and uses the defined channel to notify a Care Team Contributor about changes.

3.Y4.3 Referenced Standards

830 HL7 FHIR standard release 3 (STU)

3.Y4.4 Interaction Diagram



840 **3.Y4.4.1 Subscribe to Care Team Updates**

A Care Team Contributor may choose to receive updates as CareTeam resources are changed by using the Subscribe to Care Team Updates transaction.

845 When the criteria of a subscription request are satisfied, the Care Team Service sends the entire Care Team resource, using the Provide Care Team [PCC-Y5] transaction to the subscribing Care Team Contributor.

3.Y4.4.1.1 Trigger Events

Subscribing to Care Team Updates is a business and workflow decision, and the use of this is optional in the DCP Profile.

The Subscription criteria, used to trigger updates, may be simple or complex.

850 A simple Subscription criteria includes only query parameters about a CareTeam resource, such as the id. A simple Subscription criteria results in notifications of changes to the CareTeam

resource itself, but the subscription update would not be triggered by changes to a resource referenced by the care team.

855 A complex Subscription criteria contains chained parameters, such as parameters about resources that are referenced within the CareTeam. For example, chaining parameters about a practitioner referenced from a CareTeam results in notifications of changes to either the CareTeam or to the referenced practitioner.

3.Y4.4.1.2 Message Semantics

This is an HTTP or HTTPS POST of a Subscription resource, as constrained by this profile.

860 The base URL for this is: [base]/Subscription

Where the body of the transaction contains the Subscription resource.

3.Y4.4.1.3 Expected Actions

The Care Team Contributor shall check the response from the Care Team Service. See <http://hl7.org/fhir/http.html#create> for details.

865 The Care Team Service shall check that the Subscription resource meets the constraints defined by this profile, in PCC TF-3: 6.6.2

Also see <http://hl7.org/fhir/subscription.html> for details.

870 When a Subscription resource is accepted, the Care Team Service sets the status to “requested” and returns in the Location header the Subscription’s logical id for use in future operations. This logical id shall be saved by the Care Team Contributor.

A Subscription may be rejected by the Care Team Service for a number of reasons, such as if the Subscription is incomplete or does not meet the requirements of this profile as in PCC TF-3: 6.6.2

875 As per FHIR POST protocol, a rejected transaction results in the return of a 406 – rejected HTTP response.

3.Y4.4.2 Update Subscription to Care Team Updates

An existing subscription may be updated by a Care Team Contributor, for example to refine the search criteria.

3.Y4.4.2.1 Trigger Events

880 An existing subscription needs to be updated.

3.Y4.4.2.2 Message Semantics

This is an HTTP or HTTPS PUT of a Subscription resource, as constrained by this profile.

The base URL for this is: [base]/Subscription/[id]

Where the body of the transaction contains the Subscription resource.

885 See: <http://hl7.org/fhir/http.html#update>

3.Y4.4.2.3 Expected Actions

See <http://hl7.org/fhir/http.html#update>

3.Y4.5 Security Considerations

See X.5 DCTM Security Considerations

890 **3.Y5 Provide Care Team [PCC-Y5]**

3.Y5.1 Scope

This transaction is used to provide an updated CareTeam resource to a Care Team Contributor that has subscribed to updates.

3.Y5.2 Actor Roles




Figure 3.Y5.2-1: Use Case Diagram


Table 3.Y5.2-1: Actor Roles

Actor:	Care Team Service
Role:	The Care Team Service provides updated CareTeam resources to subscribed Care Team Contributors.
Actor:	Care Team Contributor
Role:	The Care Team Contributor that has subscribed to care team updates receives updates of changed CareTeam resources.

3.Y5.3 Referenced Standards

905 HL7 FHIR standard release 3 (STU)

3.Y5.4 Interaction Diagram



3.Y5.4.1 Provide Care Team

915 The Care Team Service sends a CareTeam resource to the endpoint specified in the Subscription resource.

3.Y5.4.1.1 Trigger Events

A change to a resource causes a Subscription Criteria to evaluate as true, so the Care Team Service sends the updated CareTeam resource to the designated endpoint.

920 **3.Y5.4.1.2 Message Semantics**

This is an HTTP or HTTPS POST of a CareTeam resource, as constrained by this profile.

The base URL for this is specified in the registered Subscription resource.

Where the body of the transaction contains the CareTeam resource.

See: <http://hl7.org/fhir/subscription.html>

925 **3.Y5.4.1.3 Expected Actions**

930 The Care Team Contributor receives the CareTeam resource in the body of the POST. If the Care Team Contributor is offline and cannot accept the transaction, according to 2.46.5 Managing Subscriptions and Errors (see: <http://hl7.org/fhir/subscription.html>), the server may retry the notification a fixed number of times and/or refer errors to its own alert logs. If the notification fails, the server should set the status to 'error', and mark the error in the resource. If the notification succeeds, the server should update the status to 'active again. If a subscription fails consistently a server may choose set the subscription status to off, and stop trying to send notifications.

3.Y5.5 Security Considerations

935 See X.5 DCTM Security Considerations

Appendices

None

940 **Volume 2 Namespace Additions**

<i>Add the following terms to the IHE General Introduction Appendix G:</i>
--

None

Volume 3 – Content Modules

5 Namespaces and Vocabularies

Add to Section 5 Namespaces and Vocabularies

NA

950 *Add to Section 5.1.1 IHE Format Codes*

NA

Add to Section 5.1.2 IHE ActCode Vocabulary

NA

955 *Add to Section 5.1.3 IHE RoleCode Vocabulary*

NA

6 Content Modules

6.3.1 CDA Content Modules NA

960 6.6 HL7 FHIR Content Module

6.6.1 dctmCareTeam

965 The following table shows the proposed DynamicCareTeamManagement StructureDefinition, which constrains the CareTeam resource. Constraints applied to the CareTeam base resource by this profile are shown in bold. The xml of the StructuredDefinition is currently not available [See Open issues and Questions #4]. The below table is a conceptual representation of the upcoming StructureDefinition.

Table 6.6.1-2: CareTeam resource

Name	Card.	Description & Constraints	Comments
.. CareTeam		Planned participants in the coordination and delivery of care for a patient or group	
... identifier	1..*	External Ids for this team	This version of the profile requires at least one identifier.
... status	1..1	proposed active suspended inactive entered-in-error	This version of the profile requires the status of the care team.
... category	0..*	Type of team	
... name	1..1	Name of the team	This version of the profile requires the name of the care team.
... subject	1..1	The patient who care team is for	For this version of the profile, the use of group is not supported.
... context	0..1	Encounter or episode associated with CareTeam	This profile allows for CareTeam creation outside of the context of an encounter or episode.
... period	1..1	Time period team covers	This version of the profile requires period for the CareTeam.
.... start	1..1		This version of the profile requires at least a start time for the CareTeam.
... participant	1..*	Members of the team	This version of the profile requires at least one participant
.... role	0..1	Type of involvement	

Name	Card.	Description & Constraints	Comments
.... member	1..1	Who is involved	Need to know who the member is if participant is required. This version of the profile requires that a DynamicCareTeam be referenced when the member is a care team.
.... onBehalfOf	0..1	Organization of the practitioner	
.... period	0..1	Time period of participant	This version of the profile requires period to indicate how current the participant is.
... reasonCode	0..*	Why the care team exists	
... reasonReference	0..*	Why the care team exists	
... managingOrganization	0..*	Organization responsible for the care team	
... note	0..*	Comments made about the CareTeam	

970 6.6.2 dctmSubscription

The following table documents the proposed CareTeamSubscription, which constrains the Subscription resource. Changes to the base Subscription resource are shown in bold. The xml of the StructuredDefinition is currently not available (see Open issues and Questions #4). The below table is a conceptual representation of the upcoming StructureDefinition.

975

Table 6.6.2-1: Subscription resource

Name	Card.	Description	Comments
.. Subscription		A server push subscription criteria	
...status	1..1	requested active off off	
...contact	0..*	Contact details for source (e.g., troubleshooting)	
...end	0..1	When to automatically delete the subscription	
...reason	1..1	Description of why this subscription was created	
...criteria	1..1	Rule for server push criteria	
...error	0..1	Latest error note	
...channel	1..1	The channel on which to report matches to the criteria	
....type	1..1	rest-hook	This version of the profile constrains the channel type to rest-hook.

Name	Card.	Description	Comments
...endpoint	1..1	Where the channel points to	This version of the profile constrains the channel type to rest-hook, the endpoint must be a valid URL for the Provide Care Team [PCC-Y5] transaction.
...payload	1..1	Mimetype to send	This version of the profile constrains the channel payload to a non-blank value - the CareTeam resource must be the payload.
...header	0..*	Usage depends on the channel type	
...tag	0..*	A tag to add to matching resources	

Appendices

NA

980 **Volume 3 Namespace Additions**

Add the following terms to the IHE Namespace:

None

985

Volume 4 – National Extensions

Add appropriate Country section

990 None