

**Integrating the Healthcare Enterprise**



5

**IHE Laboratory (LAB)  
Technical Framework**

10

**Volume 3  
(LAB TF-3)  
Content**

15

20

**Revision 4.0 – Final Text  
October 2, 2012**

## Contents

25		
	<b>1</b>	<b>INTRODUCTION.....3</b>
	1.1	OVERVIEW OF IHE.....3
	1.2	OVERVIEW OF THE LABORATORY TECHNICAL FRAMEWORK.....3
	1.2.1	<i>Production</i> .....3
30	1.2.2	<i>How the Laboratory Technical Framework is Organized</i> .....4
	1.3	AUDIENCE.....4
	1.4	RELATIONSHIP TO STANDARDS.....4
	1.5	RELATIONSHIP TO REAL-WORLD ARCHITECTURES.....5
	1.6	COMMENTS.....5
35	1.7	COPYRIGHT PERMISSIONS.....5
	1.8	IHE TECHNICAL FRAMEWORK DEVELOPMENT AND MAINTENANCE PROCESS.....5
	1.9	TECHNICAL FRAMEWORK CROSS-REFERENCES.....6
	1.10	GLOSSARY.....6
	<b>2</b>	<b>SHARING LABORATORY REPORTS (XD-LAB) CONTENT MODULE .....7</b>
40	2.1	REFERENCED STANDARDS AND PROFILES.....7
	2.2	XDS METADATA.....7
	2.2.1	<i>XDSDocumentEntry</i> .....7
	2.2.2	<i>XDSSubmissionSet</i> .....8
	2.2.3	<i>XDSFolder</i> .....8
45	2.3	SPECIFICATION.....8
	2.3.1	<i>Identifiers Defined or Referenced by the Laboratory Report</i> .....9
	2.3.2	<i>Vocabularies Used by the Laboratory Report</i> .....11
	2.3.3	<i>Content Modules for CDA Header (Level 1)</i> .....11
	2.3.4	<i>Content Modules for CDA Sections (Level 2)</i> .....31
50	2.3.5	<i>Content Modules for CDA Entries (Level 3)</i> .....40
	2.3.6	<i>Extensions to CDA R2</i> .....69
	<b>3</b>	<b>OPEN ISSUES.....72</b>
	<b>4</b>	<b>CLOSED ISSUES .....72</b>
55		

## 1 Introduction

### 1.1 Overview of IHE

60 Integrating the Healthcare Enterprise (IHE) is an initiative designed to stimulate the integration of the information systems that support modern healthcare institutions. Its fundamental objective is to ensure that in the care of patients all required information for medical decisions is both correct and available to healthcare professionals. The IHE initiative is both a process and a forum for encouraging integration efforts. It defines a technical framework for the implementation of established interoperability standards to achieve specific clinical goals. It includes a rigorous testing process for the implementation of this framework, organizes educational sessions, 65 exhibits at major meetings of medical professionals to demonstrate the benefits of this framework and encourage its adoption by industry and users.

The approach employed in the IHE initiative is to support the use of existing standards, e.g., HL7, ASTM, DICOM, ISO, IETF, OASIS, CLSI and others as appropriate, rather than to define new standards. IHE profiles further constrain configuration choices where necessary in these 70 standards to ensure that they can be used in their respective domains in an integrated manner between different actors. When clarifications or extensions to existing standards are necessary, IHE refers recommendations to the relevant standards bodies.

### 1.2 Overview of the Laboratory Technical Framework

#### 1.2.1 Production

75 This document, the Laboratory Technical Framework (LAB TF), defines specific implementations of established standards to achieve integration goals of clinical laboratories with other components of a healthcare enterprise or with a broader community of healthcare providers, hereafter called a healthcare community.

This document is updated annually, following a period of public review, and maintained 80 regularly through the identification and correction of errata. The current version, rev. 4.0 Final Text, specifies the IHE transactions defined and implemented as of May 2012. The latest version of the document is always available via the Internet at [http://www.ihe.net/Technical\\_Framework](http://www.ihe.net/Technical_Framework).

It has been produced with the help of the following organizations:

- CAP (College of American Pathologists)
- 85 • ASIP Santé (Agence des Systèmes d'Information Partagés de Santé) formerly GMSIH (Groupement pour la Modernisation du Système d'Information Hospitalier)
- JAHIS (Japanese Association of Healthcare Information Systems Industry)
- IHE-J (IHE Japan)
- SFIL (Société Française d'Informatique de Laboratoire)
- 90 • HL7 and its affiliate organizations
- RSNA (Radiological Society of North America)

## 1.2.2 How the Laboratory Technical Framework is Organized

The IHE Laboratory Technical Framework identifies a subset of the functional components of the healthcare enterprise or healthcare community, called IHE actors, and specifies their interactions in terms of a set of coordinated, standards-based transactions. It describes this body of transactions in progressively greater depth, and is organized in volumes:

- **Volume 1** of the Laboratory Technical Framework (LAB TF-1) provides a high-level view of IHE functionality, showing the transactions organized into functional units called integration profiles that highlight their capacity to address specific integration requirements for clinical purposes.
- **Volumes 2a, 2b, and 2x** of the Laboratory Technical Framework (LAB TF-2a, Lab TF-2b, LAB TF-2x) provide a detailed technical description of each message-based transaction and of its messages.
- The present volume, **Volume 3** of the Laboratory Technical Framework (LAB TF-3) provides a detailed technical description of each document-based transaction, its persistent content and binding. Currently, Volume 3 describes one single document-based transaction designed for the sharing of laboratory reports. One single content module is provided, namely the laboratory report as a CDA document.
- **Volume 4** of the Laboratory Technical Framework (LAB TF-4) has been deprecated.

## 1.3 Audience

The intended audience of this document is:

- Technical staff of vendors participating in the IHE initiative.
- IT managers of healthcare institutions and healthcare communities.
- Experts involved in standards development.
- Anyone interested in the technical aspects of integrating healthcare information systems.

## 1.4 Relationship to Standards

The IHE Laboratory Technical Framework identifies functional components of a distributed healthcare environment (referred to as IHE actors), solely from the point of view of their interactions in the healthcare enterprise. At its current level of development, it defines a coordinated set of transactions based on HL7, IETF, ISO, CLSI, OASIS and W3C standards. As the scope of the IHE initiative expands, transactions based on other international standards MAY be included as required.

In some cases, IHE recommends selection of specific options supported by these standards; however, IHE does not introduce technical choices that contradict conformance to these standards. If errors in or extensions to existing standards are identified, IHE's policy is to report them to the appropriate standards bodies for resolution within their conformance and standards evolution strategy.

IHE is therefore an implementation framework, not a standard. Conformance claims for products must still be made in direct reference to specific standards. In addition, vendors who have implemented IHE integration capabilities in their products MAY publish IHE Integration

Statements to communicate their products' capabilities. Vendors publishing IHE Integration Statements accept full responsibility for their content. By comparing the IHE Integration Statements from different products, a user familiar with the IHE concepts of actors and integration profiles can determine the level of integration between them.

## 135 **1.5 Relationship to Real-world Architectures**

The IHE Actors and transactions are abstractions of the real-world healthcare information system environment. While some of the transactions are traditionally performed by specific product categories (e.g., Hospital Information System, Electronic Patient Record, Clinical Information System, Laboratory Information System, Laboratory Automation System, Analyzer, Robotic Transportation System and other pre and post-analytic process equipment), the IHE Laboratory Technical Framework intentionally avoids associating functions or actors with such product categories. For each actor, the IHE Laboratory Technical Framework defines only those functions associated with integrating information systems. The IHE definition of an actor should therefore not be taken as the complete definition of any product that might implement it, nor should the framework itself be taken to comprehensively describe the architecture of a healthcare information system.

## **1.6 Comments**

IHE International welcomes comments on this document and the IHE initiative. They should be directed to the co-chairs of the IHE Laboratory Committee, using the address [lab@ihe.net](mailto:lab@ihe.net).

## 150 **1.7 Copyright Permissions**

Health Level Seven Inc. has granted permission to IHE to reproduce tables from the HL7 standard. The HL7 tables in this document are copyrighted by Health Level Seven Inc. All rights reserved.

IHE grants permission to Health Level Seven Inc. and its affiliate organizations to reproduce either parts of this document or the document in its entirety.

The Clinical and Laboratory Standards Institute (CLSI) has granted to IHE the permission to reproduce tables and figures from the POCT1-A standard. The POCT1-A tables and figures in this document are copyrighted by CLSI. All rights reserved.

IHE grants permission to CLSI to reproduce either parts of this document or the document in its entirety.

## **1.8 IHE Technical Framework Development and Maintenance Process**

The IHE Laboratory Technical Framework is being continuously extended and maintained by the IHE Laboratory Technical committee. The development and maintenance process of the Framework follows a number of principles to ensure stability of the specification so that both vendors and users MAY use it reliably in specifying, developing and acquiring systems with IHE integration capabilities.

The first of these principles is that any extensions, clarifications and corrections to the Technical Framework must maintain backward compatibility with previous versions of the framework in

170 order to maintain interoperability with systems that have implemented IHE Actors and Integration Profiles defined there.

## 1.9 Technical Framework Cross-references

When references are made to another section within a Technical Framework volume, a section number is used by itself. When references are made to other volumes or to a Technical Framework in another domain, the following format is used:

175 <domain designator> TF-<volume number>: <section number>, where  
<domain designator> is a short designator for the IHE domain (ITI = IT Infrastructure, PCC = Patient Care Coordination, LAB = Laboratory)  
<volume number> is the applicable volume within the given Technical Framework (e.g., 1, 2, 3),  
<section number> is the applicable section number.

180 For example: ITI TF-1: 3.1 refers to Section 3.1 in volume 1 of the IHE IT Infrastructure.

When references are made to Transaction numbers in the Technical Framework, the following format is used:

[<domain designator>-<transaction number>], where

185 <transaction number> is the transaction number within the specified domain. For example:  
[LAB-1] refers to Transaction 1 from the IHE Laboratory Technical Framework, [ITI-30] refers to Transaction 30 from the IT Infrastructure Technical Framework.

## 1.10 Glossary

190 The glossary of all terms, acronyms and abbreviations used in any volume of the Laboratory Technical Framework is in section 1.11 of Volume 1: LAB TF-1:1.11

## 2 Sharing Laboratory Reports (XD-LAB) Content Module

195 This Content Integration Profile describes a laboratory report as an electronic document to be published towards a document sharing resource such as an Electronic Health Record (EHR) or Personal Health Record (PHR) shared by a community of care providers, using one of the document sharing profiles defined in ITI-TF.

200 Such an electronic document contains the set of releasable results produced by a clinical laboratory or by a public health laboratory in fulfillment of an **Order** or an **Order Group** (see definition of these terms in LAB TF-1:3.5.3) for a patient. The report is shared in a human-readable format. In addition, this electronic laboratory report SHALL contain test results in a machine-readable format, to facilitate the integration of these observations in the database of a consumer system.

205 The human rendering of the laboratory report defined in this Integration Profile is compatible with laboratory regulations in numerous countries, including CLIA in the USA, GBEA in France.

The laboratory report described in this profile, with its set of test results in a machine-readable format, MAY also be used to share historical results with appropriate content anonymization and patient identification pseudonymization to create shared distributed repositories of laboratory information.

210

### 2.1 Referenced Standards and Profiles

HL7 CDA Release 2.0 (denoted HL7 CDA R2, or just CDA, in subsequent text)

### 2.2 XDS Metadata

215 XD-LAB is a CDA R2 document and thus conforms to the XDS Metadata requirements in PCC TF-2: 5 unless otherwise specified below.

#### 2.2.1 XDSDocumentEntry

XD-LAB leverages the XDS DocumentEntry Metadata requirements in PCC TF-2: 5.1.1.1.1, unless otherwise specified below.

#### 220 2.2.1.1 XDSDocumentEntry.eventCodeList

XD-LAB documents further constrain the XDSDocumentEntry.eventCodeList to the following:

225

XSDDocumentEntry			
Attribute	Usage	Source Type	Source/ Value
eventCodeList	R2 <sup>1</sup>	SAT	<p>ClinicalDocument / component / structuredBody / component / section / entry / act / entryRelationship / organizer (templateId="1.3.6.1.4.1.19376.1.3.1.1") / component / observation(templateId="1.3.6.1.4.1.19376.1.3.1.1")/value</p> <p>AND</p> <p>ClinicalDocument / component / structuredBody / component / section / entry / act / subject / code</p> <p>If the document has Reportable Condition, then this code SHALL be among those listed in the eventCodeList.</p> <p>Additionally, if the document contains information about a Non-Human Subject, then the code that indicates what this subject is SHALL be among those listed in the eventCodeList. Thus, this attribute has been enhanced from the XDS profile from O to R2.</p>

**Note 1:** The usage requirement 'R2' is a synonym of the usage requirement code 'RE' which appears in the volume 2 of this TF. R2 is retained in this volume 3 for consistency with all other content profiles specifications across IHE domains.

230

### 2.2.1.2 XSDDocumentEntry.formatCode

The XSDDocumentEntry.formatCode SHALL be **urn:ihe:lab:xd-lab:2008**

The associated codingScheme Slot SHALL be 1.3.6.1.4.1.19376.1.2.3

### 2.2.1.3 XSDDocumentEntry.parentDocumentRelationship

235 XD-LAB only permits the “replace” relationship between instances of XD-LAB documents. Thus, XSDDocumentEntry.parentDocumentRelationship is constrained to only the "RPLC" value.

### 2.2.2 XDSSubmissionSet

No additional constraints. For more information, see PCC TF-2: 5.1.1.1.2.

### 2.2.3 XDSFolder

No additional requirements. For more information, see PCC TF-2: 5.1.1.1.3.

240

## 2.3 Specification

245 CDA Release 2.0 documents that conform to the requirements of this content module SHALL indicate their conformance by the inclusion of the appropriate `templateId` elements in the header of the document. This is shown in the sample document below. A CDA Document MAY conform to more than one template. Additionally, all persons (including the patient) and all organizations mentioned in the document SHALL be represented with elements `name`, `addr` and `telecom`. If in the event a unit of information about an entity is not known or has been de-identified, the use of `nullFlavor` is appropriate.

250 **2.3.1 Identifiers Defined or Referenced by the Laboratory Report**

The Content Modules of the Laboratory Technical Framework define or reference the following template identifiers:

**Table 2.3.1-1: Defined or Referenced Content Modules for Laboratory Report**

Template Id	CDA Element	Usage	Description
1.3.6.1.4.1.19376.1.3.3	ClinicalDocument	R	Template specifying the CDA R2 laboratory report. (2.3.3.5)
1.3.6.1.4.1.19376.1.3.3.1.2	ClinicalDocument/ recordTarget	R2 <sup>1</sup>	Non-Human Subject template in the CDA header (2.3.3.13.2 and 2.3.5.3)
1.3.6.1.4.1.19376.1.3.3.1.3	ClinicalDocument/ recordTarget	R2 <sup>1</sup>	Human (Patient) paired with Non-Human Subject template in the CDA header (2.3.3.13.3 and 2.3.5.4)
1.3.6.1.4.1.19376.1.3.3.1.4	ClinicalDocument/ intendedRecipient	O	Intended Recipient template in the CDA header (2.3.3.16)
1.3.6.1.4.1.19376.1.3.3.1.5	ClinicalDocument/ authenticator, entry/act/.../participant ('AUTHEN')	O	Laboratory Results Validator template in the CDA header (2.3.3.18) and in an entry of the CDA body
1.3.6.1.4.1.19376.1.3.3.1.6	ClinicalDocument/ Participant ('REF')	O	Ordering Provider template in the CDA header (2.3.3.19)
1.3.6.1.4.1.19376.1.3.3.1.7	ClinicalDocument/ documentationOf/ serviceEvent/performer, entry/act/.../performer	O	Laboratory Performer template in the CDA header and in an entry of the CDA body (2.3.3.22)
1.3.6.1.4.1.19376.1.3.3.2.1	ClinicalDocument/ component/structuredBody/ component/ section	R	Laboratory Specialty Section template in the CDA body (2.3.4.1)
1.3.6.1.4.1.19376.1.3.3.2.2	ClinicalDocument/ component/structuredBody/ component/ section/component/section	O	Laboratory Report Item Section template in the CDA body (2.3.4.2)
1.3.6.1.4.1.19376.1.3.1	ClinicalDocument/ component/structuredBody/ component/ section/ .../entry	R	Laboratory Data Processing Entry template in the CDA body (2.3.5.2)
1.3.6.1.4.1.19376.1.3.1.2	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry /act/.../ entryRelationship/procedure	R2 <sup>1</sup>	Specimen Collection template in an entry of the CDA body (2.3.5.5)
1.3.6.1.4.1.19376.1.3.1.3	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry /act/.../ entryRelationship/procedure/ entryRelationship/act	R2 <sup>1</sup>	Specimen Received template in an entry of the CDA body (2.3.5.6)

Template Id	CDA Element	Usage	Description
1.3.6.1.4.1.19376.1.3.1.1	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act/.../entryRelationship /organizer	R2 <sup>1</sup>	Notification Organizer template in an entry of the CDA body (2.3.5.7)
1.3.6.1.4.1.19376.1.3.1.1.1	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act/.../entryRelationship /organizer/component/ observation	R2 <sup>1</sup>	Notifiable Condition template in an entry of the CDA body (2.3.5.7.1)
1.3.6.1.4.1.19376.1.3.1.1.2	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act/.../ entryRelationship/organizer/ component/observation	R2 <sup>1</sup>	Case Identifier template in an entry of the CDA body (2.3.5.7.2)
1.3.6.1.4.1.19376.1.3.1.1.3	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act/.../ entryRelationship/organizer/ component/observation	R2 <sup>1</sup>	Outbreak Identifier template in an entry of the CDA body (2.3.5.7.3)
1.3.6.1.4.1.19376.1.3.1.5	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act/.../ entryRelationship/organizer	R2 <sup>1</sup>	Laboratory Isolate Organizer template in an entry of the CDA body (2.3.5.8)
1.3.6.1.4.1.19376.1.3.1.4	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act/.../ entryRelationship/organizer	R2 <sup>1</sup>	Laboratory Battery Organizer template in an entry of the CDA body (2.3.5.9)
1.3.6.1.4.1.19376.1.3.1.6	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act/.../ entryRelationship/observation	R	Laboratory Observation template in an entry of the CDA body (2.3.5.10)
1.3.6.1.4.1.19376.1.5.3.1.4.2	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry /act/.../ entryRelationship/act	O	Annotation Comment in an entry of the CDA body (0). This template is defined in PCC TF-2: 6.4.4.6

255

**Note 1:** The usage requirement 'R2' is a synonym of the usage requirement code 'RE' which appears in the volume 2 of this TF. R2 is retained in this volume 3 for consistency with all other content profiles specifications across all IHE domains.

260 In addition, this IHE Laboratory Technical Framework uses the two following identifiers:

OID	Description
1.3.6.1.4.1.19376.1.3.2	Namespace protecting the single extension brought to the CDA R2 standard
1.3.6.1.4.1.19376.1.3.4	Root identifier used by example instances of documents

## 2.3.2 Vocabularies Used by the Laboratory Report

### 2.3.2.1 LOINC

codeSystem: 2.16.840.1.113883.6.1

265 codeSystemName: LOINC

Description: Logical Observation Identifier Names and Codes

A LOINC tests codes subset is provided in Volume 4 of the Laboratory Technical Framework: IHE LAB TF-4 “LOINC Laboratory Test Code Set”.

270 In addition, this specification uses LOINC codes to define types of laboratory reports in the CDA header, and types of sections in the CDA body.

### 2.3.2.2 Use of SNOMED CT Terminology

codeSystem: 2.16.840.1.113883.6.96

codeSystemName: SNOMED-CT

Description: SNOMED Controlled Terminology

275 Some countries will take from SNOMED CT some of the vocabulary domains needed by the entries of the Laboratory Report. (e.g., specimen types, isolates, antibiotics). The usage of SNOMED CT in a laboratory report is not constrained by this specification. These tasks are left up to realms.

### 2.3.2.3 Use of IHEActCode Vocabulary

280 codeSystem: 1.3.5.1.4.1.19376.1.5.3.2

codeSystemName: IHEActCode

Description: A small vocabulary of clinical acts defined in PCC TF-2:6.1.1

## 2.3.3 Content Modules for CDA Header (Level 1)

This section describes the CDA header of the clinical laboratory report.

285 Most of the constraints on this CDA header are derived from national regulations and conventions, and therefore are defined in the context of a realm (e.g., a country). Being international, this IHE content profile does not supersede constraints that have been (or will be) defined by realm implementation guides.

290 For instance, most of the constraints on the header provided by the Continuity of Care Document (CCD) CDA Implementation Guide for the US realm, will also apply to the Clinical Laboratory Report in the US. Similarly, the constraints on the CDA header provided by the French “*Guide d’Implémentation de l’entête CDA*” will also apply to the Clinical Laboratory Report in France.

295 The header identifies the patient, the clinical laboratory that produced the report, the physician that ordered the tests, the encounter in which this act was performed, and other participants to this document (author, custodian, legal authenticator...). This information SHALL be rendered

to the human reader of the electronic document, together with the content of the body. Seeing the body of the document without the header makes no sense.

**Table 2.3.3-1: CDA Header Templates**

Template Id	CDA Element	Usage	Description
1.3.6.1.4.1.19376.1.3.3	ClinicalDocument	R	Template specifying the CDA R2 laboratory report. (2.3.3.5)
1.3.6.1.4.1.19376.1.3.3.1.2	ClinicalDocument/ recordTarget	R2 <sup>1</sup>	Non-Human Subject template in the CDA header (2.3.3.13.2 and 2.3.5.3)
1.3.6.1.4.1.19376.1.3.3.1.3	ClinicalDocument/ recordTarget	R2 <sup>1</sup>	Human (Patient) paired with Non-Human Subject template in the CDA header (2.3.3.13.3 and 2.3.5.4)
1.3.6.1.4.1.19376.1.3.3.1.4	ClinicalDocument/ intendedRecipient	O	Intended Recipient template in the CDA header (2.3.3.16)
1.3.6.1.4.1.19376.1.3.3.1.5	ClinicalDocument/ authenticator, entry/act/.../participant (‘AUTHEN’)	O	Laboratory Results Validator template in the CDA header and in an entry of the CDA body (2.3.3.18)
1.3.6.1.4.1.19376.1.3.3.1.6	ClinicalDocument/ Participant (‘REF’)	O	Ordering Provider template in the CDA header (2.3.3.19)
1.3.6.1.4.1.19376.1.3.3.1.7	ClinicalDocument/ documentationOf/ serviceEvent/performer, entry/act/.../performer	O	Laboratory Performer template in the CDA header and in an entry of the CDA body (2.3.3.22)

300

**Note 1:** The usage requirement ‘R2’ is a synonym of the usage requirement code ‘RE’ which appears in the volume 2 of this TF. R2 is retained in this volume 3 for consistency with all other content profiles specifications across all IHE domains.

### 2.3.3.1 General Constraints on Persons and Organizations Mentioned

305

All persons (including the patient) and organizations mentioned in the document SHALL provide elements `name`, `addr` and `telecom`.

### 2.3.3.2 ClinicalDocument

The root of a clinical laboratory report SHALL be a `ClinicalDocument` element from the `urn:h17-org:v3` namespace.

310

### 2.3.3.3 ClinicalDocument/realmCode

This element SHALL be present and is valued from the `RealmOfUse` [2.16.840.1.113883.1.11.11050] subset, within the `VocabularyDomainQualifier` value set.

In the international context of this profile used as it is without any further extension, the realm code SHALL be `<realmCode code="UV"/>` (universal).

315

Whenever a national extension has been defined and is used, the realm code SHALL identify this national extension.

Example for a US extension: `<realmCode code="USA"/>`

Example for a French extension: `<realmCode code="France"/>`

### 2.3.3.4 ClinicalDocument/typeId

320 This element is a technology-neutral explicit reference to the standard CDA R2. It SHALL be present and valued as follows:

ClinicalDocument/typeId@root = "2.16.840.1.113883.1.3" (which is the OID for HL7 Registered models);

325 ClinicalDocument.typeId@extension = "POCD\_HD000040" (which is the unique identifier for the CDA, Release Two Hierarchical Description).

```
<typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
```

### 2.3.3.5 ClinicalDocument/templateId

330 This element is identifying the set of constraints applied to the CDA R2 standard by this IHE specification of a laboratory report. The following templateId SHALL be present and valued as follows to indicate compliance with the XD-LAB specification:

```
<templateId root="1.3.6.1.4.1.19376.1.3.3"/>
```

### 2.3.3.6 ClinicalDocument/id

335 ClinicalDocument/Id SHALL be present. It represents the unique instance identifier of the clinical document. The combination of the root and extension attributes SHALL provide a globally unique identifier, in accordance with CDA R2, without further constraints.

Example using the extension attribute:

```
<id root="1.3.6.1.4.1.19376.1.3.4" extension="abc2"/>
```

340 Example without the extension attribute. In this case the OID populated in the root attribute is the unique instance identifier itself (The OID in this example is constructed from the OID dedicated to all examples in IHE LAB TF: 1.3.6.1.4.1.19376.1.3.4):

```
<id root="1.3.6.1.4.1.19376.1.3.4.1232669"/>
```

### 2.3.3.7 ClinicalDocument/code

345 ClinicalDocument/code SHALL be present. The laboratory report can be either a multi-disciplinary report or a single discipline report.

#### 2.3.3.7.1 Multi-disciplinary Laboratory Report

The LOINC code identifying the type of document as a (potentially) multidisciplinary laboratory report (presenting results from many specialties) is:

350 

```
<code codeSystem="2.16.840.1.113883.6.1"
      codeSystemName="LOINC"
      code="11502-2" displayName="LABORATORY REPORT.TOTAL"/>
```

### 2.3.3.7.2 Single Discipline Laboratory Report

Use the appropriate LOINC code as listed in table “Laboratory Specialties” in section 2.3.4.1.1.

#### 355 2.3.3.8 ClinicalDocument/effectiveTime

ClinicalDocument/effectiveTime SHALL be present. It contains the creation date & time of the laboratory report as an electronic document. In case this is a new revision replacing a previous version (identified in parentDocument), this is the date & time of the new revision.

```
<effectiveTime value="20080624131933.0000-0500"/>
```

#### 360 2.3.3.9 ClinicalDocument/confidentialityCode

ClinicalDocument/confidentialityCode SHALL be present in accordance with the HL7 CDA R2 standard.

#### 2.3.3.10 ClinicalDocument/languageCode

365 ClinicalDocument/languageCode SHALL be present in accordance with the HL7 CDA R2 standard.

Example of a report authored in American English:

```
<languageCode code="en-US" codeSystem="2.16.840.1.113883.6.121"/>
```

Example of a report authored in French:

370 <languageCode code="fr-FR" codeSystem="2.16.840.1.113883.6.121"/>

#### 2.3.3.11 ClinicalDocument/setId

ClinicalDocument/setId SHALL be present to enable further updates of the clinical document. It is an identifier that is common across all revisions of this laboratory report.

375 Example:

```
<setId root="1.3.6.1.4.1.19376.1.3.4" extension="abc2"/>
```

#### 2.3.3.12 ClinicalDocument/versionNumber

ClinicalDocument/versionNumber MAY be present. As requested by the CDA standard, it is an integer value used as versioning.

#### 380 2.3.3.13 ClinicalDocument/recordTarget

ClinicalDocument/recordTarget SHALL be present and SHALL conform to the Human Patient, Non-Human Subject or Human Patient with Non-Human Subject templates defined below. There are three varieties of laboratory reports:

- 385 • Human (patient): The document reports laboratory observations produced on specimens collected exclusively from the patient.
- Non-Human Subject: The document reports laboratory observations produced on specimens collected from a non-human material (e.g., water, milk, etc.) or living subject (e.g., animal).

- 390
- Human (patient) paired with Non-Human Subject: The document reports laboratory observations produced on a non-human specimen with a relationship to a human patient (e.g., peanut butter eaten by a patient, a ferret that bit a patient).

These three varieties are represented by three templates applied to recordTarget element:

### 2.3.3.13.1 Human Patient

395 In accordance with the HL7 CDA R2 standard and further constrained by this specification, XD-LAB requires the presence of name, addr and telecom for all entities in the document including the human patient. Additionally, the following SHALL be present.

- **<id/>** - The patientRole/id SHALL be present.
- **<administrativeGenderCode/>** - The patientRole/patient/administrativeGenderCode SHALL be present.
- **<birthTime/>** - The patientRole/patient/birthTime SHALL be present.

```

<recordTarget typeCode="RCT">
  <patientRole classCode="PAT">
    <id extension="sw54321" root="1.3.6.1.4.1.19376.1.3.4"/>
    <addr>
      <streetAddressLine>1313 Mockingbird Lane</streetAddressLine>
      <city>Janesville</city><state>WI</state><postalCode>53545</postalCode>
      <country>USA</country>
    </addr>
    <telecom value="tel:608-555-5555"/>
    <patient classCode="PSN">
      <name><family>Winters</family><given>Shelly</given></name>
      <administrativeGenderCode code="F"/>
      <birthTime value="19401213000000.0000-0500"/>
    </patient>
  </patientRole>
</recordTarget>

```

400

**Figure 2.3.3.13.1-1a: Human Patient Example a**

In the event a unit of information about the patient is not known or has been de-identified, the use of nullFlavor is appropriate:

```

<recordTarget typeCode="RCT">
  <patientRole classCode="PAT">
    <id extension="sw54321" root="1.3.6.1.4.1.19376.1.3.4"/>
    <addr>
      <streetAddressLine nullFlavor="MSK"/> <!-- masked value -->
      <city nullFlavor="MSK"/> <!-- masked value -->
      <state nullFlavor="MSK"/> <!-- masked value -->
      <postalCode>53545</postalCode>
      <country>USA</country>
    </addr>
    <telecom nullFlavor="UNK"/> <!-- unknown value -->
    <patient classCode="PSN">
      <name nullFlavor="MSK"/> <!-- masked value -->
      <administrativeGenderCode code="F"/>
      <birthTime value="19401213000000.0000-0500"/>
    </patient>
  </patientRole>
</recordTarget>

```

405

**Figure 2.3.3.13.1-1b: Human Patient Example b****2.3.3.13.2 Non-Human Subject 1.3.6.1.4.1.19376.1.3.3.1.2**

When the subject of the observations in the report is a sample exclusively taken from a non-human subject, such as an animal, a lake, soil or other environmental element, the following SHALL be present.

- 410
- **<templateId root="1.3.6.1.4.1.19376.1.3.3.1.2"/>** - The `templateId` element identifies this `recordTarget` as a non-human subject of laboratory testing. The `templateId` SHALL have `root="1.3.6.1.4.1.19376.1.3.3.1.2"`.
  - **<id/>** - `/patientRole/id` SHALL be present and SHALL represent the id of the non-human subject.
- 415
- **<patient@nullFlavor/>** - The `recordTarget/patientRole` SHALL have a `patient` sub-element and its `nullFlavor` SHALL be set to "OTH". This indicates that other information pertaining to the non-human subject can be found in the body of the document.
  - **<structuredBody> mark-up** - In addition to the elements specified in the CDA header for the non-human subject, this non-human subject SHALL be represented in a `Subject` element
- 420
- in level 3 entries in the `structuredBody` as described in (2.3.5.3).

```

<recordTarget typeCode="RCT">
  <templateId root="1.3.6.1.4.1.19376.1.3.3.1.2"/>
  <patientRole classCode="PAT">
    <id extension="66373839" root="1.3.6.1.4.1.19376.1.3.4"/>
    <patient nullFlavor="OTH"/>
  </patientRole>
</recordTarget>

```

**Figure 2.3.3.13.2-1: Non-Human Subject Example**

### 2.3.3.13.3 Human Patient with Non-Human Subject

425

#### 1.3.6.1.4.1.19376.1.3.3.1.3

When the report assembles observations for a human (patient) with observations produced using a non-human specimen, the recordTarget SHALL represent the human patient. In accordance with the HL7 CDA R2 standard and further constrained by this specification, the presence of name, addr and telecom is required for all entities in the document including the human patient. Additionally, the following SHALL be present.

430

- **<templateId root="1.3.6.1.4.1.19376.1.3.3.1.3"/>** - The templateId element identifies this recordTarget as a human patient directly impacted by a non-human subject of laboratory testing. The templateId SHALL have root="1.3.6.1.4.1.19376.1.3.3.1.3".
- **<id/>** - recordTarget/patientRole/id SHALL be present. It SHALL be representative of the id of the human patient. In this template, the id of the non-human subject is not provided in the header. On a special note, at present, if the document contains a patient and a subject (as in the case of rabies, for example), documentation of the id of the subject cannot be accomplished without an extension to CDA.
- **<administrativeGenderCode/>** - The patientRole/patient/administrativeGenderCode SHALL be present.
- **<birthTime/>** - The patientRole/patient/birthTime SHALL be present.
- **<structuredBody> mark-up** - In addition to the elements specified in the CDA header for the patient, the non-human subject SHALL be represented in a Subject element in level 3 entries in the structuredBody as described in (2.3.5.4).

435

440

```

<recordTarget typeCode="RCT">
  <templateId root="1.3.6.1.4.1.19376.1.3.3.1.3"/>
  <patientRole classCode="PAT">
    <id extension="sw54321" root="1.3.6.1.4.1.19376.1.3.4"/>
    <addr>
      <streetAddressLine>1313 Mockingbird Lane</streetAddressLine>
      <city>Janesville</city><state>WI</state><postalCode>53545</postalCode>
      <country>USA</country>
    </addr>
    <telecom value="tel:608-555-5555"/>
    <patient classCode="PSN">
      <name><family>Winters</family><given>Shelly</given></name>
      <administrativeGenderCode code="F"/>
      <birthTime value="19401213000000.0000-0500"/>
    </patient>
  </patientRole>
</recordTarget>

```

445

#### Figure 2.3.3.13.3-1: Human patient paired with Non-Human Subject Example

As in the Human Patient template, a unit of information about the patient unknown or de-identified, is signaled with the nullFlavor attribute.

### 2.3.3.14 ClinicalDocument/author

450

At least one ClinicalDocument/author SHALL be present with a time in accordance with the HL7 CDA R2 standard and further constrained by this specification to require the presence of

name, addr and telecom. The author/time element carries the date&time the laboratory report was produced. The laboratory report can be authored by a software system or by a person or by both.

455

```
<author>
  <time value="20080124171911.0425-0500"/>
  <assignedAuthor>
    <id extension="1" root="1.3.6.1.4.1.19376.1.3.4"/>
    <addr>
      <streetAddressLine>21 North Ave</streetAddressLine>
      <city>Burlington</city><state>MA</state><postalCode>01803</postalCode>
      <country>USA</country>
    </addr>
    <telecom value="tel:555-1212" use="DIR"/>
    <assignedAuthoringDevice>
      <softwareName>Pretty Good Lab System</softwareName>
    </assignedAuthoringDevice>
  </assignedAuthor>
</author>
```

**Figure 2.3.3.14-1: Example of Report Authored by a System**

```
<author>
  <time value="20080124171911.0425-0500"/>
  <assignedAuthor>
    <id extension="1" root="1.3.6.1.4.1.19376.1.3.4"/>
    <addr>
      <streetAddressLine>21 North Ave</streetAddressLine>
      <city>Burlington</city><state>MA</state><postalCode>01803</postalCode>
      <country>USA</country>
    </addr>
    <telecom value="tel:555-1212" use="DIR"/>
    <assignedPerson>
      <name>
        <prefix>Dr.</prefix><given>GP</given><family>Physician</family>
      </name>
    </assignedPerson>
    <representedOrganization>
      <name>Good Practice</name>
    </representedOrganization>
  </assignedAuthor>
</author>
```

460

**Figure 2.3.3.14-2: Example of Report Authored by a Person**

### 2.3.3.15 ClinicalDocument/custodian

ClinicalDocument/custodian SHALL be present with an id in accordance with the HL7 CDA R2 standard and further constrained by this specification to require the presence of name, addr and telecom. It represents the organization that is in charge of maintaining the laboratory report.

465

```
<custodian>
  <assignedCustodian>
    <representedCustodianOrganization>
      <id extension="1" root="1.3.6.1.4.1.19376.1.3.4"/>
      <name>Good Health Clinic</name>
      <telecom value="tel:555-1212" use="DIR"/>
      <addr>
        <streetAddressLine>21 North Ave</streetAddressLine>
        <city>Burlington</city>
      </addr>
    </representedCustodianOrganization>
  </assignedCustodian>
</custodian>
```

**Figure 2.3.3.15-1: Example of a Custodian****2.3.3.16 Intended Recipient 1.3.6.1.4.1.19376.1.3.3.1.4**

470 ClinicalDocument/informationRecipient MAY be present. When present, it SHALL be in accordance with the HL7 CDA R2 standard and further constrained by this specification to require the presence of name (on the informationRecipient and/or receivedOrganization), addr and telecom. Additionally, it SHALL have the following:

- 475 • **<templateId root="1.3.6.1.4.1.19376.1.3.3.1.4"/>** - The templateId element identifies this participant as an intended recipient. The templateId SHALL have root="1.3.6.1.4.1.19376.1.3.3.1.4".

480 The informationRecipient/intendedRecipient element can be multiple. It introduces an intended recipient of the laboratory report, other than the Ordering Provider (described as a referrer participant). These elements carry the list of the originally intended recipients of the laboratory report, i.e., those who were known at the time the report was created and published for sharing.

```
<informationRecipient>
  <templateId root="1.3.6.1.4.1.19376.1.3.3.1.4"/>
  <intendedRecipient>
    <id extension="0000" root="1.3.6.1.4.1.19376.1.3.4"/>
    <addr>
      <streetAddressLine>1600 Clifton Road</streetAddressLine>
      <city>Atlanta</city><state>GA</state><postalCode>30333</postalCode>
    </addr>
    <telecom value="tel:404-639-3535"/>
    <informationRecipient>
      <name><family>Angulo</family><given>Fred</given></name>
    </informationRecipient>
    <receivedOrganization>
      <id extension="0000" root="1.3.6.1.4.1.19376.1.3.4"/>
      <name>FoodNet</name>
      <telecom value="tel: 404-639-3535"/>
      <addr>
        <streetAddressLine>1600 Clifton Road</streetAddressLine>
        <city>Atlanta</city><state>GA</state><postalCode>30333</postalCode>
      </addr>
    </receivedOrganization>
  </intendedRecipient>
</informationRecipient>
```

**Figure 2.3.3.16-1: Intended Recipient Example**

### 485 2.3.3.17 ClinicalDocument/legalAuthenticator

The ClinicalDocument/legalAuthenticator MAY be present. When present, it SHALL be in accordance with the HL7 CDA R2 standard and further constrained by this specification to require the presence of `name`, `addr` and `telecom`. This element carries the person who has legally authenticated the report, and the organization represented by this person. The sub-element `time` carries the date&time this legal authentication took place. The sub-element `signatureCode` carries the “signed” (S) status.

If this entity happens also to be one of the validators of the laboratory results in the report, it SHALL also be documented as a validator as described in section 2.3.3.18.

```

495 <legalAuthenticator>
    <time value="20080124171911.0425-0500"/>
    <signatureCode code="S"/>
    <assignedEntity>
      <id extension="1" root="1.3.6.1.4.1.19376.1.3.4"/>
      <addr>
        <streetAddressLine>21 North Ave</streetAddressLine>
        <city>Burlington</city>
      </addr>
      <telecom value="tel:555-1212" use="DIR"/>
      <assignedPerson>
        <name><given>Mike</given><family>Roscoff</family></name>
      </assignedPerson>
    </assignedEntity>
  </legalAuthenticator>

```

**Figure 2.3.3.17-1: Legal Authenticator Example**

### 2.3.3.18 Laboratory Results Validator 1.3.6.1.4.1.19376.1.3.3.1.5

500 The ClinicalDocument/authenticator element MAY be present. When present it represents the clinical expert who performed the clinical validation (see the entries “validator” and “clinical expert” in the glossary in LAB TF-1:1.11) of the report or of a subset of its results, also called the validator. This element SHALL be in accordance with the HL7 CDA R2 standard and further constrained by this specification to require the presence of `name`, `addr` and `telecom`.

505 There MAY be more than one validator of the report. All the validators SHALL appear in the report header as `authenticator` elements AND, in the case of multiple validators, each individual validator SHALL be associated with the particular sections of the report he or she validated. In this case, the validator of a section SHALL also appear in the `entry` this section is derived from. The validator SHALL appear as a participant with `typeCode="AUTHEN"`. Additionally, the laboratory results validator SHALL have the following:

- 510
- **<templateId root="1.3.6.1.4.1.19376.1.3.3.1.5"/>** - The `templateId` element identifies this authenticator or participant as a laboratory results validator. The `templateId` SHALL have `root="1.3.6.1.4.1.19376.1.3.3.1.5"`.

```
<!-- Single validator (authenticator) -->
<ClinicalDocument>
  ...
  <authenticator>
    <templateId root="1.3.6.1.4.1.19376.1.3.3.1.5"/>
    <time value="20080124171911.0425-0500"/>
    <signatureCode code="S"/>
    <assignedEntity>
      <id extension="274" root="1.3.6.1.4.1.19376.1.3.4"/>
      <addr>
        <streetAddressLine>7000 Laboratory Drive</streetAddressLine>
        <city>Chicago</city><state>IL</state><postalCode>60622</postalCode>
        <country>USA</country>
      </addr>
      <telecom value="tel:312-555-5555"/>
      <assignedPerson>
        <name>
          <family>Technologist</family><given>274</given>
        </name>
      </assignedPerson>
      <representedOrganization>
        <id extension="rm83747" root="1.3.6.1.4.1.19376.1.3.4"/>
        <name>Laboratory</name>
        <telecom value="tel:312-555-5555"/>
        <addr>
          <streetAddressLine>1234 Laboratory Drive</streetAddressLine>
          <city>Chicago</city>
          <state>IL</state>
          <postalCode>60622</postalCode>
          <country>USA</country>
        </addr>
      </representedOrganization>
    </assignedEntity>
  </authenticator>
  ...
</ClinicalDocument>
```

515

**Figure 2.3.3.18-1: Laboratory Results Single Validator Example**

```

<!-- Multiple Validators (authenticator) -->
<ClinicalDocument>
...
  <authenticator>
    <templateId root="1.3.6.1.4.1.19376.1.3.3.1.5"/>
    <time value="20080124171911.0425-0500"/>
    <signatureCode code="S"/>
    <assignedEntity>
      <id extension="274" root="1.3.6.1.4.1.19376.1.3.4"/>
      <addr><!-- address 1 content here --></addr>
      <telecom value="tel:312-555-5555"/>
      <assignedPerson>
        <name><!-- name 1 content here --></name>
      </assignedPerson>
    </assignedEntity>
  </authenticator>
  <authenticator>
    <templateId root="1.3.6.1.4.1.19376.1.3.3.1.5"/>
    <time value="20080124171911.0425-0500"/>
    <signatureCode code="S"/>
    <assignedEntity>
      <id extension="332" root="1.3.6.1.4.1.19376.1.3.4"/>
      ...
    </assignedEntity>
  </authenticator>
  ...
  <structuredBody>
    ...
    <section>
      ...
      <entry>
        <act>
          ...
          <entryRelationship>
            <observation>
              ...
              <participant typeCode="AUTHEN">
                <templateId root="1.3.6.1.4.1.19376.1.3.3.1.5"/>
                <time value="20080123211000.007-0500"/>
                <participantRole>
                  <id extension="332" root="1.3.6.1.4.1.19376.1.3.4"/>
                  <addr><!-- address 2 content here --></addr>
                  <telecom value="tel:312-555-5555"/>
                  <playingEntity>
                    <name><!-- name 2 content here --></name>
                  </playingEntity>
                </participantRole>
              </participant>
            </observation>
          ...
        </entry>
      </section>
    </section>
    ...
    <entry>
      ...
      <participant typeCode="AUTHEN">
        <templateId root="1.3.6.1.4.1.19376.1.3.3.1.5"/>
        <time value="20080123211000.007-0500"/>
        <participantRole>
          <id extension="274" root="1.3.6.1.4.1.19376.1.3.4"/>
          ...
        </participantRole>
      </participant>
    </entry>
  </section>
</structuredBody>
</ClinicalDocument>

```

**Figure 2.3.3.18-2: Laboratory Results Multiple Validators Example**

**2.3.3.19 Ordering Provider 1.3.6.1.4.1.19376.1.3.3.1.6**

520 ClinicalDocument/participant(s) MAY be present. When present, this element SHALL be in accordance with the HL7 CDA R2 standard with a `time` element and further constrained by this specification to require the presence of `name`, `addr` and `telecom`.

525 In particular, when the ordering provider of the order (or group of orders) fulfilled by this laboratory report is present in the CDA, it SHALL be documented as a participant with the attribute `typeCode` valued “REF” (referrer). Additionally, the ordering provider SHALL have the following:

- 530 • **<templateId root="1.3.6.1.4.1.19376.1.3.3.1.6"/>** - The `templateId` element identifies this participant as an ordering physician. The `templateId` SHALL have `root="1.3.6.1.4.1.19376.1.3.3.1.6"`.

**Note:** In the v2.5 messaging structures this participant corresponds to the “ordering provider” represented by OBR-16 or ORC-12.

```

<participant typeCode="REF">
  <templateId root="1.3.6.1.4.1.19376.1.3.3.1.6"/>
  <time value="20080123211000.007-0500"/>
  <associatedEntity classCode="AGNT">
    <id extension="1" root="1.3.6.1.4.1.19376.1.3.4"/>
    <addr>
      <streetAddressLine>21 North Ave</streetAddressLine>
      <city>Burlington</city>
    </addr>
    <telecom value="tel:555-1212" use="DIR"/>
    <associatedPerson>
      <name><given>Good</given><family>Orderer</family></name>
    </associatedPerson>
    <scopingOrganization>
      <id extension="rm83747" root="1.3.6.1.4.1.19376.1.3.4"/>
      <name>Hospital</name>
      <telecom nullFlavor="UNK"/>
      <addr nullFlavor="UNK"/>
    </scopingOrganization>
  </associatedEntity>
</participant>

```

535 **Figure 2.3.3.19-1: Ordering Provider Example**

**2.3.3.20 ClinicalDocument/inFulfillmentOf/order**

The `inFulfillmentOf/order` element MAY be present. It represents the Placer Order or the Placer Group that was fulfilled, the id of which is carried by `inFulfillmentOf/order/id`.

- 540 **Note:** A laboratory report MAY fulfill an Order Group or an Order (see definitions of these terms in the Glossary: LAB TF-1:1.11 and in “Product Implementation” section: LAB TF-1:3.5.3). In v2.5 messages the Placer Group corresponds to field ORC-4 “placer group number”, the Placer Order corresponds to field ORC-2 “placer order number”

**2.3.3.21 ClinicalDocument/documentationOf/serviceEvent**

545 ClinicalDocument/documentationOf(s) MAY be present. The `documentationOf/serviceEvent` represents the main Act being documented, that is an act of reporting Result Event(s) produced by a laboratory (See Result Event RMIM in the Laboratory domain of HL7 V3).

Use of sub element `documentationOf/serviceEvent/effectiveTime` to document the time boundaries of events in the document is appropriate.

550 This laboratory report content module adds the optional sub element `documentationOf/serviceEvent/statusCode` to enable the sharing of non-final reports. A report is considered as non-final (e.g., a preliminary report) if and only if it documents an Act, which is still in the status “active” (i.e., `serviceEvent/statusCode@code="active"`).

555 The `statusCode` sub element is an extension to the CDA R2 schema further described in section 2.3.6.3 of this volume. This sub-element is optional. When it is not there, the documented Act is assumed to be completed and the report is assumed to be a final report.

```
<documentationOf>
  <serviceEvent>
    <effectiveTime>
      <low value="20080104000000.0000-0500"/>
      <high value="20080108000000.0000-0500"/>
    </effectiveTime>
  </serviceEvent>
</documentationOf>
```

**Figure 2.3.3.21-1: DocumentationOf – Example of a final report**

```
<documentationOf>
  <serviceEvent>
    <lab:statusCode code="active"/>
    <effectiveTime>
      <low value="20080104000000.0000-0500"/>
      <high value="20080108000000.0000-0500"/>
    </effectiveTime>
  </serviceEvent>
</documentationOf>
```

**Figure 2.3.3.21-2: DocumentationOf – Example of a non-final report**

560

More requirements regarding replacement of a report by a new version are provided in notes 1, 2 and 3 of section 2.3.3.23.

### 2.3.3.22 Laboratory Performer 1.3.6.1.4.1.19376.1.3.3.1.7

Laboratory Performers MAY be present. See this entry in the glossary (LAB TF-1:1.11)

565 Documentation of laboratories having performed the reported tests can be done in multiple levels of the document to reflect performance scope. In the case where there is a single Laboratory Performer, this entity SHALL be documented in CDA header as

570 `ClinicalDocument/documentationOf/serviceEvent/performer`. In the case where multiple Laboratory Performers participated in the lab testing process, they SHALL instead be documented in the `structuredBody` at the entry level, organizer level or observation level, depending on the scope of the subset they performed.

575 A Laboratory Performer, when present, SHALL be in accordance with the HL7 CDA R2 standard with a `time` element and further constrained by this specification to require the presence of `name`, `addr` and `telecom`. Additionally, the laboratory performer SHALL have the following:

- `<templateId root="1.3.6.1.4.1.19376.1.3.3.1.7"/>` - The `templateId` element identifies this performer as a laboratory performer. The `templateId` SHALL have `root="1.3.6.1.4.1.19376.1.3.3.1.7"`.

```

<!-- Single Laboratory Performer -->
<ClinicalDocument>
  ...
  <documentationOf>
    <serviceEvent>
      <performer typeCode="PRF">
        <templateId root="1.3.6.1.4.1.19376.1.3.3.1.7"/>
        <time value="20080123211000.007-0500"/>
        <assignedEntity>
          <id extension="kd83736" root="1.3.6.1.4.1.19376.1.3.4"/>
          <addr>
            <streetAddressLine>7000 Hospital Drive</streetAddressLine>
            <city>Chicago</city><state>IL</state><postalCode>60622</postalCode>
            <country>USA</country>
          </addr>
          <telecom value="tel:312-555-5555"/>
          <assignedPerson>
            <name>
              <family>Dawson</family><given>Kim</given><prefix>Dr.</prefix>
            </name>
          </assignedPerson>
          <representedOrganization>
            <id extension="72899" root="1.3.6.1.4.1.19376.1.3.4"/>
            <name>Hospital Laboratory</name>
            <telecom value="tel:312-555-5555"/>
            <addr>
              <streetAddressLine>7000 Hospital Drive</streetAddressLine>
              <city>Chicago</city><state>IL</state><postalCode>60622</postalCode>
              <country>USA</country>
            </addr>
          </representedOrganization>
        </assignedEntity>
      </performer>
    </serviceEvent>
  </documentationOf>
</ClinicalDocument>

```

580

**Figure 2.3.3.22-1: Laboratory Single Performer Example**

```

<!-- Multiple Laboratory Performers, this one has performed a single observation -->
<structuredBody>
  ...
  <entry>
    <act>
      ...
      <entryRelationship>
        <observation>
          ...
          <performer typeCode="PRF">
            <templateId root="1.3.6.1.4.1.19376.1.3.3.1.7"/>
            <time value="20080123211000.007-0500"/>
            <assignedEntity>
              <id extension="rm83747" root="1.3.6.1.4.1.19376.1.3.4"/>
              <addr>
                <streetAddressLine>7000 Hospital Drive</streetAddressLine>
                <city>Chicago</city><state>IL</state><postalCode>60622</postalCode>
                <country>USA</country>
              </addr>
              <telecom value="tel:312-555-5555"/>
              <assignedPerson>
                <name>
                  <family>Trenton</family><given>Douglas</given><prefix>Dr.</prefix>
                </name>
              </assignedPerson>
              <representedOrganization>
                <id extension="rm83747" root="1.3.6.1.4.1.19376.1.3.4"/>
                <name>Hospital Laboratory</name>
                <telecom value="tel:312-555-5555"/>
                <addr>
                  <streetAddressLine>7000 Hospital Drive</streetAddressLine>
                  <city>Chicago</city><state>IL</state><postalCode>60622</postalCode>
                  <country>USA</country>
                </addr>
              </representedOrganization>
            </assignedEntity>
          </performer>
        </observation>
      </entryRelationship>
    </act>
  </entry>
  ...
</structuredBody>

```

585

**Figure 2.3.3.22-2: Laboratory Multiple Performers Example**

### 2.3.3.23 ClinicalDocument/relatedDocument/parentDocument

590 This element SHALL be present in case of an update replacement of a previous report. In this case relatedDocument@typeCode attribute SHALL be valued "RPLC", the new report replacing the parent one.

```
<relatedDocument typeCode="RPLC">
  <parentDocument>
    <id root="1.3.6.1.4.1.19376.1.3.4" extension="abc2"/>
  </parentDocument>
</relatedDocument>
```

**Figure 2.3.3.23-1: Related Parent Document Example**

595 **Note 1:** A non-final laboratory report published in an XDS infrastructure will likely be replaced afterwards by the final report. When this event occurs, the Content Creator Actor SHALL apply the following rules:

- ClinicalDocument/setId SHALL have the same value in the new report as in the replaced report.
- ClinicalDocument/versionNumber SHALL be incremented in the replacing report (i.e., the final one).
- ClinicalDocument/relatedDocument@typeCode attribute SHALL be valued "RPLC"
- ClinicalDocument/relatedDocument/parentDocument/id in the new report SHALL be equal to ClinicalDocument/ id of the replaced document.

600

The Document Source Actor SHALL apply the following rules on XDSDocumentEntry metadata:

- The final report SHALL be associated with the previously published one, using RPLC relationship and the previous report SHALL be "Deprecated" as described in ITI TF-2:4.1.6.1.

605

**Note 2:** A non-final report can also be replaced by a more recent, albeit still non-final report. The rules above also apply in this case.

**Note 3:** A final report can also be replaced by a corrective final report. The rules above also apply in this case.

### 610 **2.3.3.24 ClinicalDocument/componentOf/encompassingEncounter**

The ClinicalDocument/componentOf/encompassingEncounter element MAY be present. It describes the encounter during which the reported lab observations were ordered.

When present the encounter SHALL:

- be identified with an id element: `encompassingEncounter/id`
- 615 • The encounter SHALL have an effective time that represents the time interval (possibly still running, e.g., an inpatient current stay) of the encounter or a point in time at which the encounter took place (e.g., an outpatient consultation): `encompassingEncounter/effectiveTime`

620 The encounter MAY provide any number of encounter participants (`encompassingEncounter/encounterParticipant/assignedEntity`). When present, encounter participants SHALL be in accordance with the HL7 CDA R2 standard with a time and further constrained by this specification to require the presence of `name`, `addr` and `telecom`. Additionally, the encounter participant SHALL have a `typeCode` with one the values selected from the `x_EncounterParticipant` domain:

625 The encounter MAY precise the patient location during this encounter. This is the healthcare facility in which the patient was located when the reported lab test observations were ordered: `encompassingEncounter/location/healthCareFacility`. This healthcare facility can be represented as a physical place (e.g., room, floor, building, office) or as an organization (e.g., service, department, team) or both: `healthCareFacility/location`,  
630 `healthCareFacility/serviceProviderOrganization`.

```

<componentOf>
  <encompassingEncounter>
    <id extension="73920282" root="1.3.6.1.4.1.19376.1.3.4"/>
    <effectiveTime>
      <low value="20080123211000.0000-0500"/>
    </effectiveTime>
  </encompassingEncounter>
</componentOf>
```

**Figure 2.3.3.24-1: Example of an Encompassing Encounter**

635

### 2.3.4 Content Modules for CDA Sections (Level 2)

A laboratory report SHALL have a `structuredBody`. This body is organized as a tree of up to two levels of sections, delivering the human-readable content of the report:

640 Top level sections represent laboratory specialties. A top level section SHALL contain either one `text` block carrying all the text results produced for this specialty along with a single Laboratory Data Processing Entry or a set of Laboratory Report Item Sections. In the first case the specialty section happens to also be a leaf section. In the latter case, each (second level) leaf section contained in the (top level) specialty section represents a **Report Item**: i.e., a battery, a specimen study (especially in microbiology), or an individual test.

645 In addition, any leaf section SHALL contain a single Laboratory Data Processing Entry containing the observations of that section in a machine-readable format.

**Table 2.3.4-1: CDA Section Templates**

Template Id	CDA Element	Usage	Description
1.3.6.1.4.1.19376.1.3.3.2.1	ClinicalDocument/ component/structuredBody/ component/section	R	Laboratory Specialty Section template in the CDA body (2.3.4.1)
1.3.6.1.4.1.19376.1.3.3.2.2	ClinicalDocument/ component/structuredBody/ component/section/component/section	O	Laboratory Report Item Section template in the CDA body (2.3.4.2)

#### 2.3.4.1 Laboratory Specialty Section 1.3.6.1.4.1.19376.1.3.3.2.1

##### 2.3.4.1.1 List of Laboratory Specialties

650 Every Laboratory Report SHALL contain at least one Laboratory Specialty Section. Each top section represents a specialty. A laboratory report MAY be composed of test results from a single specialty (e.g., a microbiology report, a virology report), or from any number of specialties (a report from a multidisciplinary laboratory). The structure of the report allows both kinds of reports.

655 The Laboratory Specialty Sections use the LOINC codes defined as report subject identifier codes. A laboratory report SHALL contain one or more of these sections, in any order. Laboratory Specialty Sections SHALL NOT be nested:

**Table 2.3.4.1.1-1: Laboratory Specialties**

LOINC code	Name
18717-9	BLOOD BANK STUDIES
18718-7	CELL MARKER STUDIES
18719-5	CHEMISTRY STUDIES
18720-3	COAGULATION STUDIES
18721-1	THERAPEUTIC DRUG MONITORING STUDIES
18722-9	FERTILITY STUDIES
18723-7	HEMATOLOGY STUDIES
18724-5	HLA STUDIES

LOINC code	Name
18725-2	MICROBIOLOGY STUDIES
18727-8	SEROLOGY STUDIES
18728-6	TOXICOLOGY STUDIES
18729-4	URINALYSIS STUDIES
18767-4	BLOOD GAS STUDIES
18768-2	CELL COUNTS+DIFFERENTIAL STUDIES
18769-0	MICROBIAL SUSCEPTIBILITY TESTS
26435-8	MOLECULAR PATHOLOGY STUDIES
26436-6	LABORATORY STUDIES
26437-4	CHEMISTRY CHALLENGE STUDIES
26438-2	CYTOLOGY STUDIES

660

**Note 1:** 26436-6 (LABORATORY STUDIES) enables issuing a report putting together observations from multiple specialties (disciplines) in the same text block, allowing delivery of a global interpretation comment at the end of the text block that will be rendered at the end of the report.

665

**Note 2:** 18721-1 (THERAPEUTIC DRUG MONITORING STUDIES) will be used for a section carrying pharmacology observations on a patient.

**Note 3:** Mycology and parasitology, as well as bacteriology, are part of the 18725-2 (MICROBIOLOGY STUDIES) specialty.

**Note 4:** Virology MAY be included in 18725-2 (MICROBIOLOGY STUDIES) specialty or 18727-8 (SEROLOGY STUDIES) or split between both specialties, depending upon the Content Creator Actor's choice.

### 2.3.4.1.2 Specification

670 Every Laboratory Report SHALL contain at least one Laboratory Specialty Section, identified with its LOINC specialty code.

`<templateId root="1.3.6.1.4.1.19376.1.3.3.2.1"/>` - The `templateId` element identifies this section as a Laboratory Specialty Section. The `templateId` SHALL be present with `root="1.3.6.1.4.1.19376.1.3.3.2.1"`.

675

`<code code=" " codeSystem=" " codeSystemName=" " displayName=" "/>` - The Laboratory Specialty Section SHALL identify the LOINC laboratory specialty. The `code`, `codeSystem`, and `displayName` attributes SHALL be present. The `codeSystemName` MAY also be present.

680

`<title/>` - The Laboratory Specialty Section `<title>` MAY be present. It is the local translation of the `code@displayName`.

685 The semantic content of each specialty `section` is not constant between countries. The relationship between **Report Items** and **Specialties** varies from country to country, and MAY even vary in the same country, from a healthcare organization to another. A **Report Item** can be a battery (or test panel), an individual test, or the complete study of a specimen (particularly in the MICROBIOLOGY STUDIES specialty). Realm extensions of this profile MAY further constrain these definitions.

A Laboratory Specialty Section SHALL contain EITHER a list of Laboratory Report Item Section(s) OR a single `text` and `entry` element to represent the **Report Items**.

- 690 • **Choice 1: Laboratory Report Item Section** - With this option, this Laboratory Specialty Section SHALL contain NEITHER a top level `text` NOR `entry` elements. Each **Report Item** is contained in a corresponding Laboratory Report Item Section which contains the Lab Report Data Processing Entry. See 2.3.4.2.
- 695 • **Choice 2: Text and Entry** - With this option, the Laboratory Specialty Section `text` SHALL be present and not blank. This narrative block SHALL present to the human reader, all the observations produced for this Specialty, using the various structures available in the CDA Narrative Block schema (NarrativeBlock.xsd): tables, lists, paragraphs, hyperlinks, footnotes, references to attached or embedded multimedia objects. The narrative block is fully derived from the `entry` containing the machine-readable result data. Additionally, a single Laboratory Report Data Processing Entry SHALL be present with attribute  
700 `typeCode="DRIV"`. This `entry` contains the machine-readable result data from which the narrative block of this section is derived.

Should a Laboratory Report contain multiple Laboratory Specialty Sections they need not adhere to the same choice of representation, that is, one MAY expect a mixture of choice 1 and choice 2 representations among multiple Laboratory Specialty Sections.

```

<ClinicalDocument>
...
  <component typeCode="COMP">
    <structuredBody classCode="DOCBODY" moodCode="EVN">
      <component typeCode="COMP">
        <section classCode="DOCSECT">
          <templateId root="1.3.6.1.4.1.19376.1.3.3.2.1"/>
          <!-- Example Specialty Section that holds a leaf section. -->
          <code code="18723-7" codeSystem="2.16.840.1.113883.6.1"
            codeSystemName="LOINC" displayName="HEMATOLOGY STUDIES"/>
          <title>Laboratory Hematology Results</title>
          <component>
            <section>
              <templateId root="1.3.6.1.4.1.19376.1.3.3.2.2"/>
              <!-- Example Leaf Section that holds one Report Item. -->
              <code code="16931-8" codeSystem="2.16.840.1.113883.6.1"
                codeSystemName="LOINC" displayName="Hemoglobin/Hematocrit"/>
              <text><table>...</table></text>
              <entry typeCode="DRIV">
                <templateId root="1.3.6.1.4.1.19376.1.3"/>
                <act classCode="ACT" moodCode="EVN">
                  ...
                </act>
              </entry>
            </section>
          </component>
        </section>
      </component>
      <component typeCode="COMP">
        <section classCode="DOCSECT">
          <templateId root="1.3.6.1.4.1.19376.1.3.3.2.1"/>
          <!-- Example Specialty Section that holds Report Items directly as a
            Laboratory Report Data Processing Entry-->
          <code code="18719-5" codeSystem="2.16.840.1.113883.6.1"
            codeSystemName="LOINC" displayName="CHEMISTRY STUDIES"/>
          <title>Laboratory Chemistry Results</title>
          <text><table>...</table></text>
          <entry typeCode="DRIV">
            <templateId root="1.3.6.1.4.1.19376.1.3"/>
            <act classCode="ACT" moodCode="EVN">
              ...
            </act>
          </entry>
        </section>
      </component>
    </structuredBody>
  </component>
...
</ClinicalDocument>

```

705

Figure 2.3.4.1.2-1: Laboratory Specialty Section Example

### 2.3.4.2 Laboratory Report Item Section 1.3.6.1.4.1.19376.1.3.3.2.2

710

At the second level (nested in one specialty section), each leaf section represents a **Report Item**. It can be a battery (or test panel), an individual test, or the complete study of a specimen

(particularly in the MICROBIOLOGY STUDIES specialty). A Laboratory Report Item Section under a Laboratory Specialty Section SHALL represent only one **Report Item**.

- 715 • `<templateId root="1.3.6.1.4.1.19376.1.3.3.2.2"/>` - The `templateId` element identifies this section as a Laboratory Report Item Section under a Laboratory Specialty Section. The `templateId` SHALL be present with `root="1.3.6.1.4.1.19376.1.3.3.2.2"`.
- 720 • `<code code=" " codeSystem=" " codeSystemName=" " displayName=" "/>` - The Laboratory Report Item Section SHALL identify the single **Report Item** uniquely using the `<code>` element. For example, a LOINC test code. The `code`, `codeSystem`, and `displayName` SHALL be present. One MAY also populate `codeSystemName` and `originalText`.
- 725 • `<title/>` - The Leaf Section `title` MAY be present, it is the local translation of the `code@displayName`.
- 730 • `<text/>` - The Laboratory Report Item Section `text` SHALL be present and not blank. This narrative block SHALL present to the human reader and represent the observations produced for this **Report Item**, using the various structures available in the CDA Narrative Block schema (`NarrativeBlock.xsd`): tables, lists, paragraphs, hyperlinks, footnotes, references to attached or embedded multimedia objects. The narrative block is fully derived from the `entry` containing the machine-readable result data.
- 730 • `<entry typeCode="DRIV">` - The Laboratory Report Item Section SHALL contain a Lab Report Data Processing Entry. This `entry` contains the machine-readable result data from which the narrative block of this section is derived.

```

<ClinicalDocument>
...
  <component typeCode="COMP">
    <structuredBody classCode="DOCBODY" moodCode="EVN">
      <component typeCode="COMP">
        <section classCode="DOCSECT">
          <templateId root="1.3.6.1.4.1.19376.1.3.3.2.1"/>
          <!-- Example Specialty Section that holds two leaf sections. -->
          <code code="18723-7" codeSystem="2.16.840.1.113883.6.1"
            codeSystemName="LOINC" displayName="HEMATOLOGY STUDIES"/>
          <title>Laboratory Hematology Results</title>
          <component>
            <section>
              <templateId root="1.3.6.1.4.1.19376.1.3.3.2.2"/>
              <!-- Leaf Section that holds one Report Item. -->
              <code code="16931-8" codeSystem="2.16.840.1.113883.6.1"
                codeSystemName="LOINC" displayName="Hemoglobin/Hematocrit"/>
              <text><table/>...</table></text>
              <entry typeCode="DRIV">
                <templateId root="1.3.6.1.4.1.19376.1.3"/>
                <act classCode="ACT" moodCode="EVN">
                  ...
                </act>
              </entry>
            </section>
          </component>
          <component>
            <section>
              <templateId root="1.3.6.1.4.1.19376.1.3.3.2.2"/>
              <!-- Leaf Section that holds one Report Item. -->
              <code code="14196-0" codeSystem="2.16.840.1.113883.6.1"
                codeSystemName="LOINC" displayName="Reticulocytes"/>
              <text><table>...</table></text>
              <entry typeCode="DRIV">
                <templateId root="1.3.6.1.4.1.19376.1.3"/>
                <act classCode="ACT" moodCode="EVN">
                  ...
                </act>
              </entry>
            </section>
          </component>
        </section>
      </component>
    </structuredBody>
  </component>
</ClinicalDocument>

```

**Figure 2.3.4.2-1: Laboratory Report Item Section Example**

### 2.3.4.3 Recommendations for Narrative Text

#### 735 2.3.4.3.1 Presenting the Laboratory Results in the Narrative Text

For each test result the narrative block presents the following items, some of which will be common to all the tests performed on the same specimen:

The date/time of the observation, which is the relevant physiological date/time, i.e., when the specimen was drawn from the patient, or the best approximation to it.

740 The name of the analyte or finding.

The observation value (numeric, coded, textual or multimedia).

The unit of measure, if relevant. It is specified in the Unified Code for Units of Measure (UCUM) [<http://aurora.rg.iupui.edu/UCUM>]. Realms MAY choose the uppercase or mixed case variants as necessary.

745 The reference range if known and relevant, with optional criteria pre-conditioning it (e.g., “newborn age < 6 weeks”).

The interpretation code if known and relevant, using HL7 V3 vocabulary domain ObservationInterpretation (e.g., D = decreased, L = low, A = abnormal, R = resistant...)

750 The specimen type if it is not implied by the test. If it is present it SHALL use the HL7 V3 vocabulary domain SpecimenEntityType or another international standard terminology (e.g., SNOMED CT) and it SHALL NOT conflict with the specimen inherent to the test code<sup>1</sup>, when using a test vocabulary that implies the specimen type, (like LOINC does with its “SYSTEM” property). This constraint can be verified by conformance testing, only if the conformance testing tool is able to map both vocabularies.

755 The specimen source site if relevant (e.g., swab on left foot in microbiology, arterial blood for blood gas)

The testing method if relevant. If it is present it SHALL NOT conflict with the method inherent to the test code (like LOINC does with its “METHOD\_TYP” property).

760 In case the tests were subcontracted, the mention of the subcontractor lab’s name, address, telecom and director’s name.

The collecting method if relevant. (e.g., catheter, fine needle aspirate).

Zero or more previous values obtained for the same test on the same patient.

Previous results MAY appear only if they are clearly comparable, i.e., produced with the same method on the same specimen type, and expressed with the same unit.

765 The physiologically relevant date/time of these previous values

When all the tests of a battery share the same specimen the following items SHALL be present once in the section:

date/time of the observation (since it represents the specimen collection time)

770 specimen type (if not inherent to the section)

---

<sup>1</sup> For instance, the LOINC test code 16904-5 GLUCOSE^1ST SPECIMEN POST XXX CHALLENGE is inherent to a Urine specimen. If the specimen type is mentioned in the section, it has to be a urine specimen (e.g., « Urine » or « Urine clean catch »); it cannot be a « Serum » or a « Sweat » specimen type.

specimen source site (if relevant)

In case the previous observations for these tests were also obtained on one single specimen: the date/time of the previous value SHALL also be mentioned only once.

775 The general rule to be applied by the Content Creator Actor is to put the specimen at the highest possible level in the hierarchy of the document

#### **2.3.4.3.2 Reporting a Single Specimen Battery**

780 This structure fits the presentation of results of a battery performed on a single specimen. The presentation is designed in priority for numeric results, but it also fits coded and textual results. For each test, the current observation is compared with the reference ranges when relevant, and the results obtained on previous Filler Orders.

The narrative block MAY contain:

785 Zero or more initial `paragraph` delivering contextual information on the battery: Pertinent information. Reason for ordering this battery. Information related to the specimen (specimen observation, specimen collection procedure, specimen target site). Method used by the battery (if it is common to all the tests belonging to it). Name and phone of the verifier of the results, with date of validation, etc.

a `table` with the test results belonging to the battery. The following columns MAY be used:

Name of analyte.

Method

790 Unit

Current observation with the date/time of specimen collection as header. This column is emphasized with `Bold styleCode`.

Reference to footnote comments (`footnoteRef` if any comments accompany some of the observations)

795 Reference range

Criteria for reference range

Interpretation code (e.g., abnormality flag)

Optionally, previous observations with the date/time of specimen collection as header. This column MAY be repeated as many times as there are previous specimens to represent.

800 Columns MAY be amalgamated as required. (e.g., name of analyte and units).

Zero or more `footnote` referenced from the table, delivering comments (annotations) on some of the observations.

Zero or more concluding `paragraph` delivering global interpretative comments to this battery.

#### **2.3.4.3.3 Reporting of an Individual Test**

805 This structure fits the presentation of a test ordered or promised individually. The presentation is designed in priority for numeric results, but it also fits coded and textual results. The current

observation is compared with the reference ranges when relevant, and the results obtained on previous Filler Orders.

810 The narrative block contains:

Zero or more initial `paragraph` delivering contextual information on the test: Pertinent information. Reason for ordering this test. Information related to the specimen (specimen observation, specimen collection procedure, specimen target site). Method. Name and phone of the verifier of the results, with date of validation...

815 The complete observation MAY be rendered in a `paragraph`, with name of the test, unit, current result, unit, reference range, criteria, interpretation flag, annotation, dated previous results. Alternatively it MAY be rendered in a `table` defined below:

an OPTIONAL `table` with one single data row presenting the test result. The following columns MAY be used:

820 Name of analyte.

Method

Unit

Current observation with the date/time of specimen collection as header. This column is emphasized with `bold styleCode`.

825 Reference range

Criteria for reference range

Interpretation code (e.g., abnormality flag)

Optionally, previous observations with the date/time of specimen collection as header. This column MAY be repeated as many times as there are previous specimens to represent.

830 Columns MAY be amalgamated as required. (e.g., name of analyte and units).

Zero or more concluding `paragraph` delivering interpretative comments of the result.

## 2.3.5 Content Modules for CDA Entries (Level 3)

### 2.3.5.1 General Considerations

835

#### 2.3.5.1.1 Derivation of the Text Block of a Section from the Data of an Entry

Each leaf section of the `structuredBody` of a laboratory report SHALL contain exactly one `entry` containing the machine-readable result data rendered in the section. The narrative block is entirely derived from that `entry`; thus the `entry@typeCode` attribute SHALL be “DRIV”.

840

#### 2.3.5.1.2 Alignment with “Result Event” RMIM from V3 Laboratory Domain

The level 3 entries must be compatible with the results contained in message type POLB\_MT004000 of the Laboratory Domain. Thus, a laboratory information system able to produce HL7 V3 results messages will easily produce lab reports from the same data. The equivalence with POLB\_MT004000 is as follows:

845

Result Event RMIM class	CDA object
ObservationReport (classCode ENTRY)	ACT (classCode ACT)
ObservationBattery (classCode BATTERY)	Organizer (classCode BATTERY)
SpecimenObservationCluster (classCode CLUSTER)	Organizer (classCode CLUSTER)
ObservationEvent (classCode OBS)	Observation (classCode OBS)

850

To cope with a current limitation of vocabulary in the CDA R2 entry model, we chose to represent the ObservationReport class (classCode ENTRY) by an ACT (ACT) rather than by an ORGANIZER (CLUSTER). Although this is not the ideal solution, it is a practical and semantically appropriate solution, which avoids an extension to the `x_ActClassDocumentEntryOrganizer` domain vocabulary from the CDA R2 normative edition.

#### 2.3.5.1.3 List of Content Modules Available for Level 3

Table 2.3.5.1.3-1: CDA Entry Level Templates

Template Id	CDA Element	Usage	Description
1.3.6.1.4.1.19376.1.3.1	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry	R	Laboratory Data Processing Entry template in the CDA body (2.3.5.2)
1.3.6.1.4.1.19376.1.3.1.2	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/ act/.../ entryRelationship/procedure	R2 <sup>1</sup>	Specimen Collection template in the CDA body (2.3.5.5)

Template Id	CDA Element	Usage	Description
1.3.6.1.4.1.19376.1.3.1.3	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry /act/.../ entryRelationship/procedure/ entryRelationship/act	R2 <sup>1</sup>	Specimen Received template in the CDA body (2.3.5.6)
1.3.6.1.4.1.19376.1.3.1.1	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act /.../ entryRelationship/organizer	R2 <sup>1</sup>	Notification Organizer template in the CDA body (2.3.5.7)
1.3.6.1.4.1.19376.1.3.1.1.1	ClinicalDocument/ component/structuredBody/ component/ section/ .../entry/act/... /entryRelationship/organizer/ component/observation	R2 <sup>1</sup>	Notifiable Condition template in the CDA body (2.3.5.7.1)
1.3.6.1.4.1.19376.1.3.1.1.2	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act /.../entryRelationship/organizer/ component/observation	R2 <sup>1</sup>	Case Identifier template in the CDA body (2.3.5.7.2)
1.3.6.1.4.1.19376.1.3.1.1.3	ClinicalDocument/ component/structuredBody/ component/ section/ .../entry/act /.../entryRelationship/organizer/ component/observation	R2 <sup>1</sup>	Outbreak Identifier template in the CDA body (2.3.5.7.3)
1.3.6.1.4.1.19376.1.3.1.5	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act /.../entryRelationship/organizer	R2 <sup>1</sup>	Laboratory Isolate Organizer template in the CDA body (2.3.5.8)
1.3.6.1.4.1.19376.1.3.1.4	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act /.../entryRelationship/organizer	R2 <sup>1</sup>	Laboratory Battery Organizer template in the CDA body (2.3.5.9)
1.3.6.1.4.1.19376.1.3.1.6	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act /.../entryRelationship/observation	R	Laboratory Observation template in the CDA body (2.3.5.10)
1.3.6.1.4.1.19376.1.5.3.1.4.2	ClinicalDocument/ component/structuredBody/ component/ section/ .../ entry/act /.../entryRelationship/act	O	Annotation Comment in CDA body (2.3.5.12)

855

**Note 1:** The requirement level ‘R2’ is a synonym of the usage requirement code ‘RE’ which appears in the volume 2 of this TF. R2 is retained in volume 3 for consistency with all other content profiles specifications across all IHE domains.

### 2.3.5.1.4 Specification Tables for CDA Level 3 Content Module

860

All CDA level 3 content modules described in this section 2.3.5 are potentially nested under the Laboratory Report Data Processing Entry and constitute a tree hierarchy. The tables specifying each of these content modules reflect this hierarchy.

- The 1<sup>st</sup> left column “Lvl” counts the number of nodes traversed in the tree to reach an element, n representing the top element of the current content module.
- 865 • The 2<sup>nd</sup> column “Card” gives the cardinality of an element.
  - A cardinality of [1..1] means that the element SHALL be present once and only once.
  - A cardinality [1..\*] means that the element SHALL be present at least once.
  - A cardinality [0..1] means the element MAY be present.
  - A cardinality [0..\*] means the element MAY be present zero or more times.
- 870 • The 3<sup>rd</sup> column contains the name of the element, preceded by the name of its parent.
- The 4<sup>th</sup> column lists the attributes usable on an element.
- The 5<sup>th</sup> column lists the authorized values for an attribute. When one single value is listed, the attribute is mandatory and must have this value.
- The 6<sup>th</sup> column gives comments, and indicates whether an attribute is mandatory or not.
- 875 Notes below the table deliver additional precisions. Elements of the CDA document not explicitly referenced in a table SHALL remain as specified by the HL7 CDA R2 specification.

### 2.3.5.2 Laboratory Report Data Processing Entry 1.3.6.1.4.1.19376.1.3.1

- 880 One Laboratory Report Data Processing Entry SHALL be present in each leaf section of the report. The `entry` element SHALL be present and have its `root` attribute valued "1.3.6.1.4.1.19376.1.3.1". The `entry` SHALL contain a single `act` sub-element. This `act` is hereafter referred to as the **Specimen Act**. All other CDA level 3 content modules are nested in this one `act`. The **Specimen Act** shall contain at least one Laboratory Observation. If all observations of the `entry` have been produced on the same specimen, this specimen SHALL be
- 885 attached to the top **Specimen Act** as a specimen collection `procedure` sub-element.

A particular section of the laboratory report MAY carry results more confidential than the rest of the report (e.g., the section of the HIV serology). This is expressed with the `confidentialityCode` sub-element of the **Specimen Act**.

- 890 The Laboratory Report Data Processing Entry SHALL conform to statements here and those made in the following tables and sections.

**Table 2.3.5.2-1: Structure of Laboratory Report Data Processing Entry**

Lvl	Card	Parent/element	Attribute	Value	Comments
n	[1..1]	section/entry	typeCode	DRIV	Mandatory and fixed. Indicates that the narrative block is derived from the entry.
n+1	[1..1]	entry/templateId	root	1.3.6.1.4.1.19376.1.3.1	Mandatory and fixed. Identifies this entry as a Laboratory Report Data Processing Entry.
<b>Report Item</b> from which the section text is derived					
n+1	[1..1]	entry/act	classCode	ACT	The ‘Specimen Act’. Mandatory and fixed.

Lvl	Card	Parent/element	Attribute	Value	Comments
			moodCode	EVN	Mandatory and fixed.
n+2	[1..1]	act/code			Mandatory. When section is a Specialty Section, code is a LOINC Specialty. When section is a Report Item Section, code is a Report Item code.
n+2	[1..1]	act/statusCode	code	{completed  active  aborted}	Mandatory. 'completed' when all expected results are in a final state. 'active' if not all expected results are present 'aborted' if the tests of this section did not reach completion. Some results MAY be there, but not all.
<b>Subject in case of a non-human subject attached to the report</b>					
n+2	[0..1]	act/subject	typeCode	SBJ	→ See (2.3.5.3, 2.3.5.4)
<b>performer participation</b> used if different from the performer of the header, to supersede it for this section.					
n+2	[0..*]	act/performer	typeCode	PRF	→ See 2.3.3.22
<b>author</b> used if different from the author of the header, to supersede it for this section.					
n+2	[0..*]	act/author			
<b>Other participants such as validator (AUTHEN) or responsible party (RESP) or device (DEV)</b>					
n+2	[0..*]	act/participant	typeCode	{AUTHEN RESP DEV}	AUTHEN for validator (See 2.3.3.18) , RESP for responsible party DEV for device (e.g., lab analyzer)
<b>Laboratory Result Content</b>					
n+2	[1..*]	act/.../entryRelationship	typeCode	COMP	→ Specimen Collection (2.3.5.5) → Specimen Received (2.3.5.6) → Notification Organizer (2.3.5.7) → Notifiable Condition (2.3.5.7.1) → Case Identifier (2.3.5.7.2) → Outbreak Identifier (2.3.5.7.3) → Laboratory Isolate Organizer (2.3.5.8) → Laboratory Battery Organizer (2.3.5.9) → Laboratory Observation (2.3.5.10) → Multimedia Embedded Content (2.3.5.11) → Annotation Comment (2.3.5.12)

```

<entry typeCode="DRIV">
  <templateId root="1.3.6.1.4.1.19376.1.3.1"/>
  <act classCode="ACT" moodCode="EVN">
    <!-- Specialty Level Entry : LOINC Specialty Code -->
    <code code="18719-5" codeSystem="2.16.840.1.113883.6.1"
      codeSystemName="LOINC" displayName="Chemistry Studies"/>
    <statusCode code="completed"/>
    <effectiveTime value="200806180512">
      <entryRelationship typeCode="COMP">
        ...
      </entryRelationship>
    </act>
  </entry>

```

895

**Figure 2.3.5.2-1: Laboratory Report Data Processing Entry within a Specialty Section**

```

<entry typeCode="DRIV">
  <templateId root="1.3.6.1.4.1.19376.1.3.1"/>
  <act classCode="ACT" moodCode="EVN">
    <!-- Report Item Level Entry : Result Item Code -->
    <code code="12814-0" codeSystem="2.16.840.1.113883.6.1"
      codeSystemName="LOINC" displayName="POTASSIUM" originalText="Serum potassium"/>
    <statusCode code="completed"/>
    <effectiveTime value="200806180512">
      <entryRelationship typeCode="COMP">
        ...
      </entryRelationship>
    </act>
  </entry>

```

900

**Figure 2.3.5.2-2: Laboratory Report Data Processing Entry within a Report Item Section**

### 2.3.5.3 Non-Human Subject 1.3.6.1.4.1.19376.1.3.3.1.2.1

When the subject of the observations in the report is a sample exclusively taken from a non-human subject, such as an animal, a lake, soil or other environmental element, the following SHALL be present. In addition to the elements specified in the CDA body for the non-human subject, this non-human subject SHALL be represented in the CDA header as described in 2.3.3.13.2.

905

**Table 2.3.5.3-1: Non-Human Subject**

Lv l	Card	Parent/element	Attribute	Value	Comments
n	[0..1]	subject			
n+1	[1..1]	subject/templateId	root	1.3.6.1.4.1.19376.1.3.3.1.2.1	Mandatory and fixed

Lv l	Card	Parent/element	Attribute	Value	Comments
n+ 1	[1..1]	subject/ relatedSubject			
n+ 2	[1..1]	relatedSubject/ code			Code characterizing the non-human subject (animal species, material...)
n+ 2	[1..1]	relatedSubject/ addr			Address of the non-human subject

910

```

<subject>
  <templateId root="1.3.6.1.4.1.19376.1.3.3.1.2.1"/>
  <relatedSubject>
    <code code="226955001" codeSystem="2.16.840.1.113883.6.96"
      codeSystemName="SNOMED-CT" displayName="Chicken">
      <qualifier>
        <name code="105590001" codeSystem="2.16.840.1.113883.6.96"
          codeSystemName="SNOMED-CT" displayName="Substance"/>
        <value code="255620007" codeSystem="2.16.840.1.113883.6.96"
          codeSystemName="SNOMED-CT" displayName="Food"/>
      </qualifier>
    </code>
    <addr>
      <streetAddressLine>304 Portola Road</streetAddressLine>
      <city>San Jose</city><state>CA</state><postalCode>95120</postalCode>
      <country>USA</country>
    </addr>
  </relatedSubject>
</subject>

```

**Figure 2.3.5.3-1: Example of a non-human subject**

**2.3.5.4 Human Patient with Non-Human Subject 1.3.6.1.4.1.19376.1.3.3.1.3.1**

915

When the subject of the observations in this part of the report is a sample taken from a non-human subject, such as an animal, a lake, soil or other environmental element, while other parts of the report are related to the human patient, the following SHALL be present. In addition to the elements specified in the CDA body for the non-human subject, this non-human subject SHALL be represented in the CDA header as described in 2.3.3.13.3.

920

**Table 2.3.5.4-1: Human Patient with Non-Human Subject**

Lvl	Card	Parent/element	Attribute	Value	Comments
n	[0..1]	subject			
n+1	[1..1]	subject/ templateId	root	1.3.6.1.4.1.19376.1.3.3.1.3.1	Mandatory and fixed
n+1	[1..1]	subject/ relatedSubject			
n+2	[1..1]	relatedSubject/ code			Code characterizing the non-human subject (animal species, material...)
n+2	[1..1]	relatedSubject/ addr			Addr of the non-human subject

```

<subject>
  <templateId root="1.3.6.1.4.1.19376.1.3.3.1.3.1"/>
  <relatedSubject>
    <code code="18998007" codeSystem="2.16.840.1.113883.6.96"
      codeSystemName="SNOMED-CT" displayName="Ferret species">
      <qualifier>
        <name code="105590001" codeSystem="2.16.840.1.113883.6.96"
          codeSystemName="SNOMED-CT" displayName="Substance"/>
        <value code="39866004" codeSystem="2.16.840.1.113883.6.96"
          codeSystemName="SNOMED-CT" displayName="Animal"/>
      </qualifier>
    </code>
    <addr>
      <streetAddressLine>304 Portola Road</streetAddressLine>
      <city>San Jose</city><state>CA</state><postalCode>95120</postalCode>
      <country>USA</country>
    </addr>
  </relatedSubject>
</subject>
    
```

**Figure 2.3.5.4-1: Human Patient Paired with Non-Human Subject Example**

925

**2.3.5.5 Specimen Collection 1.3.6.1.4.1.19376.1.3.1.2**

Specimen Collection, when present, SHALL be recorded under the **Specimen Act** in an `entryRelationship` under the Laboratory Data Processing Entry. The table below shows how the information for this element is coded, and further constraints are provided in the following sections.

930

**Table 2.3.5.5-1: Specimen Collection**

Lvl	Card	Parent/element	Attribute	Value	Comments
<b>Specimen Collection</b>					
n	[1..1]	procedure	classCode	PROC	
			moodCode	EVN	
n+1	[1..1]	procedure/templateId	root	1.3.6.1.4.1.19376.1.3.1.2	Mandatory and fixed
n+1	[0..1]	procedure/code	code codeSystem	33882-2	LOINC specimen collection code
n+1	[1..1]	procedure/effectiveTime			Date & time of specimen collection
n+1	[0..1]	procedure/ targetSiteCode			Specimen Source
<b>Specimen Collection Participants</b>					
n+1	[0..1]	procedure/performer			Specimen collection organization
n+1	[1..1]	procedure/participant	typeCode	PRD	
n+2	[1..1]	participant/participantRole	classCode	SPEC	
n+3	[1..1]	participantRole/id			Specimen ID, Required
n+3	[1..1]	participantRole/playingEntity/code			Specimen Type, Required
<b>Specimen Received</b>					
n+1	[0..1]	procedure/ entryRelationship/act			→ Specimen Received (2.3.5.6)

```

<entry typeCode="DRIV">
  <templateId root="1.3.6.1.4.1.19376.1.3.1"/>
  <act classCode="ACT" moodCode="EVN">
    ...
    <entryRelationship typeCode="COMP">
      <procedure classCode="PROC" moodCode="EVN">
        <templateId root="1.3.6.1.4.1.19376.1.3.1.2"/>
        <code code="33882-2" codeSystem="2.16.840.1.113883.6.1"
          codeSystemName="LOINC" displayName="Specimen Collection"/>
        <effectiveTime nullFlavor="UNK"/>
        <targetSiteCode/>
        <performer>
          <assignedEntity>
            <id/>
            <representedOrganization>
              <name/>
              <telecom/>
              <addr>...</addr>
            </representedOrganization>
          </assignedEntity>
        </performer>
        <participant typeCode="PRD">
          <participantRole classCode="SPEC">
            <id extension="55584739" root="1.3.6.1.4.1.19376.1.3.4"/>
            <playingEntity>
              <code/>
            </playingEntity>
          </participantRole>
        </participant>
      </procedure>
    </entryRelationship>
    ...
  </act>

```

**Figure 2.3.5.5-1: Specimen Collection Example**

935 **2.3.5.6 Specimen Received 1.3.6.1.4.1.19376.1.3.1.3**

Specimen Received, when present, SHALL be recorded under the **Specimen Act** in an `entryRelationship` under the Specimen Collection Procedure. The table below shows how the information for this element is coded, and further constraints are provided in the following sections.

940 **Table 2.3.5.6-1: Specimen Received**

Lvl	Card	Parent/element	Attribute	Value	Comments
n		procedure/ entryRelationship	typeCode	COMP	
n+1		entryRelationship/ act	classCode	ACT	
			moodCode	EVN	
n+2	[1..1]	act/templateId	root	1.3.6.1.4.1. 19376.1.3.1.3	

Lvl	Card	Parent/element	Attribute	Value	Comments
n+2	[1..1]	act/code	code codeSystem codeSystemName	SPRECEIVE 1.3.5.1.4.1. 19376.1.5.3.2 IHEActCode	Code representing the specimen reception in the laboratory
n+2	[1..1]	act/effectiveTime			Date & time of specimen reception

```

<entry typeCode="DRIV">
  <templateId root="1.3.6.1.4.1.19376.1.3.1"/>
  <act classCode="ACT" moodCode="EVN">
    ...
    <entryRelationship typeCode="COMP">
      <procedure classCode="PROC" moodCode="EVN">
        <templateId root="1.3.6.1.4.1.19376.1.3.1.2"/>
        <code code="33882-2" codeSystem="2.16.840.1.113883.6.1"
          codeSystemName="LOINC" displayName="Specimen Collection"/>
        <effectiveTime nullFlavor="UNK"/>
        <targetSiteCode/>
        <performer>
          ...
        </performer>
        <participant typeCode="PRD">
          ...
        </participant>
        <entryRelationship typeCode="COMP">
          <act classCode="ACT" moodCode="EVN">
            <templateId root="1.3.6.1.4.1.19376.1.3.1.3"/>
            <code code="SPRECEIVE" codeSystem="1.3.5.1.4.1.19376.1.5.3.2"
              codeSystemName="IHEActCode" displayName="Receive Time"/>
            <effectiveTime value="20080408000000.0000-0700"/>
          </act>
        </entryRelationship>
      </procedure>
    </entryRelationship>
  </act>
</entry>

```

**Figure 2.3.5.6-1: Specimen Received Example**

**2.3.5.7 Notification Organizer 1.3.6.1.4.1.19376.1.3.1.1**

945 The document MAY contain a Notification Organizer in an `entryRelationship` under the **Specimen Act** of a Laboratory Data Processing Entry as demonstrated. This `organizer` SHALL be present when any of the following Notifications are present: Notifiable Condition (See 2.3.5.7.1), Case Identification (See 2.3.5.7.2), and/or Outbreak Identification (See 2.3.5.7.3). Notifications SHALL be present when dictated by local public health requirements.

950

**Table 2.3.5.7-1: Notification Organizer**

Lvl	Card	Parent/element	Attribute	Value	Comments
n		organizer	classCode	CLUSTER	
			moodCode	EVN	
n+1	[1..1]	organizer/templateId	root	1.3.6.1.4.1. 19376.1.3.1.1	
n+1	[1..1]	organizer/statusCode	code	{completed  nullify}	A status of completed means the patient has been associated with the given notification. A status of nullify means that the notification was done in error.
n+1	[1..*]	organizer/component			Contains one or more of the following Notifications: Notifiable Condition, Case Identification, Outbreak Identification.

```

<entry typeCode="DRIV">
  <templateId root="1.3.6.1.4.1.19376.1.3.1"/>
  <act classCode="ACT" moodCode="EVN">
    <entryRelationship typeCode="COMP">
      <organizer classCode="CLUSTER" moodCode="EVN">
        <templateId root="1.3.6.1.4.1.19376.1.3.1.1"/>
        <statusCode code="completed"/>
        <component>
          <observation classCode="COND" moodCode="EVN">
            <templateId root="1.3.6.1.4.1.19376.1.3.1.1.1"/>
            ...
          </observation>
        </component>
        <component>
          <observation classCode="CASE" moodCode="EVN">
            <templateId root="1.3.6.1.4.1.19376.1.3.1.1.2"/>
            ...
          </observation>
        </component>
        <component>
          <observation classCode="OUTB" moodCode="EVN">
            <templateId root="1.3.6.1.4.1.19376.1.3.1.1.3"/>
            ...
          </observation>
        </component>
      </organizer>
    </entryRelationship>
  </act>
</entry>

```

955

**Figure 2.3.5.7-1: Notification Organizer Example**

**2.3.5.7.1 Notifiable Condition 1.3.6.1.4.1.19376.1.3.1.1.1**

Notifiable Condition, when present, SHALL be recorded as an *observation* under the Notification Organizer (See 2.3.5.7) as demonstrated. Notifiable Condition SHALL be present when dictated by local public health requirements.

960

**Table 2.3.5.7.1-1: Notifiable Condition**

Lvl	Card	Parent/element	Attribute	Value	Comments
n		observation	classCode	COND	
			moodCode	EVN	
n+1	[1..1]	observation/ templateId	root	1.3.6.1.4.1. 19376.1.3.1.1.1	
n+1	[0..*]	observation/id			
n+1	[1..1]	observation/code			Code is used to identify this observation as the one for 'Notifiable Condition'.
n+2	[1..1]	code/qualifier			

Lvl	Card	Parent/element	Attribute	Value	Comments
n+3	[1..1]	qualifier/name	code codeSystem codeSystemName displayName		Qualifies the code with the source of specimen
n+3	[1..1]	qualifier/value	code codeSystem codeSystemName displayName		Identifies the specimen source of the condition – patient, food, soil, ...
n+1	[1..1]	observation/ statusCode	code	{completed  aborted}	A status of completed means the patient has been associated with the given notifiable condition. A status of aborted means the patient was associated with the notifiable condition in error.
n+1	[0..1]	observation/ effectiveTime			
n+1	[1..1]	observation/value	xsi:type code codeSystem codeSystemName displayName	“CE”	This is the value of the notifiable condition. It SHALL use the type “CE”

```
<entry typeCode="DRIV">
  <templateId root="1.3.6.1.4.1.19376.1.3.1"/>
  <act classCode="ACT" moodCode="EVN">
    <entryRelationship typeCode="COMP">
      <organizer classCode="CLUSTER" moodCode="EVN">
        <templateId root="1.3.6.1.4.1.19376.1.3.1.1"/>
        <statusCode code="completed"/>
        <component>
          <observation classCode="COND" moodCode="EVN">
            <templateId root="1.3.6.1.4.1.19376.1.3.1.1.1"/>
            <id extension="SALM" root="1.3.6.1.4.1.19376.1.3.4"/>
            <code code="170516003" codeSystem="2.16.840.1.113883.6.96"
              codeSystemName="SNOMED-CT" displayName="Notification of Disease">
              <qualifier>
                <name code="246087005" codeSystem="2.16.840.1.113883.6.96"
                  codeSystemName="SNOMED-CT" displayName="Source of Specimen"/>
                <value code="116154003" codeSystem="2.16.840.1.113883.6.96"
                  codeSystemName="SNOMED-CT" displayName="Patient"/>
              </qualifier>
            </code>
            <statusCode code="completed"/>
            <effectiveTime value="20080408000000.0000-0400"/>
            <value xsi:type="CE" code="27268008"
              codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT"
              displayName="Salmonella"/>
          </observation>
        </component>
        ...
      </organizer>
    </entryRelationship>
  </act>
</entry>
```

**Figure 2.3.5.7.1-1: Notifiable Condition Example**

965 **2.3.5.7.2 Case Identification 1.3.6.1.4.1.19376.1.3.1.1.2**

Case Identification, when present, SHALL be recorded as an *observation* under the Notification Organizer (See 2.3.5.7) as demonstrated. Case Identification SHALL be present when dictated by local case identification reporting requirements.

970

**Table 2.3.5.7.2-1: Case Identification**

Lvl	Card	Parent/element	Attribute	Value	Comments
n		observation	classCode	CASE	
			moodCode	EVN	
n+1	[1..1]	observation/templateId	root	1.3.6.1.4.1. 19376.1.3.1.1.2	
n+1	[0..*]	observation/id			This is the local case identification.
n+1	[1..1]	observation/code			Code is used to identify this observation as the one for 'Case Identification'.
n+1	[1..1]	observation/statusCode	code	{completed  aborted}	A status of completed means the patient has been associated with the given case number. A status of aborted means the patient was associated with the case number in error.
n+1	[0..1]	observation/ effectiveTime			
n+1	[1..1]	observation/value			Must be type "CE"

```
<ClinicalDocument>
...
<entry typeCode="DRIV">
  <templateId root="1.3.6.1.4.1.19376.1.3.1"/>
  <act classCode="ACT" moodCode="EVN">
    <entryRelationship typeCode="COMP">
      <organizer classCode="CLUSTER" moodCode="EVN">
        <templateId root="1.3.6.1.4.1.19376.1.3.1.1"/>
        <statusCode code="completed"/>
        <component>
          <observation classCode="CASE" moodCode="EVN">
            <templateId root="1.3.6.1.4.1.19376.1.3.1.1.2"/>
            <id extension="SALM_83747" root="1.3.6.1.4.1.19376.1.3.4"/>
            <code="416341003" codeSystem="2.16.840.1.113883.6.96
              codeSystemName="SNOMED-CT" displayName="Case Started">
            <statusCode code="completed"/>
            <effectiveTime value="20080408000000.0000-0400"/>
            <value xsi:type="CE" code="27268008"
              codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT"
              displayName="Salmonella"/>
          </observation>
        </component>
      </organizer>
    </entryRelationship>
  </act>
</entry>
...
</ClinicalDocument>
```

**Figure 2.3.5.7.2-1: Case Identification Example**

975 **2.3.5.7.3 Outbreak Identification 1.3.6.1.4.1.19376.1.3.1.1.3**

Outbreak Identification, when present, SHALL be recorded as an observation under the Notification Organizer (See 2.3.5.7) as demonstrated. Outbreak Identification SHALL be present when dictated by local outbreak identification reporting requirements.

980 **Table 2.3.5.7.3-1: Outbreak Identification**

Lvl	Card	Parent/element	Attribute	Value	Comments
n		observation	classCode	OUTB	
			moodCode	EVN	
n+1	[1..1]	observation/templateId	root	1.3.6.1.4.1.19376.1.3.1.1.3	
n+1	[0..*]	observation/id			This is the local outbreak identification.
n+1	[1..1]	observation/code			Code is used to identify this observation as the one for 'Outbreak Identification'.
n+1	[1..1]	observation/statusCode	code	{completed  aborted}	A status of completed means the patient has been associated with the given outbreak. A status of aborted means the patient was associated with the outbreak in error.
n+1	[0..1]	observation/effectiveTime			
n+1	[1..1]	observation/value			Must be type "CE"

```

<ClinicalDocument>
...
  <entry typeCode="DRIV">
    <templateId root="1.3.6.1.4.1.19376.1.3.1"/>
    <act classCode="ACT" moodCode="EVN">
      <entryRelationship typeCode="COMP">
        <organizer classCode="CLUSTER" moodCode="EVN">
          <templateId root="1.3.6.1.4.1.19376.1.3.1.1"/>
          <statusCode code="completed"/>
          <component>
            <observation classCode="OUTB" moodCode="EVN">
              <templateId root="1.3.6.1.4.1.19376.1.3.1.1.3"/>
              <id extension="SALM_SPINACH459" root="1.3.6.1.4.1.19376.1.3.4"/>
              <code code="416534008" codeSystem="2.16.840.1.113883.6.96"
                codeSystemName="SNOMED-CT" displayName="Outbreak"/>
              <statusCode code="completed"/>
              <effectiveTime value="20080421000000.0000-0400"/>
              <value xsi:type="CE" code="79153007"
                codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT"
                displayName="Salmonella tennessee 6,7,14;z29;1,2,7"/>
            </observation>
          </component>
          ...
        </organizer>
      </entryRelationship>
    </act>
  </entry>
  ...
</ClinicalDocument>

```

Figure 2.3.5.7.3-1: Example

985 **2.3.5.8 Laboratory Isolate Organizer 1.3.6.1.4.1.19376.1.3.1.5**

The Laboratory Isolate Organizer SHALL be used only if the entry represents a microbiology specimen study with isolates discovered on the specimen. The isolate is represented by the Isolate role played by the Isolate entity. The isolate identification is carried by the code attribute of the Isolate entity.

990 **Table 2.3.5.8-1: Laboratory Isolate Organizer**

Lvl	Card	Parent/element	Attribute	Value	Comments
<b>SpecimenObservationCluster_Organizer</b> used only in microbiology to capture the findings on an isolate					
n	[1..1]	organizer	classCode	CLUSTER	Mandatory and fixed
			moodCode	EVN	Mandatory and fixed
n+1	[1..1]	organizer/templateId	root	1.3.6.1.4.1.19376.1.3.1.1	Mandatory and fixed
n+1	[0..1]	organizer/id			
n+1	[0..1]	organizer/code			

Lvl	Card	Parent/element	Attribute	Value	Comments
n+1	[1..1]	organizer/statusCode	code	{completed  active  aborted}	'completed' when all expected results for this isolate are in a final state.. 'active' if some are missing 'aborted' if the findings on the isolate did not reach completion. Some results MAY be there.
n+1	[0..1]	organizer/ effectiveTime	value		Time of results on this isolate.
<b>subject</b> in case of a non-human subject attached to the <b>isolate</b>					
n+1	[0..1]	organizer/subject	typeCode	SBJ	→ See Tables 2.3.5.3-1 and 2.3.5.4-1
<b>participation of the isolate</b> i.e., the specific sub-specimen on which a microorganism was isolated and cultivated					
n+1	[1..1]	organizer/specimen	typeCode	SPC	type of participation "specimen"
n+2	[1..1]	specimen/specimenRole	classCode	SPEC	This represents an isolate here.
n+3	[0..1]	specimenRole/id			unique identifier for this isolate, known to the laboratory
n+3	[1..1]	specimenRole/ specimenPlayingEntity	classCode	MIC	The entity is a microorganism
n+4	[1..1]	specimenPlayingEntity /code			Identification of the microorganism, in a standard vocabulary
			code		
			codeSystem		
			codeSystemName		
		displayName			Name of the organism reported in the narrative block.
<b>performer participation</b> used if specific performer on this <b>isolate</b> , to supersede all performers of higher level.					
n+1	[0..*]	organizer/performer	typeCode	PRF	
<b>author participation</b> used if specific author on this <b>isolate</b> , to supersede all authors of higher level.					
n+1	[0..*]	organizer/author	typeCode	AUT	
<b>Other participants such as verifier (AUTHEN) or responsible party (RESP)</b>					
n+1	[0..*]	organizer/participant	typeCode	{AUTHEN  RESP  DEV}	→ See 2.3.5.13 AUTHEN for verifier, RESP for responsible party DEV for device (e.g., lab analyzer)
<b>Content of the SpecimenObservationCluster_Organizer:</b> any number of Observations, Battery_Organizers, Multimedia					
n+1	[1..*]	organizer/component	typeCode	COMP	→ Battery (2.3.5.9) → Observation (2.3.5.10) → Multimedia (2.3.5.11) → Annotation Comment (2.3.5.12)

**Note 1:** The SpecimenObservationCluster\_Organizer can have for components any number of Battery Organizer (represented by organizer element with classCode="BATTERY") and any number of Observation (represented by observation element).

995

**Note 2:** If the Report\_Entry is "completed", then the SpecimenObservationCluster\_Organizer cannot be "active".

```

<section classCode="DOCSECT">
  <templateId root="1.3.6.1.4.1.19376.1.3.3.2.1"/>
  ...
  <entry typeCode="DRIV">
    <templateId root="1.3.6.1.4.1.19376.1.3.1"/>
    <act classCode="ACT" moodCode="EVN">
      ...
      <entryRelationship typeCode="COMP">
        <organizer classCode="CLUSTER" moodCode="EVN">
          <templateId root="1.3.6.1.4.1.19376.1.3.1.5"/>
          <statusCode code="completed"/>
          <effectiveTime value="20071108000000.0000-0500"/>
          <specimen typeCode="SPC">
            <specimenRole classCode="SPEC">
              <id extension="55584739" root="1.3.6.1.4.1.19376.1.3.4"/>
              <specimenPlayingEntity classCode="MIC">
                <code code="79153007" codeSystem="2.16.840.1.113883.6.96"
                  codeSystemName="SNOMED-CT"
                  displayName="Salmonella tennessee 6,7,14;z29;1,2,7"/>
              </specimenPlayingEntity>
            </specimenRole>
          </specimen>
          <performer typeCode="PRF">
            <templateId root="1.3.6.1.4.1.19376.1.3.3.1.7"/>
            ...
          </performer>
          <author typeCode="AUT">
            ...
          </author>
          <participant typeCode="AUTHEN">
            <templateId root="1.3.6.1.4.1.19376.1.3.3.1.5"/>
            ...
          </participant>
          <participant typeCode="RESP">
            ...
          </participant>
          <participant typeCode="DEV">
            ...
          </participant>
          <component>
            <observation classCode="OBS" moodCode="EVN">
              <templateId root="1.3.6.1.4.1.19376.1.3.1.6"/>
              <code code="89029-0" codeSystem="2.16.840.1.113883.6.1"
                codeSystemName="LOINC" displayName="Microbiology Culture"/>
              ...
            </observation>
          </component>
          <component>
            <organizer classCode="BATTERY" moodCode="EVN">
              <templateId root="1.3.6.1.4.1.19376.1.3.1.4"/>
              <code code="29576-6" codeSystem="2.16.840.1.113883.6.1"
                codeSystemName="LOINC" displayName="Microbiology Susceptibility"/>
              ...
            </organizer>
          </component>
          ...
        </organizer>
      </entryRelationship>
    </act>
  </entry>
</section>

```

Figure 2.3.5.8-1: Laboratory Isolate Organizer Example

**2.3.5.9 Laboratory Battery Organizer 1.3.6.1.4.1.19376.1.3.1.4**

1000

A Laboratory Battery Organizer is used to group Laboratory Observations (See 2.3.5.10) for a battery of tests. Laboratory Battery Organizer, when present, SHALL be recorded as an `organizer` under the Laboratory Data Processing Entry as demonstrated.

**Table 2.3.5.9-1: Laboratory Battery Organizer**

Lvl	Card	Parent/element	Attribute	Value	Comments
<b>Battery_Organizer</b> Holds a battery and its set of observations and annotations, plus an optional specimen					
n	[1..1]	organizer	classCode	BATTERY	Mandatory and fixed
			moodCode	EVN	
n+1	[1..1]	organizer/templateId	root	1.3.6.1.4. 1.19376.1. 3.1.4	Mandatory and fixed
n+1	[0..1]	organizer/id			If present, represents the lab filler order number (ORC-3 and OBR-3 in HL7 v2.5) for this battery
n+1	[0..1]	organizer/code			Unique code for the battery in the appropriate vocabulary (e.g., SNOMED CT)
n+1	[1..1]	organizer/statusCode	code	{completed  aborted}	'completed' when all expected results for this battery are in a final state.. 'aborted' if the battery did not reach the end of testing. Some results MAY be there.
n+1	[0..1]	organizer/ effectiveTime	value		Time of results on this battery
<b>Subject</b> in case of a non-human subject attached to the <b>Battery</b>					
n+1	[0..1]	organizer/subject	typeCode	SBJ	→ See Tables 2.3.5.3-1 and 2.3.5.4-1
<b>performer participation.</b> Performer to supersede those recorded at higher level.					
n+1	[0..*]	organizer/performer	typeCode	PRF	
<b>author participation</b> used to supersede the authors of higher level.					
n+1	[0..*]	organizer/author	typeCode	AUT	
<b>Other participants such as verifier (AUTHEN) or responsible party (RESP)</b>					
n+1	[0..*]	organizer/ participant	typeCode	{AUTHEN  RESP  DEV}	→ See 2.3.5.13 AUTHEN for verifier, RESP for responsible party DEV for device (e.g., lab analyzer)
<b>content of the Battery_Organizer:</b> any number of observations and or multimedia					
n+1	[0..*]	organizer/component	typeCode	COMP	→ Specimen Collection (2.3.5.5) → Observation (2.3.5.10) → Multimedia (2.3.5.11) → Annotation Comment (2.3.5.12)

1005

**Note 1:** If the Battery\_Organizer hangs below the Report\_Entry, n = 4. Otherwise the Battery Organizer hangs below the SpecimenObservationCluster\_Organizer and n = 6.

**Note 2:** A Battery Organizer MAY be related to a specimen if it does not inherit this relationship from an upper level.

**Note 3:** A battery contains at least one observation. The only case where the battery MAY have no observations at all, in a final report, is when it is reported as aborted.

1010

```

<section classCode="DOCSECT">
  <templateId root="1.3.6.1.4.1.19376.1.3.3.2.1"/>
  ...
  <entry typeCode="DRIV">
    <templateId root="1.3.6.1.4.1.19376.1.3.1"/>
    <act classCode="ACT" moodCode="EVN">
      ...
      <entryRelationship typeCode="COMP">
        <organizer classCode="BATTERY" moodCode="EVN">
          <templateId root="1.3.6.1.4.1.19376.1.3.1.4"/>
          <code code="29576-6" codeSystem="2.16.840.1.113883.6.1"
            codeSystemName="LOINC" displayName="Microbiology Susceptibility">
            <originalText><reference value="susceptibilityTest"/></originalText>
          </code>
          <statusCode code="completed"/>
          <effectiveTime value="20071108000000.0000-0500"/>
          <performer typeCode="PRF">
            <templateId root="1.3.6.1.4.1.19376.1.3.3.1.7"/>
            ...
          </performer>
          <author typeCode="AUT">
            ...
          </author>
          <participant typeCode="AUTHEN">
            <templateId root="1.3.6.1.4.1.19376.1.3.3.1.5"/>
            ...
          </participant>
          <component>
            <procedure classCode="PROC" moodCode="EVN">
              <templateId root="1.3.6.1.4.1.19376.1.3.1.2"/>
              ...
              <entryRelationship typeCode="COMP">
                <act classCode="ACT" moodCode="EVN">
                  <templateId root="1.3.6.1.4.1.19376.1.3.1.3"/>
                  ...
                </act>
              </entryRelationship>
            </procedure>
          </component>
          <component>
            <observation classCode="OBS" moodCode="EVN">
              <templateId root="1.3.6.1.4.1.19376.1.3.1.6"/>
              ...
            </observation>
          </component>
          <component>
            <observation classCode="OBS" moodCode="EVN">
              <templateId root="1.3.6.1.4.1.19376.1.3.1.6"/>
              ...
            </observation>
          </component>
          <component>
            <act classCode="ACT" moodCode="EVN">
              <templateId extension="1.3.6.1.4.1.19376.1.5.3.1.4.2"/>
              <code code="48767-8" codeSystem="2.16.840.1.113883.6.1"
                codeSystemName="LOINC" displayName="Annotation Comment"/>
              <text><reference value="organizerComment"/></text>
              <statusCode code="completed"/>
            </act>
          </component>
        </organizer>
      </entryRelationship>
    </act>
  </entry>
</section>

```

Figure 2.3.5.9-1: Laboratory Battery Organizer Example

**2.3.5.10 Laboratory Observation 1.3.6.1.4.1.19376.1.3.1.6**

1015 The document SHALL contain at least one Laboratory Observation (See 2.3.5.10) under the **Specimen Act** of each Laboratory Data Processing Entry (See 2.3.5.2). The Laboratory Observation SHALL record a single laboratory observation in the document, either standalone or as part of a battery. It should be distinguished from the PCC Simple Observation template.

1020

**Table 2.3.5.10-1: Laboratory Observation**

Lvl	Card	Parent/element	Attribute	Value	Comments
<b>Observation</b> with related previous results, reference range, participants, comments					
n	[1..1]	observation	classCode	OBS	Mandatory and fixed
			moodCode	EVN	Mandatory and fixed
n+1	[1..1]	observation/ templateId	root	1.3.6.1.4. 1.19376.1. 3.1.6	Mandatory and fixed
n+1	[0..1]	observation/id			
n+1	[1..1]	observation/code			Unique test code in an international standard (LOINC or SNOMED CT) or a national standard (e.g., JC10 in Japan)
n+1	[1..1]	observation/ statusCode	code	{completed  aborted }	'completed' when the result is present. 'aborted' if the test could not be performed.
n+1	[0..1]	observation /effectiveTime	value		Physiologically relevant time
n+1	[0..1]	observation/value			The result obtained for this test using the appropriate data type. Numeric results use data type PQ, which includes the unit. The result is absent in case of 'aborted' observation.
n+1	[0..1]	observation/ interpretationCode			One or more codes interpreting the result, expressed with ObservationInterpretation vocabulary (e.g., H = high, L = low) In case of a antimicrobial susceptibility test in microbiology, the vocabulary domain is ObservationInterpretationSusceptibility: S = susceptible R = resistant I = intermediate VS = very susceptible MS = moderately susceptible
n+1	[0..1]	observation/ methodCode	code		method used for this observation expressed with ObservationMethod vocabulary (CWE)
<b>Subject</b> in case of a non-human subject attached to the Observation					
n+1	[0..1]	observation/subject	typeCode	SBJ	→ See Tables 2.3.5.3-1 and 2.3.5.4-1

Lvl	Card	Parent/element	Attribute	Value	Comments
<b>performer participation.</b> Performer to supersede those recorded at higher level.					
n+1	[0..*]	observation/ performer	typeCode	PRF	
<b>author participation</b> used to supersede the authors of higher level.					
n+1	[0..*]	observation/author	typeCode	AUT	
<b>Other participants such as verifier (AUTHEN) or responsible party (RESP)</b>					
n+1	[0..*]	observation/ participant	typeCode	{AUTHEN  RESP  DEV}	→ See 2.3.5.13 AUTHEN for verifier, RESP for responsible party DEV for device (e.g., lab analyzer)
<b>Specimen or Comment</b> on this Observation					
n+1	[0..*]	observation/ entryRelationship			→ Specimen Collection (2.3.5.5) → Annotation Comment (2.3.5.12)
<b>Previous observations</b> obtained for the same patient, test, same method, same unit (1)					
n+1	[0..*]	observation/ entryRelationship	typeCode	REFR	Refers to a previous observation for the same test code on a previous specimen.
n+2	[1..1]	entryRelationship/ observation	classCode	OBS	
			moodCode	EVN	
n+3	[1..1]	observation/code			The same test code
n+3	[1..1]	observation/ statusCode	code	completed	
n+3	[1..1]	observation/ effectiveTime	value		The clinically relevant date/time of the previous result obtained for this test.
n+3	[1..1]	observation/value			The previous result obtained for this test
<b>Reference range for the current test result</b>					
n+1	[0..1]	observation/ referenceRange	typeCode	REFV	
n+2	[1..1]	referenceRange/ observationRange	classCode	OBS	
			moodCode	EVN.CRT	
n+5	[0..1]	observationRange/ value			interval (IVL) representation
n+5	[1..1]	observationRange/ interpretationCode	code	N	These are normal ranges
n+5	[0..*]	observationRange/ preCondition	typeCode	PRCN	Extension to CDA Clinical statement
n+6	[1..1]	precondition/ criterion	classCode	COND	
			moodCode	EVN	
n+7	[1..1]	criterion/code	code		Code of the criterion (e.g., age, sex)
n+7	[1..1]	criterion/value	value		Value of the criterion

**Note 1:** An Observation MAY be complemented by any number of previous results as pertinent information related to it. This is represented with an entryRelationship of typeCode="REFR" pointing to an observation element delivering the previous result, and carrying the same test code. In case there is more than one previous result, the entryRelationship elements are sorted in reverse chronological order, and numbered from 1 to n by sequenceNumber.

```

<observation classCode="OBS" moodCode="EVN">
  <templateId root="1.3.6.1.4.1.19376.1.3.1.6"/>
  <code code="11273-0" codeSystem="2.16.840.1.113883.6.1"
    codeSystemName="LOINC" displayName="ERYTHROCYTES"/>
  <statusCode code="completed"/>
  <effectiveTime value="20060321063000.0000-0500"/>
  <value xsi:type="PQ" value="4.95" unit="10*6/mm3"/>
  <interpretationCode code="N" codeSystem="2.16.840.1.113883.5.83"/>
  <entryRelationship typeCode="COMP">
    <procedure classCode="PROC" moodCode="EVN">
      <!-- Specimen collection -->
      <templateId root="1.3.6.1.4.1.19376.1.3.1.2"/>
      ...
      <entryRelationship typeCode="COMP">
        <act classCode="ACT" moodCode="EVN">
          <templateId root="1.3.6.1.4.1.19376.1.3.1.3"/>
          ...
        </act>
      </entryRelationship>
    </procedure>
  </entryRelationship>
  <entryRelationship typeCode="REFR">
    <!-- Previous result 4.85 from Mar 12, 2006 08:15 -->
    <observation classCode="OBS" moodCode="EVN">
      <code code="11273-0" codeSystem="2.16.840.1.113883.6.1"/>
      <statusCode code="completed"/>
      <effectiveTime value="20060312081500.0000-0500"/>
      <value xsi:type="PQ" value="4.85" unit="10*6/mm3"/>
    </observation>
  </entryRelationship>
  <!-- reference range given patient sex -->
  <referenceRange typeCode="REFV">
    <observationRange classCode="OBS" moodCode="EVN.CRT">
      <interpretationCode code="N"/>
      <value xsi:type="IVL_PQ">
        <low value="4.50" unit="10*6/mm3"/>
        <high value="6.00" unit="10*6/mm3"/>
      </value>
      <lab:precondition typeCode="PRCN">
        <lab:criterion classCode="COND">
          <lab:code code="SEX"/>
          <lab:value xsi:type="CD" code="M" codeSystem="2.16.840.1.113883.5.1"/>
        </lab:criterion>
      </lab:precondition>
    </observationRange>
  </referenceRange>
</observation>

```

1030

**Figure 2.3.5.10-1: Laboratory Observation Example**

### 2.3.5.11 Multimedia Embedded Content

1035 The embedding of multimedia content (e.g., a small image of an electrophoresis chart) in a  
Laboratory Report is consistent with the CDA R2 Standard. The CDA schema allows both  
embedded multimedia objects and referenced external multimedia objects. However, this  
content module restrains the use to embedded multimedia objects only. Additionally, the  
embedded content SHALL be B64 encoded. This is indicated by setting  
1040 `observationMedia/value/ representation="B64"`. This profile supports only small images  
in *gif*, *jpeg*, *png* or *bmp* format, which are in most cases, not real pictures but simple graphics,  
such as an electrophoresis chart, embedded in the report, or an illustration of the test results. The  
sharing of real images (e.g., a picture taken from a microscope, such as the picture of a  
karyotype) will be addressed in the future by an extension of the Laboratory Technical  
Framework.

```
<section>
  <text>
    ...
    <renderMultimedia referencedObject="ELECTRO"/>
    ...
  </text>
  <entry>
    ...
    <observationMedia classCode="OBS" moodCode="EVN" ID="ELECTRO">
      <value mediaType="image/gif" representation="B64">Here is the inline B64
        multimedia content</value>
    </observationMedia>
    ...
  </entry>
</section>
```

1045

**Figure 2.3.5.11-1: Multimedia Content Example**

**2.3.5.12 Annotation Comment (PCC) 1.3.6.1.4.1.19376.1.5.3.1.4.2**

1050

This content module is defined in PCC TF-2:6.3.4.6. It enables representation of a comment at any level within the entry.

```

<section>
  <text>
    <table>
      <thead ID="isolateTest">
        ...
      </thead>
      <tfoot>
        <tr ID="isolateTestComment0">
          <td>Salmonella is a Public Health notifiable condition.
            A report has been forwarded.</td>
        </tr>
        <tr ID="isolateTestComment1">
          ...
        </tr>
      </tfoot>
    </table>
  </text>
  <entry>
    ...
    <component>
      <observation classCode="OBS" moodCode="EVN">
        <templateId root="1.3.6.1.4.1.19376.1.3.1.6"/>
        ...
        <entryRelationship typeCode="COMP">
          <act classCode="ACT" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.1.40"/>
            <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.2"/>
            <code code="48767-8" codeSystem="2.16.840.1.113883.6.1"
              codeSystemName="LOINC" displayName="Annotation Comment"/>
            <text><reference value="isolateTestComment0"/></text>
            <statusCode code="completed"/>
          </act>
        </entryRelationship>
      </observation>
    </component>
  </entry>
</section>

```

**Figure 2.3.5.12-1: Comment on an Observation Example**

```

<section>
  <text>
    <table>
      <thead ID="susceptibilityBatteryTest">
        ...
      </thead>
      <tfoot>
        <tr ID="susceptibilityBatteryTestComment">
          <td>Isolate will be held for one week for additional antimicrobial
            test orders.</td>
        </tr>
      </tfoot>
      <tbody>
        ...
      </tbody>
    </table>
  </text>
  <entry>
    ...
    <component>
      <organizer classCode="BATTERY" moodCode="EVN">
        <templateId root="1.3.6.1.4.1.19376.1.3.1.4"/>
        ...
        <component>
          <observation classCode="OBS" moodCode="EVN">
            <templateId root="1.3.6.1.4.1.19376.1.3.1.6"/>
            ...
          </observation>
        </component>
        <component>
          <observation classCode="OBS" moodCode="EVN">
            <templateId root="1.3.6.1.4.1.19376.1.3.1.6"/>
            ...
          </observation>
        </component>
        ...
        <component>
          <act classCode="ACT" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.1.40"/>
            <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.2"/>
            <code code="48767-8" codeSystem="2.16.840.1.113883.6.1"
              codeSystemName="LOINC" displayName="Annotation Comment"/>
            <text><reference value="susceptibilityBatteryTestComment"/>
            </text>
            <statusCode code="completed"/>
          </act>
        </component>
      </organizer>
    </component>
    ...
  </entry>
</section>

```

1055

**Figure 2.3.5.12-2: Comment on an Organizer Example**

1060

### 2.3.5.13 Additional Participant

1065 This content module represents a participant, which can be either a validator (typeCode="AUTHEN"), a responsible party (typeCode="RESP") or a device like the analyzer that performed the tests (typeCode="DEV"), associated to any object (Report\_Entry, SpecimenObservationCluster, Battery, Observation) in the `entry`.

The participant MAY be:

The validator (typeCode="AUTHEN") of the observations of this part of the report. See 2.3.3.18 for more information on "validator".

1070 A device (typeCode="DEV"), which was used to produce this set of results, for instance an analyzer.

1075 The person responsible (typeCode="RESP") for the provision of the observations of this part of the report. In the case where a subset of the observations is subcontracted to an external laboratory, this external laboratory (with its address and telecom) and the actual performer is represented by a `performer` element, whereas the Director of this subcontractor laboratory is carried by a `participant@typeCode="RESP"/participantRole/playingentity/name`

the `participant` element being attached to the same level as the `performer` element.

This module is consistent with the CDA standard regarding participant and requires in addition the `name`, `addr` and `telecom` for all participants.

1080 **2.3.6 Extensions to CDA R2**

This Laboratory Report Content Module brings two extensions to CDA R2.

**2.3.6.1 General Rules Respected by Laboratory Report Extensions**

The extension brought to the CDA model, for follows the same rules as those defined in the “Care Continuity Document” (CCD) implementation guide:

- 1085
- An extension is a collection of element or attribute declarations and rules for their application to the CDA Release 2.0.
  - All extensions are optional. An extension **MAY** be used, but **NEED NOT** be.
  - A single namespace for all extension elements or attributes that **MAY** be used by this Profile is defined as follows:
- 1090
- ***urn:oid:1.3.6.1.4.1.19376.1.3.2***
  - This namespace **SHALL** be used as the namespace for any extension elements or attributes that are defined by this implementation guide.
  - Each extension element **SHALL** use the same HL7 vocabularies and data types used by CDA Release 2.0.
- 1095
- Each extension element **SHALL** use the same conventions for order and naming as is used by the current HL7 tooling.
  - An extension element **SHALL** appear in the XML where the expected RIM element of the same name would have appeared had that element not been otherwise constrained from appearing in the CDA XML schema.

1100 **2.3.6.2 Pre-condition Criterion on Reference Range**

The Clinical Statement of CDA does not support the association of a criterion with a reference range, thus forbidding expressing in a Laboratory Report that a reference range is conditioned by the patient’s sex, and/or the patient’s age.

- 1105
- The proposed extension to express these criteria is the same that has been adopted by the “Care Continuity Document” implementation guide: It adds a precondition actRelationship between ObservationRange class and Criterion class of the CDA entry model, as shown on the figure below:




Figure 2.3.6.2-1: Associating criteria to the reference range of an observation

1110

```

<ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:lab="urn:oid:1.3.6.1.4.1.19376.1.3.2"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  ...
  <!-- The appropriate reference range is selected according to patient sex and age
    (2 criteria)-->
  <referenceRange typeCode="REFV">
    <observationRange classCode="OBS" moodCode="EVN.CRT">
      <value xsi:type="IVL_PQ">
        <low value="4.50" unit="10*6/mm3"/>
        <high value="6.00" unit="10*6/mm3"/>
      </value>
      <lab:precondition typeCode="PRCN">
        <lab:criterion classCode="COND">
          <lab:code code="SEX"/>
          <lab:value xsi:type="CD" code="M" codeSystem="2.16.840.1.113883.5.1"/>
        </lab:criterion>
      </lab:precondition>
      <lab:precondition typeCode="PRCN">
        <lab:criterion classCode="COND">
          <lab:code code="AGE"/>
          <lab:value xsi:type="IVL_PQ">
            <lab:low value="35" unit="Y"/>
            <lab:high value="55" unit="Y"/>
          </lab:value>
        </lab:criterion>
      </lab:precondition>
    </observationRange>
  </referenceRange>
  ...
</ClinicalDocument>
  
```

Figure 2.3.6.2-2: Pre-Condition Criterion Example

### 2.3.6.3 statusCode of Documented serviceEvent

1115 This Laboratory Report Content Module can express both final and non-final reports. To distinguish between the two, the `statusCode` element has been added to the `documentationOf/serviceEvent` element. A non-final report is a report documenting a `serviceEvent`, which is in the status "active".

1120 This sub-element `serviceEvent/statusCode` is optional. When it is not present the `serviceEvent` is assumed to be in the status "completed"




Figure 2.3.6.3-1: Status Code added to serviceEvent in the CDA header

```

<ClinicalDocument xmlns="urn:h17-org:v3"
  xmlns:lab="urn:oid:1.3.6.1.4.1.19376.1.3.2"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  ...
  <documentationOf>
    <serviceEvent>
      <lab:statusCode code="active">
      <performer>
        ...
      </performer>
    </serviceEvent>
  </documentationOf>
  ...
</ClinicalDocument>
    
```

1125 Figure 2.3.6.3-2: Example of usage in a non-final laboratory report

### 3 Open issues

Refer to [wiki.ihe.net](http://wiki.ihe.net) for issues to be addressed in the future.

### 1130 4 Closed issues

What is the process to identify a template? What is the OID for the root of a template id? How to choose the extension? Solution: Use an OID assigned by the IHE Laboratory committee.

Representing **the previous results obtained for the same test** and the same patient, considered as a pertinent information accompanying the current observation:

1135 The Laboratory Result Event RMIM (POLB\_RM004000) would use an outbound ActRelationship pertinentInformation to the CMET A\_SupportingClinicalInformation using the specialization A\_ObservationGeneral from this CMET, with value being the previous result, code being the same code as in the ObservationEvent and effectiveTime being the date/time of this previous result.

1140 In CDA, a previous result is another observation related to the current one by an entryRelationship. The currently more convenient value for entryRelationship.typecode is “REFR” (refers to).

1145 There is no real discrepancy between CDA representation and LAB domain representation: Both of them allow the previous result to be an observation pointed by an outbound ActRelationship from the current observation.

How to extract the subset “*Common Lab Tests*” from LOINC? This is related to the restriction on LOINC test codes that we intend to bring. From Regenstrief’s answer, this information is internal to the RELMA tool, and therefore not usable.

1150 Representation of comment of an observation or a battery. (e.g., Annotation on a CBC or on the hematocrit analyte):

Adopt comment template from PCC.

Spotting the Ordering Provider in the header of the document.

We use a <participant typeCode=”REF”>. The physician who is the referrer.

1155 In case a part of the report has been produced from a subcontractor lab, this part of the report SHALL contain the name of the Director of this lab, as well as the name, address and telecom of this lab.

Two solutions are useable in this profile, based on the element <performer> associated with the subcontracted part, alone or in conjunction with an element <participant typeCode=”RESP”>.

1160 Issue closed.

Usage code R2 versus RE

IHE uses R2 (mostly), Lab-TF is consistent with HL7 and uses RE – solution, create a Note in the document for readers highlighting this discrepancy

Dealing with preliminary and final reports. Extension to CDA R2: serviceEvent/statusCode