



5

IHE Patient Care Coordination (PCC) Technical Framework Supplement

10

Postpartum Visit Summary (PPVS)

Trial Implementation

15

Date: September 9, 2011

Author: Anne Diamond

20 Email: pcc@ihe.net

Foreword

This is a supplement to the IHE Patient Care Coordination Technical Framework V7.0. Each supplement undergoes a process of public comment and trial implementation before being incorporated into the volumes of the Technical Frameworks.

- 25 This supplement is submitted for Trial Implementation as of September 9, 2011 and will be available for testing at subsequent IHE Connectathons. The supplement may be amended based on the results of testing. Following successful testing it will be incorporated into the PCC Technical Framework. Comments are invited and can be submitted at <http://www.ihe.net/pcc/pcccomments.cfm> or by email to pcc@ihe.net.
- 30 This supplement describes changes to the existing technical framework documents and where indicated amends text by addition (**bold underline**) or removal (~~**bold strikethrough**~~), as well as addition of large new sections introduced by editor’s instructions to “add new text” or similar, which for readability are not bolded or underlined.
- 35 “Boxed” instructions like the sample below indicate to the Volume Editor how to integrate the relevant section(s) into the relevant Technical Framework volume:

<i>Replace Section X.X by the following:</i>
--

General information about IHE can be found at: www.ihe.net

- 40 Information about the IHE QRPH domain can be found at:
<http://www.ihe.net/Domains/index.cfm>

Information about the structure of IHE Technical Frameworks and Supplements can be found at:
<http://www.ihe.net/About/process.cfm> and <http://www.ihe.net/profiles/index.cfm>

- 45 The current version of the IHE Technical Framework can be found at:
http://www.ihe.net/Technical_Framework/index.cfm

CONTENTS

50	INTRODUCTION.....	4
	HOW TO READ THE POSTPARTUM VISIT SUMMARY PROFILE SUPPLEMENT.....	4
	HOW TO ACCESS THE REFERENCE MATERIAL.....	4
	OPEN ISSUES AND QUESTIONS.....	5
	CLOSED ISSUES.....	5
55	VOLUME 1 – PROFILES	6
	1.5 COPYRIGHT PERMISSIONS.....	6
	2.4 DEPENDENCIES OF THE PCC INTEGRATION PROFILES.....	6
	2.5 HISTORY OF ANNUAL CHANGES	6
	X POSTPARTUM VISIT SUMMARY PROFILE	7
60	X.1 PURPOSE AND SCOPE.....	7
	X.2 PROCESS FLOW	8
	X.2.1 Use Cases	8
	X.2.1.1 Use Case 1	8
	X.2.2 Diagrams.....	8
65	X.2.2.1 Basic Process Flow.....	8
	X.3 ACTORS/TRANSACTIONS	9
	X.3.1 Requirements of Actors.....	10
	X.4 OPTIONS.....	10
	X.5 GROUPINGS.....	10
70	X.6 SECURITY CONSIDERATIONS	10
	X.7 CONTENT MODULES.....	10
	GLOSSARY	12
	VOLUME 2 – TRANSACTIONS AND CONTENT MODULES.....	14
	5.0 NAMESPACES AND VOCABULARIES.....	15
75	5.1 IHE FORMAT CODES.....	15
	6.0 PCC CONTENT MODULES.....	16
	6.2 FOLDER CONTENT MODULES.....	16
	6.3 HL7 VERSION 3.0 CONTENT MODULES.....	16
	6.3.1 CDA Document Content Modules.....	16
80	6.3.1.A Postpartum Visit Summary 1.3.6.1.4.1.19376.1.5.3.1.1.21.1.4	16
	6.3.1.A.1 Format Code	16
	6.3.1.A.2 LOINC Code.....	16
	6.3.1.A.3 Standards.....	16
	6.3.1.A.4 Specification	16
85	6.3.1.A.5 Conformance	20
	6.5 PCC VALUE SETS	22

90 Introduction

This supplement is written for Trial Implementation. It is written as changes to the documents listed below. The reader should have already read and understood these documents:

1. [PCC Technical Framework Volume 1, Revision 7.0](#)
2. [PCC Technical Framework Volume 2, Revision 7.0](#)

95 This supplement also references other documents¹. The reader should have already read and understood these documents:

1. [IT Infrastructure Technical Framework Volume 1, Revision 8.0](#)
2. [IT Infrastructure Technical Framework Volume 2, Revision 8.0](#)
3. [IT Infrastructure Technical Framework Volume 3, Revision 8.0](#)

- 100 4. [The Patient Identifier Cross-Reference \(PIX\) and Patient Demographic Query \(PDQ\) HL7 v3 Supplement to the IT Infrastructure Technical Framework.](#)
5. HL7 and other standards documents referenced in Volume 1 and Volume 2

How to read the Postpartum Visit Summary Profile supplement

Please see the below documents that will need to be referenced to fully understand the profiles in this supplement. Each document has a short description describing what is contained.

- 105 1. **Perinatal Workflow (PW):** makes use of the antepartum, labor and delivery, postpartum, and newborn delivery profiles (some are in this supplement and many are in other supplements).
2. **Content Modules Supplement:** This document contains all PCC Section Templates, Entry Templates and Value Sets that are NOT in Final Text (that is, they are not in the
110 Technical Framework Volume 2).
3. **PCC Technical Framework Volume 2:** This contains all PCC Section Templates, Entry Templates and Value Sets (among other things) that *are* in Final Text.

How to Access the Reference Material

To access the latest version of the Perinatal Workflow, CDA Content Modules or the PCC Technical Framework, navigate to http://www.ihe.net/Technical_Framework/index.cfm#pcc.

¹ The first four documents can be located on the IHE Website at http://www.ihe.net/Technical_Framework/index.cfm#IT. The remaining documents can be obtained from their respective publishers.

115

Open Issues and Questions

1. Several sections are pulled over from other related profiles (and sometimes added to) and we need to address how to resolve this. It is likely something in the Groupings section, but could also go in an appendix as this same need applies to Labor and Delivery and Newborn profiles.
2. The volume 1 content may better fit into Perinatal Workflow – this is the approach taken with Antepartum and Labor and Delivery profiles.

Closed Issues

1. Verify European Standard with Dr. Rica and Ana Estelrich. Per Dr. Rica: In theory a post-partum visit is mandatory (and scheduled) in France 6 weeks after a "normal" delivery. Of course this date can be modified according to the circumstances of the delivery. As usual in France, "mandatory" is often translated in "optional" by the patients, and this visit is not always done (rarely within the 6 weeks after the delivery at least).
2. Comment from Jean: Add primary care provider to Actors & Options. If Acute Care Provider is implied to be the same as the PCP, I would probably rename this. We also want to be sure that any subspecialist who provided care for the patient prior to her pregnancy also receives the summary. Assume lactation consultant is included in the 'consultant' category listed here. *Resolved by changing "Acute" care provider to "Other" care provider to encompass all.*
3. There are several sections specified in table 6.3.1.A.4-1 and table 6.3.1.A.4-2 that contain verbiage that belongs in the CDA Content Modules. When possible the complete specification should be included in the CDA Content Modules and not in the document specification in each profile. A valid case for not including all possible specification in the CDA Content Modules *could be (but not always) when a section will be used in multiple profiles and constrained differently.* In the following cases I believe we can consolidate the verbiage for the sections listed below (taken from this profile) with the CDA Content Modules.

Volume 1 – Profiles

145

Add the following to section 1.5

1.5 Copyright Permissions

Add the following to section 2.4

2.4 Dependencies of the PCC Integration Profiles

<Profile Name>	<?>	<?>	<->
----------------	-----	-----	-----

150

Add the following to section 2.5

2.5 History of Annual Changes

Add Section X

155 **X Postpartum Visit Summary Profile**

The normal workflow for pregnancy care includes antepartum care performed in the office, delivery and subsequent care in the birthing facility and discharge from the birthing facility, and postpartum care. The routine postpartum visit occurs approximately six weeks after birth. However, if a woman delivered by Cesarean section, or experiences complications, she is likely to be seen earlier and more frequently than just a single six-week visit.

160 The Postpartum Visit Summary (PPVS) describes the content and format of the summary document that will be used to complete the pregnancy care record. PPVS captures any episode of treatment occurring during the postpartum period. This includes any care the woman receives after she has been discharged from the hospital/birthing facility, up to and including the postpartum visit. The routine postpartum visit, usually occurring six-weeks after birth, completes the obstetric care record.

A sample form showing the data elements common to a postpartum visit can be found at: <http://www.acog.org/bookstorefiles/aa128.pdf>

170 **X.1 Purpose and Scope**

The Postpartum Visit Summary (PPVS) addresses any care provided from the time of discharge from the hospital/birthing facility up to the point of return to the obstetric care provider's office, usually 6 weeks after the birth.

175 It is not uncommon for new mothers to travel to visit family in the weeks after delivery but prior to their final visit with the delivering obstetric care provider. If acute conditions arise, the mother may seek treatment at a facility remote from her normal place of care. A summary of the care provided by the remote provider should be available to the mother's primary obstetrical provider for follow up care.

180 Patients who have had a cesarean delivery often have a follow up visit 7-14 days after delivery. Likewise, patients who have had complications such as pre-eclampsia or severe hypertension may be seen prior to the routine 6-week visit. Information from these visits should be included in the patient's record and available if referral to a specialist is required. The information should also be available when the patient returns to her primary care provider or any other provider caring for existing chronic conditions.

185 The routine six-week postpartum visit includes an interval history, physical and pelvic examination, a review of newborn status, a discussion of birth control options, depression and intimate partner violence screenings, immunization review, counseling regarding any future pregnancies, and laboratory tests as needed.

190 **X.2 Process Flow**

X.2.1 Use Cases

X.2.1.1 Use Case 1

195 Dot Matrix sees Dr. Jean Poole, her obstetric care provider, at three weeks postpartum for a follow up visit after an uncomplicated delivery with a normal outcome. Dot complains of flu-like symptoms, breast tenderness, and pain, especially when nursing. She is also concerned because her new baby has not been feeding well and has been colicky for 2 weeks. Dr. Poole prescribes an antibiotic for Dot for treatment of mastitis and refers her to a lactation consultant. Information from the visit is sent to the lactation consultant and also to Dr. Kidd, the baby's pediatric care provider. Dr. Poole and the consultants' offices utilize an EHR that participates with an HIE.

200 **X.2.2 Diagrams**


X.2.2.1 Basic Process Flow

This process flow diagram shows the movement of patient information over the course of care from time of discharge from a hospital/birthing facility through the postpartum visit, typically occurring six weeks after delivery.

205 The information is exchanged electronically between and among the different care settings and may be exchanged with consultants or acute care providers who will update the record.

The following steps describe the process flow for the Postpartum visit Summary:

1. Patient's Maternal Discharge Summary, Labor and Delivery Summary, and her child's Newborn Discharge Summary are stored in local HIT system/repository.
- 210 2. The obstetric provider or other care provider can access the stored information for care.
3. When the patient seeks postpartum care, her demographics are recorded, verified and/or updated as needed.
4. A history and physical assessment is performed and the patient is treated as appropriate.
- 215 5. Treatment is recorded in the patient record. Medical summary of care is exchanged with the patient's local HIT system/repository.
6. Postpartum Visit Summary information stored in patient's local HIT system/repository and exchanged with other consultants, i.e. pediatrician, lactation consultant, mental health provider, etc.



220

Figure X.2.2.1-1. Basic Process Flow in Postpartum Visit Summary Profile

X.3 Actors/Transactions

There are two actors in this profile, the Content Creator and the Content Consumer. Content is created by a Content Creator and is to be consumed by a Content Consumer. The sharing or transmission of content from one actor to the other is addressed by the appropriate use of IHE profiles described below, and is out of scope of this profile. A Document Source or a Portable Media Creator may embody the Content Creator Actor. A Document Consumer, a Document Recipient, or a Portable Media Importer may embody the Content Consumer Actor. The sharing or transmission of content or updates from one actor to the other is addressed by the use of appropriate IHE profiles described in the section on Content Bindings with XDS, XDM and XDR in PCC TF-2:4.1.

225

230



Figure X.3-1. Actor Diagram

235 **X.3.1 Requirements of Actors****X.4 Options****Table X.4-1. Postpartum Visit Summary Actors and Options**

Actor	Option	Section
Content Consumer	View Option (See Note 1)	PCC TF-2:3.1.1
	Document Import Option (See Note 1)	PCC TF-2:3.1.2
	Section Import Option (See Note 1)	PCC TF-2:3.1.3
	Discrete Data Import Option (See Note 1)	PCC TF-2:3.1.4
Content Creator	No options defined	

Note 1: The Actor shall support at least one of these options.

240

X.5 Groupings**X.6 Security Considerations****X.7 Content Modules**

245 Table X.7-1 maps data elements from the ACOG Postpartum Record either to new or to existing PCC section templates. Existing section template mappings are displayed in the format of:

[Profile]:[Section]:[Subsection]

When data elements are mapped to existing sections all existing data shall be incorporated into the section within this profile. Additional data may be added if appropriate.

250

Table X.7-1. Postpartum Visit Summary Content Modules

ACOG Postpartum Record Datum	PCC Template Name
Name of baby	Header Modules
Discharge date	Header Modules
Hospital	Header Modules
Delivery Information	Labor and Delivery Events
Delivery Information Procedures & Interventions	Labor and Delivery Events: Procedures and Interventions
Tubal Sterilization	Postpartum Hospitalization Treatment: Procedures and Interventions
Medications at Delivery (Maternal)	Medications Administered
Complications (Maternal)	Problems
Maternal Labs	Postpartum Treatment: Coded Results

ACOG Postpartum Record Datum	PCC Template Name
Discharge Medications (Maternal)	Hospital Discharge Medications
Maternal Discharge Information	Postpartum Treatment: Care Plan
Immunizations given	Postpartum Treatment: Immunizations
Neonatal Information	Newborn Delivery Information: Coded Physical Exam
Circumcision	Procedures and Interventions
Disposition of newborn	Newborn Status at Maternal Discharge
Pediatric Care Provider Name	Care Plan
Complications/Anomalies (Newborn)	Problems
Postpartum laboratory tests	Coded Results
Contraception Education	Patient Education
Social History Screenings	Coded Social History
Interim Medical History	History of Present Illness
Physical Exam	Coded Physical Exam
Allergies	Allergies and Other Adverse Reactions
Plan of Care	Care Plan

Glossary

Add the following terms to the Glossary:

- 255 **Anesthesia**
Loss of the ability to feel pain, caused by administration of a drug or other medical intervention.
- Arrest disorder**
- Arrest of dilation: Condition in which there is no progress in cervical dilation for more than 2 hours.
 - Arrest of descent: Condition in which the fetal head does not descend for more than 1 hour in primiparous woman and more than 0.5 hours in a multiparous woman.
- 260
- Circumcision**
265 Removal of the foreskin covering the tip of the penis, often done before a male baby leaves the hospital.
- Contraception (birth control)**
270 A process that prevents pregnancy by interfering with the normal process of ovulation, fertilization, and implantation. There are different kinds of birth control that act at different points in the process.
- Delivery**
Expulsion or extraction of the fetus, placenta, and membranes at birth.
- Vaginal Delivery- The process of birth through the birth canal.
 - Cesarean Delivery- Surgery done to deliver a fetus through an incision in the mother's abdomen.
- 275
- Essure**
280 A method of fallopian tube occlusion utilizing a coiled spring device that is inserted in through the uterine cavity and into the tubal openings using a hysteroscope.
- Hematocrit (HCT)**
The volume percentage of erythrocytes in whole blood.
- 285
- Hemoglobin (HGB)**
Protein in red blood cells that carries oxygen; HGB measured by blood test.
- Incision**
290 A cut into a body tissue or organ, especially one made during surgery, or the scar resulting from such a cut.

Macrosomia

295 Unusually large body, with birth weight in excess of the 90th percentile on the growth curve.

Malpresentation

Abnormal position of fetus in birth canal. Natural delivery becomes difficult or impossible.

Mastitis

300 Inflammation or infection of the breast.

Midwife

305 A midwife is registered nurse who prepared, through advanced education and clinical training, provides care to women during pregnancy, labor and delivery, and the postpartum period.

Neonatal

Pertaining to a newborn child < 28 days of age or 44 weeks post-conceptual age.

Obstetrician

310 A physician whose practice of medicine focuses on the care of women during pregnancy, through childbirth, and immediately following delivery. Often informally known as ob-gyn (obstetrician-gynecologist).

Pediatrician

315 A specialist in pediatrics. Pediatrics is the branch of medicine that deals with the development and care of infants and children and the treatment of their diseases.

Protraction Disorder

320 Primary dysfunctional labor.

Postpartum

Of or occurring in the period after childbirth

Tubal Sterilization

325 To make sterile by ligation of the fallopian tubes.

- Irving Tubal Ligation - A surgical method of fallopian tube occlusion that excises a small portion of Fallopian tubes and then embeds the end of the cut fallopian tube below the serosa, or peritoneal, surface of the uterus.
- 330 • Modified Pomeroy Tubal Sterilization - A surgical method of fallopian tube occlusion that excises a small loop of Fallopian tube that has been tied firmly.
- Parkland Tubal ligation - A surgical method of fallopian tube occlusion that excises a small portion of Fallopian tubes after ligation proximally and distally.
- 335 • Uchida Tubal Ligation - A surgical method of fallopian tube occlusion that excises a small portion of Fallopian tubes then embeds the end of the cut fallopian tube below the mesosalpinx resulting in female sterilization

Volume 2 – Transactions and Content Modules

5.0 Namespaces and Vocabularies

codeSystem	codeSystemName	Description

340

5.1 IHE Format Codes

Add the following rows to Section 5.1

Profile	Format Code	Media Type	Template ID
Postpartum Visit Summary	urn:ihe:pcc:ppvs:2010	text/xml	1.3.6.1.4.1.19376.1.5.3.1.1.21.1.4

345

6.0 PCC Content Modules

6.2 Folder Content Modules

See Perinatal Workflow section 6.2.P.

6.3 HL7 Version 3.0 Content Modules

350 6.3.1 CDA Document Content Modules

Add section 6.3.1.A

6.3.1.A Postpartum Visit Summary 1.3.6.1.4.1.19376.1.5.3.1.1.21.1.4

355 The Postpartum Visit Summary contains a summary of any episode of treatment occurring during the postpartum period. The PPVS is a medical summary and inherits all header constraints from Medical Summaries. The use case for this profile is described fully in the Postpartum Visit Profile described in Volume 1.

The PPVS may use the Labor & Delivery Summary, the Maternal Discharge Summary and the Newborn Discharge Summary if those documents are available.

6.3.1.A.1 Format Code

360 The XDSDocumentEntry format code for this content is **urn:ihe:pcc:ppvs:2010**

6.3.1.A.2 LOINC Code

The LOINC code for this document is **XX-PostpartumVisitSummary**

6.3.1.A.3 Standards

CCD	ASTM/HL7 Continuity of Care Document
CDAR2	HL7 CDA Release 2.0
ACOG PP	American College of Obstetricians and Gynecologists (ACOG). Postpartum Record
LOINC	Logical Observation Identifiers, Names and Codes
SNOMED	Systemized Nomenclature for Medicine
CDTHP	CDA for Common Document Types History and Physical Notes (DSTU)

6.3.1.A.4 Specification

365 This section references content modules using Template ID as the key identifier. Definitions of the modules are found in either:

- IHE PCC TF-1: Final Text
- IHE PCC Content Modules 2010 Supplement

370 The Record Target of this CDA document shall reference the mother. All sections listed in Table 6.3.1.A.4-1 shall refer to the mother. All sections listed in Table 6.3.1.A.4-2 shall refer to the newborn and shall include the subject at the section level. Multiple newborns shall be represented with each newborn having his/her own section.

Table 6.3.1.A.4-1. Postpartum Visit Summary Specification (Mother)

Template Name	Opt	Section Template Id / Location	Value Set Template Id
<p>Labor and Delivery Events: Event Outcomes</p> <p>This section SHOULD contain the delivery date, the discharge date of the mother, the hospital or birthing center from which she was discharged, and the name of the delivering obstetric care provider. The gestational age of the newborn at delivery, the type of labor and any complications should also be included.</p> <p>The subsection Procedures and Interventions with template ID 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 SHALL include the type of delivery and the type of incision used during cesarean section.</p>	R2	<p>1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3</p> <p>PCC TF Supplement CDA Content Modules (TI)</p> <p>Vol 2: 6.3.3.2.39</p>	

IHE PCC Technical Framework Supplement – Postpartum Visit Summary (PPVS)

Template Name	Opt	Section Template Id / Location	Value Set Template Id
<p>Postpartum Hospitalization Treatment</p> <p>The subsection Postpartum Hospitalization Treatment: Procedures and Interventions with template ID 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 has optionality R and SHALL include the procedures and interventions received by the mother during the postpartum period including the type of tubal sterilization procedure (if performed).</p> <p>The subsection Postpartum Hospitalization Treatment: Medications Administered with template ID 1.3.6.1.4.1.19376.1.5.3.1.3.21 has optionality R2 and SHOULD include any medications, including anesthesia given to the mother during the birth process.</p> <p>The subsection Postpartum Hospitalization Treatment: Coded Results with template ID 1.3.6.1.4.1.19376.1.5.3.1.3.28 has optionality R2 and SHOULD contain laboratory results for the mother prior to her discharge from the birthing facility (e.g. HGB/HCT) as well as laboratory results pending since discharge from the birthing facility (e.g. HGB/HCT, last pap test).</p> <p>The subsection Postpartum Hospitalization Treatment: Care Plan with template ID 1.3.6.1.4.1.19376.1.5.3.1.3.31 has optionality O and SHOULD contain the type of feeding method and contraceptive method. This section SHOULD also note any diagnostic studies that were not completed at the time of discharge and the date and time of the postpartum/follow up appointment.</p> <p>The subsection Postpartum Hospitalization Treatment: Immunizations with template ID 1.3.6.1.4.1.19376.1.5.3.1.4.12 has optionality O and SHOULD contain the immunizations given to the mother prior to the discharge from the birthing facility</p>		<p>1.3.6.1.4.1.19376.1.5.3.1.1.21.2.7</p> <p>PCC TF Supplement CDA Content Modules (TI)</p> <p>Vol 2: 6.3.3.2.41</p>	

IHE PCC Technical Framework Supplement – Postpartum Visit Summary (PPVS)

Template Name	Opt	Section Template Id / Location	Value Set Template Id
Active Problems	R	1.3.6.1.4.1.19376.1.5.3.1.3.6 IHE PCC 2:6.3.3.2.3	
Hospital Discharge Medications	R2	1.3.6.1.4.1.19376.1.5.3.1.3.22 PCC TF Supplement CDA Content Modules (TI) Vol 2: 6.3.3.3.4	
Newborn Delivery Information The subsection Newborn Delivery Information: Coded Physical Exam with template ID 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 SHOULD contain the gender and birthweight of the baby(ies). The subsection Newborn Delivery Information: Procedures and Interventions with template ID 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 SHOULD contain an observation for circumcision.	R	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 PCC TF Supplement CDA Content Modules (TI) Vol 2: 6.3.3.2.40	
Coded Social History In addition to the constraints required of the Coded Social History section, postpartum depression screening and intimate partner violence data SHOULD also be included.	R	1.3.6.1.4.1.19376.1.5.3.1.3.16.1 PCC TF Supplement CDA Content Modules (TI) Vol 2: 6.3.3.2.36	
History of Present Illness In addition to the constraints required of the History of Present Illness section, the history of any maternal problems occurring since the birth of her baby (approx. 6 weeks) SHOULD also be included.	R	1.3.6.1.4.1.19376.1.5.3.1.3.4 IHE PCC 2:6.3.3.2.1	
Coded Physical Exam In addition to the constraints required of the Coded Physical Exam section the elements of a pelvic examination SHOULD also be included.	R	1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 PCC TF Supplement CDA Content Modules (TI) Vol 2: 6.3.3.4.30	
Allergies and Other Adverse Reactions	R	1.3.6.1.4.1.19376.1.5.3.1.3.13 IHE PCC 2:6.3.3.2.11	
Care Plan In addition to the constraints required of the Care Plan section any medications prescribed, contraceptive methods and any recommended follow up care SHOULD be included.	R	1.3.6.1.4.1.19376.1.5.3.1.3.31 IHE PCC 2:6.3.3.6.1	

375

Table 6.3.1.A.4-2. Postpartum Visit Summary Specification (Children)

Template Name	Opt	Section Template Id / Location	Value Set Template Id
<p>Newborn Delivery Information</p> <p>The subsection Newborn Delivery Information: Coded Physical Exam with template ID 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 SHOULD contain the gender and birthweight of the baby(ies).</p> <p>The subsection Newborn Delivery Information: Procedures and Interventions with template ID 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 SHOULD contain an observation for circumcision.</p>	R	<p>1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4</p> <p>PCC TF Supplement CDA Content Modules (TI)</p> <p>Vol 2: 6.3.3.2.40</p>	
<p>Newborn Status at Maternal Discharge</p> <p>This section SHOULD identify the disposition of the baby at mother's discharge, i.e. home with mother, transferred, stillbirth, adopted, admission to NICU.</p>	R	<p>1.3.6.1.4.1.19376.1.5.3.1.1.21.2.8</p> <p>PCC TF Supplement CDA Content Modules (TI)</p> <p>Vol 2: 6.3.3.2.43</p>	
<p>Care Plan</p> <p>In addition to the constraints required of the Care Plan section the intended pediatrician's name SHOULD be included.</p>	R	<p>1.3.6.1.4.1.19376.1.5.3.1.3.31</p> <p>PCC TF Supplement CDA Content Modules (TI)</p> <p>Vol 2: 6.3.3.6.15</p>	
<p>Active Problems</p> <p>This section SHOULD contain any complications of birth or anomalies present in the newborn.</p>	R2	<p>1.3.6.1.4.1.19376.1.5.3.1.3.6</p> <p>IHE PCC 2:6.3.3.2.3</p>	

6.3.1.A.5 Conformance

380

CDA Release 2.0 documents that conform to the requirements of this content module shall indicate their conformance by the inclusion of the appropriate <templateId> elements in the header of the document. This is shown in the sample document below. A CDA Document may conform to more than one template. This content module inherits from the Medical Summary content module, and so must conform to the requirements of that template as well, thus all <templateId> elements shown in the example below shall be included.

```
385 <ClinicalDocument xmlns='urn:hl7-org:v3'>
  <typeId extension="POCD_HD000040" root="2.16.840.1.113883.1.3"/>
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.2' /> <!--Medical Summary-->
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.1.4' /> <!--Postpartum Visit Summary-->
390 <id root=' ' extension=' ' />
  <code code='XX-PostpartumVisitSummary' displayName='Postpartum visit summary'
    codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
  <title>Postpartum Visit Summary</title>
  <effectiveTime value='20080601012005' />
395 <confidentialityCode code='N' displayName='Normal'
  codeSystem='2.16.840.1.113883.5.25' codeSystemName='Confidentiality' />
  <languageCode code='en-US' />
  :
  <component><structuredBody>
400   <component>
     <section>
       <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3' />
       <!-- Required if known Labor and Delivery Events Section content -->
     </section>
   </component>
405   <component>
     <section>
       <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.21' />
       <!-- Required Medications Section content -->
     </section>
   </component>
410   <component>
     <section>
       <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.7' />
       <!-- Required if known Postpartum Treatment Section content -->
415     </section>
   </component>
   <component>
     <section>
       <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.8' />
       <!-- Required Newborn Status at Maternal Discharge Section content -->
420     </section>
   </component>
   <component>
     <section>
       <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.28' />
       <!-- Required Coded Results Section content -->
425     </section>
   </component>
   <component>
     <section>
       <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.22' />
       <!-- Required if known Hospital Discharge Medications Section content -->
430     </section>
   </component>
   <component>
     <section>
       <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.31' />
       <!-- Required Care Plan Section content -->
435     </section>
   </component>
   <component>
     <section>
       <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4' />
       <!-- Required Newborn Delivery Information Section content -->
440     </section>
   </component>
   <component>
     <section>
       <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.16.1' />
       <!-- Required Coded Social History Section content -->
445     </section>
   </component>
450   </structuredBody>
</component>
</ClinicalDocument>
```

```
455 </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.13' />
          <!-- Required Allergies and Other Adverse Reactions Section content -->
        </section>
      </component>
460 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1' />
        <!-- Required Coded Physical Exam Section content -->
      </section>
465 </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.4' />
          <!-- Required History of Present Illness Section content -->
470 </section>
      </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.38' />
          <!-- Required Patient Education Section content -->
475 </section>
      </component>
    </structuredBody></component>
  </ClinicalDocument>
```

Figure 6.3.1.A.5-1. Sample Postpartum Visit Summary Document

480

6.5 PCC Value Sets

NA

485