

Integrating the Healthcare Enterprise



5

IHE Quality, Research and Public Health Technical Framework Supplement

10

Birth and Fetal Death Reporting (BFDR)

15

Trial Implementation

20

Date: August 27, 2012
Author: IHE QRPH Technical Committee
Email: qrph@ihe.net

25 **Foreword**

This is a supplement to the IHE Quality, Research and Public Health Technical Framework V0.1. Each supplement undergoes a process of public comment and trial implementation before being incorporated into the volumes of the Technical Frameworks.

30 This supplement is published for Trial Implementation on August 27, 2012 and may be available for testing at subsequent IHE Connectathons. The supplement may be amended based on the results of testing. Following successful testing it will be incorporated into the Quality, Research and Public Health (QRPH) Technical Framework. Comments are invited and may be submitted at <http://www.ihe.net/qrph/qrphcomments.cfm>.

35 This supplement describes changes to the existing technical framework documents and where indicated amends text by addition (**bold underline**) or removal (**~~bold strikethrough~~**), as well as addition of large new sections introduced by editor's instructions to "add new text" or similar, which for readability are not bolded or underlined.

"Boxed" instructions like the sample below indicate to the Volume Editor how to integrate the relevant section(s) into the relevant Technical Framework volume:

40

Replace Section X.X by the following:

General information about IHE can be found at: www.ihe.net

45 Information about the IHE QRPH domain can be found at:
<http://www.ihe.net/Domains/index.cfm>

Information about the structure of IHE Technical Frameworks and Supplements can be found at:
<http://www.ihe.net/About/process.cfm> and <http://www.ihe.net/profiles/index.cfm>

The current version of the IHE Technical Framework can be found at:
http://www.ihe.net/Technical_Framework/index.cfm

50

CONTENTS

	INTRODUCTION	13
55	PROFILE ABSTRACT	13
	OPEN ISSUES AND QUESTIONS	14
	CLOSED ISSUES.....	15
	VOLUME 1 – PROFILES	16
60	1.7 HISTORY OF ANNUAL CHANGES	16
	1.N COPYRIGHT PERMISSION	16
	2.1 DEPENDENCIES AMONG PROFILES	16
	2.2.X <i>Birth and Fetal Death Reporting (BFDR) Profile</i>	16
	X BIRTH AND FETAL DEATH REPORTING (BFDR) PROFILE	17
65	X.1 BFDR ACTORS/TRANSACTIONS	17
	<i>X.1.1 Actor Descriptions and Requirements</i>	18
	X.2 BFDR OPTIONS	19
	<i>X.2.1 Form Filler Options</i>	19
	<i>X.2.2 Form Manager Options</i>	20
	X.3 BFDR ACTOR GROUPINGS AND PROFILE INTERACTIONS	20
70	X.4 BFDR PROCESS FLOW.....	20
	<i>X.4.1 Use Cases</i>	20
	<i>X.4.2 Process Flow</i>	21
	X.5 BFDR SECURITY CONSIDERATIONS	22
	GLOSSARY	24
75	APPENDIX A ACTOR SUMMARY DEFINITIONS.....	30
	APPENDIX B TRANSACTION SUMMARY DEFINITIONS.....	30
	VOLUME 2 – TRANSACTIONS AND CONTENT MODULES	31
	5.0 NAMESPACES AND VOCABULARIES	32
	5.1.1 IHE FORMAT CODES.....	33
80	6 QRPH CONTENT MODULES.....	34
	6.2 FOLDER CONTENT MODULES.....	34
	6.3 CONTENT MODULES	34
	<i>6.3.1 CDA Document Content Modules</i>	34
	<i>6.3.2 CDA Header Content Modules</i>	52
85	<i>6.3.3 CDA Section Content Modules</i>	52
	<i>6.3.4 CDA Entry Content Modules</i>	52
	APPENDIX A SPECIFICATION OF VALUE SETS USED IN THE BFDR PROFILE	53
	A.1 BFDR FACILITY LOCATION NICU CODES	53
	<i>A.1.1 Metadata</i>	53
90	<i>A.1.2 Facility Location NICU Value Set Table</i>	53
	A.2 BFDR FACILITY LOCATION ICU CODES	54
	<i>A.2.1 Metadata</i>	54
	<i>A.2.2 Facility Location ICU Value Set Table</i>	54

	A.3	BFDR FACILITY LOCATION OR CODES.....	55
95	A.3.1	<i>Metadata</i>	55
	A.3.2	<i>Facility Location OR Value Set Table</i>	56
	A.4	BFDR ANTIBIOTICS CODES.....	56
	A.4.1	<i>Metadata</i>	56
	A.4.2	<i>BFDR Antibiotics Value Set Table</i>	57
100	A.5	BFDR IV MEDICATION ADMINISTRATION CODES	62
	A.5.1	<i>Metadata</i>	62
	A.5.2	<i>BFDR IV Medication Administration Route Value Set</i>	63
	A.6	BFDR INTRAMUSCULAR MEDICATION ADMINISTRATION ROUTE CODES	63
	A.6.1	<i>Metadata</i>	63
105	A.6.2	<i>BFDR Intramuscular Administration Route Value Set</i>	64
	A.7	BFDR NEONATAL SEPSIS CODES.....	64
	A.7.1	<i>Metadata</i>	64
	A.7.2	<i>BFDR Neonatal Sepsis Value Set</i>	65
	A.8	QRPH BFDR ASSISTED VENTILATION IMMEDIATELY FOLLOWING DELIVERY CODES.....	65
110	A.8.1	<i>Metadata</i>	65
	A.8.2	<i>BFDR Assisted Ventilation Immediately Following Delivery Value Set</i>	66
	A.9	BFDR TOTAL TIME ON VENTILATOR CODES	67
	A.9.1	<i>Metadata</i>	67
	A.9.2	<i>BFDR Total Time on Ventilator Value Set</i>	67
115	A.10	QRPH BFDR SIGNIFICANT BIRTH INJURY CODES.....	68
	A.10.1	<i>Metadata</i>	68
	A.10.2	<i>BFDR Significant Birth Injury Value Set</i>	69
	A.11	QRPH BFDR SEIZURE OR SERIOUS NEUROLOGIC DYSFUNCTION CODES.....	71
	A.11.1	<i>Metadata</i>	71
	A.11.2	<i>BFDR Seizure or Serious Neurologic Dysfunction Value Set</i>	72
120	A.12	QRPH BFDR NEWBORN RECEIVING SURFACTANT REPLACEMENT THERAPY CODES	73
	A.12.1	<i>Metadata</i>	73
	A.12.2	<i>BFDR Newborn Receiving Surfactant Replacement Therapy Value Set</i>	74
	A.13	QRPH BFDR NEONATAL DEATH CODES.....	74
125	A.13.1	<i>Metadata</i>	74
	A.13.2	<i>BFDR Neonatal Death Value Set</i>	75
	A.14	QRPH BFDR 5 MIN APGAR SCORE CODES	76
	A.14.1	<i>Metadata</i>	76
	A.14.2	<i>BFDR 5 Min Apgar Score Value Set</i>	76
130	A.15	QRPH BFDR 10 MIN APGAR SCORE CODES	77
	A.15.1	<i>Metadata</i>	77
	A.15.2	<i>BFDR 10 Min Apgar Score Value Set</i>	77
	A.16	QRPH BFDR DELIVERY CODES	78
	A.16.1	<i>Metadata</i>	78
	A.16.2	<i>BFDR Delivery Value Set</i>	78
135	A.17	QRPH BFDR PHYSICIAN CODES	82
	A.17.1	<i>Metadata</i>	82
	A.17.2	<i>BFDR Physician Value Set</i>	83
	A.18	QRPH BFDR DOCTOR OF OSTEOPATHIC MEDICINE CODES	83
140	A.18.1	<i>Metadata</i>	83
	A.18.2	<i>BFDR Doctor of Osteopathic Medicine Value Set</i>	84
	A.19	QRPH BFDR CERTIFIED MIDWIFE MEDICINE CODES	84
	A.19.1	<i>Metadata</i>	84
	A.19.2	<i>BFDR Certified Midwife Value Set</i>	85
145	A.20	QRPH BFDR MIDWIFE MEDICINE CODES	85

IHE Quality, Research and Public Health Technical Framework Supplement – Birth and Fetal Death Reporting (BFDR)

	A.20.1	<i>Metadata</i>	85
	A.20.2	<i>BFDR Midwife Value Set</i>	86
	A.21	QRPH BFDR U.S. TERRITORIES CODES.....	87
150	A.21.1	<i>Metadata</i>	87
	A.21.2	<i>BFDR U.S. Territories Value Set</i>	87
	A.22	QRPH BFDR BIRTH WEIGHT CODE	88
	A.22.1	<i>Metadata</i>	88
	A.22.2	<i>BFDR Birth Weight Value Set</i>	89
	A.23	QRPH BFDR HEIGHT CODES	89
155	A.23.1	<i>Metadata</i>	89
	A.23.2	<i>BFDR Height Value Set</i>	90
	A.24	QRPH BFDR PRE-PREGNANCY WEIGHT CODES	90
	A.24.1	<i>Metadata</i>	90
	A.24.2	<i>BFDR Pre-Pregnancy Weight Value Set</i>	91
160	A.25	QRPH BFDR MOTHER'S DELIVERY WEIGHT CODES	91
	A.25.1	<i>Metadata</i>	91
	A.25.2	<i>BFDR Mother's Delivery Weight Value Set</i>	92
	A.26	QRPH BFDR PREVIOUS OTHER PREGNANCY OUTCOMES CODES	92
	A.26.1	<i>Metadata</i>	92
165	A.26.2	<i>BFDR Previous Other Pregnancy Outcomes Value Set</i>	93
	A.27	QRPH BFDR NUMBER OF PREVIOUS LIVE BIRTHS NOW DEAD CODES	93
	A.27.1	<i>Metadata</i>	93
	A.27.2	<i>BFDR Number of Previous Live Births Now Dead Value Set</i>	94
	A.28	QRPH BFDR NUMBER OF PREVIOUS LIVE BIRTHS NOW LIVING CODES	94
170	A.28.1	<i>Metadata</i>	94
	A.28.2	<i>BFDR Number of Previous Live Births Now Living Value Set</i>	95
	A.29	QRPH BFDR OBSTETRIC ESTIMATE OF GESTATION CODES.....	95
	A.29.1	<i>Metadata</i>	95
	A.29.2	<i>BFDR Obstetric Estimate of Gestation Value Set</i>	96
175	A.30	QRPH BFDR BIRTH PLURALITY OF DELIVERY CODES	96
	A.30.1	<i>Metadata</i>	96
	A.30.2	<i>A.32.2 BFDR Birth Plurality of Delivery Value Set</i>	97
	A.31	QRPH BFDR FIRST PRENATAL CARE VISIT CODES	98
	A.31.1	<i>Metadata</i>	98
180	A.31.2	<i>BFDR First Prenatal Care Visit Value Set</i>	98
	A.32	QRPH BFDR LAST PRENATAL CARE VISIT CODES	98
	A.32.1	<i>Metadata</i>	99
	A.32.2	<i>BFDR Last Prenatal Care Visit Value Set</i>	99
	A.33	QRPH BFDR NUMBER PRENATAL CARE VISITS CODES	99
185	A.33.1	<i>Metadata</i>	99
	A.33.2	<i>BFDR Number Prenatal Care Visits Value Set</i>	100
	A.34	QRPH BFDR AUGMENTATION OF LABOR – PROCEDURE CODES	100
	A.34.1	<i>Metadata</i>	100
	A.34.2	<i>BFDR Augmentation of Labor - Procedure Value Set</i>	101
190	A.35	QRPH BFDR AUGMENTATION OF LABOR – MEDICATION CODES	101
	A.35.1	<i>Metadata</i>	101
	A.35.2	<i>BFDR Augmentation of Labor - Medication Value Set</i>	102
	A.36	QRPH BFDR CHORIOAMNIOTIS DURING LABOR CODES	102
	A.36.1	<i>Metadata</i>	102
195	A.36.2	<i>BFDR Chorioamnionitis During Labor Value Set</i>	103
	A.37	QRPH BFDR FEVER GREATER THAN 100.4 CODES	103
	A.37.1	<i>Metadata</i>	104

IHE Quality, Research and Public Health Technical Framework Supplement – Birth and Fetal Death Reporting (BFDR)

	A.37.2	<i>BFDR Fever Greater Than 100.4 Value Set</i>	104
200	A.38	QRPH BFDR EPIDURAL ANESTHESIA – MEDICATION CODES	104
	A.38.1	<i>Metadata</i>	104
	A.38.2	<i>BFDR Epidural Anesthesia - Medication Value Set</i>	105
	A.39	QRPH BFDR EPIDURAL ANESTHESIA - PROCEDURE CODES	107
	A.39.1	<i>Metadata</i>	107
	A.39.2	<i>BFDR Epidural Anesthesia - Procedure Value Set</i>	108
205	A.40	QRPH BFDR SPINAL ANESTHESIA – MEDICATION CODES.....	109
	A.40.1	<i>Metadata</i>	109
	A.40.2	<i>BFDR Spinal Anesthesia - Medication Value Set</i>	109
	A.41	QRPH BFDR SPINAL ANESTHESIA - PROCEDURE LABOR CODES.....	112
	A.41.1	<i>Metadata</i>	112
210	A.41.2	<i>BFDR Spinal Anesthesia - Procedure Value Set</i>	112
	A.42	QRPH BFDR FETAL INTOLERANCE OF LABOR CODES	113
	A.42.1	<i>Metadata</i>	113
	A.42.2	<i>BFDR Fetal Intolerance of Labor Value Set</i>	114
215	A.43	QRPH BFDR IN-UTERO RESUSCITATION CODES.....	115
	A.43.1	<i>Metadata</i>	115
	A.43.2	<i>BFDR In-utero Resuscitation Value Set</i>	116
	A.44	QRPH BFDR FURTHER FETAL ASSESSMENT CODES.....	116
	A.44.1	<i>Metadata</i>	116
	A.44.2	<i>BFDR Further Fetal Assessment Value Set</i>	117
220	A.45	QRPH BFDR OPERATIVE DELIVERY ASSESSMENT CODES	117
	A.45.1	<i>Metadata</i>	117
	A.45.2	<i>BFDR Operative Delivery Value Set</i>	118
	A.46	QRPH BFDR INDUCTION OF LABOR CODES.....	121
	A.46.1	<i>Metadata</i>	121
225	A.46.2	<i>BFDR Induction of Labor Value Set</i>	122
	A.47	QRPH BFDR SPONTANEOUS ONSET OF LABOR CODES.....	123
	A.47.1	<i>Metadata</i>	123
	A.47.2	<i>BFDR Spontaneous Onset of Labor Value Set</i>	124
230	A.48	QRPH BFDR MECONIUM STAINING CODES	124
	A.48.1	<i>Metadata</i>	124
	A.48.2	<i>BFDR Meconium Staining Value Set</i>	125
	A.49	QRPH BFDR GLUCOCORTICO STEROIDS CODES	125
	A.49.1	<i>Metadata</i>	125
	A.49.2	<i>BFDR Glucocortico Steroids Value Set</i>	126
235	A.50	QRPH BFDR BREASTFED INFANT CODES	127
	A.50.1	<i>Metadata</i>	127
	A.50.2	<i>BFDR Breastfed Infant Value Set</i>	127
	A.51	QRPH BFDR MALE GENDER CODES	128
	A.51.1	<i>Metadata</i>	128
240	A.51.2	<i>BFDR Male Gender Value Set</i>	128
	A.52	QRPH BFDR FEMALE GENDER CODES	129
	A.52.1	<i>Metadata</i>	129
	A.52.2	<i>BFDR Female Gender Value Set</i>	129
245	A.53	QRPH BFDR DISCHARGE TRANSFER CODES	130
	A.53.1	<i>Metadata</i>	130
	A.53.2	<i>BFDR Discharge Transfer Value Set</i>	130
	A.54	QRPH BFDR ANENCEPHALY OF THE NEWBORN CODES	131
	A.54.1	<i>Metadata</i>	131
	A.54.2	<i>BFDR Anencephaly of the Newborn Value Set</i>	131

250	A.55 QRPH BFDR CYANOTIC CONGENITAL HEART DISEASE CODES	132
	A.55.1 <i>Metadata</i>	132
	A.55.2 <i>BFDR Cyanotic Congenital Heart Disease Value Set</i>	133
	A.56 QRPH BFDR CONGENITAL DIAPHRAGMATIC HERNIA CODES	136
	A.56.1 <i>Metadata</i>	137
255	A.56.2 <i>BFDR Congenital Diaphragmatic Hernia Value Set</i>	137
	A.57 QRPH BFDR KARYOTYPE CONFIRMED CODES.....	138
	A.57.1 <i>Metadata</i>	138
	A.57.2 <i>BFDR Karyotype Confirmed Value Set</i>	139
	A.58 QRPH BFDR SUSPECTED CHROMOSOMAL DISORDER CODES.....	139
260	A.58.1 <i>Metadata</i>	139
	A.58.2 <i>BFDR Suspected Chromosomal Disorder Value Set</i>	140
	A.59 QRPH BFDR CLEFT LIP WITH/WITHOUT CLEFT PALATE CODES.....	143
	A.59.1 <i>Metadata</i>	143
	A.59.2 <i>BFDR Cleft Lip with/without Cleft Palate Value Set</i>	143
265	A.60 QRPH BFDR KARYOTYPE RESULT CODES	144
	A.60.1 <i>Metadata</i>	144
	A.60.2 <i>BFDR Karyotype Result Value Set</i>	145
	A.61 QRPH BFDR CLEFT LIP WITHOUT CLEFT PALATE CODES	146
	A.61.1 <i>Metadata</i>	146
270	A.61.2 <i>BFDR Cleft Lip without Cleft Palate Value Set</i>	147
	A.62 QRPH BFDR DOWNS SYNDROME CODES	147
	A.62.1 <i>Metadata</i>	147
	A.62.2 <i>BFDR Downs Syndrome Value Set</i>	148
	A.63 QRPH BFDR GASTROSCHISIS OF THE NEWBORN CODES	148
275	A.63.1 <i>Metadata</i>	148
	A.63.2 <i>BFDR Gastrochisis of the Newborn Value Set</i>	149
	A.64 QRPH BFDR HYPOSPADIAS CODES	149
	A.64.1 <i>Metadata</i>	149
	A.64.2 <i>BFDR Hypospadias Value Set</i>	150
280	A.65 QRPH BFDR LIMB REDUCTION DEFECT CODES	151
	A.65.1 <i>Metadata</i>	151
	A.65.2 <i>BFDR Limb Reduction Defect Value Set</i>	151
	A.66 QRPH BFDR MENINGOMYELOCELE/SPINA BIFIDA OF THE NEWBORN CODES	153
	A.66.1 <i>Metadata</i>	153
285	A.66.2 <i>BFDR Meningomyelocele/Spina Bifida of the Newborn Value Set</i>	153
	A.67 QRPH BFDR OMPHALOCELE OF THE NEWBORN CODES	156
	A.67.1 <i>Metadata</i>	156
	A.67.2 <i>BFDR Omphalocele of the Newborn Value Set</i>	157
	A.68 QRPH BFDR DATE OF LAST LIVE BIRTH CODES	157
290	A.68.1 <i>Metadata</i>	157
	A.68.2 <i>BFDR Date of Last Live Birth Value Set</i>	158
	A.69 QRPH BFDR NUMBER OF LIVE BIRTHS CODES	158
	A.69.1 <i>Metadata</i>	158
	A.69.2 <i>BFDR Number of Live Births Value Set</i>	159
295	A.70 QRPH BFDR DATE OF LAST MENSES CODES	159
	A.70.1 <i>Metadata</i>	159
	A.70.2 <i>BFDR Date of Last Menses Value Set</i>	160
	A.71 QRPH BFDR DATE OF LAST OTHER PREGNANCY OUTCOME CODES.....	160
	A.71.1 <i>Metadata</i>	160
300	A.71.2 <i>BFDR Date of Last Other Pregnancy Outcome Value Set</i>	161
	A.72 QRPH BFDR NUMBER OF PRIOR PREGNANCIES CODES	161

	A.72.1 <i>Metadata</i>	161
	A.72.2 <i>BFDR Number of Prior Pregnancies Value Set</i>	162
305	A.73 BFDR PROBLEM STATUS ACTIVE CODES.....	162
	A.73.1 <i>Metadata</i>	162
	A.73.2 <i>BFDR Problem Status Active Value Set</i>	163
	A.74 QRPH BFDR CHLAMYDIA CODES.....	163
	A.74.1 <i>Metadata</i>	163
	A.74.2 <i>BFDR Chlamydia Value Set</i>	164
310	A.75 QRPH BFDR GONORRHEA CODES	166
	A.75.1 <i>Metadata</i>	166
	A.75.2 <i>BFDR Gonorrhea Value Set</i>	166
	A.76 QRPH BFDR HEPATITIS B CODES.....	170
	A.76.1 <i>Metadata</i>	170
	A.76.2 <i>BFDR Hepatitis B Value Set</i>	171
315	A.77 QRPH BFDR HEPATITIS C CODES	172
	A.77.1 <i>Metadata</i>	172
	A.77.2 <i>BFDR Hepatitis C Value Set</i>	173
	A.78 QRPH BFDR SYPHILIS CODES	173
	A.78.1 <i>Metadata</i>	173
	A.78.2 <i>BFDR Syphilis Value Set</i>	174
320	A.79 QRPH BFDR CONCEPTION DATE CODES	180
	A.79.1 <i>Metadata</i>	180
	A.79.2 <i>BFDR Conception Date Value Set</i>	181
325	A.80 QRPH BFDR TRANSFUSION WHOLE BLOOD OR PACKED RED BLOOD CODES	181
	A.80.1 <i>Metadata</i>	181
	A.80.2 <i>BFDR Transfusion Whole Blood or Packed Red Blood Value Set</i>	182
	A.81 QRPH BFDR THIRD DEGREE PERINEAL LACERATION CODES	183
	A.81.1 <i>Metadata</i>	183
	A.81.2 <i>BFDR Third Degree Perineal Laceration Value Set</i>	184
330	A.82 QRPH BFDR FOURTH DEGREE PERINEAL LACERATION CODES	184
	A.82.1 <i>Metadata</i>	184
	A.82.2 <i>BFDR Fourth Degree Perineal Laceration Value Set</i>	185
	A.83 QRPH BFDR RUPTURED UTERUS CODES.....	185
	A.83.1 <i>Metadata</i>	185
	A.83.2 <i>BFDR Ruptured Uterus Value Set</i>	186
	A.84 QRPH BFDR UNPLANNED HYSTERECTOMY CODES.....	187
	A.84.1 <i>Metadata</i>	187
	A.84.2 <i>BFDR Unplanned Hysterectomy Value Set</i>	187
340	A.85 QRPH BFDR UNPLANNED OPERATION CODES	188
	A.85.1 <i>Metadata</i>	188
	A.85.2 <i>BFDR Unplanned Operation Value Set</i>	188
	A.86 QRPH BFDR FETAL PRESENTATION AT BIRTH- BREECH CODES	190
	A.86.1 <i>Metadata</i>	190
	A.86.2 <i>BFDR Fetal Presentation at Birth- Breech Value Set</i>	190
345	A.87 QRPH BFDR FETAL PRESENTATION AT BIRTH- CEPHALIC CODES	192
	A.87.1 <i>Metadata</i>	192
	A.87.2 <i>BFDR Fetal Presentation at Birth- Cephalic Value Set</i>	192
	A.88 QRPH BFDR FETAL PRESENTATION AT BIRTH- OTHER CODES	193
	A.88.1 <i>Metadata</i>	193
	A.88.2 <i>BFDR Fetal Presentation at Birth- Other Value Set</i>	194
350	A.89 QRPH BFDR ROUTE AND METHOD OF DELIVERY - SPONTANEOUS DELIVERY CODES	195
	A.89.1 <i>Metadata</i>	195

IHE Quality, Research and Public Health Technical Framework Supplement – Birth and Fetal Death Reporting (BFDR)

	A.89.2	<i>BFDR Route and Method of Delivery - Spontaneous Delivery Value Set</i>	195
355	A.90	QRPH BFDR ROUTE AND METHOD OF DELIVERY - FORCEPS DELIVERY CODES	196
	A.90.1	<i>Metadata</i>	196
	A.90.2	<i>BFDR Route and Method of Delivery - Forceps Delivery Value Set</i>	197
	A.91	QRPH BFDR ROUTE AND METHOD OF DELIVERY - VACUUM DELIVERY CODES.....	198
	A.91.1	<i>Metadata</i>	198
360	A.91.2	<i>BFDR Route and Method of Delivery - Vacuum Delivery Value Set</i>	199
	A.92	QRPH BFDR ROUTE AND METHOD OF DELIVERY - CESAREAN DELIVERY CODES	199
	A.92.1	<i>Metadata</i>	199
	A.92.2	<i>BFDR Route and Method of Delivery - Cesarean Delivery Value Set</i>	200
365	A.93	QRPH BFDR ROUTE AND METHOD OF DELIVERY – TRIAL OF LABOR CODES	201
	A.93.1	<i>Metadata</i>	201
	A.93.2	<i>BFDR Route and Method of Delivery - Trial of Labor Value Set</i>	202
	A.94	QRPH BFDR ROUTE AND METHOD OF DELIVERY - SCHEDULED CESAREAN CODES	202
	A.94.1	<i>Metadata</i>	202
	A.94.2	<i>BFDR Route and Method of Delivery - Scheduled Cesarean Value Set</i>	203
370	A.95	QRPH BFDR CERVICAL CERCLAGE CODES	203
	A.95.1	<i>Metadata</i>	203
	A.95.2	<i>BFDR Cervical Cerclage Value Set</i>	204
	A.96	QRPH BFDR EXTERNAL CEPHALIC VERSION CODE	204
	A.96.1	<i>Metadata</i>	204
375	A.96.2	<i>BFDR External Cephalic VersionValue Set</i>	205
	A.97	QRPH BFDR TOCOLYSIS CODES.....	205
	A.97.1	<i>Metadata</i>	205
	A.97.2	<i>BFDR Tocolysis Value Set</i>	206
	A.98	QRPH BFDR PREMATURE RUPTURE CODES	206
380	A.98.1	<i>Metadata</i>	207
	A.98.2	<i>BFDR Premature Rupture Value Set</i>	207
	A.99	QRPH BFDR PRECIPITOUS LABOR CODES	208
	A.99.1	<i>Metadata</i>	208
	A.99.2	<i>BFDR Precipitous Labor Value Set</i>	209
385	A.100	QRPH BFDR PROLONGED LABOR CODES	209
	A.100.1	<i>Metadata</i>	209
	A.100.2	<i>BFDR Prolonged Labor Value Set</i>	210
	A.101	QRPH BFDR PREPREGNANCY DIABETES CODES	211
	A.101.1	<i>Metadata</i>	211
390	A.101.2	<i>BFDR Prepregnancy Diabetes Value Set</i>	212
	A.102	QRPH BFDR GESTATIONAL DIABETES CODES	217
	A.102.1	<i>Metadata</i>	217
	A.102.2	<i>BFDR Gestational Diabetes Value Set</i>	218
	A.103	QRPH BFDR PREPREGNANCY HYPERTENSION CODES	219
395	A.103.1	<i>Metadata</i>	219
	A.103.2	<i>BFDR Prepregnancy Hypertension Value Set</i>	220
	A.104	QRPH BFDR GESTATIONAL HYPERTENSION CODES	224
	A.104.1	<i>Metadata</i>	224
	A.104.2	<i>BFDR Gestational Hypertension Value Set</i>	225
400	A.105	QRPH BFDR ECLAMPSIA CODES	226
	A.105.1	<i>Metadata</i>	226
	A.105.2	<i>BFDR Eclampsia Value Set</i>	226
	A.106	QRPH BFDR PRETERM BIRTH CODES	227
	A.106.1	<i>Metadata</i>	227
405	A.106.2	<i>BFDR Preterm Birth Value Set</i>	227

	A.107 QRPH BFDR POOR PREGNANCY OUTCOME – HISTORY CODES	228
	A.107.1 <i>Metadata</i>	228
	A.107.2 <i>BFDR Poor Pregnancy Outcome – History Value Set</i>	229
410	A.108 QRPH BFDR INFERTILITY TREATMENT CODES	230
	A.108.1 <i>Metadata</i>	230
	A.108.2 <i>BFDR Infertility Treatment Value Set</i>	230
	A.109 QRPH BFDR FERTILITY ENHANCING DRUGS MEDICATIONS CODES	232
	A.109.1 <i>Metadata</i>	232
	A.109.2 <i>BFDR Fertility Enhancing Drugs Value Set</i>	232
415	A.110 QRPH BFDR ARTIFICIAL OR INTRAUTERINE INSEMINATION CODES.....	236
	A.110.1 <i>Metadata</i>	236
	A.110.2 <i>BFDR Artificial or Intrauterine Insemination Value Set</i>	237
	A.111 QRPH BFDR ASSISTIVE REPRODUCTIVE TECHNOLOGY CODES.....	238
	A.111.1 <i>Metadata</i>	238
420	A.111.2 <i>BFDR Assistive Reproductive Technology Value Set</i>	239
	A.112 QRPH BFDR PREVIOUS CESAREAN CODES	239
	A.112.1 <i>Metadata</i>	239
	A.112.2 <i>BFDR Previous Cesarean Value Set</i>	240
425	A.113 QRPH BFDR NUMBER OF PREVIOUS CESAREANS CODES	241
	A.113.1 <i>Metadata</i>	241
	A.113.2 <i>BFDR Number of Previous Cesareans Value Set</i>	242
	A.114 QRPH BFDR TIME OF DEATH CODES	242
	A.114.1 <i>Metadata</i>	242
	A.114.2 <i>BFDR Time of Death Value Set</i>	243
430	A.115 QRPH BFDR HYSTEROTOMY/ HYSTERECTOMY CODES	243
	A.115.1 <i>Metadata</i>	243
	A.115.2 <i>BFDR Hysterotomy/Hysterectomy Value Set</i>	244
	A.116 QRPH BFDR FETUS WEIGHT CODES	245
	A.116.1 <i>Metadata</i>	245
435	A.116.2 <i>BFDR Fetus Weight Value Set</i>	246
	A.117 QRPH BFDR HISTOLOGICAL PLACENTAL EXAMINATION CODES	246
	A.117.1 <i>Metadata</i>	246
	A.117.2 <i>BFDR Histological Placental Examination Value Set</i>	247
	A.118 QRPH BFDR FETAL AUTOPSY CODES	247
440	A.118.1 <i>Metadata</i>	247
	A.118.2 <i>BFDR Fetal Autopsy Value Set</i>	248
	A.119 QRPH BFDR KARYOTYPE DETERMINATION CODES	249
	A.119.1 <i>Metadata</i>	249
	A.119.2 <i>BFDR Karyotype Determination Value Set</i>	250
445	A.120 QRPH BFDR NUMBER OF FETAL DEATHS THIS DELIVERY CODES	250
	A.120.1 <i>Metadata</i>	250
	A.120.2 <i>BFDR Number of Fetal Deaths This Delivery Value Set</i>	251
	A.121 QRPH BFDR LISTERIA CODES.....	251
	A.121.1 <i>Metadata</i>	251
450	A.121.2 <i>BFDR Listeria Value Set</i>	252
	A.122 QRPH BFDR GROUP B STREPTOCOCCUS CODES	253
	A.122.1 <i>Metadata</i>	253
	A.122.2 <i>BFDR Group B Streptococcus Value Set</i>	253
	A.123 QRPH BFDR CYTOMEGALOVIRUS CODES	254
	A.123.1 <i>Metadata</i>	254
455	A.123.2 <i>BFDR Cytomegalovirus Value Set</i>	255
	A.124 QRPH BFDR PARVOVIRUS CODES.....	256

	<i>A.124.1 Metadata</i>	256
	<i>A.124.2 BFDR Parvovirus Value Set</i>	256
460	A.125 QRPH BFDR TOXOPLASMOSIS CODES	257
	<i>A.125.1 Metadata</i>	257
	<i>A.125.2 BFDR Toxoplasmosis Value Set</i>	258
	A.126 QRPH BFDR STATE CODES	259
	<i>A.126.1 Metadata</i>	259
465	<i>A.126.2 BFDR State Value Set</i>	260
	A.127 QRPH BFDR TRANSFERRED FOR MATERNAL MEDICAL OR FETAL INDICATIONS FOR DELIVERY CODES	260
	<i>A.127.1 Metadata</i>	260
	<i>A.127.2 BFDR Transferred for Maternal Medical or Fetal Indications for Delivery Value Set</i>	261
470	A.128 QRPH BFDR TRANSFER IN CODES	261
	<i>A.128.1 Metadata</i>	261
	<i>A.128.2 BFDR Transfer In Value Set</i>	262
	A.129 QRPH BFDR ANTIBIOTIC ADMINISTRATION PROCEDURE CODES	262
	<i>A.129.1 Metadata</i>	262
475	<i>A.129.2 BFDR Antibiotic Administration Procedure Value Set</i>	263
	A.130 QRPH BFDR BIRTHPLACE SETTING VALUE SET CODES	263
	<i>A.130.1 Metadata</i>	263
	<i>A.130.2 BFDR Birthplace Setting Observation Value Set</i>	264
480	A.131 QRPH BFDR BIRTHPLACE CODES	264
	<i>A.131.1 Metadata</i>	264
	<i>A.131.2 BFDR Birthplace Value Set</i>	265
	A.132 BFDR NUMBER OF PRETERM BIRTHS VALUE SET CODES	265
	<i>A.132.1 Metadata</i>	265
	<i>A.132.2 BFDR Number of Preterm Births Value Set</i>	266
485	A.133 QRPH BFDR ICU CARE CODES	266
	<i>A.133.1 Metadata</i>	266
	<i>A.133.2 BFDR ICU Care Value Set</i>	267
	A.134 QRPH BFDR CLEFT PALATE ALONE CODES	267
	<i>A.134.1 Metadata</i>	267
490	<i>A.134.2 BFDR Cleft Lip with/without Cleft Palate Value Set</i>	268
	A.135 QRPH BFDR TRANSFER TO FACILITY CODES	269
	<i>A.135.1 Metadata</i>	269
	<i>A.135.2 BFDR Transfer to Facility Value Set</i>	270
	A.136 QRPH BFDR INSTITUTION REFERRED TO VALUE SET CODES	270
495	<i>A.136.1 Metadata</i>	270
	<i>A.136.2 BFDR Institution Referred to Value Set</i>	271
	A.137 QRPH BFDR BIRTH PLACE HOSPITAL VALUE SET CODES	271
	<i>A.137.1 Metadata</i>	271
	<i>A.137.2 BFDR Birth Place Hospital Value Set</i>	272
500	A.138 QRPH BFDR BIRTH PLACE HOME INTENDED VALUE SET CODES	272
	<i>A.138.1 Metadata</i>	272
	<i>A.138.2 BFDR Birth Place Hospital Value Set</i>	273
	A.139 QRPH BFDR BIRTH PLACE HOME UNINTENDED VALUE SET CODES	273
	<i>A.139.1 Metadata</i>	273
505	<i>A.139.2 BFDR Birth Place Hospital Value Set</i>	274
	A.140 QRPH BFDR BIRTH PLACE HOME UNKNOWN INTENTION VALUE SET CODES	274
	<i>A.140.1 Metadata</i>	274
	<i>A.140.2 BFDR Birth Place Home Unknown Intention Value Set</i>	275
	A.141 BFDR BIRTH PLACE FREESTANDING BIRTHING CENTER VALUE SET CODES	275

510	<i>A.141.1 Metadata</i>	275
	<i>A.141.2 BFDR Birth Place Freestanding Birthing Center Value Set</i>	276
	A.142 BFDR BIRTH PLACE CLINIC OFFICE VALUE SET CODES	276
	<i>A.142.1 Metadata</i>	276
	<i>A.142.2 BFDR Birth Place Clinic Office Value Set</i>	277
515	A.143 QRPH BFDR NICU CARE CODES	277
	<i>A.143.1 Metadata</i>	277
	<i>A.143.2 BFDR NICU Care Value Set</i>	278
	VOLUME 4 – NATIONAL EXTENSIONS	279
	5 NATIONAL EXTENSIONS FOR IHE UNITED STATES	279
520	5.X PRE-POPULATION SPECIFICATION FOR US STANDARDS CERTIFICATE OF LIVE BIRTH AND US STANDARD REPORT OF FETAL DEATH	279
	<i>5.x.1 Data Element Index</i>	279
	<i>5.x.2 Form Manager Pre-population Data Element Mapping Specification</i>	281
525		

Introduction

This supplement is written for Trial Implementation. It is written as an addition to the Trial Implementation version of the Quality, Research and Public Health Technical Framework.

530 This supplement also references the following documents¹. The reader should review these documents as needed:

1. PCC Technical Framework, Volume 1
2. PCC Technical Framework, Volume 2
3. PCC Technical Framework Supplement: CDA Content Modules
4. IT Infrastructure Technical Framework Volume 1
5. [IT Infrastructure Technical Framework Volume 2](#)
6. [IT Infrastructure Technical Framework Volume 3](#)
7. HL7 and other standards documents referenced in Volume 1 and Volume 2
8. Birth Edit Specifications for the 2003 Revision of the U.S. Standard Certificate of Live Birth
9. Fetal Death Edit Specifications for the 2003 Revision of the U.S. Standard Report of Fetal Death

545 Vital Records birth certificates and fetal death reports include important demographic, medical and key information about the antepartum period, the labor and delivery process and the newborn/fetal death². Much of the medical and health information collected for the birth certificate and fetal death report can be pre-populated with information already available in the Electronic Health Record (EHR). A responsible Health Care Provider (HCP) or designated representative must review and complete the information to ensure data quality for vital registration purposes. These data may then be used by public health agencies to track maternal and infant health to target interventions for at risk populations.

Profile Abstract

555 Specific vital statistics data as well as additional medical data are collected by social services and public health organizations within the early years of the child's life in order to administer preventative/prophylactic measures, and perform epidemiological studies. The general physician, pediatrician, obstetrician, labor and delivery nurse and other hospital staff provide information

¹ The first six documents can be located on the IHE Website at http://www.ihe.net/Technical_Framework/index.cfm. The remaining documents can be obtained from their respective publishers.

² In some countries the birth certificate contains just the patient demographics and the medical information is recorded in separate early childhood health certificates produced at different times.

for the certificates.³ Completion of the form(s) is required by law in some countries because they are used as key-indicators of the child's health.

- 560 The Birth and Fetal Death Reporting (BFDR) Profile describes the content and format to be used within the pre-population data part of the Retrieve Form Request transaction from the RFD Integration Profile. It is expected that the Form Filler and Form Manager will implement the RFD transaction as specified in the RFD, and this profile does not include any additional constraints or extensions on the RFD transactions.
- 565 This profile describes the content to be used in automating the data captured for vital records purposes such as for the 2003 Revisions of the U.S. Standard Certificate of Live Birth and the U.S. Standard Report of Fetal Death⁴.

Open Issues and Questions

- 570 1. A common, standardized vocabulary and datasets is needed so that the data aggregation can be achieved.
2. When forms are partially filled, the data source actor should have the possibility to store this form and complete it later.
3. Not all the information might be present, depending on the existence of an antepartum summary (APS) and a labor and delivery summary (LDS). Informative appendix with preliminary recommendations for LDS content requirements included, but not fully specified as Volume 3 content
- 575 4. For VR option, may need to add a Folder with LDS, LDHP, and possibly APS with content constraints. Pending Further PCC discussion. Pending ITI recommendations for RFD. This would also impact mapping rules.
5. VR option – does this need to be broken out as a content profile?
6. Should unknown flags be computed by logic or require data entry?
7. PCC CP to LDS - Coded Vital Signs section needs to be pulled out to a separate section for Mother and Newborn
- 580 8. Birthplace value sets pending SME review.
9. Should we look in both LDHP and LDS for some values (e.g. infections) to maximize opportunity to collect data?

³ The birth certificate and the health certificates contain the same type of information. The difference is due to national extensions practices.

⁴ These can also be early childhood health certificates in other countries such as France.

- 590 10. Should Obstetric Estimate of Gestation be reflected in the mother's pregnancy history or in the newborn's coded results? The description indicates that it should NOT be taken from the newborn assessment, but from ultrasound.
- 595 11. LDS specification needs to be updated to allow for Intake and Output to represent coded observations
- 595 12. Review representation of RFD pre-pop options with 2 CDA pre-pop documents (LDS and LDHP) and content constrained by this profile
- 595 13. Need to review and add a derivation rule once codes have added.
PAY Principal source of payment for:
1) Medicaid delivery
2) Private Insurance
3) Self-pay
600 4) Indian Health Service
5) CHAMPUS/TRICARE
6) Other government (federal, state, local)
7) Other
- 605 14. LOINC Codes are pending for the following
1) Fetal Weight at delivery
- 610 15. SNOMED Codes are pending for the following:
1) Assisted Ventilation for 6 or More Hours Value Set
2) Assisted Ventilation Immediately Following Delivery Value Set
3) Histological Placental Examination
4) Transferred for Maternal Medical or Fetal Indications for Delivery
5) Intolerance of labor
6) Hysterectomy
7) Unplanned operating room procedure following delivery
8) Free-standing birthing center Birth
615 9) Clinic/Doctor Office Birth

Closed Issues

None

Volume 1 – Profiles

620 1.7 History of Annual Changes

<Brief overview of “what’s new” in the given year of the Technical Framework.>

Add the following bullet to the end of the bullet list in section 1.7

- Added the BFDR Profile which specifies pre-population of birth and fetal death registration forms from the PCC Labor and Delivery Summary document.

625 1.n Copyright Permission

<Add information on any standards referenced in the profile that are not already addressed in the permission section.>

Add the following to sections 1.n:

2.1 Dependencies among Profiles

630 *Add the following to Table 2-1*

BFDR	Labor and Delivery Summary (LDS)	Content profile	This profile provides some of the content needed to pre-populate the forms needed in BFDR content profile.
------	----------------------------------	-----------------	--

Add the following section to section 2.2.X

2.2.X Birth and Fetal Death Reporting (BFDR) Profile

635

Add Section X


X Birth and Fetal Death Reporting (BFDR) Profile

- 640 The BFDR Profile is based on the ITI RFD profile. The reader is referred to ITI TF 1:X for a description of the ITI RFD profile. This BFDR Profile defines the content that is used to pre-populate the form retrieved from the Form Manager, and the specification of the pre-population rules to be executed by the Form Manager. This profile does not further constrain the Form Receiver or Form Archiver Actors. The pre-pop data is defined by the IHE PCC LDS Profile.
- 645 See QRPH 1: Appendix X for the specification of the desired pre-pop data constraints to PCC LDS that optimize the Birth and Fetal Death Report data pre-population.

X.1 BFDR Actors/Transactions

The BFDR for Public Health Profile defines no new actors or transactions. It uses actors and transactions from the ITI RFD Profile (IHE ITI Technical Framework Supplement: Retrieve Form For Data Capture).

Figure X.1-1 shows the actors directly involved in the Birth and Fetal Death Forms For Public Health Integration Profile and the relevant transactions between them. Actors that may be indirectly involved due to their participation in other profiles are not shown.



655 **Figure X.1-1: Retrieve Form for Data Capture Actor Diagram**

Table X.1-1 lists the transactions for each actor directly involved in the BFDR Profile. In order to claim support of this Profile, an implementation must perform the required transactions (labeled “R”). Transactions labeled “O” are optional. A complete list of options defined by this Profile and that implementations may choose to support is listed in Volume 1, Section X.2.

660

Table X.1-1: BFDR Profile - Actors and Transactions

Actors	Transactions	Optionality	Section in Vol. 2
Form Filler	Retrieve Form [ITI-34]	R	ITI TF-2b: 3.34
	Submit Form [ITI-35]	R	ITI TF-2b: 3.35
	Archive Form [ITI-36]	O	ITI TF-2b: 3.36
Form Manager	Retrieve Form [ITI-34]	R	ITI TF-2b: 3.34
Form Receiver	Submit Form [ITI-35]	R	ITI TF-2b: 3.35
Form Archiver	Archive Form [ITI-36]	R	ITI TF-2b: 3.36

X.1.1 Actor Descriptions and Requirements

X.1.1.1 Form Filler

665 The Form Filler is defined in the ITI RFD Profile. In the BFDR Profile, the Form Filler supports the XHTML format of the Retrieve Form transaction (RFD Trial Implementation Profile, section 2b: 3.34.4.2.3.2).

670 The Form Filler supports two content pre-pop options that describe content requirements for optimizing pre-population capabilities, and an Archive Form Option. The Form Filler's support for the Pre-Pop option and the VR Pre-Pop option determines how pre-population data is handled when the Form Filler retrieves the form using ITI-34.

X.1.1.2 Form Manager

The Form Manager is defined in the ITI RFD Profile. In the BFDR Profile, the Form Manager supports the XHTML format of the Retrieve Form transaction (RFD Trial Implementation Profile, section 2b: 3.34.4.2.3.2).

675 Within the US, the system fulfilling this role in the BFDR Profile SHALL accept pre-pop data in the form of content defined by the IHE PCC LDS Profile and return a form that has been appropriately pre-populated based on the US National Extension (QRPH 4: 5.x Pre-Population Specification for 2003 Revisions of the US Standards Certificate of Live Birth and US Standard Report of Fetal Death) for guidance with respect to the IHE LDS pre-pop data.

X.1.1.3 Form Receiver

680 The Form Receiver is defined in the ITI RFD Profile. In the BFDR Profile, the Form Receiver SHALL receive the populated form from the Form Filler when the form is submitted. No further requirements are placed on the Form Receiver within the scope of this profile. It is however envisioned that in the future the Form Receiver would create a CDA document from the form data and transmit that document to a jurisdiction and other designated public health authorities. These future possibilities are out of scope for the current BFDR profile.

X.1.1.4 Form Archiver

690 The actions of the Form Archiver are defined in the ITI RFD Profile. In the BFDR Profile, the Form Archiver MAY be leveraged to support traceability of the submitted documents that will be a source to the legal record of birth. No further refinements of that document are stated by this profile.

X.2 BFDR Options

Options that may be selected for this Profile are listed in the table X.2-1 along with the actors to which they apply. Dependencies between options when applicable are specified in notes.

695

Table X.2-1: BFDR - Actors and Options

Actor	Options	Volume & Section
Form Filler	<i>Pre-Pop</i>	QRPH TF-1: X.2.1.1
	<i>VR Pre-Pop</i>	QRPH TF-1: X.2.1.2
	<i>Archive Form</i>	QRPH TF-1: X.2.1.3
Form Manager	<i>US BFDR Form Option</i>	QRPH TF-1: X.2.2.1
Form Receiver	<i>No options defined</i>	--
Form Archiver	<i>No options defined</i>	--

Conformance: The BFDR Form Filler SHOULD do VR Pre-Pop, and MAY do Pre-Pop.

X.2.1 Form Filler Options

X.2.1.1 Pre-Pop Option

700 This option defines the document submission requirements placed on form fillers for providing pre-pop data to the form Manager. The Form Filler's support for the Pre-Pop option determines how pre-population data is handled when the Form Filler retrieves the form using ITI-34:

705

- If the Form Filler supports the Pre-Pop option, the value of the pre-popData parameter in the Retrieve Form Request (see RFD Trial Implementation Profile, section 2b:3.34.4.1.2) shall be a well-formed xml document as defined in the PCC Labor and Delivery Summary (LDS) Content Profile, and a well-formed xml document as defined in the PCC Labor and Delivery History and Physical (LDHP) Content Profile (see Labor and Delivery Profiles Trial Implementation Supplement, section Y.7). See QRPH 1: Appendix X for the specification of the desired pre-pop data.

710

X.2.1.2 VR Pre-Pop Option

This option defines the document submission requirements placed on form fillers for providing pre-pop data to the form Manager, describing specific content and vocabulary constraints to the PCC LDS that will optimize the ability to process the clinical content to fill in the BFDR Form.

- 715 The Form Filler's support for the VR Pre-Pop option determines how pre-population data is handled when the Form Filler retrieves the form using ITI-34:
- If the Form Filler supports the VR Pre-Pop option, the value of the pre-popData parameter in the Retrieve Form Request (see RFD Trial Implementation Profile, section 2b:3.34.4.1.2) shall be a well-formed xml document as defined in the PCC Labor and Delivery Summary (LDS) Content Profile, and a well-formed xml document as defined in the PCC Labor and Delivery History and Physical (LDHP) Content Profile (see Labor and Delivery Profiles Trial Implementation Supplement, section Y.7) as constrained by QRPH 2: 6.3.1.A for the specification of the LDS content required.
- 720

X.2.1.3 Archive Form Option

If the Form Filler supports the Archive Form option, it shall support the Archive Form transaction ITI-36.

X.2.2 Form Manager Options

X.2.2.1 US BFDR Form Option

This option defines the pre-population rules and requirements placed on form managers for parsing and assigning pre-pop data attributes for the pre-populated form returned to the form filler in the ITI-34. Detailed rules for the US BFDR attributes are fully defined in QRPH 4:5.X.2.

X.3 BFDR Actor Groupings and Profile Interactions

Each actor in the BFDR Profile directly implements ITI transactions used by the RFD profile. There are no groupings with actors.

735 **X.4 BFDR Process Flow**

X.4.1 Use Cases

Sets of detailed specifications have been developed for collecting and reporting the items on the U.S. Standard Certificate of Live Birth and the U.S. Standard Report of Fetal Death. It is critical that all U.S. vital registration areas follow these standards to promote uniformity in data collection across registration areas. The best sources for specific data items are identified in the Birth and Fetal Death Edit Specifications for the 2003 Revisions of the U.S. Standard Certificate of Live Birth and the U.S. Standard Report of Fetal Death.

740 Additionally, standard worksheets are used to enhance the collection of quality, reliable data. A common, standard form, entitled "Mother's Worksheet for Child's Birth Certificate", has been established to identify information to be collected directly from the mother. The "Facility Worksheet for the Live Birth Certificate" was developed to identify information for which the best sources are the mother's and infant's medical records. The use of separate worksheets promotes a standardized collection across states. The "Patient's Worksheet for the Report of Fetal

750 Death" and the "Facility Worksheet for the Report of Fetal Death" have also been established for the purpose of reporting fetal death information.

755 The hospital is responsible for completing the Record of Live Birth in the jurisdiction's Electronic Birth Registration System (EBRS). Information collected from the mother on the Mother's Worksheet must be data entered into the EBRS. Facility Worksheet data transmitted electronically into the EBRS from the EHR must be reviewed for completeness and accuracy. The birth records specialist plays an essential role in gathering the information and ensuring that all information is complete before transmission to the vital registration system at the states/jurisdictional vital record offices. Select birth data may be transmitted later to public health authorities as allowed by individual state statute and other vital records stakeholders.


Example Forms:

- 760
- Facility Worksheet (<http://www.cdc.gov/nchs/data/dvs/facwksBF04.pdf>)
 - U.S. Standard Certificate of Live Birth (<http://www.cdc.gov/nchs/data/dvs/birth11-03final-ACC.pdf>)

NOTE: The Mother's Worksheet includes legal and other attributes that are required to be obtained through direct data entry and are not specified by this profile

765 **X.4.2 Process Flow**

The process flow of this profile is defined by the ITI RFD profile. Please refer to ITI TF 1:X for a description of the process flow for RFD. The Form Filler may be implemented by the birthing facility or by the child's clinician in instances of home birth etc. The process flow for the BFDR is described below.



770

Figure X.4.2-1: Process Flows

X.5 BFDR Security Considerations

775 BFDR includes clinical content related to the child and the child's mother. As such, it is expected that the transfers of Personal Health Information (PHI) will be protected using ATNA and Consistent Time. The content of the form also results in a legal document, and the Form Manager MAY include a digital signature to assure that the form content submitted cannot be changed.

780 In addition to the usual considerations when sharing PHI, the BFDR profile introduces a unique situation since the record is about two patients – the mother and the newborn child. This

introduces a risk for data integrity of the mother's and child's record. The mitigation for this risk is achieved through unambiguous documentation of data for the mother and child in sections as defined by IHE PCC LDS and by mapping of data as described by this profile.

785 The IHE ITI ATNA Integration Profile is required of the actors involved in the IHE transactions specified in this profile to protect node-to-node communication and to produce an audit trail of the PHI related actions when they exchange messages.

This infrastructure support Security and privacy through the use of the Consistent Time (CT) and Audit Trail and Node Authentication (ATNA) profiles.

790 For security purposes, when sending information specifically to vital records Electronic Birth Registration Systems (EBRS), systems will also need to know the identity of the user and the location to identify the data source. In this case, XUA MAY be utilized to support this implementation.

Glossary

Add the following terms to the Glossary:

795 **Apgar score**

Apgar score is a systematic measure for evaluating the physical condition of the infant at specific intervals following birth. It is a score that assesses the general physical condition of a newborn or infant by assigning a value of 0, 1, or 2 to each of five criteria: heart rate, respiratory effort, muscle tone, skin color, and response to stimuli. The five scores are added together, with a perfect score being 10. Apgar scores are usually evaluated at one minute and five minutes after birth. If the 5 minute Apgar score is < 6 then additional Apgar scores at 10 minutes are required.

800

805 **Antibiotic**

Antibiotic is a chemotherapeutic agent that inhibits or abolishes the growth of micro-organisms, such as bacteria, fungi, or protozoans.

810

Anorexia

Anorexia nervosa is a psychiatric illness that describes an eating disorder characterized by extremely low body weight and body image distortion with an obsessive fear of gaining weight.

815

Asthma

Asthma is a chronic (long-lasting) inflammatory disease of the airways. In those susceptible to asthma, this inflammation causes the airways to narrow periodically. This, in turn, produces wheezing and breathlessness, sometimes to the point where the patient gasps for air.

820

Breech presentation

Breech presentation is a presentation of the fetal buttocks or feet in labor; the feet may be alongside the buttocks (complete breech presentation); the legs may be extended against the trunk and the feet lying against the face (frank breech presentation); or one or both feet or knees may be prolapsed into the maternal vagina (incomplete breech presentation).

825

Cesarean section

Cesarean section, or C-section, is an extraction of the fetus, placenta, and membranes through an incision in the maternal abdominal and uterine walls.

Cephalic presentation

Cephalic presentation is the presentation of part of the fetus, listed as vertex, occiput anterior (OA), occiput posterior (OP).

Cerebral palsy

830 Cerebral palsy describes a group of permanent disorders of the development of movement and posture, causing activity limitation, that are attributed to nonprogressive disturbances that occurred in the developing fetal or infant brain. The motor disorders of cerebral palsy are often accompanied by disturbances of sensation, perception, cognition, communication, and behavior, by epilepsy, and by secondary musculoskeletal problems.

835

Chromosome abnormalities

840 Chromosome abnormalities consist of any change occurring in the structure or number of any of the chromosomes of a given species. In humans, a number of physical disabilities and disorders are directly associated with aberrations of both the autosomes and the sex chromosomes, including Down, Turner's, and Klinefelter's syndromes.

Cleft lip

Cleft lip with or without cleft palate is the incomplete closure of the lip. It may be unilateral, bilateral, or median.

845

Cleft palate

Cleft palate is an incomplete fusion of the palatal shelves. It may be limited to the soft palate, or may extend into the hard palate.

850

Congenital heart defect

Congenital heart defect (CHD) is a defect in the structure of the heart and great vessels of a newborn. Obstruction defects. CHD can be classified as:

- Obstruction defects occur when heart valves, arteries, or veins are abnormally narrow or blocked.
- Septal defects, for defects concerning the separation between left heart and right heart
- Cyanotic defects, including persistent truncus arteriosus, total anomalous pulmonary venous connection, tetralogy of Fallot, transposition of the great vessels, and tricuspid atresia.

860

Congenital hip dysplasia

Congenital hip dysplasia is a hip joint malformation present at birth, thought to have a genetic component Clinical Hip dislocation, asymmetry of legs and fat folds; congenital hip dislocation may be asymptomatic and must be diagnosed by physical examination.

865

Cystic fibrosis

Cystic fibrosis (CF) is an inherited disease that affects the lungs, digestive system, sweat glands, and male fertility. Its name derives from the fibrous scar tissue that develops in the pancreas, one of the principal organs affected by the disease.

Down syndrome

870 Down syndrome or trisomy 21 is a genetic disorder caused by the presence of all or part of an extra 21st chromosome.

Eczema

875 Eczema is an acute or chronic noncontagious inflammation of the skin, characterized chiefly by redness, itching, and the outbreak of lesions that may discharge serous matter and become encrusted and scaly.

Endocrine disorder

880 Endocrine system is an integrated system of small organs which involve the release of extracellular signaling molecules known as hormones. Hypofunction of endocrine glands can occur as result of loss of reserve, hyposecretion, agenesis, atrophy or active destruction. Hyperfunction can occur as result of hypersecretion, loss of suppression, hyperplastic or neoplastic change, or hyperstimulation.

Epidural anesthesia

Epidural anesthesia is a regional anesthetic that is administered to the mother to control the pain of labor. It includes delivery of the agent into a limited space with the distribution of the analgesic effect limited to the lower body.

Esophageal atresia

Congenital esophageal atresia (EA) represents a failure of the esophagus to develop as a continuous passage. Instead, it ends as a blind pouch.

Food allergies

895 Food allergies are the body's abnormal responses to harmless foods; the reactions are caused by the immune system's reaction to some food proteins.

Gastroesophageal reflux

Gastroesophageal reflux is the reflux of the stomach and duodenal contents into the esophagus.

900

Gastroschisis

Gastroschisis is an abnormality of the anterior abdominal wall, lateral to the umbilicus, resulting in herniation of the abdominal contents directly into the amniotic cavity. It is differentiated from omphalocele by the location of the defect and the absence of a protective membrane.

- 905 **General anesthesia**
General anesthesia is the induction of a state of unconsciousness with the absence of pain sensation over the entire body, through the administration of anesthetic drugs. It is used during certain medical and surgical procedures.
- 910 **Genitourinary tract**
Genitourinary tract is the organ system of all the reproductive organs and the urinary system. These are often considered together due to their common embryological origin.
- 915 **Gestational age (weeks of amenorrhea)**
One measure of gestational age is the number of completed weeks elapsed between the first day of the last normal menstrual period and the date of delivery. Gestational age can also be measured based on ultrasound early in pregnancy.
- 920 **Gestational diabetes**
Gestational diabetes – glucose intolerance requiring treatment - is a condition that occurs during pregnancy. Like other forms of diabetes, gestational diabetes involves a defect in the way the body processes and uses sugars (glucose) in the diet.
- 925 **Heart malformation**
Heart malformation or congenital heart defect (CHD) is a defect in the structure of the heart and great vessels of a newborn. Most heart defects either obstruct blood flow in the heart or vessels near it or cause blood to flow through the heart in an abnormal pattern, although other defects affecting heart rhythm can also occur.
- 930 **Hemoglobin disease**
Hemoglobin is produced by genes that control the expression of the hemoglobin protein. Defects in these genes can produce abnormal hemoglobins and anemia, which are conditions termed "hemoglobinopathies". Abnormal hemoglobins appear in one of three basic circumstances:
- Structural defects in the hemoglobin molecule.
 - Diminished production of one of the two subunits of the hemoglobin molecule.
 - Abnormal associations of otherwise normal subunits.
- 935 **Hydrocephalus**
Hydrocephalus is the abnormal accumulation of cerebrospinal fluid (CSF) in the ventricles, or cavities, of the brain. This may cause increased intracranial pressure inside the skull and progressive enlargement of the head, convulsion, and mental disability.

Immunoglobulin

945 Immunoglobulin is a concentrated preparation of gamma globulins, predominantly IgG, from a large pool of human donors; used for passive immunization against measles, hepatitis A, and varicella and for replacement therapy in patients with immunoglobulin deficiencies.

Induction of labor

950 Induction of labor is the initiation of uterine contractions by medical and/or surgical means for the purpose of delivery before the spontaneous onset of labor (i.e., before labor has begun).

In-utero transfer

955 An in-utero transfer consists in transferring, while the fetus is still in-utero, of the high-risks pregnant mother to another specialized birthing facility. Conversely, post-natal transfers are transfers that occur after the delivery.

Intra-uterine growth retardation (IUGR)

960 Intrauterine growth retardation (IUGR) occurs when the unborn baby is at or below the 10th weight percentile for his or her age (in weeks).

Intubation

Tracheal intubation is the placement of a flexible plastic tube into the trachea to protect the patient's airway and provide a means of mechanical ventilation.

965 **Meningomyelocele**

Meningomyelocele is a herniation of the meninges and spinal cord tissue.

Neural tube defects

970 Neural tube defect will occur in human embryos if there is an interference with the closure of the neural tube.

Nonvertex Presentation

975 Nonvertex presentation is the presentation of other than the upper and back part of the infant's head.

Nuchal translucency scan

980 Nuchal translucency scan is an ultrasonographic prenatal screening scan to help identify higher risks of Down syndrome in a fetus. The scan is carried out at 11-13 weeks pregnancy and assesses the amount of fluid behind the neck of the fetus. Fetuses at risk of Down tend to have a higher amount of fluid around the neck.

Omphalocele

Omphalocele is a defect in the anterior abdominal wall, accompanied by herniation of some abdominal organs through a widened umbilical ring into the umbilical stalk.

985

Pre-eclampsia

Pre-eclampsia is a disorder occurring during late pregnancy or immediately following parturition, characterized by hypertension, edema, and proteinuria. Also called toxemia of pregnancy.

990

Preterm birth

Preterm birth is a live birth of less than 37 completed weeks of gestation.

Premature labor

995 Premature labor describes the contractions of the uterus less than 37 weeks in a pregnancy.

Presentation

Presentation is the part of the fetus lying over the pelvic inlet; the presenting body part of the fetus.

1000

Polymalformative syndrome

Polymalformative syndrome is set of non-random birth defects deriving from the same cause. It involves multiple systems of the organism (eyes, ears, central nervous system, heart, musculoskeletal...). Its screening, mostly by clinical examination means, is systematically made at birth.

1005

Spina bifida

Spina bifida is a herniation of the meninges and/or spinal cord tissue through a bony defect of spine closure.

1010

Spinal anesthesia

Spinal anesthesia or sub-arachnoidal block is a form of regional anesthesia involving the injection of local anesthetic into the cerebrospinal fluid.

1015 **Fetal death**

Fetal death is a death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy and which is not an induced termination of pregnancy. The death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles. Heartbeats are to be distinguished from fleeting respiratory efforts or gasps.

Metabolism disorder

1025 Metabolism disorders are disorders that affect chemical processes that take place in living organisms, resulting in growth, generation of energy, elimination of wastes, and other body functions as they relate to the distribution of nutrients in the blood after digestion.

Ultrasound

1030 Ultrasound study is a radiologic study using sound waves used in the assessment of gestational age, size, growth, anatomy, and blood flow of a fetus or in the assessment of maternal anatomy and blood flow.

Vaginal birth/spontaneous

1035 Vaginal birth/spontaneous birth is the delivery of the entire fetus through the vagina by the natural force of labor with or without manual assistance from the delivery attendant.

Vaginal birth with forceps

Vaginal birth with forceps is the delivery of the fetal head through the vagina by the application of obstetrical forceps to the fetal head.

1040

Vaginal birth with vacuum

Vaginal birth with vacuum is the delivery of the fetal head through the vagina by the application of a vacuum cup or ventouse to the fetal head.

1045 **Vertex Presentation**

Vertex presentation is the presentation of the upper or back part of the infant's head.

Appendix A Actor Summary Definitions

This supplement does not define any new actors.

1050 **Appendix B Transaction Summary Definitions**

This supplement does not define any new transactions.

Volume 2 – Transactions and Content Modules

This supplement does not define any new transactions.

1055 **5.0 Namespaces and Vocabularies**

<i>Add the following rows the QRPH TF-2:5.0 Namespaces and Vocabularies</i>

codeSystem	codeSystemName	Description
1.3.6.1.4.1.19376.1.5.3.1	IHE PCC Template Identifiers	This is the root OID for all IHE PCC Templates. A list of PCC templates can be found below in CDA Release 2.0 Content Modules.
1.3.6.1.4.1.19376.1.7.3.1.1	IHE BFDR Template Identifiers	This is the root OID for all the IHE BFDR Templates.
1.3.6.1.4.1.19376.1.5.3.2	IHEActCode	See IHEActCode Vocabulary below
1.3.6.1.4.1.19376.1.5.3.3	IHE PCC RoleCode	See IHERoleCode Vocabulary below
1.3.6.1.4.1.19376.1.5.3.4		Namespace OID used for IHE Extensions to CDA Release 2.0
2.16.840.1.113883.10.20.1	CCD Root OID	Root OID used for by ASTM/HL7 Continuity of Care Document
2.16.840.1.113883.5.112	RouteOfAdministration	See the HL7 RouteOfAdministration Vocabulary
2.16.840.1.113883.5.1063	SeverityObservation	See the HL7 SeverityObservation Vocabulary
2.16.840.1.113883.1.11.1221 2	MaritalStatus	See the HL7 MaritalStatus Vocabulary
2.16.840.1.113883	ServiceDeliveryLocation	See the HL7 ServiceDeliveryLocation Vocabulary
2.16.840.1.113883.12.1	AdministrativeGender	See the HL7 AdministrativeGender Vocabulary
2.16.840.1.113883.5.111	Role	See the HL7 Role Vocabulary
2.16.840.1.113883.5.1077	EducationLevel	See the HL7 EducationLevel Vocabulary
2.16.840.1.113883.6.1	LOINC	Logical Observation Identifier Names and Codes
2.16.840.1.113883.6.96	SNOMED-CT	SNOMED Clinical Terms
2.16.840.1.113883.6.103	ICD-9CM (diagnosis codes)	International Classification of Diseases, Clinical Modifiers, Version 9
2.16.840.1.113883.6.104	ICD-9CM (procedure codes)	International Classification of Diseases, Clinical Modifiers, Version 9
2.16.840.1.113883.6.3	ICD10	International Classification of Diseases Revision 10 (ICD 10) Note this does NOT have the CM changes, and is specifically for international use.
2.16.840.1.113883.6.4	ICD-10-PCS	International Classification of Diseases, 10th Revision, Procedure Coding System
2.16.840.1.113883.6.90	ICD-10-CM	International Classification of Diseases, 10th Revision, Clinical Modification
2.16.840.1.113883.6.26	MEDCIN	A classification system from MEDICOMP Systems.
2.16.840.1.113883.6.88	RxNorm	RxNorm
2.16.840.1.113883.6.63	FDDC	First DataBank Drug Codes
2.16.840.1.113883.6.12	C4	Current Procedure Terminology 4 (CPT-4) codes.
2.16.840.1.113883.6.257	Minimum Data Set for Long	The root OID for Minimum Data Set Answer Lists

codeSystem	codeSystemName	Description
	Term Care	
2.16.840.1.113883.2.8.1.1	CCAM	Classification Commune des Actes Medicaux
2.16.840.1.113883.6.21	NUBC	National Uniform Billing Codes (US)

5.1.1 IHE Format Codes

Add the following rows to the QRPH TF-2:5.1.1 IHE Format Codes

1060

Profile	Format Code	Media Type	Template ID
2011 Profiles			
Labor and Delivery Summary for Vital Records (VR) for Birth and Fetal Death Reporting (BFDR)	urn:ihe:qrph:BFDR:2011	Text/XML	1.3.6.1.4.1.19376.1.7.3.1.1.19.1. 1

6 QRPH Content Modules

6.2 Folder Content Modules

1065

Add section Z.2.Y

6.3 Content Modules

6.3.1 CDA Document Content Modules

Add section 6.3.1.A

6.3.1.A Labor and Delivery Summary for Vital Records (VR) Specification

1070

1.3.6.1.4.1.19376.1.7.3.1.1.19.1.1

The Labor and Delivery Summary for Vital Records (VR) constrains the PCC Labor and Delivery Summary (LDS) to maximize the pre-population ability for Birth and Fetal Death Reporting feeds to the Vital Records System using this profile.

6.3.1.A.1 LOINC Code

1075

The LOINC code for this document is **57057-2** Labor and delivery summary

6.3.1.A.2 Parent Template

This document is an instance of the Labor and Delivery Summary template (1.3.6.1.4.1.19376.1.5.3.1.1.21.1.2).

6.3.1.A.3 Standards

CCD	ASTM/HL7 Continuity of Care Document
CDAR2	HL7 CDA Release 2.0
ACOG AR	American College of Obstetricians and Gynecologists (ACOG), Antepartum Record
LOINC	Logical Observation Identifiers, Names and Codes
SNOMED	Systemized Nomenclature for Medicine
CDTHP	CDA for Common Document Types History and Physical Notes (DSTU)

1080

6.3.1.A.4 Specification

This section references content modules using Template ID as the key identifier. Definitions of the modules are found in either:

- IHE Patient Care Coordination Volume 2: Final Text
- IHE PCC Content Modules supplement

1085

The Record Target[0] of this CDA document shall reference the mother. All sections listed in Table 6.3.1.A.4-1 shall refer to the mother. All sections listed in Table 6.3.1.A.4-2 shall refer to

the newborn and shall include the subject at the section level. Multiple newborns shall be represented with each newborn having his/her own section. The IHE PCC LDS is further constrained as described below.

1090 The following table describes content within the LDS that will result in a more fully pre-populated form for the form filler. The way that this differs from the current LDS is:

The following optional sections of LDS are defined as Required, or Required if known here:

- Payers are optional in LDS per inheritance from Medical Summary. This is R2 in this specification.

1095 The following sections are taken from the Labor and Delivery History and Physical (LDHP)

- Coded History of Infection Section
- Pregnancy History / Pregnancy Observation

1100 All of the IHE PCC LDS constraints apply. The QRPH VR further constrains the IHE PCC LDS as follows:

Table 6.3.1.A.4-1: VR Document Section Specification

Template Name	Opt	Section Template Id	Value Set Template Id
Mother's Encompassing Encounter	R2	2.16.840.1.113883.1 0.20.1.21	Admission Source ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=2.16.840.1.113 883.10.20.1.21]]/participant[@typeCode='ORG']/code BFDR Transfer In Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.177
Hospital Admission Diagnosis	R	1.3.6.1.4.1.19376.1.5 .3.1.3.3	N/A
Admission Medication History	R2	1.3.6.1.4.1.19376.1.5 .3.1.3.20	Medication Coded Product, ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.193 76.1.5.3.1.3.20]]/entry/substanceAdministration/code SHALL include the following substance administration history if known and associated administration dates/times: BFDR Fertility Enhancing Drugs 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.144
<u>Chief Complaint</u>	R	1.3.6.1.4.1.19376.1.5 .3.1.1.13.2.1	N/A
<u>Transport Mode</u>	R	1.3.6.1.4.1.19376.1.5 .3.1.1.10.3.2	N/A
<u>Assessment and Plan</u>	R2	1.3.6.1.4.1.19376.1.5 .3.1.1.13.2.5	N/A
<u>Pain Assessment Panel</u>	R	1.3.6.1.4.1.19376.1.5 .3.1.1.20.2.4	N/A
Coded Results	R	1.3.6.1.4.1.19376.1.5 .3.1.3.28	NA

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

Coded Antenatal Testing and Surveillance	R2	1.3.6.1.4.1.19376.1.5 .3.1.1.21.2.5.1	NA
History of Present Illness	R	1.3.6.1.4.1.19376.1.5 .3.1.3.4	N/A
History of Past Illness	R	1.3.6.1.4.1.19376.1.5 .3.1.3.8	NA
Active Problems	R	1.3.6.1.4.1.19376.1.5 .3.1.3.6	<p>Problem code, ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code</p> <p>SHALL include the following problems if known:</p> <ul style="list-style-type: none"> BFDR Previous Cesarean Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.147 BFDR Chlamydia Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.93 BFDR Gonorrhea Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.94 BFDR Hepatitis B Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.96 BFDR Hepatitis C Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.97 BFDR Syphilis Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.98 BFDR Listeria Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.165 BFDR Group B Streptococcus Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.166 BFDR Cytomegalovirus Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.167 BFDR Parvovirus Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.168 BFDR Toxoplasmosis Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.169 BFDR Chorioamnionitis During Labor Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.24 BFDR Fever Greater Than 100.4 Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.25
Coded Advance Directives	R2	1.3.6.1.4.1.19376.1.5 .3.1.3.35	N/A
Birth Plan	R2	1.3.6.1.4.1.19376.1.5 .3.1.1.21.2.1	N/A
Allergies and Other Adverse Reactions	R	1.3.6.1.4.1.19376.1.5 .3.1.3.13	N/A

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

Coded Detailed Physical Examination	R	1.3.6.1.4.1.19376.1.5 .3.1.1.9.15.1	<p>Coded Vital Signs 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2 Result type code,</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/observation/code</p> <p>SHALL include the following observations, associated values, and units if known</p> <p>BFDR Height Value Set , 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.190</p> <p>3141-9 Body Weight with methodCode detailing: BFDR Mother's Delivery Weight Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.120 BFDR Pre-Pregnancy Weight Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.118</p>
Estimated Delivery Date	R	1.3.6.1.4.1.19376.1.5 .3.1.1.11.2.2.1	N/A
Medications Administered	R	1.3.6.1.4.1.19376.1.5 .3.1.3.21	<p>Medication Coded Product,</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/code</p> <p>SHALL include the following substance administrations if known and associated route and administration dates/times:</p> <p>BFDR Antibiotics Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.3 BFDR Augmentation of Labor - Medication Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.23 BFDR Epidural Anesthesia - Medication Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.26 BFDR Spinal Anesthesia - Medication Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.28 BFDR Glucocorticoids Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.38</p> <p>Route SHALL be coded using HL7 Route of Administration (2.16.840.1.113883.12.162), specifically indicating the route where IV or IM administration route is used: ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/routeCode</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

			BFDR IV Medication Administration Route Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.4 BFDR Intramuscular Administration Route Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.5
Intravenous Fluids Administered	R2	1.3.6.1.4.1.19376.1.5 .3.1.1.13.2.6	N/A
Intake and Output	R2	1.3.6.1.4.1.19376.1.5 .3.1.1.20.2.3	N/A
Estimated Blood Loss	R2	1.3.6.1.4.1.19376.1.5 .3.1.1.9.2	N/A
Transfusion History	R	1.3.6.1.4.1.19376.1.5 .3.1.1.9.12	N/A
History of Surgical Procedures	R2	1.3.6.1.4.1.19376.1.5 .3.1.1.16.2.2	NA
Labor and Delivery Events	R	1.3.6.1.4.1.19376.1.5 .3.1.1.21.2.3	See Labor and Delivery Events Constraint Table (Table 6.3.1.AB.4-3 Labor and Delivery Events Section Constraint Table) below
Payers	R2	1.3.6.1.4.1.19376.1.5 .3.1.1.5.3.7	Payer (NOTE: payers is inherited from Medical Summary as an Optional Section) SHOULD include payer information using: <code>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.7]]/code</code>
Newborn Delivery Information (Information Related to the Newborn(s))	R	1.3.6.1.4.1.19376.1.5 .3.1.1.21.2.4	See Newborn Delivery Information Constraint Table (Table 6.3.1.AB.4-4 Newborn Delivery Information Section Constraint Table) below

Table 6.3.1.A.4-3: Labor and Delivery Events Section Constraint Table

Labor and Delivery Events Subsection (1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3)	Constraint
Procedures and Interventions (1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11)	<p>Procedure, Procedure Date and Time</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/effectiveTime</p> <p>SHALL include for the following procedure codes and associated date/timestamps if known:</p> <ul style="list-style-type: none"> BFDR Augmentation of Labor - Procedure Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.22 BFDR Epidural Anesthesia - Procedure Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.27 MHC HBS Spinal Anesthesia - Procedure Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.29 BFDR In-utero Resuscitation Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.31 BFDR Operative Delivery Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.33 BFDR Further Fetal Assessment Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.32 BFDR Induction of Labor Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.34 BFDR Delivery Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14 BFDR Unplanned Operation Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.105 BFDR Cervical Cerclage Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.125 BFDR External Cephalic Version Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.127 BFDR Tocolysis Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.128 BFDR Hysterotomy/ Hysterectomy Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.150 BFDR Transfusion Whole Blood or Packed Red Blood Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.99 BFDR Unplanned Hysterectomy, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.103 <p>For the delivery event identified by the following procedure value set:</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

	<p>BFDR Delivery Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14</p> <p>the Procedures and Interventions SHALL also indicate the NPI, Provider Type, and the Provider Name:</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/performer/assignedEntity/id</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/performer/assignedEntity/code</p> <p>BFDR Physician Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.15</p> <p>BFDR Doctor of Osteopathic Medicine Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.16</p> <p>BFDR Certified Midwife Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.17</p> <p>BFDR Midwife Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.18</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/performer/assignedEntity/assignedPerson/name</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/act/entryRelationship/observation/methodCode</p> <p>BFDR Route and Method of Delivery - Spontaneous Delivery Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.111</p> <p>BFDR Route and Method of Delivery - Forceps Delivery Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.112</p> <p>BFDR Route and Method of Delivery - Vacuum Delivery Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.113</p> <p>BFDR Route and Method of Delivery - Trial of Labor Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.115</p> <p>BFDR Route and Method of Delivery - Scheduled Cesarean Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.116</p> <p>BFDR Route and Method of Delivery - Cesarean Delivery Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.114</p>
Coded Event Outcomes with template ID 1.3.6.1.4.1.19376.1.7	<p>Coded Event Outcome,</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code</p> <p>BFDR Birth Plurality of Delivery Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.132</p> <p>BFDR Number of Live Births Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.68</p> <p>BFDR Number of Fetal Deaths This Delivery Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.164</p> <p>BFDR ICU Care Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.188</p> <p>BFDR Fetal Intolerance of Labor Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.30</p> <p>BFDR Meconium staining Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.36</p>

	BFDR Third Degree Perineal Laceration Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.100 BFDR Fourth Degree Perineal Laceration Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.101 BFDR Ruptured Uterus Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.102 BFDR Fetal Presentation at Birth- Breech Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.108 BFDR Fetal Presentation at Birth- Cephalic Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.109 BFDR Fetal Presentation at Birth- Other Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.110 BFDR Transferred for Maternal Medical or Fetal Indications for Delivery, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.176 [NOTE: Code pending] BFDR Precipitous Labor Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.130 BFDR Prolonged Labor Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.131 BFDR Premature Rupture Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.129
	Patient Transfer Entry ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/component/section[templateId[@root=TBDpatientTransferOID]]/entry/act/entryRelationship/observation/code BFDR Transfer to Facility Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.188 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/component/section[templateId[@root=TBDpatientTransferOID]]/entry/act/entryRelationship/observation/name BFDR Institution Referred to Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.191

Table 6.3.1.A.4-4 Newborn Delivery Information Section Constraint Table

Newborn Delivery Information Subsection	Constraint
Coded Detailed Physical Examination Section (1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1)	Coded Vital Signs 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2 Result type code, ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/observation/code SHALL include the following observations, associated values, and units if known

	<p>3141-9 Body Weight</p> <p>with methodCode detailing:</p> <p>ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/observation/methodCode</p> <p>BFDR Birth Weight Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.20 BFDR Fetus Weight Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.151</p>
	<p>Neurologic Systems: 1.3.6.1.4.1.19376.1.5.3.1.1.9.35</p> <p>ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.35]]/entry/act/entryRelationship/observation/code</p> <p>SHALL include the following observations, associated values, and units if known</p> <p><u>BFDR Meningomyelocele/Spina Bifida of the Newborn Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.65</u> <u>BFDR Anencephaly of the Newborn Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.53</u> <u>BFDR Cleft Lip with/without Cleft Palate Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.58</u> <u>BFDR Cleft Lip without Cleft Palate Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.60</u></p>
	<p>Heart 1.3.6.1.4.1.19376.1.5.3.1.1.9.29</p> <p>ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.29]]/entry/act/entryRelationship/observation/code</p> <p>SHALL include the following observations, associated values, and units if known</p> <p><u>BFDR Cyanotic Congenital Heart Disease Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.54</u></p>
	<p>General Appearance 1.3.6.1.4.1.19376.1.5.3.1.1.9.16</p> <p>ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationship/observation/code</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

	<p>1.1.9.16]]/entry/act/entryRelationship/observation/code</p> <p>SHALL include the following observations, associated values, and units if known</p> <p><u>BFDR Suspected Chromosomal Disorder Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.57</u> <u>BFDR Downs Syndrome Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.61</u> <u>BFDR Congenital Diaphragmatic Hernia Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.55</u> <u>BFDR Karyotype Confirmed Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.56</u> BFDR 5 Min Apgar Score Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.12 BFDR 10 Min Apgar Score Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.13</p>
	<p>Digestive System 1.3.6.1.4.1.19376.1.5.3.1.1.9.31</p> <p>SHALL include the following observations, associated values, and units if known</p> <p>ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.31]]/entry/act/entryRelationship/observation/code</p> <p><u>BFDR Gastroschisis of the Newborn Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.62</u></p>
	<p>Musculoskeletal System 1.3.6.1.4.1.19376.1.5.3.1.1.9.34</p> <p>ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.34]]/entry/act/entryRelationship/observation/code</p> <p>SHALL include the following observations, associated values, and units if known</p> <p><u>BFDR Limb Reduction Defect Value Set, 6.1.4.1.19376.1.7.3.1.1.13.8.64</u></p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

	<p>Genitalia 1.3.6.1.4.1.19376.1.5.3.1.1.9.36 <i>ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.36]]/entry/act/entryRelationship/observation/code</i></p> <p>SHALL include the following observations, associated values, and units if known</p> <p><u>BFDR Omphalocele of the Newborn Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.66</u></p>
Active Problems (1.3.6.1.4.1.19376.1.5.3.1.3.6)	<p><u>Problem Code</u></p> <p><i>ClinicalDocument/component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code</i></p> <p>SHALL be included for the following problem codes and associated date/timestamps if known:</p> <p><u>BFDR Seizure or Serious Neurologic Dysfunction Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.10</u> <u>BFDR Breastfed Infant Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.41</u></p>
Procedures and Interventions (1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11)	<p>Procedure, Procedure Date and Time <i>ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code</i> <i>ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/effectiveTime</i></p> <p>SHALL be included for the following procedure codes and associated date/timestamps if known:</p> <p><u>BFDR Antibiotic Administration Procedure Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.178</u> <u>BFDR Assisted Ventilation Immediately Following Delivery Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.7 [NOTE: Code Pending]</u> <u>BFDR Further Fetal Assessment Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.32</u> <u>BFDR Karyotype Determination Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.154</u> <u>BFDR Fetal Autopsy Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.153</u></p>
Medications Administered	Medication Coded Product,

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

(1.3.6.1.4.1.19376.1.5.3.1.3.21)	<p>ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/code</p> <p>SHALL include the following observations, associated values, and units if known</p> <p>BFDR Newborn Receiving Surfactant Replacement Therapy Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.11 BFDR Antibiotics Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.3</p> <p>Route SHALL be coded using HL7 Route of Administration (2.16.840.1.113883.12.162), specifically indicating the route where IV or IM administration route is used where Antibiotics are administered for Neonatal Sepsis:</p> <p>ClinicalDocument/component/structuredBody/component/section[[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/routeCode</p> <p>BFDR Intramuscular Administration Route Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.5 BFDR IV Medication Administration Route Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.4</p> <p>Medication indication SHALL be coded using SNOMED-CT where Antibiotics are administered for Neonatal Sepsis</p> <p>ClinicalDocument/component/structuredBody/component/section[[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/entryRelationship[@typeCode='RSON']/observation[cda:templateId/@root='2.16.840.1.113883.10.20.1.28']</p> <p>BFDR Neonatal Sepsis Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.6</p>
Coded Event Outcomes (1.3.6.1.4.1.19376.1.7.3.1.1.13.7)	<p>ClinicalDocument/component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code</p> <p>SHALL include the following observations, associated values, and units if known</p> <p><u>BFDR NICU Care Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.198</u> <u>BFDR Time of Death Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.185</u> <u>BFDR Significant Birth Injury Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.9</u></p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

	<p><u>BFDR Neonatal Death Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.149</u> <u>BFDR Total Time on Ventilator Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.91</u> [NOTE: Code Pending]</p> <p>To represent the setting where the child was born, SHALL include</p> <p>With observation value indicating the setting location: <u>BFDR Birthplace Setting Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.184</u></p> <p><code>ClinicalDocument/component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/value</code></p> <p><u>BFDR Birth Place Hospital Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.192</u> <u>BFDR Birth Place Home Intended Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.193</u> <u>BFDR Birth Place Home Unintended Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.194</u> <u>BFDR Birth Place Home Unknown Intention Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.195</u> <u>BFDR Birth Place Clinic Office Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.196</u> <u>BFDR Birth Place Freestanding Birthing Center Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.197</u></p>
	<p>Patient Transfer Entry</p> <p><code>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/component/section[templateId[@root=TBDpatientTransferOID]]/entry/act/entryRelationship/observation/code</code></p> <p><u>BFDR Transfer to Facility Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.188</u> <u>BFDR Institution Referred to Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.191</u></p>
Coded Results (1.3.6.1.4.1.19376.1.5.3.1.3.28)	<p>Coded results code, <code>ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.3.28']]</code> <code>subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild] / entry/act/entryRelationship/observation/code</code></p> <p>SHALL include the following observations, associated values and units if known:</p> <p><u>BFDR Karyotype Result Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.59</u></p>
Intake and Output (1.3.6.1.4.1.19376.1.5.3.1.1.20.2.3)	NA

All of the IHE PCC LDHP constraints apply. The QRPH VR further constrains the IHE PCC LDHP as follows:

Table 6.3.1.A.4-4 Labor and Delivery History and Physical Specification (NOTE: all sections pertain to the Mother)

Template Name	Opt	Section Template Id	Value Set Template Id
Coded History of Infection Section	R2	1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1 1	<p>Problem code, ClinicalDocument/ recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1]] /entry/act/entryRelationship/observation/code</p> <p>SHALL include the following problems and status (e.g. active) if known: BFDR Chlamydia Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.93 BFDR Gonorrhea Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.94 BFDR Hepatitis B Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.96 BFDR Hepatitis C Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.97 BFDR Syphilis Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.98 BFDR Listeria Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.165 BFDR Group B Streptococcus Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.166 BFDR Cytomegalovirus Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.167 BFDR Parvovirus Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.168 BFDR Toxoplasmosis Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.169</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

Pregnancy History Pregnancy Observation	R	1.3.6.1.4.1.19376. 1.5.3.1.1.5.3.4 1.3.6.1.4.1.19376. 1.5.3.1.4.13.5	<p>NOTE: this is not a currently defined section within the LDS document</p> <p>Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 observation code, observation value</p> <p>ClinicalDocument/recordTarget/component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code AND ClinicalDocument/recordTarget/component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/value</p> <p>SHALL include the following observations if known:</p> <p>BFDR Date of Last Live Birth Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.67 BFDR Date of Last Menses Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.69 BFDR Date of Last Other Pregnancy Outcome Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.70 (e.g. spontaneous or induced losses or ectopic pregnancy) BFDR Number of Previous Live Births Now Dead Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.122 BFDR Number of Previous Live Births Now Living Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.123 BFDR Obstetric Estimate of Gestation Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.124 BFDR Number of Previous Cesareans Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.148 BFDR Last Prenatal Care Visit Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.134 BFDR Number Prenatal Care Visits Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.135 BFDR Previous Cesarean Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.147 BFDR Number of Previous Cesareans Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.148 BFDR Prepregnancy Diabetes Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.136 BFDR Gestational Diabetes Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.137 BFDR Prepregnancy Hypertension Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.138 BFDR Gestational Hypertension Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.139 BFDR Eclampsia Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.140 BFDR Preterm BirthValue Set (History of), 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.141 BFDR Poor Pregnancy Outcome – History Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.142 BFDR Infertility Treatment Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.143 BFDR Artificial or Intrauterine Insemination Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.145</p>
--	---	---	---

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

		BFDR Assistive Reproductive Technology Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.146 BFDR First Prenatal Care Visit Value Set, 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.133
--	--	--

A sample Labor and Delivery Summary Document supporting optimal pre-population for BFDR is provided at

ftp://iheyr2:interop@ftp.ihe.net/TF_Implementation_Material/QRPH/MCH-BFDRpt/LDS%20Sample%20for%20MCH-BFDR.cda.xml

6.3.2 CDA Header Content Modules

No new header content modules

6.3.3 CDA Section Content Modules

No new section content modules

6.3.4 CDA Entry Content Modules

No new entry content modules

Appendix A Specification of Value Sets used in the BFDR Profile

This appendix contains value sets to be used as filters against coded information described in content profiles. Each section corresponds to a particular content profile in the technical framework.

- 1105 These value sets may be used by the form filler to determine the values of the pre-populated form based on specific rules.

A.1 BFDR Facility Location NICU codes

A.1.1 Metadata

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.1
Name	This is the name of the value set	BFDR Facility Location NICU Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that the newborn was admitted to the NICU reflecting an abnormal condition of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from HL7ServiceDeliveryLocation
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.hl7.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.1.2 Facility Location NICU Value Set Table

- 1110 BFDR Facility Location NICU uses the HL7ServiceDeliveryLocation code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set:	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.1
Vocabulary:	2.16.840.1.113883
HL7ServiceDeliveryLocation Code	HL7ServiceDeliveryLocation Code description
1039-7	Neonatal critical care unit [Level II/III]
1040-5	Neonatal critical care unit [Level III]
1037-1	Neonatal unit Neonatal unit
1041-3	Step down neonatal ICU [Level II]

A.2 BFDR Facility Location ICU codes

A.2.1 Metadata

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.2
Name	This is the name of the value set	BFDR Facility Location ICU Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that the patient (mother) was treated in the ICU for complications associated with labor and delivery reflecting a maternal morbidity.
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from HL7ServiceDeliveryLocation
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.hl7.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1115 A.2.2 Facility Location ICU Value Set Table

BFDR Facility Location ICU uses the HL7ServiceDeliveryLocation code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.2
Vocabulary :	2.16.840.1.113883
HL7ServiceDelivery Code	HL7ServiceDeliveryLocation Code description
1027-2	Medical critical care unit
1029-8	Medical/Surgical critical care unit
1035-5	Neurology critical care and stroke unit
1031-4	Neurosurgical critical care unit
1032-2	Surgical cardiothoracic critical care unit
1030-6	Surgical critical care unit
1025-6	Trauma critical care unit

A.3 BFDR Facility Location OR codes

A.3.1 Metadata

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.104
Name	This is the name of the value set	BFDR Facility Location OR Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that the patient (mother) was treated in the OR for an unplanned operation for complications associated with labor and delivery reflecting unplanned operation
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from HL7ServiceDeliveryLocation
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.hl7.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010

Metadata Element	Description	Mandatory
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1120 A.3.2 Facility Location OR Value Set Table

BFDR Facility Location OR uses the HL7ServiceDeliveryLocation code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.104
Vocabulary	2.16.840.1.113883
HL7ServiceDeliveryLocation Code	Code description
1096-7	Inpatient operating room/suite
1094-2	Operating and recovery rooms

A.4 BFDR Antibiotics codes

1125 A.4.1 Metadata

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.3
Name	This is the name of the value set	BFDR Antibiotics Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that antibiotics were received by the mother during delivery and by the newborn for suspected neonatal sepsis
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from RxNORM
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/rxnorm/
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active

Metadata Element	Description	Mandatory
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.4.2 BFDR Antibiotics Value Set Table

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.3
Vocabulary	2.16.840.1.113883.6.88
RxNORM Code	RxNORM description
1 ML penicillin G benzathine 300000 UNT/ML / penicillin G procaine 300000 UNT/ML Prefilled Syringe	731558
2 ML penicillin G benzathine 300000 UNT/ML / penicillin G procaine 300000 UNT/ML Prefilled Syringe	731538
4 ML penicillin G benzathine 300000 UNT/ML / penicillin G procaine 300000 UNT/ML Prefilled Syringe	731590
5000 MG Clindamycin 20 MG/ML Prefilled Applicator	890921
Acyclovir 25 MG/ML Injectable Solution	248108
Acyclovir 50 MG/ML Injectable Solution	313812
Acyclovir Injectable Solution	377143
Amphotericin B 5 MG/ML Injectable Solution	239240
Amphotericin B Injectable Solution	376660
Ampicillin (as ampicillin sodium) 100 MG/ML Injectable Solution	789980
Ampicillin (as ampicillin sodium) 250 MG/ML Injectable Solution	313819
Ampicillin / Flroxacillin Injectable Solution	378107
Ampicillin / Sulbactam Injectable Solution	376673
Ampicillin 100 MG/ML / Sulbactam 50 MG/ML Injectable Solution	240984
Ampicillin 125 MG / floxacillin 125 MG per 5 ML Elixir	756252
Ampicillin 125 MG/ML Injectable Solution	308207
Ampicillin 167 MG/ML / Floxacillin 167 MG/ML Injectable Solution	105134
Ampicillin 20 MG/ML / Sulbactam 10 MG/ML Injectable Solution	993109
Ampicillin 250 MG/ML / Sulbactam 125 MG/ML Injectable Solution	308208
Ampicillin 30 MG/ML / Sulbactam 15 MG/ML Injectable Solution	308208

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

	Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.3
	Vocabulary	2.16.840.1.113883.6.88
	RxNORM Code	RxNORM description
Ampicillin Injectable Solution		370584
Cefazolin 10 MG/ML Injectable Solution		309051
Cefazolin 100 MG/ML Injectable Solution		796301
Cefazolin 20 MG/ML Injectable Solution		309052
Cefazolin 200 MG/ML Injectable Solution		313920
Cefazolin 225 MG/ML Injectable Solution		309053
Cefazolin 250 MG/ML Injectable Solution		562062
Cefazolin 330 MG/ML Injectable Solution		313929
Cefazolin Injectable Solution		371324
Cefotaxime 20 MG/ML Injectable Solution		198396
Cefotaxime 200 MG/ML Injectable Solution		309065
Cefotaxime 230 MG/ML Injectable Solution		309068
Cefotaxime 300 MG/ML Injectable Solution		309066
Cefotaxime 330 MG/ML Injectable Solution		309067
Cefotaxime 40 MG/ML Injectable Solution		198395
Cefotaxime Injectable Solution		371331
Ceftazidime 10 MG/ML Injectable Solution		389025
Ceftazidime 170 MG/ML Injectable Solution		309083
Ceftazidime 20 MG/ML Injectable Solution		309082
Ceftazidime 200 MG/ML Injectable Solution		242800
Ceftazidime 210 MG/ML Injectable Solution		249926
Ceftazidime 250 MG/ML Injectable Solution		240447
Ceftazidime 280 MG/ML Injectable Solution		313890
Ceftazidime 40 MG/ML Injectable Solution		309084
Ceftazidime 60 MG/ML Injectable Solution		389026
Ceftazidime Injectable Solution		371337
Ceftriaxone 100 MG/ML Injectable Solution		309090
Ceftriaxone 20 MG/ML Injectable Solution		309091
Ceftriaxone 250 MG/ML Injectable Solution		309092
Ceftriaxone 350 MG/ML Injectable Solution		204871
Ceftriaxone 40 MG/ML Injectable Solution		309093
Clindamycin 12 MG/ML Injectable Solution		309335
Clindamycin 150 MG/ML		323888
Clindamycin 150 MG/ML Injectable Solution		205964
Clindamycin 18 MG/ML Injectable Solution		309336

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

	Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.3
	Vocabulary	2.16.840.1.113883.6.88
	RxNORM Code	RxNORM description
Clindamycin 6 MG/ML Injectable Solution		309339
Clindamycin 900 MG per 50 ML Injectable Solution		309336
Clindamycin 900 MG per 6 ML Injectable Solution		205964
Clindamycin Injectable Solution		371557
Erythromycin 50 MG/ML Injectable Solution		310163
Erythromycin Gluceptate 1 MG/ML Injectable Solution		686354
Erythromycin Gluceptate 50 MG/ML Injectable Solution		686447
Erythromycin lactobionate 50 MG/ML Injectable Solution		597298
Fluconazole 2 MG/ML Injectable Solution		252432
Fluconazole 4 MG/ML Injectable Solution		861607
Fluconazole Injectable Solution		377071
Gentamicin Sulfate (USP) 0.4 MG/ML Injectable Solution		259047
Gentamicin Sulfate (USP) 0.6 MG/ML Injectable Solution		310472
Gentamicin Sulfate (USP) 0.7 MG/ML Injectable Solution		392406
Gentamicin Sulfate (USP) 0.8 MG/ML Injectable Solution		310473
Gentamicin Sulfate (USP) 0.9 MG/ML Injectable Solution		310474
Gentamicin Sulfate (USP) 1 MG/ML Injectable Solution		242816
Gentamicin Sulfate (USP) 1.2 MG/ML Injectable Solution		310475
Gentamicin Sulfate (USP) 1.4 MG/ML Injectable Solution		310476
Gentamicin Sulfate (USP) 1.6 MG/ML Injectable Solution		310477
Gentamicin Sulfate (USP) 10 MG/ML Injectable Solution		239204
Gentamicin Sulfate (USP) 2 MG/ML Injectable Solution		197736
Gentamicin Sulfate (USP) 2.4 MG/ML Injectable Solution		310478
Gentamicin Sulfate (USP) 3.6 MG/ML Injectable Solution		484047
Gentamicin Sulfate (USP) 40 MG/ML Injectable Solution		313996
Gentamicin Sulfate (USP) 5 MG/ML Injectable Solution		102770
Gentamicin Sulfate (USP) 50 MG/ML Injectable Solution		415059
Gentamicin Sulfate (USP) 60 MG/ML Injectable Solution		102769
Gentamicin Sulfate (USP) 80 MG/ML Injectable Solution		246296
Gentamicin Sulfate (USP) Injectable Solution		372302
Metronidazole 5 MG/ML Injectable Solution		311683
Metronidazole Injectable Solution		376657
Nafcillin 100 MG/ML Injectable Solution		239189
Nafcillin 20 MG/ML Injectable Solution		311895
Nafcillin 250 MG/ML Injectable Solution		239190

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

	Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.3
	Vocabulary	2.16.840.1.113883.6.88
	RxNORM Code	RxNORM description
Nafcillin 40 MG/ML Injectable Solution	311896	
Nafcillin Injectable Solution	372980	
Oxacillin 100 MG/ML Injectable Solution	312127	
Oxacillin 167 MG/ML Injectable Solution	312130	
Oxacillin 20 MG/ML Injectable Solution	312128	
Oxacillin 40 MG/ML Injectable Solution	240637	
Oxacillin Injectable Solution	376698	
Penicillin G 10000 UNT/ML Injectable Solution	617857	
Penicillin G 100000 UNT/ML Injectable Solution	617881	
Penicillin G 300000 UNT/ML Injectable Suspension	312270	
Penicillin G 375 MG/ML Injectable Solution	105078	
Penicillin G benzathine 1,200,000 UNT / penicillin G procaine 1,200,000 UNT per 2 ML Prefilled Syringe	824584	
Penicillin G benzathine 1,200,000 UNT per 2 ML Prefilled Syringe	731567	
Penicillin G benzathine 150000 UNT/ML / penicillin G procaine 150000 UNT/ML Injectable Solution	731560	
Penicillin G benzathine 150000 UNT/ML / penicillin G procaine 150000 UNT/ML Injectable Suspension	623695	
Penicillin G benzathine 2,400,000 UNT per 4 ML Prefilled Syringe	731570	
Penicillin G benzathine 300000 UNT/ML / penicillin G procaine 300000 UNT/ML Injectable Suspension	623677	
Penicillin G benzathine 300000 UNT/ML Injectable Suspension	731575	
Penicillin G benzathine 450000 UNT/ML / penicillin G procaine 150000 UNT/ML 2 ML Prefilled Syringe	836306	
Penicillin G benzathine 600,000 UNT per 1 ML Prefilled Syringe	731564	
Penicillin G benzathine 600000 UNT/ML Injectable Suspension	731564	
Penicillin G benzathine 900000 UNT/ML / penicillin G procaine 300000 UNT/ML Injectable Suspension	745477	
Penicillin G Injectable Solution	373262	
Penicillin G Injectable Suspension	373260	
Penicillin G Potassium 10000 UNT/ML Injectable Solution	745464	
Penicillin G Potassium 100000 UNT/ML Injectable Solution	745300	
Penicillin G Potassium 1000000 UNT/ML Injectable Solution	863538	
Penicillin G Potassium 20000 UNT/ML Injectable Solution	207390	
Penicillin G Potassium 40000 UNT/ML Injectable Solution	204466	
Penicillin G Potassium 60000 UNT/ML Injectable Solution	207391	
Penicillin G Prefilled Syringe	727620	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

	Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.3
	Vocabulary	2.16.840.1.113883.6.88
	RxNORM Code	RxNORM description
penicillin G procaine 1,200,000 UNT per 2 ML Prefilled Syringe	745462	
penicillin G procaine 300000 UNT/ML Injectable Suspension	745303	
penicillin G procaine 600,000 UNT per 1 ML Prefilled Syringe	745560	
penicillin G procaine 600,000 UNT/ML Injectable Suspension	745561	
Penicillin G Sodium 100000 UNT/ML Injectable Solution	745302	
Penicillium camemberti allergenic extract 50 MG/ML Injectable Solution	966946	
Penicillium chrysogenum var. chrysogenum extract 1 MG/ML	966947	
Penicillium chrysogenum var. chrysogenum extract 100 MG/ML	854131	
Penicillium chrysogenum var. chrysogenum extract 100 UNT/ML	966949	
Penicillium chrysogenum var. chrysogenum extract 1000 UNT/ML	883527	
Penicillium chrysogenum var. chrysogenum extract 10000 UNT/ML	966951	
Penicillium chrysogenum var. chrysogenum extract 20000 UNT/ML	966953	
Penicillium chrysogenum var. chrysogenum extract 40000 UNT/ML	966959	
Penicillium chrysogenum var. chrysogenum extract 50 MG/ML	966959	
Penicillium italicum extract 0.05 GM/ML Injectable Solution	967963	
Penicillium roquefortii allergenic extract 50 MG/ML Injectable Solution	966993	
Piperacillin / tazobactam Injectable Solution	376858	
Piperacillin 200 MG/ML / tazobactam 25 MG/ML Injectable Solution	312447	
Piperacillin 200 MG/ML Injectable Solution	239186	
Piperacillin 30 MG/ML Injectable Solution	312442	
Piperacillin 40 MG/ML / tazobactam 5 MG/ML Injectable Solution	312446	
Piperacillin 40 MG/ML Injectable Solution	315178	
Piperacillin 400 MG/ML Injectable Solution	312444	
Piperacillin 60 MG/ML / tazobactam 7.5 MG/ML Injectable Solution	312443	
Piperacillin 80 MG/ML / tazobactam 10 MG/ML Injectable Solution	1043464	
Piperacillin Injectable Solution	373467	
Vancomycin 10 MG/ML Injectable Solution	796488	
Vancomycin 100 MG/ML Injectable Solution	239209	
Vancomycin 3 MG/ML Injectable Solution	415868	
Vancomycin 3.5 MG/ML Injectable Solution	998241	
Vancomycin 4 MG/ML Injectable Solution	415869	
Vancomycin 5 MG/ML Injectable Solution	313574	
Vancomycin 50 MG/ML Injectable Solution	313572	
Vancomycin 6 MG/ML Injectable Solution	998239	
Vancomycin 6.67 MG/ML Injectable Solution	796484	

	Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.3
	Vocabulary	2.16.840.1.113883.6.88
	RxNORM Code	RxNORM description
Vancomycin 7 MG/ML Injectable Solution		796490
Vancomycin 8 MG/ML Injectable Solution		796492
Vancomycin 8.33 MG/ML Injectable Solution		796486
Vancomycin Injectable Solution		375983
Zidovudine 10 MG/ML Injectable Solution		204534
Zidovudine Injectable Solution		379126

A.5 BFDR IV Medication Administration Codes

1130

A.5.1 Metadata

IV Medication Administration Route Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.4
Name	This is the name of the value set	BFDR IV Medication Administration Route Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that IV Medication Administration Route was used to administer a medication
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from HL7 Route of Administration
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.hl7.org/Memory/downloads/Standards_Messaging_v251/HL7_Messaging_v251_PDF.zip
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010

Metadata Element	Description	Mandatory
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.5.2 BFDR IV Medication Administration Route Value Set

- 1135 Route indicating IV Administration Route uses the HL7 Route of Administration code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.4
Vocabulary :	2.16.840.1.113883.12.162
Data Element	HL7 Route of Administration
IV	INTRAVENOUS

A.6 BFDR Intramuscular Medication Administration Route Codes

A.6.1 Metadata

Intramuscular Medication Administration Route Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.5
Name	This is the name of the value set	BFDR Intramuscular Administration Route Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that Intramuscular Medication Administration Route was used to administer a medication
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from HL7 Route of Administration
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.hl7.org/Memonly/downloads/Standards_Messaging_v251/HL7_Messaging_v251_PDF.zip
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active

Metadata Element	Description	Mandatory
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.6.2 BFDR Intramuscular Administration Route Value Set

- 1145 Route indicating Intramuscular Administration Route uses the HL7 Route of Administration code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.5
Vocabulary	2.16.840.1.113883.12.162
Data Element	HL7 Route of Administration
IM	INTRAMUSCULAR

A.7 BFDR Neonatal Sepsis Codes

1150 A.7.1 Metadata

Neonatal Sepsis Delivery Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.6
Name	This is the name of the value set	BFDR Neonatal Sepsis Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that the newborn was provided assisted ventilation immediately following delivery reflecting an abnormal condition of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html

Metadata Element	Description	Mandatory
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.7.2 BFDR Neonatal Sepsis Value Set

1155 Problems or indications indicating Neonatal Sepsis use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.6
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
276669000	Bacterial sepsis of newborn (disorder)
211420008	Neonatal candida septicemia (disorder)
359646002	Neonatal disseminated listeriosis (disorder)
403000003	Neonatal systemic candidosis (disorder)
206380000	Sepsis of newborn due to anaerobes (disorder)
206379003	Sepsis of newborn due to Escherichia coli (disorder)
206378006	Sepsis of newborn due to Staphylococcus aureus (disorder)
206376005	Sepsis of the newborn (disorder)
41229001	Septicemia of newborn (disorder)
43424001	Tetanus neonatorum (disorder)

A.8 QRPH BFDR Assisted Ventilation Immediately Following Delivery Codes

1160 **A.8.1 Metadata**

Assisted Ventilation Immediately Following Delivery Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.7
Name	This is the name of the value set	BFDR Assisted Ventilation Immediately Following Delivery Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that the newborn was provided assisted ventilation immediately following delivery reflecting an abnormal condition of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.8.2 BFDR Assisted Ventilation Immediately Following Delivery Value Set

- 1165 Assisted Ventilation Immediately Following Delivery Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.7
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Procedure Code	SNOMED-CT Description

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.7
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Procedure Code	SNOMED-CT Description
	Pending

A.9 BFDR Total Time on Ventilator Codes

1170

A.9.1 Metadata

Total Time on Ventilator Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.191
Name	This is the name of the value set	BFDR Total Time on Ventilator Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that the total time on ventilator to determine that the newborn was provided assisted ventilation for 6 or more hours reflecting an abnormal condition of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.9.2 BFDR Total Time on Ventilator Value Set

1175 Total Time on Ventilator Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.91
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Procedure Code	SNOMED-CT Description
	Pending

A.10 QRPH BFDR Significant Birth Injury Codes

A.10.1 Metadata

Significant Birth Injury Value Set Metadata Shall contain the following content:

1180

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.9
Name	This is the name of the value set	BFDR Significant Birth Injury Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that the newborn suffered a Significant Birth Injury (skeletal fracture(s), peripheral nerve injury, and/ or soft tissue/solid organ hemorrhage which requires intervention) reflecting an abnormal condition of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010

Metadata Element	Description	Mandatory
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.10.2BFDR Significant Birth Injury Value Set

Significant Birth Injury Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1185

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.9
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Procedure Code	SNOMED-CT Description
56110009	Birth trauma of fetus (disorder)
206253009	Birth injury to face (disorder)
37384000	Birth injury to scalp (disorder)
268822004	Fetal monitoring scalp injury (disorder)
276704001	Electrode injury to scalp during birth (disorder)
276705000	Sampling injury to scalp during birth (disorder)
206199003	Scalp injuries due to birth trauma (disorder)
206200000	Cephalhematoma due to birth trauma (disorder)
403849006	Scalp injury due to vacuum extraction (disorder)
240312009	Cerebral injury due to birth trauma (disorder)
206196005	Cerebral hemorrhage due to birth injury (disorder)
206195009	Extradural hemorrhage in fetus or newborn (disorder)
206188000	Subdural and cerebral hemorrhage due to birth trauma (disorder)
206192007	Tentorial tear due to birth trauma (disorder)
206234004	Cranial nerve injury due to birth trauma (disorder)
55712002	Facial nerve injury as birth trauma (disorder)
111465000	Erb-Duchenne palsy as birth trauma (disorder)
50263004	Hematoma of vulva of fetus or newborn as birth trauma (disorder)
16581008	Injury of spine AND/OR spinal cord as birth trauma (disorder)
53785005	Injury to brachial plexus as birth trauma (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.9
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Procedure Code	SNOMED-CT Description
206226005	Brachial plexus palsy due to birth trauma (disorder)
81774005	Klumpke-Déjerine paralysis as birth trauma (disorder)
240317003	Kidney injury due to birth trauma (disorder)
206245001	Liver rupture due to birth trauma (disorder)
371129000	Paralysis from birth trauma (disorder)
40980002	Spastic paralysis due to birth injury (disorder)
28534004	Spastic paralysis due to intracranial birth injury (disorder)
79591004	Spastic paralysis due to spinal birth injury (disorder)
403848003	Perinatal forceps injury (disorder)
403847008	Perinatal skin trauma due to obstetric injury (disorder)
206235003	Peripheral nerve injury due to birth trauma (disorder)
206233005	Birth injury to phrenic nerve (disorder)
28778005	Phrenic nerve paralysis as birth trauma (disorder)
206228006	Birth plexus injury - whole plexus (disorder)
240314005	Skeletal injury due to birth trauma (disorder)
206216003	Birth dislocation of the shoulder (disorder)
20596003	Fracture of long bone, as birth trauma (disorder)
275365008	Birth fracture of radius (disorder)
275366009	Birth fracture of ulna (disorder)
206209004	Fracture of clavicle due to birth trauma (disorder)
206213006	Fracture of femur due to birth trauma (disorder)
206211008	Fracture of humerus due to birth trauma (disorder)
240315006	Fracture of nose due to birth trauma (disorder)
268824003	Fracture of radius and/or ulna due to birth trauma (disorder)
64728002	Fracture of spine due to birth trauma (disorder)
206214000	Fracture of tibia and/or fibula due to birth trauma (disorder)
206221000	Spine dislocation due to birth trauma (disorder)
206220004	Spine or spinal cord injury due to birth trauma (disorder)
206223002	Spinal cord laceration due to birth trauma (disorder)
206224008	Spinal cord rupture due to birth trauma (disorder)
268826001	Spleen rupture due to birth trauma (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.9
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Procedure Code	SNOMED-CT Description
206252004	Sternomastoid injury due to birth injury (disorder)
30671001	Tentorial tear as birth trauma (disorder)
268808004	Fetus or neonate affected by breech delivery and extraction (disorder)
206054009	Fetus or neonate affected by breech presentation before labor (disorder)

A.11 QRPH BFDR Seizure or Serious Neurologic Dysfunction Codes

A.11.1 Metadata

Seizure or Serious Neurologic Dysfunction Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.10
Name	This is the name of the value set	BFDR Seizure or Serious Neurologic Dysfunction Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that the newborn suffered a Seizure or Serious Neurologic Dysfunction reflecting an abnormal condition of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A

Metadata Element	Description	Mandatory
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.11.2BFDR Seizure or Serious Neurologic Dysfunction Value Set

Seizure or Serious Neurologic Dysfunction Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.10
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Procedure Code	SNOMED-CT Description
91175000	Seizure (finding)
444229001	Afebrile seizure (finding)
41119002	Akinetic seizure without atonia (finding)
41510006	Anoxic seizure (finding)
438156004	Anoxic epileptic seizure (finding)
440443001	Reflex anoxic seizure (finding)
59754009	Brief atonic seizure (finding)
58895005	Central convulsion (finding)
313307000	Epileptic seizure (finding)
192982004	Epileptic seizures - akinetic (finding)
192981006	Epileptic seizures - atonic (finding)
192991000	Epileptic seizures - clonic (finding)
192993002	Epileptic seizures - tonic (finding)
433083002	Complex febrile seizure (finding)
246545002	Generalized seizure (finding)
6208003	Clonic seizure (finding)
2665008	Coordinate convulsion (finding)
54200006	Tonic-clonic seizure (finding)
65155005	Grand mal seizure (finding)
163590008	On examination - grand mal fit (finding)
20544001	Secondarily generalized seizures (finding)
87185006	Long atonic seizure (finding)
19593003	Movement partial seizure (finding)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.10
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Procedure Code	SNOMED-CT Description
371129000	Paralysis from birth trauma (disorder)
40980002	Spastic paralysis due to birth injury (disorder)
28534004	Spastic paralysis due to intracranial birth injury (disorder)
79591004	Spastic paralysis due to spinal birth injury (disorder)
95628005	Neonatal encephalopathy (disorder)
277480002	Neonatal asphyxial encephalopathy (disorder)
277479000	Postnatal hypoxic encephalopathy (disorder)

1195

A.12 QRPH BFDR Newborn Receiving Surfactant Replacement Therapy Codes

A.12.1 Metadata

Seizure or Serious Neurologic Dysfunction Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.11
Name	This is the name of the value set	BFDR Newborn Receiving Surfactant Replacement Therapy Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that the Newborn received Surfactant Replacement Therapy reflecting an abnormal condition of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from RxNORM
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/rxnorm/
Version	A string identifying the specific version of the value set.	Version 1.0

Metadata Element	Description	Mandatory
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.12.2 BFDR Newborn Receiving Surfactant Replacement Therapy Value Set

Newborn Receiving Surfactant Replacement Therapy Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.11
Vocabulary	2.16.840.1.113883.6.88
RXNORM Code	RXNORM Description
259034	beractant 25 MG/ML Injectable Suspension
379138	beractant Injectable Suspension
259611	calfactant 35 MG/ML Inhalant Solution
379477	calfactant Inhalant Solution
141920	Colfosceril 13.5 MG/ML Injectable Suspension
385921	Colfosceril Injectable Suspension
259216	Poractant alfa 80 MG/ML Injectable Suspension
375227	Poractant alfa Injectable Suspension

A.13 QRPH BFDR Neonatal Death Codes

A.13.1 Metadata

Neonatal Death Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.149
Name	This is the name of the value set	BFDR Neonatal Death Value Set

Metadata Element	Description	Mandatory
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that the newborn died
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1210 A.13.2BFDR Neonatal Death Value Set

Neonatal death Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.149
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Procedure Code	SNOMED-CT Description
6254007	Neonatal death (finding)
391181005	Early neonatal death (finding)
276505002	Late neonatal death (finding)
56102008	Neonatal death of female (within 4 weeks, USA) (finding)
55225009	Neonatal death of female (within 7 days, WHO) (finding)
91519006	Neonatal death of male (within 4 weeks, USA) (finding)
60257006	Neonatal death of male (within 7 days, WHO)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.149
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Procedure Code	SNOMED-CT Description
	(finding)

A.14 QRPH BFDR 5 Min Apgar Score Codes

1215

A.14.1 Metadata

5 Min Apgar Score Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.12
Name	This is the name of the value set	BFDR 5 Min Apgar Score Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the 5 Min Apgar Score
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.14.2 BFDR 5 Min Apgar Score Value Set

5 Min Apgar Score Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1220

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.12
Vocabulary	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
9274-2	Score^5M post birth

A.15 QRPH BFDR 10 Min Apgar Score Codes

A.15.1 Metadata

10 Min Apgar Score Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.13
Name	This is the name of the value set	BFDR 10 Min Apgar Score Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the 10 Min Apgar Score
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1225 A.15.2 BFDR 10 Min Apgar Score Value Set

10 Min Apgar Score Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.13
Vocabulary	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
9271-8	Score^10M post birth

1230 **A.16 QRPH BFDR Delivery Codes**

A.16.1 Metadata

Delivery Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14
Name	This is the name of the value set	BFDR Delivery Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Delivery Procedure
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.16.2 BFDR Delivery Value Set

1235 Delivery Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
133905007	Delivery room care (regime/therapy)
177184002	Normal delivery procedure (procedure)
1807002	Failed forceps delivery (procedure)
2321005	Delivery by Ritgen maneuver (procedure)
5556001	Manually assisted spontaneous delivery (procedure)
10745001	Delivery of transverse presentation (procedure)
15413009	High forceps delivery with episiotomy (procedure)
16819009	Delivery of face presentation (procedure)
17744000	Subtotal hysterectomy after cesarean delivery (procedure)
17860005	Low forceps delivery with episiotomy (procedure)
18625004	Low forceps delivery (procedure)
19390001	Partial breech delivery with forceps to aftercoming head (procedure)
22633006	Vaginal delivery, medical personnel present (procedure)
25296001	Delivery by Scanzoni maneuver (procedure)
25828002	Mid forceps delivery with episiotomy (procedure)
26313002	Delivery by vacuum extraction with episiotomy (procedure)
29613008	Delivery by double application of forceps (procedure)
30476003	Barton's forceps delivery (procedure)
38479009	Frank breech delivery (procedure)
40219000	Delivery by Malstrom's extraction with episiotomy (procedure)
45718005	Vaginal delivery with forceps including postpartum care (procedure)
48204000	Spontaneous unassisted delivery, medical personnel present (procedure)
54973000	Total breech delivery with forceps to aftercoming head (procedure)
56620000	Delivery of placenta following delivery of infant

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	outside of hospital (procedure)
57411006	Colpoperineorrhaphy following delivery (procedure)
61586001	Delivery by vacuum extraction (procedure)
62508004	Mid forceps delivery (procedure)
71166009	Forceps delivery with rotation of fetal head (procedure)
72059007	Destructive procedure on fetus to facilitate delivery (procedure)
72492007	Footling breech delivery (procedure)
89346004	Delivery by Kielland rotation (procedure)
89849000	High forceps delivery (procedure)
90438006	Delivery by Malstrom's extraction (procedure)
177128002	Induction and delivery procedures (procedure)
177152009	Breech extraction delivery with version (procedure)
177157003	Spontaneous breech delivery (procedure)
177158008	Assisted breech delivery (procedure)
177161009	Forceps cephalic delivery (procedure)
177162002	High forceps cephalic delivery with rotation (procedure)
177164001	Midforceps cephalic delivery with rotation (procedure)
177167008	Barton forceps cephalic delivery with rotation (procedure)
177168003	DeLee forceps cephalic delivery with rotation (procedure)
177170007	Piper forceps delivery (procedure)
177173009	High vacuum delivery (procedure)
177174003	Low vacuum delivery (procedure)
177175002	Vacuum delivery before full dilation of cervix (procedure)
177179008	Cephalic vaginal delivery with abnormal presentation of head at delivery without instrument (procedure)
177180006	Manipulative cephalic vaginal delivery with abnormal presentation of head at delivery

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	without instrument (procedure)
177181005	Non-manipulative cephalic vaginal delivery with abnormal presentation of head at delivery without instrument (procedure)
177184002	Normal delivery procedure (procedure)
177185001	Water birth delivery (procedure)
177212000	Normal delivery of placenta (procedure)
199771001	Piper forceps delivery by application to aftercoming head (procedure)
236973005	Delivery procedure (procedure)
236974004	Instrumental delivery (procedure)
236975003	Nonrotational forceps delivery (procedure)
236976002	Outlet forceps delivery (procedure)
236977006	Forceps delivery, face to pubes (procedure)
236978001	Forceps delivery to the aftercoming head (procedure)
236982004	Delivery of the after coming head (procedure)
236989008	Abdominal delivery for shoulder dystocia (procedure)
236991000	Operation to facilitate delivery (procedure)
236994008	Placental delivery procedure (procedure)
237008007	Maneuvers for delivery in shoulder dystocia (procedure)
237311001	Breech delivery (procedure)
248273008	Aspiration curettage of uterus after delivery (procedure)
265639000	Midforceps delivery without rotation (procedure)
275168001	Neville-Barnes forceps delivery (procedure)
275169009	Simpson's forceps delivery (procedure)
287976008	Breech/instrumental delivery operations (procedure)
287977004	Dilation/incision of cervix - delivery aid (procedure)
288193006	Supervision - normal delivery (procedure)
302383004	Forceps delivery (procedure)
306727001	Breech presentation, delivery, no version

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	(procedure)
315308008	Dilatation of cervix for delivery (procedure)
359943008	Partial breech delivery (procedure)
384729004	Delivery of vertex presentation (procedure)
386338001	Intrapartal care: high-risk delivery (regime/therapy)
386622003	Duhrssen's incisions of cervix to assist delivery (procedure)
387711001	Pubiotomy to assist delivery (procedure)
391998006	Dilation and curettage of uterus after delivery (procedure)
397990008	Analgesia for labor/delivery (procedure)
408817009	Amniotomy at delivery (procedure)
408819007	Delivery of placenta by maternal effort (procedure)

A.17 QRPH BFDR Physician Codes

1240

A.17.1 Metadata

Physician Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.15
Name	This is the name of the value set	BFDR Physician Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Title of the Attendant responsible for the delivery Procedure as a Physician
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0

Metadata Element	Description	Mandatory
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.17.2BFDR Physician Value Set

Physician Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1245

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.15
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
158967008	Consultant physician (occupation)
158973009	Occupational physician (occupation)
23278007	Community health physician (occupation)
309343006	Physician (occupation)
309345004	Chest physician (occupation)
309346003	Thoracic physician (occupation)
309358003	Genitourinary medicine physician (occupation)
309359006	Palliative care physician (occupation)
309360001	Rehabilitation physician (occupation)
310172001	Audiological physician (occupation)
405277009	Resident physician (occupation)
405279007	Attending physician (occupation)
56466003	Public health physician (occupation)
59058001	General physician (occupation)
69280009	Specialized physician (occupation)

A.18 QRPH BFDR Doctor of Osteopathic Medicine Codes

A.18.1 Metadata

Doctor of Osteopathic Medicine Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.16
Name	This is the name of the value set	BFDR Doctor of Osteopathic Medicine Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Title of the Attendant responsible for the delivery Procedure as a Doctor of Osteopathic Medicine
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.18.2BFDR Doctor of Osteopathic Medicine Value Set

- 1250 Doctor of Osteopathic Medicine Value Set will use SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.16
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
76231001	Osteopath (occupation)

A.19 QRPH BFDR Certified Midwife Medicine Codes

A.19.1 Metadata

1255

Certified Midwife Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.17
Name	This is the name of the value set	BFDR Certified Midwife Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Title of the Attendant responsible for the delivery Procedure as a Certified Midwife
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.19.2BFDR Certified Midwife Value Set

Certified Midwife Value Set will use SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1260

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.17
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
309453006	Registered midwife (occupation)

A.20 QRPH BFDR Midwife Medicine Codes

A.20.1Metadata

Midwife Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.18
Name	This is the name of the value set	BFDR Midwife Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Title of the Attendant responsible for the delivery Procedure as a Midwife excluding registered midwife which is reflected in the ‘certified midwife’ value set
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.20.2 BFDR Midwife Value Set

1265 Midwife Value Set will use SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.18
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
158995008	Staff midwife (occupation)
158999002	Community midwife (occupation)
224534008	Health visitor, nurse/midwife (occupation)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.18
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
225727002	Midwife counsellor (occupation)
309454000	Student midwife (occupation)
310188001	Hospital midwife (occupation)
312485001	Integrated midwife (occupation)
75271001	Professional midwife (occupation)
79898004	Auxiliary midwife (occupation)

A.21 QRPH BFDR U.S. Territories Codes

1270

A.21.1 Metadata

U.S. Territories Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.19
Name	This is the name of the value set	BFDR U.S. Territories Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the U.S. Territories
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from FIPS 5-2
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.itl.nist.gov/fipspubs/fip5-2.htm
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.21.2 BFDR U.S. Territories Value Set

1275

U.S. Territories Value Set will use the Federal Information Processing Standards (FIPS)⁵ code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	U.S. Territories Value 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.19
Vocabulary :	2.16.840.1.101.3.4.2.1
FIPS Code	FIPS Description
AS	American Samoa
FM	Federated States of Micronesia
GU	Guam
MH	Marshall Islands
MP	Northern Mariana Islands
PW	Palau
PR	Puerto Rico
UM	U.S. Minor Outlying Islands
VI	Virgin Islands of the U.S.

A.22 QRPH BFDR Birth Weight Code

A.22.1 Metadata

Birth Weight Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.20
Name	This is the name of the value set	BFDR Birth Weight Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Birth Weight
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org

⁵ FIPS 5-2 will be superseded by INCITS 38:200X when that specification becomes available. The content of the two are the same, but the maintainer of the code set has been changed.

Metadata Element	Description	Mandatory
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1280

Birth Weight Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

A.22.2BFDR Birth Weight Value Set

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.20
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
8339-4	Body Weight^at birth

1285 **A.23 QRPH BFDR Height Codes**

A.23.1 Metadata

Measured Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.190
Name	This is the name of the value set	BFDR Height Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the mother's height
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC

Metadata Element	Description	Mandatory
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2012
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2012
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.23.2BFDR Height Value Set

1290 Height Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.190
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
3137-7	Body height (measured)
3138-5	Body height (stated)
8302-2	Body height

A.24 QRPH BFDR Pre-Pregnancy Weight Codes

A.24.1 Metadata

Pre-Pregnancy Weight Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.118
Name	This is the name of the value set	BFDR Pre-Pregnancy Weight Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the mother's Pre-Pregnancy Weight

Metadata Element	Description	Mandatory
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1295 **A.24.2BFDR Pre-Pregnancy Weight Value Set**

Pre-Pregnancy Weight Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.118
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
56077-1	Body weight^pre current pregnancy
8348-5	Body weight^pre pregnancy
69460-4	Body weight^pre current pregnancy

A.25 QRPH BFDR Mother's Delivery Weight Codes

1300 **A.25.1Metadata**

Mother's Delivery Weight Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.120
Name	This is the name of the value set	BFDR Mother's Delivery Weight Value Set

Metadata Element	Description	Mandatory
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Mother's Delivery Weight
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.25.2BFDR Mother's Delivery Weight Value Set

Mother's Delivery Weight Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1305

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.120
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
8345-1	Body weight^post partum
69461-2	Body weight^ at delivery

A.26 QRPH BFDR Previous Other Pregnancy Outcomes Codes

A.26.1 Metadata

Previous Other Pregnancy Outcomes Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.121

Metadata Element	Description	Mandatory
Name	This is the name of the value set	BFDR Previous Other Pregnancy Outcomes Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Previous Other Pregnancy Outcomes
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.26.2BFDR Previous Other Pregnancy Outcomes Value Set

- 1310 Previous Other Pregnancy Outcomes Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.121
Vocabulary :	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
69043-8	Other pregnancy outcomes

A.27 QRPH BFDR Number of Previous Live Births Now Dead Codes

A.27.1 Metadata

- 1315 Number of Previous Live Births Now Dead Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.122
Name	This is the name of the value set	BFDR Number of Previous Live Births Now Dead Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Previous Other Pregnancy Outcomes
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.27.2 BFDR Number of Previous Live Births Now Dead Value Set

1320 Number of Previous Live Births Now Dead Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.122
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
68496-9	Live births.now dead

A.28 QRPH BFDR Number of Previous Live Births Now Living Codes

A.28.1 Metadata

1325 Number of Previous Live Births Now Living Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.123
Name	This is the name of the value set	BFDR Number of Previous Live Births Now Living Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Previous Other Pregnancy Outcomes
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.28.2 BFDR Number of Previous Live Births Now Living Value Set

Number of Previous Live Births Now Living Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.123
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
11638-4	Births still living

1330 A.29 QRPH BFDR Obstetric Estimate of Gestation Codes

A.29.1 Metadata

Obstetric Estimate of Gestation Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.124
Name	This is the name of the value set	BFDR Obstetric Estimate of Gestation Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Obstetric Estimate of Gestation of the newborn.
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1335 **A.29.2BFDR Obstetric Estimate of Gestation Value Set**

Obstetric Estimate of Gestation Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.124
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
11884-4	Gestational age Clinical.estimated
53695-3	Gestational age Clinical.estimated from prior assessment

A.30 QRPH BFDR Birth Plurality of Delivery Codes

1340 **A.30.1Metadata**

Birth Plurality of Delivery Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.132
Name	This is the name of the value set	BFDR Birth Plurality of Delivery Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Plurality, which is the number of fetuses delivered live or dead at any time in the pregnancy regardless of gestational age or if the fetuses were delivered at different dates in the pregnancy. (“Reabsorbed” fetuses, those which are not “delivered” (expelled or extracted from the mother) should not be counted.)
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.30.2A.32.2 BFDR Birth Plurality of Delivery Value Set

Birth Plurality of Delivery Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1345

Value Set:	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.132
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
57722-1	Birth plurality

A.31 QRPH BFDR First Prenatal Care Visit Codes

A.31.1 Metadata

First Prenatal Care Visit Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.133
Name	This is the name of the value set	BFDR First Prenatal Care Visit Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Date of the First Prenatal Care Visit
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.31.2 BFDR First Prenatal Care Visit Value Set

- 1350 First Prenatal Care Visit Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.133
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
69044-6	Date first prenatal visit

A.32 QRPH BFDR Last Prenatal Care Visit Codes

A.32.1 Metadata

1355 Last Prenatal Care Visit Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.134
Name	This is the name of the value set	BFDR Prenatal Care Visit Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Date of the Last Prenatal Care Visit
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.32.2 BFDR Last Prenatal Care Visit Value Set

Last Prenatal Care Visit Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.134
Vocabulary :	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
68492-8	Date last prenatal visit

1360 **A.33 QRPH BFDR Number Prenatal Care Visits Codes**

A.33.1 Metadata

Number Prenatal Care Visits Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.135
Name	This is the name of the value set	BFDR Number Prenatal Care Visits Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Number Prenatal Care Visits
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.33.2 BFDR Number Prenatal Care Visits Value Set

Number Prenatal Care Visits Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.135
Vocabulary :	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
68493-6	Prenatal visits for this pregnancy

A.34 QRPH BFDR Augmentation of Labor – Procedure Codes

A.34.1 Metadata

Augmentation of Labor - Procedure Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.22
Name	This is the name of the value set	BFDR Augmentation of Labor - Procedure Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect a procedure of Augmentation of Labor
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.34.2 BFDR Augmentation of Labor - Procedure Value Set

Augmentation of Labor - Procedure Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set:	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.22
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
237001001	Augmentation of labor (procedure)
237002008	Stimulation of labor (procedure)

1375

A.35 QRPH BFDR Augmentation of Labor – Medication Codes

A.35.1 Metadata

Augmentation of Labor - Medication Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.23
Name	This is the name of the value set	BFDR Augmentation of Labor - Medication Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect a medication used for the of Augmentation of Labor
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from RxNORM
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/rxnorm/
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.35.2 BFDR Augmentation of Labor - Medication Value Set

1380 Augmentation of Labor - Medication Value Set will use the RxNorm code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.23
Vocabulary	2.16.840.1.113883.6.88
RxNORM Code	RxNorm Description
238013	Oxytocin 10 UNT/ML Injectable Solution

A.36 QRPH BFDR Chorioamnionitis During Labor Codes

A.36.1 Metadata

1385 Chorioamnionitis During Labor Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.24
Name	This is the name of the value set	BFDR Chorioamnionitis During Labor Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect a Chorioamnionitis During Labor
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.36.2 BFDR Chorioamnionitis During Labor Value Set

Chorioamnionitis During Labor Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.24
Vocabulary	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
11612004	Chorioamnionitis (disorder)
55730009	Fetus OR newborn affected by chorioamnionitis (disorder)
206102001	Fetus or neonate affected by chorioamnionitis (disorder)

1390 A.37 QRPH BFDR Fever Greater Than 100.4 Codes

A.37.1 Metadata

Fever Greater Than 100.4 Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.25
Name	This is the name of the value set	BFDR Fever Greater Than 100.4 Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect a Fever Greater Than 100.4 During Labor
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.37.2 BFDR Fever Greater Than 100.4 Value Set

1395 Fever Greater Than 100.4 Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.25
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
426000000	Fever greater than 100.4 Fahrenheit (finding)

A.38 QRPH BFDR Epidural Anesthesia – Medication Codes

A.38.1 Metadata

Epidural Anesthesia - Medication Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.26
Name	This is the name of the value set	BFDR Epidural Anesthesia - Medication Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect an Epidural Anesthesia
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from RxNORM
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/rxnorm/
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1400 **A.38.2BFDR Epidural Anesthesia - Medication Value Set**

Epidural Anesthesia - Medication Value Set will use the RxNorm code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.26
Vocabulary :	2.16.840.1.113883.6.88
RxNORM Code	RxNorm Description
403803	bupivacaine 0.0375 % / fentanyl 5 MCG/ML Injectable Solution
578142	bupivacaine 0.05 % / fentanyl 3 MCG/ML Injectable Solution
898637	bupivacaine 0.06 % / hydromorphone hydrochloride 2 MG per 100 ML Injectable Solution

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.26
Vocabulary :	2.16.840.1.113883.6.88
RxNORM Code	RxNorm Description
604078	bupivacaine 0.0625 % / fentanyl 2 MCG/ML Injectable Solution
359521	bupivacaine 0.0625 % / fentanyl 5 MCG/ML Injectable Solution
898639	bupivacaine 0.0625 % / hydromorphone hydrochloride 10 MCG/ML Injectable Solution
991609	bupivacaine 0.0625 % / hydromorphone hydrochloride 5 MCG/ML Injectable Solution
403802	bupivacaine 0.1 % / fentanyl 4 MCG/ML Injectable Solution
991439	bupivacaine 0.1 % / hydromorphone hydrochloride 10 MCG/ML Injectable Solution
389167	bupivacaine 0.1 % Injectable Solution
359517	bupivacaine 0.125 % / fentanyl 2 MCG/ML Injectable Solution
898642	bupivacaine 0.125 % / hydromorphone hydrochloride 20 MCG/ML Injectable Solution
359285	bupivacaine 0.125 % Injectable Solution
282472	bupivacaine 0.25 % Injectable Solution
108469	bupivacaine 0.375 % Injectable Solution
308818	bupivacaine 0.5 % / epinephrine 1:200,000 Injectable Solution
282473	bupivacaine 0.5 % Injectable Solution
578135	Bupivacaine 0.625 MG/ML / Fentanyl 0.0025 MG/ML Injectable Solution
359520	Bupivacaine 0.625 MG/ML / Fentanyl 0.004 MG/ML Injectable Solution
359284	Bupivacaine 0.625 MG/ML Injectable Solution
359518	Bupivacaine 1 MG/ML / Fentanyl 0.002 MG/ML Injectable Solution
578143	Bupivacaine 1 MG/ML / Fentanyl 0.003 MG/ML Injectable Solution
359523	Bupivacaine 1 MG/ML / Fentanyl 0.005 MG/ML Injectable Solution
403804	Bupivacaine 1 MG/ML / Fentanyl 0.01 MG/ML Injectable Solution
107627	Bupivacaine 1.05 MG/ML Injectable Solution
700625	Bupivacaine 1.25 MG/ML / Fentanyl 0.0025 MG/ML Injectable Solution
578136	Bupivacaine 1.25 MG/ML / Fentanyl 0.003 MG/ML Injectable Solution

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.26
Vocabulary :	2.16.840.1.113883.6.88
RxNORM Code	RxNorm Description
700626	Bupivacaine 1.25 MG/ML / Fentanyl 0.004 MG/ML Injectable Solution
359522	Bupivacaine 1.25 MG/ML / Fentanyl 0.005 MG/ML Injectable Solution
727503	bupivacaine 100 MG per 20 ML Prefilled Syringe
727417	bupivacaine 125 MG per 50 ML Prefilled Syringe
700624	Bupivacaine 2 MG/ML Injectable Solution
317067	Bupivacaine 2.5 MG/ML / Epinephrine 0.005 MG/ML Injectable Solution
403805	Bupivacaine 2.5 MG/ML / Fentanyl 0.02 MG/ML Injectable Solution
415205	Bupivacaine 3.75 MG/ML / Lidocaine 10 MG/ML Injectable Solution
308820	Bupivacaine 7.5 MG/ML / Epinephrine 0.005 MG/ML Injectable Solution
308819	Bupivacaine 7.5 MG/ML Injectable Solution
415410	Bupivacaine 8.25 MG/ML Injectable Solution
477303	Bupivacaine Hydrochloride 2 MG/ML Injectable Solution
992805	chloroprocaine 2 % Injectable Solution
992801	Chloroprocaine hydrochloride 10 MG/ML Injectable Solution
992809	Chloroprocaine hydrochloride 30 MG/ML Injectable Solution
415205	Bupivacaine 3.75 MG/ML / Lidocaine 10 MG/ML Injectable Solution
309697	Dexamethasone 4 MG/ML / Lidocaine 10 MG/ML Injectable Solution
245841	Lidocaine 10 MG/ML / Methylprednisolone 40 MG/ML Injectable Solution

A.39 QRPH BFDR Epidural Anesthesia - Procedure Codes

1405

A.39.1 Metadata

Epidural Anesthesia - Procedure Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.27
Name	This is the name of the value set	BFDR Epidural Anesthesia - Procedure Value Set

Metadata Element	Description	Mandatory
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect an Epidural Anesthesia Procedure
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.39.2BFDR Epidural Anesthesia - Procedure Value Set

Epidural Anesthesia - Procedure Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1410

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.27
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
18946005	Epidural anesthesia (procedure)
58611004	Epidural injection of anesthetic substance, therapeutic, lumbar, continuous (procedure)
180886007	Local anesthetic sacral epidural block (procedure)
112943005	Epidural injection of anesthetic substance, diagnostic, caudal, continuous (procedure)
67716003	Epidural injection of anesthetic substance, therapeutic, caudal, continuous (procedure)
398044000	Low dose epidural (procedure)
64817005	Anesthesia for vaginal delivery (procedure)

A.40 QRPH BFDR Spinal Anesthesia – Medication Codes

A.40.1 Metadata

Spinal Anesthesia - Medication Value Set Metadata Shall contain the following content:

1415

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3 .1.1.13.8.28
Name	This is the name of the value set	BFDR Spinal Anesthesia - Medication Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect a Spinal Anesthesia
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from RxNORM
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/rxnorm/
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.40.2 BFDR Spinal Anesthesia - Medication Value Set

Spinal Anesthesia - Medication Value Set will use the RxNorm code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1420

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.28
Vocabulary:	2.16.840.1.113883.6.88
RxNORM Code	RxNorm Description
403803	bupivacaine 0.0375 % / fentanyl 5 MCG/ML Injectable Solution
578142	bupivacaine 0.05 % / fentanyl 3 MCG/ML Injectable Solution
898637	bupivacaine 0.06 % / hydromorphone hydrochloride 2 MG per 100 ML Injectable Solution
604078	bupivacaine 0.0625 % / fentanyl 2 MCG/ML Injectable Solution
359521	bupivacaine 0.0625 % / fentanyl 5 MCG/ML Injectable Solution
898639	bupivacaine 0.0625 % / hydromorphone hydrochloride 10 MCG/ML Injectable Solution
991609	bupivacaine 0.0625 % / hydromorphone hydrochloride 5 MCG/ML Injectable Solution
403802	bupivacaine 0.1 % / fentanyl 4 MCG/ML Injectable Solution
991439	bupivacaine 0.1 % / hydromorphone hydrochloride 10 MCG/ML Injectable Solution
389167	bupivacaine 0.1 % Injectable Solution
359517	bupivacaine 0.125 % / fentanyl 2 MCG/ML Injectable Solution
898642	bupivacaine 0.125 % / hydromorphone hydrochloride 20 MCG/ML Injectable Solution
359285	bupivacaine 0.125 % Injectable Solution
282472	bupivacaine 0.25 % Injectable Solution
108469	bupivacaine 0.375 % Injectable Solution
308818	bupivacaine 0.5 % / epinephrine 1:200,000 Injectable Solution
282473	bupivacaine 0.5 % Injectable Solution
578135	Bupivacaine 0.625 MG/ML / Fentanyl 0.0025 MG/ML Injectable Solution
359520	Bupivacaine 0.625 MG/ML / Fentanyl 0.004 MG/ML Injectable Solution
359284	Bupivacaine 0.625 MG/ML Injectable Solution
359518	Bupivacaine 1 MG/ML / Fentanyl 0.002 MG/ML Injectable Solution
578143	Bupivacaine 1 MG/ML / Fentanyl 0.003 MG/ML Injectable Solution

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.28
Vocabulary:	2.16.840.1.113883.6.88
RxNORM Code	RxNorm Description
359523	Bupivacaine 1 MG/ML / Fentanyl 0.005 MG/ML Injectable Solution
403804	Bupivacaine 1 MG/ML / Fentanyl 0.01 MG/ML Injectable Solution
107627	Bupivacaine 1.05 MG/ML Injectable Solution
700625	Bupivacaine 1.25 MG/ML / Fentanyl 0.0025 MG/ML Injectable Solution
578136	Bupivacaine 1.25 MG/ML / Fentanyl 0.003 MG/ML Injectable Solution
700626	Bupivacaine 1.25 MG/ML / Fentanyl 0.004 MG/ML Injectable Solution
359522	Bupivacaine 1.25 MG/ML / Fentanyl 0.005 MG/ML Injectable Solution
727503	bupivacaine 100 MG per 20 ML Prefilled Syringe
727417	bupivacaine 125 MG per 50 ML Prefilled Syringe
700624	Bupivacaine 2 MG/ML Injectable Solution
317067	Bupivacaine 2.5 MG/ML / Epinephrine 0.005 MG/ML Injectable Solution
403805	Bupivacaine 2.5 MG/ML / Fentanyl 0.02 MG/ML Injectable Solution
415205	Bupivacaine 3.75 MG/ML / Lidocaine 10 MG/ML Injectable Solution
308820	Bupivacaine 7.5 MG/ML / Epinephrine 0.005 MG/ML Injectable Solution
308819	Bupivacaine 7.5 MG/ML Injectable Solution
415410	Bupivacaine 8.25 MG/ML Injectable Solution
477303	Bupivacaine Hydrochloride 2 MG/ML Injectable Solution
992805	chloroprocaine 2 % Injectable Solution
992801	Chloroprocaine hydrochloride 10 MG/ML Injectable Solution
992809	Chloroprocaine hydrochloride 30 MG/ML Injectable Solution
415205	Bupivacaine 3.75 MG/ML / Lidocaine 10 MG/ML Injectable Solution
309697	Dexamethasone 4 MG/ML / Lidocaine 10 MG/ML Injectable Solution

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.28
Vocabulary:	2.16.840.1.113883.6.88
RxNORM Code	RxNorm Description
245841	Lidocaine 10 MG/ML / Methylprednisolone 40 MG/ML Injectable Solution

A.41 QRPH BFDR Spinal Anesthesia - Procedure Labor Codes

A.41.1 Metadata

Spinal Anesthesia - Procedure Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.29
Name	This is the name of the value set	BFDR Spinal Anesthesia - Procedure Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect an Spinal Anesthesia Procedure
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1425

A.41.2 BFDR Spinal Anesthesia - Procedure Value Set

Spinal Anesthesia - Procedure Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.29
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
108215007	Anesthesia for procedure on spine AND/OR spinal cord (procedure)
15624001	Anesthesia for spinal fluid shunting procedure (procedure)
22048001	Anesthesia for spinal cord procedure (procedure)
40365004	Anesthesia for procedure on lumbosacral spinal cord (procedure)
417724007	Referral to epidural anesthesia for spinal pain (procedure)
434546004	Care of subject following combined spinal-epidural anesthesia (regime/therapy)
57580002	Anesthesia for procedure on thoracic spinal cord (procedure)
86583004	Anesthesia for procedure on cervical spinal cord (procedure)
231255000	Spinal subdural local anesthetic block (procedure)
231043002	Local anesthetic block on spinal nerve root (procedure)
231044008	Local anesthetic block on spinal nerve ganglion (procedure)
231261002	Combined spinal/epidural local anesthetic block (procedure)
303358008	Neurolytic nerve block around spinal cord meninges (procedure)
303356007	Local anesthetic nerve block around spinal cord meninges (procedure)
431928000	Local anesthetic block of spinal nerve root using fluoroscopic guidance (procedure)
231253007	Local anesthetic lumbar intrathecal block (procedure)
9166009	Injection of anesthetic substance, diagnostic, subarachnoid, continuous (procedure)
47188007	Injection of anesthetic substance, therapeutic, subarachnoid, continuous (procedure)
20381001	Injection of anesthetic substance, therapeutic, subarachnoid, differential (procedure)

1430 A.42 QRPH BFDR Fetal Intolerance of Labor Codes

A.42.1 Metadata

Fetal Intolerance of Labor Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.30
Name	This is the name of the value set	BFDR Fetal Intolerance of Labor Value Set

Metadata Element	Description	Mandatory
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that there was a Fetal Intolerance of Labor requiring In-utero Resuscitation measures including maternal position change, oxygen administration to the mother, intravenous fluid administered to the mother, amnioinfusion, support of maternal blood pressure, and administration of uterine relaxing agents
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.42.2BFDR Fetal Intolerance of Labor Value Set

1435 Fetal Intolerance of Labor Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.30
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
163545004	On examination - fetal heart 40-80 (finding)
163546003	On examination - fetal heart 80-100 (finding)
240299002	Fetal bradycardia
312668007	Abnormal fetal heart rate (finding)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.30
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
231958008	Abnormal fetal heart beat, not clear if noted before OR after onset of labor in liveborn infant (finding)
163550005	On examination - fetal heart 180-200 (finding)
163551009	On examination - fetal heart > 200 (finding)
130955003	Non-reassuring fetal status

A.43 QRPH BFDR In-utero Resuscitation Codes

A.43.1 Metadata

1440

In-utero Resuscitation Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.31
Name	This is the name of the value set	BFDR In-utero Resuscitation Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that there was a Fetal Intolerance of Labor requiring In-utero Resuscitation measures including maternal position change, oxygen administration to the mother, intravenous fluid administered to the mother, amnioinfusion, support of maternal blood pressure, and administration of uterine relaxing agents
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A

Metadata Element	Description	Mandatory
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.43.2BFDR In-utero Resuscitation Value Set

In-utero Resuscitation Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.31
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
297751002	Infusion of saline solution (procedure)
236956008	Amnioinfusion (procedure)

1445

A.44 QRPH BFDR Further Fetal Assessment Codes

A.44.1 Metadata

Further Fetal Assessment Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.32
Name	This is the name of the value set	BFDR Further Fetal Assessment Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that there was a Fetal Intolerance of Labor Further Fetal Assessment including scalp pH, scalp stimulation, acoustic stimulation
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active

Metadata Element	Description	Mandatory
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.44.2 BFDR Further Fetal Assessment Value Set

1450 Further Fetal Assessment Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.32
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
259096003	Scalp pH measurement (procedure)
391898007	Fetal oxytocin stress test (procedure)
75444003	Fetal electrocardiogram (procedure)
252949007	Fetal stimulation test (procedure)
252949007	Fetal acoustical stimulation test
391899004	Contraction stress test

A.45 QRPH BFDR Operative Delivery Assessment Codes

1455 A.45.1 Metadata

Operative Delivery Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.33
Name	This is the name of the value set	BFDR Operative Delivery Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain

Metadata Element	Description	Mandatory
Purpose	Brief description about the general purpose of the value set	To reflect that there was an Operative Delivery including operative intervention to shorten time to delivery of the fetus such as forceps, vacuum, or cesarean delivery
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.45.2BFDR Operative Delivery Value Set

Operative Delivery Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1460

Value Set:	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.33
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
15413009	High forceps delivery with episiotomy (procedure)
177161009	Forceps cephalic delivery (procedure)
177162002	High forceps cephalic delivery with rotation (procedure)
177167008	Barton forceps cephalic delivery with rotation (procedure)
177168003	DeLee forceps cephalic delivery with rotation (procedure)
177170007	Piper forceps delivery (procedure)

Value Set:	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.33
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
17860005	Low forceps delivery with episiotomy (procedure)
1807002	Failed forceps delivery (procedure)
18625004	Low forceps delivery (procedure)
19390001	Partial breech delivery with forceps to aftercoming head (procedure)
236975003	Nonrotational forceps delivery (procedure)
236976002	Outlet forceps delivery (procedure)
236977006	Forceps delivery, face to pubes (procedure)
236978001	Forceps delivery to the aftercoming head (procedure)
25828002	Mid forceps delivery with episiotomy (procedure)
275168001	Neville-Barnes forceps delivery (procedure)
275169009	Simpson's forceps delivery (procedure)
29613008	Delivery by double application of forceps (procedure)
302383004	Forceps delivery (procedure)
30476003	Barton's forceps delivery (procedure)
45718005	Vaginal delivery with forceps including postpartum care (procedure)
54973000	Total breech delivery with forceps to aftercoming head (procedure)
62508004	Mid forceps delivery (procedure)
69422002	Trial forceps delivery (procedure)
71166009	Forceps delivery with rotation of fetal head (procedure)
89849000	High forceps delivery (procedure)
177174003	Low vacuum delivery (procedure)
177173009	High vacuum delivery (procedure)
177176001	Trial of vacuum delivery (procedure)
61586001	Delivery by vacuum extraction (procedure)
90438006	Delivery by Malstrom's extraction (procedure)
40219000	Delivery by Malstrom's extraction with episiotomy (procedure)

Value Set:	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.33
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
26313002	Delivery by vacuum extraction with episiotomy (procedure)
177175002	Vacuum delivery before full dilation of cervix (procedure)
11466000	Cesarean section (procedure)
177141003	Elective cesarean section (procedure)
177142005	Elective upper segment cesarean section (procedure)
177143000	Elective lower segment cesarean section (procedure)
17744000	Subtotal hysterectomy after cesarean delivery (procedure)
236985002	Emergency lower segment cesarean section (procedure)
236986001	Emergency upper segment cesarean section (procedure)
236987005	Emergency cesarean hysterectomy (procedure)
236988000	Elective cesarean hysterectomy (procedure)
236990004	Postmortem cesarean section (procedure)
24806008	Anesthesia for cesarean hysterectomy (procedure)
274130007	Emergency cesarean section (procedure)
398307005	Low cervical cesarean section (procedure)
41059002	Cesarean hysterectomy (procedure)
57271003	Extraperitoneal cesarean section (procedure)
84195007	Classical cesarean section (procedure)
89053004	Vaginal cesarean section (procedure)
63407004	Episioproctotomy (procedure)
65240009	Obstetrical version (procedure)
64809002	Combined obstetrical version (procedure)
33807004	Internal and combined version with extraction (procedure)
26688007	Internal and combined version without extraction (procedure)
387678005	External obstetrical version (procedure)

Value Set:	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.33
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
240278000	External cephalic version (procedure)
5048009	External cephalic version with tocolysis (procedure)
177122001	External version of breech (procedure)
387678005	External obstetrical version (procedure)
28107008	Wright's obstetrical version (procedure)
40704000	Wright's obstetrical version with extraction (procedure)
3177009	Internal obstetrical version (procedure)
13380003	Braxton Hicks obstetrical version (procedure)
14119008	Braxton Hicks obstetrical version with extraction (procedure)
302382009	Breech extraction with internal podalic version (procedure)
89703000	Potter's obstetrical version (procedure)
4504004	Potter's obstetrical version with extraction (procedure)
387679002	Manual conversion of position (procedure)
61543001	Wigand's obstetrical version (procedure)

A.46 QRPH BFDR Induction of Labor Codes

A.46.1 Metadata

Induction of Labor Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.34
Name	This is the name of the value set	BFDR Induction of Labor Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that there was an Induction of Labor
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT

Metadata Element	Description	Mandatory
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1465 A.46.2 BFDR Induction of Labor Value Set

Induction of Labor Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.34
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
177135005	Oxytocin induction of labor (procedure)
177136006	Prostaglandin induction of labor (procedure)
180221005	Intravenous induction of labor (procedure)
236958009	Induction of labor (procedure)
236969007	Acupuncture for induction of labor (procedure)
308037008	Syntocinon induction of labor (procedure)
31208007	Medical induction of labor (procedure)
408818004	Induction of labor by artificial rupture of membranes (procedure)
315308008	Dilatation of cervix for delivery (procedure)
425861005	Cervical ripening with balloon (procedure)
236965001	Cervical ripening with drug (procedure)
236967009	Cervical ripening with ethinyl estradiol (procedure)
236966000	Cervical ripening with Prostaglandin E2 (procedure)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.34
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
236968004	Cervical ripening with relaxin (procedure)
236962003	Cervical ripening with Foley catheter (procedure)
236963008	Cervical ripening with tents (procedure)
236964002	Cervical ripening with synthetic tent (procedure)
85179000	Insertion of laminaria into cervix (procedure)
236960006	Sweeping of membrane (procedure)

1470 A.47 QRPH BFDR Spontaneous Onset of Labor Codes

A.47.1 Metadata

Spontaneous Onset of Labor Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.35
Name	This is the name of the value set	BFDR Spontaneous Onset of Labor Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that there was a Spontaneous Onset of Labor
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A

Metadata Element	Description	Mandatory
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.47.2BFDR Spontaneous Onset of Labor Value Set

Spontaneous Onset of Labor Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.35
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
84457005	Spontaneous onset of labor (finding)

A.48 QRPH BFDR Meconium Staining Codes

A.48.1 Metadata

Meconium Staining Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.36
Name	This is the name of the value set	BFDR Meconium Staining Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that there was moderate or heavy Meconium staining
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A

Metadata Element	Description	Mandatory
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1480 A.48.2BFDR Meconium Staining Value Set

Meconium staining Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.36
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
408793000	Meconium stained liquor - grade II (finding)
408794006	Meconium stained liquor - grade III (finding)
289294000	Thick meconium stained liquor (finding)

1485 A.49 QRPH BFDR Glucocortico Steroids Codes

A.49.1 Metadata

Glucocortico Steroids Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.38
Name	This is the name of the value set	BFDR Glucocortico Steroids Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect administration of Glucocortico Steroids
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from RxNORM
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/rxnorm/
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010

Metadata Element	Description	Mandatory
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.49.2BFDR Glucocortico Steroids Value Set

1490 Glucocortico Steroids Value Set will use the RxNorm code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.38
Vocabulary:	2.16.840.1.113883.6.88
RxNORM Code	RxNorm Description
308717	Betamethasone 3 MG/ML Injectable Solution
308718	Betamethasone 4 MG/ML Injectable Solution
578803	Betamethasone 3 MG/ML (as betamethasone sodium phosphate) / Betamethasone acetate 3 MG/ML Injectable Suspension
309697	Dexamethasone 4 MG/ML / Lidocaine 10 MG/ML Injectable Solution
881355	Dexamethasone 0.02 MG/ML Injectable Solution
436510	Dexamethasone 0.133 MG/ML Injectable Solution
309696	Dexamethasone 10 MG/ML Injectable Solution
393267	Dexamethasone 16 MG/ML Injectable Solution
435681	Dexamethasone 2 MG/ML Injectable Solution
315061	Dexamethasone 20 MG/ML Injectable Solution
197584	Dexamethasone 24 MG/ML Injectable Solution
880649	Dexamethasone 3 MG/ML Injectable Solution
309698	Dexamethasone 4 MG/ML Injectable Solution
105394	Dexamethasone 5 MG/ML Injectable Solution
387080	Dexamethasone 8 MG/ML Injectable Solution
309687	Dexamethasone 16 MG/ML Injectable Suspension
309688	Dexamethasone 8 MG/ML Injectable Suspension

A.50 QRPH BFDR Breastfed Infant Codes

A.50.1 Metadata

1495

Breastfed Infant Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.41
Name	This is the name of the value set	BFDR Breastfed Infant Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Breastfed Infant at discharge
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.50.2 BFDR Breastfed Infant Value Set

Breastfed Infant Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.41
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
169741004	Breast fed (finding)
169751003	Bottle changed to breast (finding)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.41
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
169745008	Breastfeeding started (finding)
169743001	Breastfeeding with supplement (finding)

1500

A.51 QRPH BFDR Male Gender Codes

A.51.1 Metadata

Male Gender Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.42
Name	This is the name of the value set	BFDR Male Gender Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Male Gender
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from HL7 AdministrativeGender
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.hl7.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.51.2 BFDR Male Gender Value Set

1505 Male Gender Value Set will use the HL7 AdministrativeGender code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.42
Vocabulary :	2.16.840.1.113883.12.1
HL7 AdministrativeGender Code	HL7 AdministrativeGender Description
M	Male

A.52 QRPH BFDR Female Gender Codes

A.52.1 Metadata

1510

Female Gender Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.43
Name	This is the name of the value set	BFDR Female Gender Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Female Gender
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from HL7 AministrativeGender
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.hl7.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.52.2 BFDR Female Gender Value Set

Female Gender Value Set will use the HL7 AministrativeGender code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.43
Vocabulary:	2.16.840.1.113883.12.1
HL7 AministrativeGender Code	HL7 AministrativeGender Description
F	Female

1515 A.53 QRPH BFDR Discharge Transfer Codes

A.53.1 Metadata

Discharge Transfer Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.44
Name	This is the name of the value set	BFDR Discharge Transfer Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Discharge of the newborn as Transfer
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.53.2 BFDR Discharge Transfer Value Set

Discharge Transfer Value Set will use the UB-04/NUBC code system to identify its contents.

1520 Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.44
Vocabulary:	2.16.840.1.113883.6.21
UB-04/NUBC Code	Description
02	Discharged/transferred to a short-term general hospital for inpatient care.

A.54 QRPH BFDR Anencephaly of the Newborn Codes

A.54.1 Metadata

Anencephaly of the Newborn Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.53
Name	This is the name of the value set	BFDR Anencephaly of the Newborn Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Anencephaly of the Newborn as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1525

A.54.2 BFDR Anencephaly of the Newborn Value Set

Anencephaly of the Newborn Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.53
--------------------	--

Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
359824007	Incomplete anencephaly (disorder)
203922009	Anencephalus and similar anomalies (disorder)
89369001	Anencephalus (disorder)
417658006	Holoanencephaly (disorder)
57480000	Known OR suspected fetal anencephaly affecting obstetrical care (disorder)
203923004	Acrania (disorder)
32219008	Craniorachischisis (disorder)
2438005	Intiencephaly (disorder)
203927003	Intiencephaly - closed (disorder)
203928008	Intiencephaly - open (disorder)
30915001	Holoprosencephaly sequence (disorder)

1530 A.55 QRPH BFDR Cyanotic Congenital Heart Disease Codes

A.55.1 Metadata

Cyanotic Congenital Heart Disease Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.54
Name	This is the name of the value set	BFDR Cyanotic Congenital Heart Disease Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Cyanotic Congenital Heart Disease as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010

Metadata Element	Description	Mandatory
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.55.2BFDR Cyanotic Congenital Heart Disease Value Set

1535 Cyanotic Congenital Heart Disease Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.54
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
12770006	Cyanotic congenital heart disease (disorder)
399216004	D - transposition of the great vessels (disorder)
204300001	Incomplete great vessel transposition (disorder)
399046008	L - transposition of the great vessels (disorder)
204297006	Total great vessel transposition (disorder)
253297008	Transposition of aorta (disorder)
86299006	Tetralogy of Fallot (disorder)
253514004	Dextraposition of aorta in Fallot's tetralogy (disorder)
204306007	Pentalogy of Fallot (disorder)
399228007	Tetralogy of Fallot with absent pulmonary valve (disorder)
253513005	Tetralogy of Fallot with pulmonary atresia (disorder)
253512000	Tetralogy of Fallot with pulmonary stenosis (disorder)
253515003	Ventricular septal defect in Fallot's tetralogy (disorder)
111323005	Total anomalous pulmonary venous return (disorder)
204456001	Subdiaphragmatic total anomalous pulmonary venous return (disorder)
204457005	Supradiaphragmatic total anomalous pulmonary venous return (disorder)
62067003	Hypoplastic left heart syndrome (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.54
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
61959006	Common truncus arteriosus (disorder)
73699003	Truncus arteriosus, Edwards' type I (disorder)
60106004	Truncus arteriosus, Edwards' type II (disorder)
85081000	Truncus arteriosus, Edwards' type III (disorder)
111319002	Truncus arteriosus, Edwards' type IV (disorder)
218728005	Interrupted aortic arch (disorder)
253683008	Interrupted aortic arch between left common carotid and brachiocephalic artery (disorder)
253682003	Interrupted aortic arch between left subclavian and left common carotid artery (disorder)
253681005	Interrupted aortic arch distal to left subclavian artery (disorder)
204467000	Pulmonary vein atresia (disorder)
253623006	Pulmonary trunk atresia (disorder)
253625004	Pulmonary atresia with absent pulmonary artery (disorder)
253624000	Pulmonary atresia with confluent pulmonary arteries (disorder)
204443008	Pulmonary artery atresia (disorder)
253594000	Muscular pulmonary atresia (disorder)
123643003	Acquired atresia of pulmonary valve (disorder)
10930001	Congenital atresia of pulmonary artery (disorder)
253590009	Pulmonary atresia with intact ventricular septum (disorder)
253591008	Pulmonary atresia with ventricular septal defect (disorder)
253592001	Pulmonary valve atresia without ventricular outflow tract (disorder)
253513005	Tetralogy of Fallot with pulmonary atresia (disorder)
253303001	Solitary aortic trunk with pulmonary atresia (disorder)
253304007	Solitary pulmonary trunk with aortic atresia (disorder)
204448004	Atresia of pulmonary artery with septal defect (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.54
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
253590009	Pulmonary atresia with intact ventricular septum (disorder)
253591008	Pulmonary atresia with ventricular septal defect (disorder)
410068002	Acquired and/or congenital pulmonary valve atresia (disorder)
70756004	Bronchial atresia with segmental pulmonary emphysema (disorder)
253592001	Pulmonary valve atresia without ventricular outflow tract (disorder)
234062003	Pulmonary vein stenosis (disorder)
11614003	Congenital stenosis of pulmonary veins (disorder)
253621008	Pulmonary trunk stenosis (disorder)
95441000	Pulmonary artery stenosis (disorder)
26780008	Coarctation of pulmonary artery (disorder)
52757001	Congenital supravalvular pulmonary stenosis (disorder)
253631001	Peripheral pulmonary artery stenosis (disorder)
253621008	Pulmonary trunk stenosis (disorder)
194997002	Pulmonary stenosis, non-rheumatic (disorder)
91442002	Rheumatic pulmonary valve stenosis (disorder)
85971001	Rheumatic pulmonary valve stenosis with insufficiency (disorder)
251006007	Pulmonary valve stenosis with doming (disorder)
67278007	Congenital stenosis of pulmonary valve (disorder)
204351007	Fallot's trilogy (disorder)
251007003	Pulmonary valve stenosis with narrow jet (disorder)
52757001	Congenital supravalvular pulmonary stenosis (disorder)
195000004	Pulmonary valve stenosis with insufficiency (disorder)
253512000	Tetralogy of Fallot with pulmonary stenosis (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.54
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
403820003	Café-au-lait macules with pulmonary stenosis (disorder)
276793003	Pulmonary hypertension with occult mitral stenosis (disorder)
85971001	Rheumatic pulmonary valve stenosis with insufficiency (disorder)
253691004	Stenosis of systemic to pulmonary artery collateral artery (disorder)
83330001	Patent ductus arteriosus (disorder)
253685001	Patent ductus arteriosus - delayed closure (disorder)
125963005	Patent ductus arteriosus with left-to-right shunt (disorder)
125964004	Patent ductus arteriosus with right-to-left shunt (disorder)
63042009	Congenital atresia of tricuspid valve (disorder)
204354004	Congenital tricuspid atresia and stenosis (disorder)
204357006	Ebstein's anomaly of tricuspid valve (disorder)
17394001	Ebstein's anomaly with atrial septal defect (disorder)
253496001	Ebstein's anomaly of left atrioventricular valve (disorder)
253468007	Ebstein's anomaly of right atrioventricular valve (disorder)
253443005	Ebstein's anomaly of common atrioventricular valve (disorder)
7305005	Coarctation of aorta (disorder)
13867009	Preductal coarctation of aorta (disorder)
72242008	Postductal coarctation of aorta (disorder)
109426009	Single left ventricle (disorder)
109425008	Single right ventricle (disorder)
443379009	Functional single ventricle (disorder)

A.56 QRPH BFDR Congenital Diaphragmatic Hernia Codes

A.56.1 Metadata

1540

Congenital Diaphragmatic Hernia Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.55
Name	This is the name of the value set	BFDR Congenital Diaphragmatic Hernia Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Congenital Diaphragmatic Hernia as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.56.2 BFDR Congenital Diaphragmatic Hernia Value Set

Congenital Diaphragmatic Hernia Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.55
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
17190001	Congenital diaphragmatic hernia (disorder)
84089009	Hiatal hernia (disorder)
47028006	Congenital hiatus hernia (disorder)
74827000	Gangrenous hiatal hernia (disorder)
309752000	Hiatus hernia with gangrene (disorder)
60507002	Hiatal hernia with gangrene AND obstruction

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.55
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	(disorder)
309751007	Hiatus hernia - irreducible (disorder)
309753005	Hiatus hernia with obstruction (disorder)
88639006	Hiatal hernia with obstruction but no gangrene (disorder)
309754004	Simple hiatus hernia (disorder)
236053002	Sliding hiatus hernia (disorder)
236055009	Mixed hiatus hernia (disorder)

1545 A.57 QRPH BFDR Karyotype Confirmed Codes

A.57.1 Metadata

Karyotype Confirmed Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.56
Name	This is the name of the value set	BFDR Karyotype Confirmed Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Karyotype Confirmed as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A

Metadata Element	Description	Mandatory
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.57.2 BFDR Karyotype Confirmed Value Set

Karyotype Confirmed Value Set will use the SNOMED-CT code system to identify its contents.
1550 Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.56
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
442124003	Karyotype evaluation abnormal (finding)

A.58 QRPH BFDR Suspected Chromosomal Disorder Codes

A.58.1 Metadata

Suspected Chromosomal Disorder Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.57
Name	This is the name of the value set	BFDR Suspected Chromosomal Disorder Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Suspected Chromosomal Disorder as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A

Metadata Element	Description	Mandatory
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1555 **A.58.2BFDR Suspected Chromosomal Disorder Value Set**

Suspected Chromosomal DisorderValue Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.57
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
312654000	Maternal care for suspected chromosomal abnormality in fetus (disorder)
41040004	Complete trisomy 21 syndrome (disorder)
205615000	Trisomy 21- meiotic nondisjunction (disorder)
205616004	Trisomy 21- mitotic nondisjunction mosaicism (disorder)
254264002	Partial trisomy 21 in Down's syndrome (disorder)
371045000	Translocation Down syndrome (disorder)
254268004	Partial trisomy 13 in Patau's syndrome (disorder)
548004	13p partial trisomy syndrome (disorder)
10572007	13q partial trisomy syndrome (disorder)
21111006	Complete trisomy 13 syndrome (disorder)
205620000	Trisomy 13 - mitotic nondisjunction mosaicism (disorder)
205619006	Trisomy 13, meiotic nondisjunction (disorder)
4199009	18p partial trisomy syndrome (disorder)
66985009	18q partial trisomy syndrome (disorder)
51500006	Complete trisomy 18 syndrome (disorder)
205623003	Trisomy 18 - meiotic nondisjunction (disorder)
205624009	Trisomy 18 - mitotic nondisjunction mosaicism (disorder)
254266000	Partial trisomy 18 in Edward's syndrome (disorder)
42712003	Cri du chat (finding)
70173007	5p partial monosomy syndrome (disorder)
19550003	22q partial monosomy syndrome (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.57
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
77128003	DiGeorge sequence (disorder)
83092002	Shprintzen syndrome (disorder)
205644003	Balanced autosomal translocation (disorder)
38804009	Turner syndrome (disorder)
205686009	Karyotype 46, X iso (Xq) (disorder)
205687000	Karyotype 46, X with abnormal sex chromosome except iso (Xq) (disorder)
83579008	Mixed gonadal dysgenesis (disorder)
205689002	Mosaicism 45, X / other cell line with abnormal sex chromosome (disorder)
302960008	Mosaicism 45, X; 46, XX (disorder)
254281006	Turner's phenotype - ring chromosome karyotype (disorder)
205684007	Turner's phenotype, karyotype normal (disorder)
205688005	Turner's phenotype, mosaicism 45, X; 46, XX or 45, X; 46, XY (disorder)
254280007	Turner's phenotype, partial X deletion karyotype (disorder)
205719003	46, XX true hermaphrodite (disorder)
268300003	Klinefelter's syndrome - male with more than two X chromosomes (disorder)
275264009	Klinefelter's syndrome XXXXY (disorder)
275263003	Klinefelter's syndrome XXXY (disorder)
405769009	Klinefelter's syndrome, XXY (disorder)
205699007	Klinefelter's syndrome, XXYY (disorder)
205700008	Klinefelter's syndrome, XY/XXY mosaic (disorder)
254273005	Autosomal deletion - mosaicism (disorder)
62599000	9p partial monosomy syndrome (disorder)
78740005	Complete monosomy 21 syndrome (disorder)
205634000	Deletion seen only at prometaphase (disorder)
274908005	Deletion with complex rearrangement (disorder)
205638002	Monosomy 21, mosaicism (disorder)
205636003	Whole chromosome monosomy - meiotic nondisjunction (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.57
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
270520003	Whole chromosome monosomy - mitotic nondisjunction mosaicism (disorder)
409709004	Chromosomal disorder (disorder)
254259001	Absence of sex chromosome (disorder)
403759001	Autosomal chromosomal disorder (disorder)
428113000	Autosomal aneuploidy (disorder)
254275003	Balanced rearrangement and structural marker (disorder)
205673000	Balanced autosomal rearrangement in abnormal individual (disorder)
205644003	Balanced autosomal translocation (disorder)
205674006	Balanced sex/autosomal rearrangement in abnormal individual (disorder)
254276002	Balanced translocation and insertion in normal individual (disorder)
205672005	Chromosome inversion in normal individual (disorder)
205676008	Individual with autosomal fragile site (disorder)
205675007	Individual with marker heterochromatin (disorder)
444655009	Extra unidentified structurally abnormal chromosome (disorder)
445580008	Familial extra unidentified structurally abnormal chromosome (disorder)
419900000	Gelatinous droplike corneal dystrophy (disorder)
60258001	Macular corneal dystrophy (disorder)
95488001	Congenital macular corneal dystrophy (disorder)
231933003	Lattice corneal dystrophy, isolated form (disorder)
418054005	Macular corneal dystrophy Type I (disorder)
418435001	Macular corneal dystrophy Type II (disorder)
419398009	Meretoja syndrome (disorder)
419087002	Lattice corneal dystrophy Type II (disorder)
254262003	Unbalanced translocation and insertion (disorder)
371045000	Translocation Down syndrome (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.57
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
444858009	Unbalanced translocation of chromosome (disorder)

1560 A.59 QRPH BFDR Cleft Lip with/without Cleft Palate Codes

A.59.1 Metadata

Cleft Lip with/without Cleft Palate Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.58
Name	This is the name of the value set	BFDR Cleft Lip with/without Cleft Palate Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Cleft Lip with/without Cleft Palate as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.59.2 BFDR Cleft Lip with/without Cleft Palate Value Set

1565 Cleft Lip with/without Cleft Palate Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.58
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
80281008	Cleft lip (disorder)
304068004	Bilateral cleft lip (disorder)
253984004	Bilateral complete and incomplete cleft lip (disorder)
80446009	Complete bilateral cleft lip (disorder)
62815003	Incomplete bilateral cleft lip (disorder)
253989009	Bilateral incomplete cleft lip and alveolus (disorder)
204608004	Central cleft lip (disorder)
6936002	Cleft lip sequence (disorder)
66948001	Cleft palate with cleft lip (disorder)
204614006	Bilateral complete cleft palate with cleft lip (disorder)
204615007	Bilateral incomplete cleft palate with cleft lip (disorder)
204616008	Central complete cleft palate with cleft lip (disorder)
204617004	Central incomplete cleft palate with cleft lip (disorder)
339502006	Cheilognathopalatoschisis (disorder)
77414002	Cheilognathoschisis (disorder)
88659005	Cheilognathoprosoposchisis (disorder)
338486003	Cheilognathouranoschisis (disorder)
253983005	Cheilopalatoschisis (disorder)
204620007	Cleft hard palate with cleft lip, bilateral (disorder)
337471007	Cleft upper lip, upper jaw AND palate (disorder)
253986002	Palatoschisis (disorder)
79261008	Van der Woude syndrome (disorder)

A.60 QRPH BFDR Karyotype Result Codes

A.60.1 Metadata

Karyotype Result Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.59
Name	This is the name of the value set	BFDR Karyotype Result Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Karyotyping to determine that the result is pending
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1570 A.60.2BFDR Karyotype Result Value Set

Karyotype Result Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.59
Vocabulary:	1.3.6.1.4.1.19376.1.5.3.1.3.28
LOINC Code	LOINC Description
29770-5	Karyotype [Identifier] in Blood or Tissue NominalKaryotype Amniotic Fluid
33773-3	Karyotype [Identifier] in Amniotic fluid NominalKaryotype Blood cord
33774-1	Karyotype [Identifier] in Chorionic villus sample NominalKaryotype Blood or Tissue
35129-6	Karyotype [Identifier] in Unspecified specimen NominalKaryotype Chorionic villus sample

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.59
Vocabulary:	1.3.6.1.4.1.19376.1.5.3.1.3.28
LOINC Code	LOINC Description
38471-9	Karyotype [Identifier] in Urine NominalKaryotype Urine
48818-9	Karyotype [Identifier] in Blood or Tissue by High resolution NominalKaryotype XXX
48819-7	Karyotype [Identifier] in Tissue from fetus NominalKaryotype Fetus Tissue & Smears
48820-5	Karyotype [Identifier] in Cord blood Nominal
50619-6	Karyotype [Identifier] in Blood or Tissue Narrative
56030-0	Karyotype [Identifier] in Urine by Fluorescent in situ hybridization (FISH) Narrative

1575 A.61 QRPH BFDR Cleft Lip without Cleft Palate Codes

A.61.1 Metadata

Cleft Lip without Cleft Palate Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.60
Name	This is the name of the value set	BFDR Cleft Lip without Cleft Palate Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Cleft Lip without Cleft Palate as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010

Metadata Element	Description	Mandatory
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.61.2 BFDR Cleft Lip without Cleft Palate Value Set

1580 Cleft Lip without Cleft Palate Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.60
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
80281008	Cleft lip (disorder)
304068004	Bilateral cleft lip (disorder)
253984004	Bilateral complete and incomplete cleft lip (disorder)
80446009	Complete bilateral cleft lip (disorder)
62815003	Incomplete bilateral cleft lip (disorder)
253989009	Bilateral incomplete cleft lip and alveolus (disorder)
204608004	Central cleft lip (disorder)
6936002	Cleft lip sequence (disorder)

A.62 QRPH BFDR Downs Syndrome Codes

A.62.1 Metadata

Downs Syndrome Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.61
Name	This is the name of the value set	BFDR Downs Syndrome Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Downs Syndrome as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT

Metadata Element	Description	Mandatory
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1585 A.62.2 BFDR Downs Syndrome Value Set

Downs Syndrome Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.61
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
41040004	Complete trisomy 21 syndrome (disorder)
205615000	Trisomy 21- meiotic nondisjunction (disorder)
205616004	Trisomy 21- mitotic nondisjunction mosaicism (disorder)
254264002	Partial trisomy 21 in Down's syndrome (disorder)
371045000	Translocation Down syndrome (disorder)

1590

A.63 QRPH BFDR Gastroschisis of the Newborn Codes

A.63.1 Metadata

Gastroschisis of the Newborn Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.62

Metadata Element	Description	Mandatory
Name	This is the name of the value set	BFDR Gastroschisis of the Newborn Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Gastroschisis of the Newborn as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.63.2 BFDR Gastroschisis of the Newborn Value Set

1595 Gastroschisis of the Newborn Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.62
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
72951007	Gastroschisis (disorder)

A.64 QRPH BFDR Hypospadias Codes

1600 **A.64.1 Metadata**

Hypospadias Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
------------------	-------------	-----------

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.63
Name	This is the name of the value set	BFDR Hypospadias Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Hypospadias as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.64.2 BFDR Hypospadias Value Set

Hypospadias Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1605

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.63
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
416010008	Hypospadias (disorder)
57514000	3-Oxo-5 alpha-steroid delta 4-dehydrogenase deficiency (disorder)
204891000	Hypospadias, balanic (disorder)
205027003	Hypospadias, female (disorder)
204888000	Hypospadias, penile (disorder)
204889008	Hypospadias, penoscrotal (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.63
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
204890004	Hypospadias, perineal (disorder)
81771002	Opitz-Frias syndrome (disorder)

A.65 QRPH BFDR Limb Reduction Defect Codes

A.65.1 Metadata

Limb Reduction Defect Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	6.1.4.1.19376.1.7.3.1.1.13.8.64
Name	This is the name of the value set	BFDR Limb Reduction Defect Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Limb Reduction Defect as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.65.2 BFDR Limb Reduction Defect Value Set

- 1610 Limb Reduction Defect Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	6.1.4.1.19376.1.7.3.1.1.13.8.64
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
45806008	Reduction deformity of upper limb (disorder)
29155003	Ectromelia of upper limb (disorder)
64008009	Hemimelia of upper limb (disorder)
3699000	Transverse deficiency of upper limb (disorder)
205159008	Transverse deficiency of arm, forearm level (disorder)
205164007	Transverse deficiency of arm, upper arm level - long (disorder)
205163001	Transverse deficiency of arm, upper arm level - short (disorder)
253926000	Phocomelia of the upper limb (disorder)
78018008	Complete phocomelia of upper limb (disorder)
1967001	Longitudinal absence of radius AND ulna (disorder)
205168005	Rudimentary arm (disorder)
205160003	Transverse deficiency of arm, shoulder level (disorder)
77595004	Reduction deformity of lower limb (disorder)
361214005	Absent pelvis and lower limb (disorder)
253960007	Brachymelia of leg (disorder)
49226005	Brachympapody (disorder)
205378003	Brachympapodia of first metatarsal (disorder)
205379006	Brachympapodia of fourth metatarsal (disorder)
30592006	Brachympatatarsia (disorder)
310800007	Brachyphalangia of toe (disorder)
205349004	Brachyphalangia of little toe (disorder)
205093009	Congenital short Achilles tendon (disorder)
205111008	Congenital short quadriceps (disorder)
253963009	Phocomelia of the lower limb (disorder)
55852007	Complete phocomelia of lower limb (disorder)
205211001	Proximal femoral focal deficiency (disorder)
253962004	Rudimentary leg (disorder)
68551007	Limb reduction-ichthyosis syndrome (disorder)

A.66 QRPH BFDR Meningomyelocele/Spina Bifida of the Newborn Codes

1615

A.66.1 Metadata

Meningomyelocele/Spina Bifida of the Newborn Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.65
Name	This is the name of the value set	BFDR Meningomyelocele/Spina Bifida of the Newborn Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Meningomyelocele/Spina Bifida of the Newborn as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.66.2 BFDR Meningomyelocele/Spina Bifida of the Newborn Value Set

1620

Meningomyelocele/Spina Bifida of the Newborn Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.65
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.65
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
414667000	Meningomyelocele (disorder)
203985009	Cervical meningocele (disorder)
81526008	Hydromeningomyelocele (disorder)
37382001	Known OR suspected fetal spina bifida with myelomeningocele affecting obstetrical care (disorder)
203987001	Lumbar meningocele (disorder)
203967002	Spinal hydromeningocele (disorder)
203986005	Thoracic meningocele (disorder)
271571006	Meningomyelocele/myelocele (disorder)
67531005	Spina bifida (disorder)
253117002	Closed spina bifida with Arnold-Chiari malformation (disorder)
253112008	Fissured spine (disorder)
253116006	Fissured spine with hydrocephalus (disorder)
253119004	Hemimyelocele (disorder)
253120005	Lipomeningocele (disorder)
203998000	Lumbar myelocystocele (disorder)
204005000	Lumbar spina bifida without hydrocephalus - open (disorder)
70534000	Occult spinal dysraphism sequence (disorder)
61819007	Rachischisis (disorder)
93557001	Holorachischisis (disorder)
253113003	Rachischisis with hydrocephalus (disorder)
204006004	Sacral spina bifida without hydrocephalus - open (disorder)
58557008	Spina bifida aperta (disorder)
425687007	Spina bifida aperta of cervical spine (disorder)
429466000	Spina bifida aperta of lumbar spine (disorder)
427216002	Spina bifida aperta of thoracic spine (disorder)
32232003	Spina bifida of cervical region (disorder)
203934001	Cervical spina bifida with hydrocephalus (disorder)
203948001	Cervical spina bifida with hydrocephalus - closed (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.65
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
204010001	Cervical spina bifida without hydrocephalus - closed (disorder)
204003007	Cervical spina bifida without hydrocephalus - open (disorder)
30620003	Spina bifida of dorsal region (disorder)
203935000	Thoracic spina bifida with hydrocephalus (disorder)
203949009	Thoracic spina bifida with hydrocephalus - closed (disorder)
203942000	Thoracic spina bifida with hydrocephalus - open (disorder)
204011002	Thoracic spina bifida without hydrocephalus - closed (disorder)
204004001	Thoracic spina bifida without hydrocephalus - open (disorder)
77224008	Spina bifida of lumbar region (disorder)
203950009	Lumbar spina bifida with hydrocephalus - closed (disorder)
204012009	Lumbar spina bifida without hydrocephalus - closed (disorder)
53318002	Spina bifida with hydrocephalus (disorder)
203936004	Lumbar spina bifida with hydrocephalus (disorder)
203943005	Lumbar spina bifida with hydrocephalus - open (disorder)
253114009	Myelocele with hydrocephalus (disorder)
203946002	Spina bifida with hydrocephalus - closed (disorder)
203951008	Sacral spina bifida with hydrocephalus - closed (disorder)
253118007	Thoracolumbar spina bifida with hydrocephalus - closed (disorder)
268143001	Spina bifida with hydrocephalus - open (disorder)
203944004	Sacral spina bifida with hydrocephalus - open (disorder)
203954000	Spina bifida with hydrocephalus of late onset (disorder)
203955004	Spina bifida with stenosis of aqueduct of

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.65
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	Sylvius (disorder)
40130009	Spina bifida without hydrocephalus (disorder)
268146009	Spina bifida without hydrocephalus - open (disorder)
204008003	Spina bifida without hydrocephalus - closed (disorder)
204013004	Sacral spina bifida without hydrocephalus - closed (disorder)
253111001	Thoracolumbar spina bifida without hydrocephalus - closed (disorder)

A.67 QRPH BFDR Omphalocele of the Newborn Codes

A.67.1 Metadata

1625

Omphalocele of the Newborn Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.66
Name	This is the name of the value set	BFDR Omphalocele of the Newborn Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Omphalocele of the Newborn as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A

Metadata Element	Description	Mandatory
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.67.2 BFDR Omphalocele of the Newborn Value Set

Omphalocele of the Newborn Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.66
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
18735004	Congenital omphalocele (disorder)
36631002	Hepatomphalocele (disorder)
196864001	Omphalocele - irreducible (disorder)
196856007	Omphalocele with gangrene (disorder)
1542009	Omphalocele with obstruction (disorder)
196868003	Simple omphalocele (disorder)

1630

A.68 QRPH BFDR Date of Last Live Birth Codes

A.68.1 Metadata

Date of Last Live Birth Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.67
Name	This is the name of the value set	BFDR Date of Last Live Birth Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Date of Last Live Birth
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0

Metadata Element	Description	Mandatory
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.68.2 BFDR Date of Last Live Birth Value Set

1635 Date of Last Live Birth Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.67
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
68499-3	Date last live birth

A.69 QRPH BFDR Number of Live Births Codes

A.69.1 Metadata

1640 Number of Live Births Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.68
Name	This is the name of the value set	BFDR Number of Live Births Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Number of Live Births for the current pregnancy
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0

Metadata Element	Description	Mandatory
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.69.2 BFDR Number of Live Births Value Set

Number of Live Births Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1645

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.68
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
11636-8	Births.live

A.70 QRPH BFDR Date of Last Menses Codes

A.70.1 Metadata

Date of Last Menses Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.69
Name	This is the name of the value set	BFDR Date of Last Menses Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Date of Last Menses
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org

Metadata Element	Description	Mandatory
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.70.2 BFDR Date of Last Menses Value Set

- 1650 Date of Last Menses Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.69
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
3145-0	Menstrual period start.last
33066-2	Estimated last menstrual period
8665-2	Date last menstrual period

A.71 QRPH BFDR Date of Last Other Pregnancy Outcome Codes

A.71.1 Metadata

- 1655 Date of Last Other Pregnancy Outcome Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.70
Name	This is the name of the value set	BFDR Date of Last Other Pregnancy Outcome Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Date of Last Other Pregnancy Outcome such as spontaneous or induced losses or ectopic pregnancy

Metadata Element	Description	Mandatory
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.71.2 BFDR Date of Last Other Pregnancy Outcome Value Set

Date of Last Other Pregnancy Outcome Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.70
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
68500-8	Date last other pregnancy outcome

1660

A.72 QRPH BFDR Number of Prior Pregnancies Codes

A.72.1 Metadata

Number of Prior Pregnancies Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.71
Name	This is the name of the value set	BFDR Number of Prior Pregnancies Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Number of Prior Pregnancies

Metadata Element	Description	Mandatory
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.72.2 BFDR Number of Prior Pregnancies Value Set

Number of Prior Pregnancies Value Set will use the LOINC code system to identify its contents.
1665 Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.71
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
11996-6	Pregnancies
11977-6	Parity

A.73 BFDR Problem Status Active Codes

A.73.1 Metadata

Problem Status Active Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.119
Name	This is the name of the value set	BFDR Problem Status Active Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain

Metadata Element	Description	Mandatory
Purpose	Brief description about the general purpose of the value set	To reflect the Problem Status Active
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1670 **A.73.2BFDR Problem Status Active Value Set**

Problem Status Active Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.119
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
55561003	Active

A.74 QRPH BFDR Chlamydia Codes

1675 **A.74.1Metadata**

Chlamydia Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.93
Name	This is the name of the value set	BFDR Chlamydia Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain

Metadata Element	Description	Mandatory
Purpose	Brief description about the general purpose of the value set	To reflect Chlamydia as Infections present and treated during this pregnancy
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.74.2BFDR Chlamydia Value Set

Chlamydia Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1680

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.93
Vocabulary:	1.3.6.1.4.1.19376.1.5.3.1.3.6
SNOMED-CT Code	SNOMED-CT Description
413079006	Chlamydia PCR positive (finding)
240589008	Chlamydia trachomatis infection (disorder)
426247003	Acute genitourinary Chlamydia trachomatis infection (disorder)
420910002	Chlamydia trachomatis infection of anus and rectum (disorder)
428015005	Chlamydia trachomatis infection of genital structure (disorder)
189312004	Pelvic inflammation with female sterility due to Chlamydia trachomatis (disorder)
198176005	Female chlamydial pelvic inflammatory disease (disorder)
186946009	Lymphogranuloma venereum (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.93
Vocabulary:	1.3.6.1.4.1.19376.1.5.3.1.3.6
SNOMED-CT Code	SNOMED-CT Description
240602008	Early lymphogranuloma venereum (disorder)
272262003	Esthiomene (disorder)
240603003	Late lymphogranuloma venereum (disorder)
240604009	Latent lymphogranuloma venereum (disorder)
2576002	Trachoma (disorder)
266109000	Inclusion conjunctivitis (disorder)
276683003	Neonatal inclusion body conjunctivitis (disorder)
240591000	Neonatal chlamydial conjunctivitis (disorder)
52812002	Trachoma, active stage (disorder)
29976007	Trachoma, initial stage (disorder)
27020006	Trachomatous follicular conjunctivitis (disorder)
90060000	Trachomatous granular conjunctivitis (disorder)
55555001	Trachomatous pannus (disorder)
179101003	Urethritis due to Chlamydia trachomatis (disorder)
314527009	Chlamydia antigen ELISA positive (finding)
312099009	Genitourinary chlamydia infection (disorder)
426165006	Acute genitourinary chlamydia infection (disorder)
237106009	Chlamydial bartholinitis (disorder)
237084006	Chlamydial cervicitis (disorder)
236683007	Chlamydial urethritis (disorder)
237039009	Chlamydial salpingitis (disorder)
237097008	Chlamydial vulvovaginitis (disorder)
179101003	Urethritis due to Chlamydia trachomatis (disorder)
426165006	Acute genitourinary chlamydia infection (disorder)
415798001	Urine chlamydia trachomatis test positive (finding)
420910002	Chlamydia trachomatis infection of anus and rectum (disorder)
426247003	Acute genitourinary Chlamydia trachomatis infection (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.93
Vocabulary:	1.3.6.1.4.1.19376.1.5.3.1.3.6
SNOMED-CT Code	SNOMED-CT Description
428015005	Chlamydia trachomatis infection of genital structure (disorder)

A.75 QRPH BFDR Gonorrhea Codes

A.75.1 Metadata

Gonorrhea Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.94
Name	This is the name of the value set	BFDR Gonorrhea Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Gonorrhea as Infections present and treated during this pregnancy
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1685

A.75.2 BFDR Gonorrhea Value Set

Gonorrhea Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.94
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
15628003	Gonorrhea (disorder)
235861001	Abscess gonococcal (disorder)
240573005	Gonococcal Bartholin's gland abscess (disorder)
236688003	Gonococcal periurethral gland abscess (disorder)
237046000	Gonococcal tubo-ovarian abscess (disorder)
236687008	Gonococcal urethral abscess (disorder)
240578001	Gonococcal Littré gland abscess (disorder)
240579009	Gonococcal paraurethral gland abscess (disorder)
17305005	Acute gonorrhea of genitourinary tract (disorder)
80604007	Acute gonococcal bartholinitis (disorder)
20943002	Acute gonococcal cervicitis (disorder)
65295003	Acute gonococcal endometritis (disorder)
45377007	Acute gonococcal salpingitis (disorder)
17305005	Acute gonorrhea of genitourinary tract (disorder)
2390000	Acute gonococcal vulvovaginitis (disorder)
54825009	Acute gonorrhea of lower genitourinary tract (disorder)
24868007	Acute gonococcal cystitis (disorder)
29864006	Acute gonococcal urethritis (disorder)
50970007	Acute gonorrhea of upper genitourinary tract (disorder)
27681008	Chronic gonorrhea (disorder)
28572009	Chronic gonorrhea of genitourinary tract (disorder)
12373006	Chronic gonococcal bartholinitis (disorder)
76802005	Chronic gonococcal cervicitis (disorder)
31999004	Chronic gonococcal endometritis (disorder)
11906007	Chronic gonococcal vulvovaginitis (disorder)
186915005	Chronic gonorrhea lower genitourinary tract (disorder)
88813005	Chronic gonococcal cystitis (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.94
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
80388004	Chronic gonorrhea of upper genitourinary tract (disorder)
53529004	Chronic gonococcal salpingitis (disorder)
186931002	Gonococcal anal infection (disorder)
46699001	Gonococcal bursitis (disorder)
197848003	Gonococcal cystitis (disorder)
240581006	Gonococcal female pelvic infection (disorder)
237083000	Gonococcal cervicitis (disorder)
237069002	Gonococcal endometritis (disorder)
237038001	Gonococcal salpingitis (disorder)
237095000	Gonococcal vulvovaginitis (disorder)
237096004	Neonatal gonococcal vulvovaginitis (disorder)
9241004	Gonococcal heart disease (disorder)
61048000	Gonococcal endocarditis (disorder)
235863003	Gonococcal hepatitis (disorder)
35876006	Gonococcal infection of eye (disorder)
231858009	Gonococcal conjunctivitis (disorder)
28438004	Gonococcal conjunctivitis neonatorum (disorder)
111807001	Gonococcal endophthalmitis (disorder)
9091006	Gonococcal iridocyclitis (disorder)
40149008	Gonococcal keratitis (disorder)
406581000	Gonococcal infection of the central nervous system (disorder)
151004	Gonococcal meningitis (disorder)
60335002	Gonococcal keratosis (disorder)
237042003	Gonococcal perihepatitis (disorder)
186939000	Gonococcal peritonitis (disorder)
307423008	Gonococcal pelvic peritonitis (disorder)
53664003	Gonococcal spondylitis (disorder)
266138002	Gonococcal synovitis or tenosynovitis (disorder)
240582004	Gonococcal synovitis (disorder)
240039005	Gonococcal tenosynovitis (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.94
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
240575003	Gonococcal Tysonitis (disorder)
236682002	Gonococcal urethritis (disorder)
44412000	Chronic gonococcal urethritis (disorder)
240576002	Gonococcal Cowperitis (disorder)
240577006	Gonococcal Littritis (disorder)
240574004	Gonococcal Skenitis (disorder)
5085001	Gonococcemia (disorder)
44743006	Gonococcal infection of joint (disorder)
272006008	Gonococcal arthritis dermatitis syndrome (disorder)
74372003	Gonorrhea of pharynx (disorder)
42746002	Gonorrhea of rectum (disorder)
186932009	Gonococcal rectal infection (disorder)
240572000	Gonorrhea with local complication (disorder)
199161008	Maternal gonorrhea during pregnancy, childbirth and the puerperium (disorder)
35255008	Gonorrhea in mother complicating pregnancy, childbirth AND/OR puerperium (disorder)
199163006	Maternal gonorrhea during pregnancy - baby delivered (disorder)
199165004	Maternal gonorrhea during pregnancy - baby not yet delivered (disorder)
199164000	Maternal gonorrhea in the puerperium - baby delivered during current episode of care (disorder)
199166003	Maternal gonorrhea in the puerperium - baby delivered during previous episode of care (disorder)
240571007	Neonatal gonococcal infection (disorder)
240583009	Cutaneous gonorrhea (disorder)
402958005	Gonococcal bacteremia-induced pustular vasculitis (disorder)
402956009	Localized cutaneous gonococcal infection (disorder)
402957000	Gonococcal bartholinitis (disorder)
74372003	Gonorrhea of pharynx (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.94
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
240572000	Gonorrhea with local complication (disorder)
17305005	Acute gonorrhea of genitourinary tract (disorder)
28572009	Chronic gonorrhea of genitourinary tract (disorder)
186915005	Chronic gonorrhea lower genitourinary tract (disorder)
54825009	Acute gonorrhea of lower genitourinary tract (disorder)
80388004	Chronic gonorrhea of upper genitourinary tract (disorder)
199163006	Maternal gonorrhea during pregnancy - baby delivered (disorder)
199165004	Maternal gonorrhea during pregnancy - baby not yet delivered (disorder)
199161008	Maternal gonorrhea during pregnancy, childbirth and the puerperium (disorder)
35255008	Gonorrhea in mother complicating pregnancy, childbirth AND/OR puerperium (disorder)
199164000	Maternal gonorrhea in the puerperium - baby delivered during current episode of care (disorder)
199166003	Maternal gonorrhea in the puerperium - baby delivered during previous episode of care (disorder)

1690 A.76 QRPH BFDR Hepatitis B Codes

A.76.1 Metadata

Hepatitis B Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.96
Name	This is the name of the value set	BFDR Hepatitis B Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain

Metadata Element	Description	Mandatory
Purpose	Brief description about the general purpose of the value set	To reflect Hepatitis B as Infections present and treated during this pregnancy
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.76.2BFDR Hepatitis B Value Set

1695 Hepatitis B Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.96
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
271511000	Hepatitis B immune (finding)
442374005	Hepatitis B and hepatitis C (disorder)
165808001	Hepatitis B non-immune (finding)
235864009	Acute hepatitis B with hepatitis D (disorder)
186624004	Acute hepatitis B with delta agent (coinfection) with hepatic coma (disorder)
186626002	Acute hepatitis B with delta-agent (coinfection) without hepatic coma (disorder)
186623005	Viral hepatitis B with coma (disorder)
424460009	Hepatitis B with hepatitis D superinfection (disorder)
26206000	Viral hepatitis B with hepatic coma (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.96
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
424099008	Acute hepatitis B with hepatic coma (disorder)
424340000	Chronic hepatitis B with hepatic coma (disorder)
424340000	Chronic hepatitis B with hepatic coma (disorder)
60498001	Congenital viral hepatitis B infection (disorder)
111891008	Viral hepatitis B without hepatic coma (disorder)
186639003	Chronic viral hepatitis B without delta-agent (disorder)

A.77 QRPH BFDR Hepatitis C Codes

A.77.1 Metadata

Hepatitis C Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.97
Name	This is the name of the value set	BFDR Hepatitis C Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Hepatitis C as Infections present and treated during this pregnancy
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A

Metadata Element	Description	Mandatory
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1700 **A.77.2BFDR Hepatitis C Value Set**

Hepatitis C Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.97
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
50711007	Viral hepatitis C (disorder)
235866006	Acute hepatitis C (disorder)
128302006	Chronic hepatitis C (disorder)
278929008	Congenital hepatitis C infection (disorder)
186628001	Viral hepatitis C with coma (disorder)
442374005	Hepatitis B and hepatitis C (disorder)
370988000	Hepatitis C antibody positive with elevated ALT (finding)
406104003	Hepatitis C virus enzyme-linked immunosorbent assay test positive (finding)
371140008	Polymerase chain reaction (PCR) positive for hepatitis C viral ribonucleic acid (genotype 1A) (finding)

A.78 QRPH BFDR Syphilis Codes

1705 **A.78.1Metadata**

Syphilis Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.98
Name	This is the name of the value set	BFDR Syphilis Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Syphilis as Infections present and treated during this pregnancy
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT

Metadata Element	Description	Mandatory
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.78.2BFDR Syphilis Value Set

1710 Syphilis Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.98
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
76272004	Syphilis (disorder)
240555007	Acquired syphilis (disorder)
266130009	Acquired syphilis - early latent (disorder)
186868000	Serological relapse after treatment of latent early syphilis (disorder)
266136003	Acquired syphilis - late latent (disorder)
35742006	Congenital syphilis (disorder)
87318008	Congenital syphilis with gumma (disorder)
186841000	Congenital syphilitic gumma (disorder)
9941009	Congenital syphilitic choroiditis (disorder)
192008	Congenital syphilitic hepatomegaly (disorder)
6267005	Congenital syphilitic meningitis (disorder)
230152000	Late congenital syphilitic meningitis (disorder)
58392004	Congenital syphilitic osteochondritis (disorder)
59721007	Congenital syphilitic pemphigus (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.98
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
27648007	Congenital syphilitic periostitis (disorder)
56118002	Congenital syphilitic splenomegaly (disorder)
4359001	Early congenital syphilis (less than 2 years) (disorder)
83492008	Congenital syphilitic coryza (disorder)
66083000	Congenital syphilitic epiphysitis (disorder)
54069001	Congenital syphilitic mucous patches (disorder)
276700005	Congenital syphilitic rhinitis (disorder)
275376007	Congenital syphilitic chronic coryza (disorder)
186833000	Early congenital syphilis - latent (disorder)
266125005	Early congenital syphilis with symptoms (disorder)
46235002	Early latent congenital syphilis, positive serology, negative spinal fluid (disorder)
82323002	Late congenital syphilis (2 years OR more) (disorder)
19290004	Clutton's joints (disorder)
266126006	Late congenital neurosyphilis (disorder)
32735002	Congenital syphilitic encephalitis (disorder)
82959004	Dementia paralytica juvenilis (disorder)
37028008	Juvenile tabes (disorder)
68764005	Juvenile taboparesis (disorder)
230563005	Late congenital syphilitic polyneuropathy (disorder)
240553000	Late congenital neurovascular syphilis (disorder)
827006	Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more) (disorder)
186842007	Late congenital syphilitic oculopathy (disorder)
186846005	Early symptomatic syphilis (disorder)
13095005	Primary symptomatic early syphilis (disorder)
13731006	Secondary symptomatic early syphilis (disorder)
91554004	Condyloma latum (disorder)
402944008	Condylomata lata of perianal skin (disorder)
402946005	Condylomata lata of vulva (disorder)
51960003	Secondary syphilis of pharynx (disorder)
81339006	Secondary syphilis of tonsil (disorder)
58227000	Secondary syphilis of viscera (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.98
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
66281009	Secondary syphilitic chorioretinitis (disorder)
72083004	Late syphilis (disorder)
83883001	Cardiovascular syphilis (disorder)
266131008	Late cardiovascular syphilis (disorder)
234017002	Syphilitic aneurysm (disorder)
12232008	Syphilitic aneurysm of aorta (disorder)
61612001	Syphilitic aortic incompetence (disorder)
20735004	Syphilitic aortitis (disorder)
230735006	Syphilitic cerebral arteritis (disorder)
278480000	Syphilitic endocarditis of aortic valve (disorder)
233849007	Syphilitic valve disease (disorder)
58056005	Syphilis of mitral valve (disorder)
186875004	Syphilitic endocarditis of mitral valve (disorder)
45058001	Syphilis of pulmonary valve (disorder)
186878002	Syphilitic endocarditis of pulmonary valve (disorder)
42770003	Syphilis of tricuspid valve (disorder)
186877007	Syphilitic endocarditis of tricuspid valve (disorder)
82355002	Syphilitic aortic stenosis (disorder)
240567009	Syphilitic coronary artery disease (disorder)
62207008	Syphilitic ostial coronary disease (disorder)
67391006	Syphilitic endocarditis (disorder)
4082005	Syphilitic myocarditis (disorder)
194947001	Acute myocarditis - syphilitic (disorder)
3589003	Syphilitic pericarditis (disorder)
194907008	Acute syphilitic pericarditis (disorder)
232313005	Endocochlear syphilis (disorder)
198175009	Female syphilitic pelvic inflammatory disease (disorder)
197347003	Hepatitis in late syphilis (disorder)
193786000	Keratitis due to syphilis (disorder)
186903006	Late latent syphilis (disorder)
197757004	Late syphilis of kidney (disorder)
405635002	Late syphilis with clinical manifestations other than neurosyphilis

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.98
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	(disorder)
66887000	Late syphilis, latent (positive serology, negative cerebrospinal fluid 2 years after) (disorder)
26039008	Neurosyphilis (disorder)
266133006	Late quaternary neurosyphilis (disorder)
37754005	Asymptomatic neurosyphilis (disorder)
51928006	General paresis - neurosyphilis (disorder)
230182006	Late syphilitic encephalitis (disorder)
240568004	Meningovascular syphilis - quaternary stage (disorder)
75299005	Spastic spinal syphilitic paralysis (disorder)
302813001	Syphilitic acoustic neuritis - quaternary stage (disorder)
38523005	Syphilitic parkinsonism (disorder)
240569007	Syphilitic polyneuropathy (disorder)
13310005	Taboparesis (disorder)
314840009	Progressive locomotor ataxia (disorder)
240564002	Secondary neurosyphilis (disorder)
240565001	Asymptomatic secondary neurosyphilis (disorder)
192647003	Secondary syphilitic meningitis (disorder)
186863009	Acute secondary syphilitic meningitis (disorder)
22386003	Syphilitic optic atrophy (disorder)
36276008	Syphilitic retrobulbar neuritis (disorder)
19206003	Syphilitic acoustic neuritis (disorder)
26135000	Syphilitic encephalitis (disorder)
21523006	Syphilitic gumma of central nervous system (disorder)
315826004	Tabetic neurosyphilis (disorder)
316841006	Tabes dorsalis (disorder)
240552005	Juvenile tabes dorsalis (disorder)
402949003	Nodular syphilide (disorder)
402951004	Oral mucous membrane lesion due to late syphilis (disorder)
64102008	Syphilitic gumma (disorder)
240566000	Gummatous neurosyphilis (disorder)
235064008	Syphilitic gumma of oral cavity (disorder)
402950003	Syphilitic leukoplakia of tongue (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.98
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
444150000	Latent syphilis (disorder)
186867005	Latent early syphilis (disorder)
67125004	Latent syphilis with positive serology (disorder)
31137003	Early latent syphilis, positive serology, negative cerebrospinal fluid, less than 2 years after infection (disorder)
1107004	Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment (disorder)
199154009	Maternal syphilis during pregnancy, childbirth and the puerperium (disorder)
199156006	Maternal syphilis during pregnancy - baby delivered (disorder)
199158007	Maternal syphilis during pregnancy - baby not yet delivered (disorder)
199157002	Maternal syphilis in the puerperium - baby delivered during current episode of care (disorder)
199159004	Maternal syphilis in the puerperium - baby delivered during previous episode of care (disorder)
34242002	Syphilis in mother complicating pregnancy, childbirth AND/OR puerperium (disorder)
232367004	Nasal syphilis (disorder)
410478005	Ocular syphilis (disorder)
410470003	Syphilitic retinitis (disorder)
312934004	Syphilitic chorioretinitis (disorder)
77939001	Syphilitic disseminated retinochoroiditis (disorder)
312955002	Tertiary syphilitic chorioretinitis (disorder)
186854007	Uveitis due to secondary syphilis (disorder)
235062007	Oral syphilis (disorder)
60528006	Secondary syphilis of mouth (disorder)
402942007	Syphilitic chancre of oral mucous membranes (disorder)
235032001	Syphilitic oral leukoplakia (disorder)
235065009	Syphilitic oral snail track ulcer (disorder)
266127002	Primary syphilis (disorder)
240556008	Primary extragenital syphilis (disorder)
31015008	Primary anal syphilis (disorder)
27460003	Primary syphilis of breast (disorder)
54274001	Primary syphilis of fingers (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.98
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
28198007	Primary syphilis of lip (disorder)
10345003	Primary syphilis of tonsils (disorder)
186847001	Primary genital syphilis (disorder)
237447001	Primary syphilis of nipple (disorder)
402941000	Syphilitic chancre of vulva (disorder)
278481001	Quaternary syphilis (disorder)
240557004	Secondary syphilis (disorder)
197348008	Hepatitis in secondary syphilis (disorder)
402947001	Late secondary syphilis (disorder)
63751007	Secondary syphilis of bone (disorder)
69595007	Secondary syphilitic periostitis (disorder)
80770009	Secondary syphilis of liver (disorder)
186850003	Secondary syphilis of skin and mucous membrane (disorder)
39085002	Secondary syphilis of mucous membrane (disorder)
77028001	Secondary syphilis of anus (disorder)
59233003	Secondary syphilis of skin (disorder)
266128007	Rash of secondary syphilis (disorder)
240558009	Macular syphilide (disorder)
240560006	Papular syphilide (disorder)
240561005	Corona veneris (disorder)
240562003	Pustular syphilide (disorder)
52414005	Secondary syphilis of vulva (disorder)
186861006	Secondary syphilis relapse (disorder)
85857008	Secondary syphilis, relapse (treated) (disorder)
62861003	Secondary syphilis, relapse (untreated) (disorder)
59934002	Secondary syphilitic adenopathy (disorder)
30080002	Secondary syphilitic iridocyclitis (disorder)
70983007	Secondary syphilitic uveitis (disorder)
59307008	Syphilitic alopecia (disorder)
11338007	Syphilitic episcleritis (disorder)
44568006	Syphilitic interstitial keratitis (disorder)
55768006	Syphilitic leukoderma (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.98
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
240563008	Syphilitic mucosal ulceration (disorder)
50528008	Syphilis of bone (disorder)
237446005	Syphilis of breast (disorder)
59530001	Syphilis of kidney (disorder)
86028001	Syphilis of liver (disorder)
16070004	Syphilitic cirrhosis (disorder)
197305002	Syphilitic portal cirrhosis (disorder)
8555001	Syphilis of lung (disorder)
88943008	Syphilis of muscle (disorder)
49923008	Syphilis of tendon (disorder)
37430004	Syphilis of synovium (disorder)
186899004	Syphilis of synovium, tendon or bursa (disorder)
23550005	Syphilis of bursa (disorder)
202933002	Syphilitic bursitis (disorder)
4483005	Syphilitic punched out ulcer (disorder)
371237000	Syphilitic skin disorder (disorder)
286882004	Syphilitic/venereal/spirochetal disease (disorder)

A.79 QRPH BFDR Conception Date Codes

1715

A.79.1 Metadata

Conception Date Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.180
Name	This is the name of the value set	BFDR Conception Date Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Conception Date
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC

Metadata Element	Description	Mandatory
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.79.2BFDR Conception Date Value Set

Conception Date Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1720

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.180
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
33067-0	Concept date

A.80 QRPH BFDR Transfusion Whole Blood or Packed Red Blood Codes

A.80.1 Metadata

Transfusion Whole Blood or Packed Red Blood Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.99
Name	This is the name of the value set	BFDR Transfusion Whole Blood or Packed Red Blood Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Transfusion Whole Blood or Packed Red Blood as a maternal morbidity

Metadata Element	Description	Mandatory
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.80.2BFDR Transfusion Whole Blood or Packed Red Blood Value Set

Transfusion Whole Blood or Packed Red Blood Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set:	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.99
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
33389009	Transfusion of whole blood (procedure)
11397000	Autotransfusion of whole blood (procedure)
180206004	Intra-arterial blood transfusion (procedure)
225284006	Transfusing whole blood under pressure (procedure)
116863004	Transfusion of red blood cells (procedure)
425513008	Transfusion of leucoreduced red blood cells (procedure)
71493000	Transfusion of packed red blood cells (procedure)
180207008	Intravenous blood transfusion of packed cells (procedure)
426290002	Transfusion of washed red blood cells (procedure)
12719002	Platelet transfusion (procedure)

Value Set:	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.99
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
180208003	Intravenous blood transfusion of platelets (procedure)
117078000	Transfusion of platelet concentrate (procedure)
116810007	Transfusion of plateletpheresis product (procedure)
116797000	Transfusion of factor IX (procedure)
74287006	Transfusion of coagulation factors (procedure)
274502001	Antihemophilic factor transfusion (procedure)
425524005	Transfusion antithrombin III factor (procedure)
116798005	Transfusion of factor VII (procedure)

1730 A.81 QRPH BFDR Third Degree Perineal Laceration Codes

A.81.1 Metadata

Third Degree Perineal Laceration Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.100
Name	This is the name of the value set	BFDR Third Degree Perineal Laceration Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Third Degree Perineal Laceration as a maternal morbidity
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A

Metadata Element	Description	Mandatory
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.81.2BFDR Third Degree Perineal Laceration Value Set

1735 Third Degree Perineal Laceration Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.100
Vocabulary :	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
10217006	Third degree perineal laceration (disorder)
199930000	Third degree perineal tear during delivery - delivered (disorder)
199931001	Third degree perineal tear during delivery with postnatal problem (disorder)
199934009	Fourth degree perineal tear during delivery - delivered (disorder)
199935005	Fourth degree perineal tear during delivery with postnatal problem (disorder)

A.82 QRPH BFDR Fourth Degree Perineal Laceration Codes

A.82.1 Metadata

1740 Fourth Degree Perineal Laceration Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.101
Name	This is the name of the value set	BFDR Fourth Degree Perineal Laceration Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Fourth Degree Perineal Laceration as a maternal morbidity
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html

Metadata Element	Description	Mandatory
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.82.2BFDR Fourth Degree Perineal Laceration Value Set

Fourth Degree Perineal Laceration Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.101
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
399031001	Fourth degree perineal laceration (disorder)
16950007	Fourth degree perineal laceration involving anal mucosa (disorder)
34262005	Fourth degree perineal laceration involving rectal mucosa (disorder)
199934009	Fourth degree perineal tear during delivery - delivered (disorder)
199935005	Fourth degree perineal tear during delivery with postnatal problem (disorder)

1745 **A.83 QRPH BFDR Ruptured Uterus Codes**

A.83.1Metadata

Ruptured Uterus Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.102
Name	This is the name of the value set	BFDR Ruptured Uterus Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain

Metadata Element	Description	Mandatory
Purpose	Brief description about the general purpose of the value set	To reflect Ruptured Uterus as a maternal morbidity
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.83.2BFDR Ruptured Uterus Value Set

Ruptured Uterus Value Set will use the SNOMED-CT code system to identify its contents.
Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.102
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
199958008	Ruptured uterus before labor (disorder)
199960005	Rupture of uterus before labor - delivered (disorder)
199961009	Rupture of uterus before labor with antenatal problem (disorder)
69270005	Rupture of uterus during AND/OR after labor (disorder)
199964001	Rupture of uterus during and after labor - delivered (disorder)
199965000	Rupture of uterus during and after labor - delivered with postnatal problem (disorder)
15504009	Rupture of gravid uterus (disorder)
49561003	Rupture of gravid uterus before onset of labor (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.102
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
34430009	Rupture of uterus (disorder)

A.84 QRPH BFDR Unplanned Hysterectomy Codes

A.84.1 Metadata

1755

Unplanned Hysterectomy Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.103
Name	This is the name of the value set	BFDR Unplanned Hysterectomy Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Ruptured Uterus as a maternal morbidity
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.84.2 BFDR Unplanned Hysterectomy Value Set

Unplanned Hysterectomy Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1760

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.103
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
625654015	Emergency cesarean hysterectomy (procedure)

A.85 QRPH BFDR Unplanned Operation Codes

A.85.1 Metadata

Unplanned Operation Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.105
Name	This is the name of the value set	BFDR Unplanned Operation Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Ruptured Uterus as a maternal morbidity
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1765

A.85.2 BFDR Unplanned Operation Value Set

Unplanned Operation Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.105
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
259863001	Removal of Shirodkar suture from cervix (procedure)
372456005	Repair of obstetric laceration (procedure)
177217006	Immediate repair of obstetric laceration (procedure)
177221004	Immediate repair of minor obstetric laceration (procedure)
177219009	Immediate repair of obstetric laceration of perineum and sphincter of anus (procedure)
177218001	Immediate repair of obstetric laceration of uterus or cervix uteri (procedure)
177220003	Immediate repair of obstetric laceration of vagina and floor of pelvis (procedure)
9724000	Repair of current obstetric laceration of uterus (procedure)
31939001	Repair of obstetric laceration of cervix (procedure)
315307003	Repair of obstetric laceration of lower urinary tract (procedure)
61353001	Repair of obstetric laceration of bladder (procedure)
42390009	Repair of obstetric laceration of bladder and urethra (procedure)
36248000	Repair of obstetric laceration of urethra (procedure)
48775002	Repair of obstetric laceration of pelvic floor (procedure)
441619002	Repair of obstetric laceration of perineum and anal sphincter and mucosa of rectum (procedure)
112925006	Repair of obstetric laceration of vulva (procedure)
55669006	Repair of obstetrical laceration of perineum (procedure)
367476005	Colpoepisiorrhaphy (procedure)
177227000	Secondary repair of obstetric laceration (procedure)
112926007	Suture of obstetric laceration of vagina (procedure)
57411006	Colpopерineorrhaphy following delivery

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.105
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	(procedure)

1770

A.86 QRPH BFDR Fetal Presentation at Birth- Breech Codes

A.86.1 Metadata

Fetal Presentation at Birth- Breech Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.108
Name	This is the name of the value set	BFDR Fetal Presentation at Birth- Breech Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Fetal Presentation at Birth- Breech method of delivery
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1775

A.86.2 BFDR Fetal Presentation at Birth- Breech Value Set

Fetal Presentation at Birth- Breech Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.108
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
6096002	Breech presentation (finding)
199354004	Breech presentation - delivered (finding)
199355003	Breech presentation with antenatal problem (finding)
49168004	Complete breech presentation (finding)
249097002	Footling breech presentation (finding)
48906005	Breech presentation, double footling (finding)
58903006	Breech presentation, single footling (finding)
18559007	Frank breech presentation (finding)
38049006	Incomplete breech presentation (finding)
163514003	On examination - breech presentation (finding)
271370008	Deliveries by breech extraction (finding)
237325000	Head entrapment during breech delivery (disorder)
271373005	Deliveries by spontaneous breech delivery (finding)
199751005	Obstructed labor due to breech presentation (finding)
364748006	Finding of position of breech presentation (finding)
79888005	Sacroanterior position (finding)
408812003	Direct sacroanterior position (finding)
64433002	Left sacroanterior position (finding)
79643007	Right sacroanterior position (finding)
249103009	Sacrolateral position (finding)
54486001	Left sacrolateral position (finding)
89550007	Right sacrolateral position (finding)
58261003	Sacroposterior position (finding)
249102004	Direct sacroposterior position (finding)
2138000	Left sacroposterior position (finding)
112073004	Right sacroposterior position (finding)

1780 **A.87 QRPH BFDR Fetal Presentation at Birth- Cephalic Codes**

A.87.1 Metadata

Fetal Presentation at Birth- Cephalic Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.109
Name	This is the name of the value set	BFDR Fetal Presentation at Birth- Cephalic Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Fetal Presentation at Birth- Cephalic method of delivery
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.87.2 BFDR Fetal Presentation at Birth- Cephalic Value Set

1785 Fetal Presentation at Birth- Cephalic Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.109
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
70028003	Vertex presentation (finding)
163513009	On examination - vertex presentation (finding)
441640001	Vertex presentation with caput succedaneum

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.109
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	(finding)
309469004	Spontaneous vertex delivery (finding)
441640001	Vertex presentation with caput succedaneum (finding)
14058000	Asynclitism
46017002	Anterior asynclitism
90731001	Posterior asynclitism
90381008	Occipitoanterior position
408813008	Direct occipitoanterior position
14409005	Left occipitoanterior position
39889007	Right occipitoanterior position
249071008	Occipitolateral position
18905000	Left occipitolateral position
37040008	Right occipitolateral position
37235006	Occiptoposterior position
249070009	Direct occiptoposterior position
31477000	Left occiptoposterior position
36547009	Right occiptoposterior position

A.88 QRPH BFDR Fetal Presentation at Birth- Other Codes

A.88.1 Metadata

1790

Fetal Presentation at Birth- Other Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.110
Name	This is the name of the value set	BFDR Fetal Presentation at Birth- Other Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Fetal Presentation at Birth- Other

Metadata Element	Description	Mandatory
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.88.2BFDR Fetal Presentation at Birth- Other Value Set

Fetal Presentation at Birth- Other Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.110
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
249079005	Fontanelles presenting (finding)
249082000	Anterior fontanelle presenting (finding)
249081007	Both fontanelles presenting (finding)
249083005	Posterior fontanelle presenting (finding)
23954006	Acromion presentation (finding)
14058000	Asynclitism (finding)
8014007	Brow presentation (finding)
124736009	Compound presentation (finding)
21882006	Face presentation (finding)
46200004	Funic presentation (finding)
50724007	Longitudinal fetal presentation (finding)
15028002	Abnormal fetal presentation (finding)

A.89 QRPH BFDR Route and Method of Delivery - Spontaneous Delivery Codes

A.89.1 Metadata

Route and Method of Delivery - Spontaneous Delivery Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.111
Name	This is the name of the value set	BFDR Route and Method of Delivery - Spontaneous Delivery Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Route and Method of Delivery as Spontaneous Delivery
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.89.2 BFDR Route and Method of Delivery - Spontaneous Delivery Value Set

Route and Method of Delivery - Spontaneous Delivery Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1805

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.111
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
309469004	Spontaneous vertex delivery (finding)
199329004	Multiple delivery, all spontaneous (finding)
271373005	Deliveries by spontaneous breech delivery (finding)

A.90 QRPH BFDR Route and Method of Delivery - Forceps Delivery Codes

1810

A.90.1 Metadata

Route and Method of Delivery - Forceps Delivery Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.112
Name	This is the name of the value set	BFDR Route and Method of Delivery - Forceps Delivery Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Route and Method of Delivery as Forceps Delivery
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1815

A.90.2BFDR Route and Method of Delivery - Forceps Delivery Value Set

Route and Method of Delivery - Forceps Delivery Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.112
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
15413009	High forceps delivery with episiotomy (procedure)
177161009	Forceps cephalic delivery (procedure)
177162002	High forceps cephalic delivery with rotation (procedure)
177167008	Barton forceps cephalic delivery with rotation (procedure)
177168003	DeLee forceps cephalic delivery with rotation (procedure)
177170007	Piper forceps delivery (procedure)
17860005	Low forceps delivery with episiotomy (procedure)
1807002	Failed forceps delivery (procedure)
18625004	Low forceps delivery (procedure)
19390001	Partial breech delivery with forceps to aftercoming head (procedure)
236975003	Nonrotational forceps delivery (procedure)
236976002	Outlet forceps delivery (procedure)
236977006	Forceps delivery, face to pubes (procedure)
236978001	Forceps delivery to the aftercoming head (procedure)
25828002	Mid forceps delivery with episiotomy (procedure)
275168001	Neville-Barnes forceps delivery (procedure)
275169009	Simpson's forceps delivery (procedure)
29613008	Delivery by double application of forceps (procedure)
302383004	Forceps delivery (procedure)
30476003	Barton's forceps delivery (procedure)
45718005	Vaginal delivery with forceps including postpartum care (procedure)
54973000	Total breech delivery with forceps to aftercoming head (procedure)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.112
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
62508004	Mid forceps delivery (procedure)
71166009	Forceps delivery with rotation of fetal head (procedure)
89849000	High forceps delivery (procedure)

1820 **A.91 QRPH BFDR Route and Method of Delivery - Vacuum Delivery Codes**

A.91.1 Metadata

Route and Method of Delivery - Vacuum Delivery Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.113
Name	This is the name of the value set	BFDR Route and Method of Delivery - Vacuum Delivery Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Route and Method of Delivery as Vacuum Delivery
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1825

A.91.2BFDR Route and Method of Delivery - Vacuum Delivery Value Set

Route and Method of Delivery - Vacuum Delivery Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.113
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
177174003	Low vacuum delivery (procedure)
177173009	High vacuum delivery (procedure)
61586001	Delivery by vacuum extraction (procedure)
90438006	Delivery by Malstrom's extraction (procedure)
40219000	Delivery by Malstrom's extraction with episiotomy (procedure)
26313002	Delivery by vacuum extraction with episiotomy (procedure)
177175002	Vacuum delivery before full dilation of cervix (procedure)

1830

A.92 QRPH BFDR Route and Method of Delivery - Cesarean Delivery Codes

A.92.1 Metadata

Route and Method of Delivery - Cesarean Delivery Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.114
Name	This is the name of the value set	BFDR Route and Method of Delivery - Cesarean Delivery Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Route and Method of Delivery as Cesarean Delivery
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html

Metadata Element	Description	Mandatory
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1835 **A.92.2BFDR Route and Method of Delivery - Cesarean Delivery Value Set**

Route and Method of Delivery - Cesarean Delivery Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.114
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
11466000	Cesarean section (procedure)
177141003	Elective cesarean section (procedure)
177142005	Elective upper segment cesarean section (procedure)
177143000	Elective lower segment cesarean section (procedure)
17744000	Subtotal hysterectomy after cesarean delivery (procedure)
236985002	Emergency lower segment cesarean section (procedure)
236986001	Emergency upper segment cesarean section (procedure)
236987005	Emergency cesarean hysterectomy (procedure)
236988000	Elective cesarean hysterectomy (procedure)
236990004	Postmortem cesarean section (procedure)
24806008	Anesthesia for cesarean hysterectomy (procedure)
274130007	Emergency cesarean section (procedure)
398307005	Low cervical cesarean section (procedure)
41059002	Cesarean hysterectomy (procedure)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.114
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
4847005	Anesthesia for cesarean section (procedure)
57271003	Extraperitoneal cesarean section (procedure)
84195007	Classical cesarean section (procedure)
89053004	Vaginal cesarean section (procedure)

1840 **A.93 QRPH BFDR Route and Method of Delivery – Trial of Labor Codes**

A.93.1 Metadata

Route and Method of Delivery - Trial of Labor Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.115
Name	This is the name of the value set	BFDR Route and Method of Delivery - Trial of Labor Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Route and Method of Delivery if Cesarean was as Trial of Labor Attempted
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A

Metadata Element	Description	Mandatory
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1845 **A.93.2BFDR Route and Method of Delivery - Trial of Labor Value Set**

Route and Method of Delivery – Trial of Labor Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.115
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
90306000	Trial labor (finding)
23332002	Failed trial of labor (disorder)
413339006	Failed trial of labor - delivered (disorder)

1850 **A.94 QRPH BFDR Route and Method of Delivery - Scheduled Cesarean Codes**

A.94.1 Metadata

Route and Method of Delivery - Scheduled Cesarean Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.116
Name	This is the name of the value set	BFDR Route and Method of Delivery - Scheduled Cesarean Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Route and Method of Delivery as Scheduled Cesarean
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active

Metadata Element	Description	Mandatory
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1855 A.94.2BFDR Route and Method of Delivery - Scheduled Cesarean Value Set

Route and Method of Delivery – Scheduled Cesarean Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.116
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
177141003	Elective cesarean section (procedure)
177142005	Elective upper segment cesarean section (procedure)
177143000	Elective lower segment cesarean section (procedure)
236988000	Elective cesarean hysterectomy (procedure)

1860 A.95 QRPH BFDR Cervical Cerclage Codes

A.95.1 Metadata

Cervical Cerclage Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.125
Name	This is the name of the value set	BFDR Cervical Cerclage Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Obstetric Procedures as Cervical Cerclage
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT

Metadata Element	Description	Mandatory
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.95.2BFDR Cervical Cerclage Value Set

1865 Cervical Cerclage Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.125
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
265636007	Cerclage of cervix (procedure)
236946009	Macdonald's cervical cerclage (procedure)
46681009	Cerclage of cervix during pregnancy by abdominal approach (procedure)
90442009	Cerclage of cervix during pregnancy by vaginal approach (procedure)
360399007	Marckwald operation on cervix (procedure)
176785004	Non-obstetric encircling suture of cervical os (procedure)
236947000	Shirodkar's cervical cerclage (procedure)

A.96 QRPH BFDR External Cephalic Version Code

A.96.1 Metadata

External Cephalic VersionValue Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
------------------	-------------	-----------

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.127
Name	This is the name of the value set	BFDR External Cephalic VersionValue Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Obstetric Procedures as External Cephalic Version
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1870 A.96.2BFDR External Cephalic VersionValue Set

External Cephalic Version Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.127
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
240278000	External cephalic version (procedure)
5048009	External cephalic version with tocolysis (procedure)

A.97 QRPH BFDR Tocolysis Codes

1875 A.97.1Metadata

Tocolysis Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.128
Name	This is the name of the value set	BFDR Tocolysis Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Obstetric Procedures as Tocolysis
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.97.2BFDR Tocolysis Value Set

Tocolysis Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1880

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.128
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
103747003	Tocolysis (procedure)
5048009	External cephalic version with tocolysis (procedure)
237003003	Tocolysis for hypertonicity of uterus (procedure)

A.98 QRPH BFDR Premature Rupture Codes

A.98.1 Metadata

Premature Rupture Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.129
Name	This is the name of the value set	BFDR Premature Rupture Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Onset of labor with Premature Rupture
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.98.2 BFDR Premature Rupture Value Set

- 1885 Premature Rupture Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.129
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
44223004	Premature rupture of membranes (disorder)
288207006	Membrane rupture with delivery delay (disorder)
199658006	Premature rupture of membranes - delivered (disorder)
199659003	Premature rupture of membranes with antenatal

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.129
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	problem (disorder)
199662000	Premature rupture of membranes with onset of labor after 24 hours of the rupture (disorder)
199660008	Premature rupture of membranes with onset of labor within 24 hours of the rupture (disorder)
199661007	Premature rupture of membranes, labor delayed by therapy (disorder)
312974005	Preterm premature rupture of membranes (disorder)
237267007	Prolonged premature rupture of membranes (disorder)
12729009	Prolonged rupture of membranes
199670005	Prolonged artificial rupture of membranes
199672002	Prolonged artificial rupture of membranes – delivered
199673007	Prolonged artificial rupture of membranes with antenatal problem
237267007	Prolonged premature rupture of membranes
237262008	Prolonged spontaneous rupture of membranes

A.99 QRPH BFDR Precipitous Labor Codes

1890 A.99.1 Metadata

Precipitous Labor Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.130
Name	This is the name of the value set	BFDR Precipitous Labor Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Onset of labor with Precipitous Labor
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT

Metadata Element	Description	Mandatory
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.99.2BFDR Precipitous Labor Value Set

Precipitous Labor Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1895

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.130
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
51920004	Precipitate labor (disorder)
199833004	Precipitate labor - delivered (disorder)
199834005	Precipitate labor with antenatal problem (disorder)

A.100 QRPH BFDR Prolonged Labor Codes

A.100.1 Metadata

Prolonged Labor Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.131
Name	This is the name of the value set	BFDR Prolonged Labor Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Onset of labor with Prolonged Labor

Metadata Element	Description	Mandatory
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.100.2 BFDR Prolonged Labor Value Set

1900 Prolonged Labor Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.131
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
53443007	Prolonged labor (disorder)
35347003	Delayed delivery after artificial rupture of membranes (disorder)
21987001	Delayed delivery of second of multiple births (disorder)
237321009	Delayed delivery of triplet (disorder)
275429002	Delayed delivery of second twin (disorder)
199860006	Delayed delivery of second twin, triplet etc. (disorder)
199862003	Delayed delivery second twin - delivered (disorder)
199863008	Delayed delivery second twin with antenatal problem (disorder)
33627001	Prolonged first stage of labor (disorder)
199847000	Prolonged first stage - delivered (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.131
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
199848005	Prolonged first stage with antenatal problem (disorder)
387700009	Prolonged latent phase of labor (disorder)
77259008	Prolonged second stage of labor (disorder)
199857004	Prolonged second stage - delivered (disorder)
199858009	Prolonged second stage with antenatal problem (disorder)

A.101 QRPH BFDR Prepregnancy Diabetes Codes

A.101.1 Metadata

1905

Prepregnancy Diabetes Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.136
Name	This is the name of the value set	BFDR Prepregnancy Diabetes Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Risk Factors of Prepregnancy Diabetes
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.101.2 BFDR Prepregnancy Diabetes Value Set

Prepregnancy Diabetes Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.136
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
4855003	Diabetic retinopathy
5368009	drug-induced diabetes mellitus
5969009	diabetes mellitus associated with genetic syndrome
8801005	secondary diabetes mellitus
9859006	insulin-resistant diabetes mellitus AND acanthosis nigricans
11530004	brittle diabetes
23045005	insulin dependent diabetes mellitus type IA
25907005	Diabetic gangrene
26298008	Diabetic coma
28032008	insulin dependent diabetes mellitus type IB
28453007	maturity onset diabetes mellitus in young
33559001	pineal hyperplasia AND diabetes mellitus syndrome
34140002	Diabetic gastroparesis
38542009	Nodular glomerulosclerosis
39058009	Diabetic amyotrophy
39181008	Diabetic radiculopathy
42954008	diabetes mellitus associated with receptor abnormality
43959009	Diabetic cataract
44054006	Diabetes mellitus type 2
46635009	Diabetes mellitus type I
49455004	Diabetic polyneuropathy
50620007	Diabetic autonomic neuropathy
51002006	diabetes mellitus associated with pancreatic disease
53126001	Poisoning by adrenal cortical steroid
54181000	Diabetes-nephrosis syndrome

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.136
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
57886004	protein-deficient diabetes mellitus
59079001	diabetes mellitus associated with hormonal etiology
70694009	diabetes mellitus AND insipidus with optic atrophy AND deafness
73211009	Diabetes mellitus
75524006	malnutrition related diabetes mellitus
75682002	diabetes mellitus due to insulin receptor antibodies
76751001	Diabetes mellitus in mother complicatin pregnancy, childbirth AND/OR puerperium
81531005	diabetes mellitus type 2 in obese
81830002	Diabetic mononeuropathy simplex
91352004	diabetes mellitus due to structurally abnormal insulin
111552007	diabetes mellitus without complication
111558006	Insulin coma
123763000	Houssay's syndrome
127013003	Diabetic renal disease
127014009	Diabetic peripheral angiopathy
190321005	diabetes mellitus with no mention of complication
190328004	Diabetes mellitus NOS with ketoacidosis
190330002	diabetes mellitus, juvenile type, with hyperosmolar coma
190331003	diabetes mellitus, adult onset, with hyperosmolar coma
190336008	Other specified diabetes mellitus with coma
190353001	Diabetes mellitus NOS with neurological manifestation
190361006	Diabetes mellitus NOS with peripheral circulatory disorder
190368000	Type I diabetes mellitus with ulcer
190369008	Type I diabetes mellitus with gangrene
190371008	Type I diabetes mellitus - poor control
190372001	Type I diabetes mellitus maturity onset

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.136
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
190383005	unspecified diabetes mellitus with multiple complications
190389009	Type II diabetes mellitus with ulcer
190390000	Type II diabetes mellitus with gangrene
190392008	Type II diabetes mellitus - poor control
190406000	malnutrition-related diabetes mellitus with ketoacidosis
190407009	malnutrition-related diabetes mellitus with renal complications
190410002	malnutrition-related diabetes mellitus with peripheral circulatory complications
190411003	malnutrition-related diabetes mellitus with multiple complications
190412005	malnutrition-related diabetes mellitus without complications
190416001	Diabetes mellitus NOS with unspecified complication
190416008	steroid-induced diabetes mellitus without complication
190417004	diabetes mellitus with other specified manifestation
190418009	diabetes mellitus, juvenile type, with other specified manifestation
190419001	diabetes mellitus, adult onset, with other specified manifestation
190422004	Diabetes with unspecified complication
190447002	steroid-induced diabetes
193184006	Chronic painful diabetic neuropathy
197605007	Nephrotic syndrome in diabetes mellitus
199223000	diabetes mellitus during pregnancy, childbirth and the puerperium
199227004	diabetes mellitus during pregnancy - baby not yet delivered
199229001	Pre-existing diabetes mellitus, insulin-dependent
199230006	pre-existing diabetes mellitus, non-insulin-dependent
199231005	Pre-existing malnutrition-related diabetes mellitus

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.136
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
199234002	Diabetes mellitus during pregnancy, childbirth or the puerperium NOS
201250006	Ischemic ulcer diabetic foot
201251005	Neuropathic diabetic ulcer - foot
201252003	Mixed diabetic ulcer - foot
230572002	Diabetic neuropathy
230577008	Diabetic mononeuropathy
237599002	insulin-treated non-insulin-dependent diabetes mellitus
237600004	malnutrition-related diabetes mellitus - fibrocalculous
237601000	secondary endocrine diabetes mellitus
237604008	Diabetes mellitus autosomal dominant type II
237613005	hyperproinsulinemia
237618001	insulin-dependent diabetes mellitus secretory diarrhea syndrome
237619009	diabetes-deafness syndrome maternally transmitted
237627000	pregnancy and non-insulin-dependent diabetes mellitus
267379000	diabetes mellitus, juvenile type, with no mention of complication
267380002	diabetes mellitus, adult onset, with no mention of complication
275918005	unstable diabetes
290002008	unstable type I diabetes mellitus
309426007	Diabetic glomerulopathy
310387003	Diabetic intracapillary glomerulosclerosis
311366001	Kimmelstiel-Wilson syndrome
312903003	Mild non-proliferative diabetic retinopathy (disorder)
312904009	Moderate non proliferative diabetic retinopathy (disorder)
312905005	Severe nonproliferative diabetic retinopathy
312912001	Diabetic macular edema
313435000	Type I diabetes mellitus without complication

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.136
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
313436004	Type II diabetes mellitus without complication
314537004	Diabetic optic papillopathy
314771006	Type I diabetes mellitus with hypoglycemic coma
314772004	Type II diabetes mellitus with hypoglycemic coma
314893005	Type I diabetes mellitus with arthropathy
314902007	Type II diabetes mellitus with peripheral angiopathy
314903002	Type II diabetes mellitus with arthropathy
359611005	Diabetic neuropathy with neurologic complication
359638003	NIDDM in nonobese
359642000	diabetes mellitus type 2 in nonobese
360546002	Hypoglycemic shock
371087003	Diabetic foot ulcer
390834004	Nonproliferative diabetic retinopathy
408539000	insulin autoimmune syndrome
408540003	diabetes mellitus induced by non-steroid drugs
413183008	diabetes mellitus induced by non-steroid drugs without complication
414890007	O/E - left chronic diabetic foot ulcer
414906009	O/E -right chronic diabetic foot ulcer
420414003	multiple complications of type II diabetes mellitus
420422005	Diabetic ketoacidosis
420756003	Diabetic cataract associated with type II diabetes mellitus
420789003	Diabetic retinopathy associated with type I diabetes mellitus
421165007	Diabetic oculopathy associated with type I diabetes mellitus
421750000	Ketoacidosis in type II diabetes mellitus
421847006	Ketoacidotic coma in type II diabetes mellitus
421895002	Peripheral circulatory disorder associated with diabetes mellitus

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.136
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
421920002	Diabetic cataract associated with type I diabetes mellitus
422034002	Diabetic retinopathy associated with type II diabetes mellitus
422099009	Diabetic oculopathy associated with type II diabetes mellitus
422183001	Diabetic skin ulcer
422228004	multiple complications of type I diabetes mellitus
422275004	Gangrene associated with diabetes mellitus
423263001	Diabetic autonomic neuropathy associated with type 2 diabetes mellitus
424736006	Diabetic peripheral neuropathy
424989000	Diabetic gastroparesis associated with type 2 diabetes mellitus
425159004	Diabetic gastroparesis associated with type 1 diabetes mellitus
425442003	Diabetic autonomic neuropathy associated with type 1 diabetes mellitus
426705001	diabetes mellitus associated with cystic fibrosis
426875007	latent autoimmune diabetes mellitus in adult
426875007	latent autoimmune diabetes mellitus in adult
427089005	diabetes mellitus due to cystic fibrosis
428896009	Hyperosmolarity due to uncontrolled type I diabetes mellitus
592760001	Proliferative diabetic retinopathy
441656006	Hyperglycemic crisis in diabetes mellitus (disorder)

1910

A.102 QRPH BFDR Gestational Diabetes Codes

A.102.1 Metadata

Gestational Diabetes Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
------------------	-------------	-----------

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.137
Name	This is the name of the value set	BFDR Gestational Diabetes Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Risk Factors of Gestational Diabetes
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1915 A.102.2 BFDR Gestational Diabetes Value Set

Gestational Diabetes Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.137
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
237626009	Pregnancy and insulin-dependent diabetes mellitus (disorder)
237627000	Pregnancy and non-insulin-dependent diabetes mellitus (disorder)
199227004	Diabetes mellitus during pregnancy - baby not yet delivered (disorder)
199223000	Diabetes mellitus during pregnancy, childbirth and the puerperium (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.137
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
76751001	Diabetes mellitus in mother complicating pregnancy, childbirth AND/OR puerperium (disorder)
46894009	gestational diabetes mellitus, class A>2<
71546005	gestational diabetes mellitus, class B>1<
75022004	gestational diabetes mellitus, class A>1<
420491007	gestational diabetes mellitus, class H
420738003	gestational diabetes mellitus, class T
420989005	gestational diabetes mellitus, class R
421223006	gestational diabetes mellitus, class F
421389009	gestational diabetes mellitus, class C
421443003	gestational diabetes mellitus, class D
422155003	gestational diabetes mellitus, class B
11687002	gestational diabetes mellitus
237625008	Hyperglycemic disorder in pregnancy (disorder)

A.103 QRPH BFDR Prepregnancy Hypertension Codes

1920

A.103.1 Metadata

Prepregnancy Hypertension Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.138
Name	This is the name of the value set	BFDR Prepregnancy Hypertension Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Risk Factors of Prepregnancy Hypertension
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0

Metadata Element	Description	Mandatory
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.103.2 BFDR Prepregnancy Hypertension Value Set

Prepregnancy Hypertension Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1925

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.138
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
8762007	Prepregnancy (chronic)
193003	Benign hypertensive renal disease
1201005	Benign essential hypertension (disorder)
8218002	Chronic hypertension complicating AND/OR reason for care during childbirth
8762007	Chronic hypertension in obstetric context
9901000	Essential hypertension complicating AND/OR reason for care during puerperium
10725009	Benign hypertension (disorder)
14973001	Renal sclerosis with hypertension
16147005	Arteriolar nephritis
18416000	Essential hypertension complicating AND/OR reason for care during childbirth
19769006	High-renin essential hypertension
23130000	Paroxysmal hypertension
23717007	Benign essential hypertension complicating AND/OR reason for care during pregnancy
23786008	Malignant hypertension complicating AND/OR reason for care during puerperium
24042004	Chronic hypertension complicating AND/OR reason for care during puerperium

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.138
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
26078007	Hypertension secondary to renal disease complicating AND/OR reason for care during childbirth
28119000	Renal hypertension
29259002	Malignant hypertension complicating AND/OR reason for care during pregnancy
31407004	Pre-existing hypertension complicating AND/OR reason for care during puerperium
31992008	Secondary hypertension
32916005	Nephrosclerosis
34694006	Pre-existing hypertension complicating AND/OR reason for care during childbirth
35303009	Benign essential hypertension complicating AND/OR reason for care during puerperium
37618003	Chronic hypertension complicating AND/OR reason for care during pregnancy
38481006	Hypertensive renal disease
39018007	Renal arterial hypertension
39727004	Hypertension secondary to renal disease complicating AND/OR reason for care during puerperium
46481004	Low-renin essential hypertension
48146000	Diastolic hypertension
48552006	Hypertension secondary to renal disease complicating AND/OR reason for care during pregnancy
52698002	Transient hypertension
56218007	Systolic hypertension
57684003	Parenchymal renal hypertension
59621000	Essential hypertension
59720008	Sustained diastolic hypertension
59997006	Endocrine hypertension
62275004	Hypertensive episode
63287004	Benign essential hypertension in obstetric context
65402008	Pre-existing hypertension complicating AND/OR reason for care during pregnancy

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.138
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
65443008	Malignant hypertensive renal disease
65518004	Labile diastolic hypertension
70272006	Malignant hypertension
71874008	Benign essential hypertension complicating AND/OR reason for care during childbirth
72022006	Essential hypertension in obstetric context
73410007	Benign secondary renovascular hypertension
74451002	Secondary diastolic hypertension
78808002	Essential hypertension complicating AND/OR reason for care during pregnancy
78975002	Malignant essential hypertension
81626002	Malignant hypertension in obstetric context
84094009	Rebound hypertension
86041002	Pre-existing hypertension in obstetric context
89242004	Malignant secondary hypertension
123799005	Renovascular hypertension
123800009	Goldblatt hypertension
169465000	Hypertension induced by oral contraceptive pill
194774006	Hypertensive renal disease with renal failure
194783001	Malignant secondary renovascular hypertension
194785008	Benign secondary hypertension
194788005	Hypertension secondary to endocrine disorder
194791005	Hypertension secondary to drug
194793008	Other specified hypertensive disease
198942000	Benign essential hypertension complicating pregnancy, childbirth and the puerperium
198944004	Benign essential hypertension complicating pregnancy, childbirth and the puerperium - delivered
198945003	Benign essential hypertension complicating pregnancy, childbirth and the puerperium - delivered with postnatal complication
198946002	Benign essential hypertension complicating pregnancy, childbirth and the puerperium - not delivered
198947006	Benign essential hypertension complicating

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.138
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	pregnancy, childbirth and the puerperium with postnatal complication
198949009	Renal hypertension complicating pregnancy, childbirth and the puerperium
198951008	Renal hypertension complicating pregnancy, childbirth and the puerperium - delivered
198952001	Renal hypertension complicating pregnancy, childbirth and the puerperium - delivered with postnatal complication
198953006	Renal hypertension complicating pregnancy, childbirth and the puerperium - not delivered
198954000	Renal hypertension complicating pregnancy, childbirth and the puerperium with postnatal complication
198956003	Other pre-existing hypertension in preg/childbirth/puerp
198958002	Other pre-existing hypertension complicating pregnancy, childbirth and the puerperium - delivered
198959005	Other pre-existing hypertension complicating pregnancy, childbirth and the puerperium - delivered with postnatal complication
199005000	Pre-existing hypertension complicating pregnancy, childbirth and puerperium
199007008	Pre-existing hypertensive heart and renal disease complicating pregnancy, childbirth and the puerperium
199008003	Pre-existing secondary hypertension complicating pregnancy, childbirth and puerperium
276789009	Labile hypertension
371125006	Labile essential hypertension
427889009	Hypertension associated with transplantation
428575007	Hypertension secondary to kidney transplant
429198000	Exertional hypertension
429457004	Systolic essential hypertension
10562009	Malignant hypertension complicating AND/OR reason for care during childbirth (disorder)
49220004	Hypertensive renal failure

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.138
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
50490005	Hypertensive encephalopathy
73030000	Hypertensive renal disease in obstetric context
78544004	Chronic hypertensive uremia
86234004	Hypertensive heart AND renal disease
111438007	Hypertension secondary to renal disease in obstetric context (disorder)
397748008	Hypertension with albuminuria

A.104 QRPH BFDR Gestational Hypertension Codes

A.104.1 Metadata

Gestational Hypertension Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.139
Name	This is the name of the value set	BFDR Gestational Hypertension Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Risk Factors of Gestational Hypertension
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.104.2 BFDR Gestational Hypertension Value Set

1930 Gestational Hypertension Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.139
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
308551004	Gestational (PIH, preeclampsia)
41114007	Mild pre-eclampsia
46764007	Severe pre-eclampsia
48194001	Pregnancy-induced hypertension
67359005	Pre-eclampsia added to pre-existing hypertension
198941007	Hypertension complicating pregnancy, childbirth and the puerperium
198967002	Transient hypertension of pregnancy - not delivered
198968007	Transient hypertension of pregnancy with postnatal complication
198997005	Pre-eclampsia or eclampsia with pre-existing hypertension
198999008	Pre-eclampsia or eclampsia with pre-existing hypertension - delivered
199000005	Pre-eclampsia or eclampsia with pre-existing hypertension - delivered with postnatal complication
199002002	Pre-eclampsia or eclampsia with pre-existing hypertension - not delivered
199003007	Pre-eclampsia or eclampsia with pre-existing hypertension with postnatal complication
237279007	Transient hypertension of pregnancy
237281009	Moderate proteinuric hypertension of pregnancy
288250001	Maternal hypertension
307632004	Non-proteinuric hypertension of pregnancy
308551004	Gestational hypertension
398254007	Pre-eclampsia
367390009	Hypertension without albuminuria AND without edema in the obstetric context

A.105 QRPH BFDR Eclampsia Codes

1935

A.105.1 Metadata

Eclampsia Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.140
Name	This is the name of the value set	BFDR Eclampsia Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Risk Factors of Eclampsia
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.105.2 BFDR Eclampsia Value Set

Eclampsia Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1940

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.140
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
15938005	Eclampsia (disorder)
237283007	Eclampsia in labor (disorder)
237282002	Impending eclampsia (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.140
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
198992004	Eclampsia in pregnancy (disorder)
69909000	Eclampsia added to pre-existing hypertension (disorder)
198997005	Pre-eclampsia or eclampsia with pre-existing hypertension

A.106 QRPH BFDR Preterm Birth Codes

A.106.1 Metadata

Preterm Birth Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.141
Name	This is the name of the value set	BFDR Preterm Birth Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Risk Factors of Preterm Birth (history)
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.106.2 BFDR Preterm Birth Value Set

- 1945 Preterm Birth Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.141
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
404970005	Preterm infant status: 24-37 weeks gestation (observable entity)
282020008	Premature delivery (finding)
59403008	Premature birth of newborn female (finding)
4886009	Premature birth of newborn male (finding)
161765003	History of premature delivery (situation)

A.107 QRPH BFDR Poor Pregnancy Outcome – History Codes

1950 A.107.1 Metadata

Poor Pregnancy Outcome – History Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.142
Name	This is the name of the value set	BFDR Poor Pregnancy Outcome – History Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Risk Factors of Pregnancy Outcome of Perinatal Death - History
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010

Metadata Element	Description	Mandatory
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.107.2 BFDR Poor Pregnancy Outcome – History Value Set

Poor Pregnancy Outcome – History Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1955

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.142
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
169583006	Antenatal care: history of perinatal death (situation)
169582001	Antenatal care: history of stillbirth (situation)
169585004	Antenatal care: history of trophoblastic disease (situation)
169584000	Antenatal care: poor obstetric history (situation)
161744009	History of Miscarriage
161747002	History of 1 Miscarriage
161748007	History of 2 Miscarriages
161749004	History of 3 Miscarriages
161750004	History of 4 Miscarriages
161751000	History of 5 Miscarriages
161752007	History of 6 Miscarriages
161804005	History of - antepartum hemorrhage (situation)
275569003	History of - delivery no details (situation)
161806007	History of - eclampsia (situation)
161763005	History of - ectopic pregnancy (situation)
161803004	History of - obstetric problem (situation)
161809000	History of - postpartum hemorrhage (situation)
161765003	History of - premature delivery (situation)
161810005	History of - prolonged labor (situation)
161807003	History of - severe pre-eclampsia (situation)
161743003	History of - stillbirth (situation)
428978004	History of choriocarcinoma of placenta (situation)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.142
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
441493008	History of premature labor (situation)

A.108 QRPH BFDR Infertility Treatment Codes

A.108.1 Metadata

Infertility Treatment Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.143
Name	This is the name of the value set	BFDR Infertility Treatment Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Risk Factors of Pregnancy Infertility Treatment
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1960 A.108.2 BFDR Infertility Treatment Value Set

Infertility Treatment Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.143
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
65046005	Infertility therapy (procedure)
183036001	Female infertility therapy (procedure)
236896006	Artificial insemination by donor (procedure)
236895005	Artificial insemination by husband (procedure)
57233006	Artificial insemination with sperm washing and capacitation (procedure)
46249006	Artificial insemination, heterologous (procedure)
66601000	Artificial insemination, homologous (procedure)
176844003	Intracervical artificial insemination (procedure)
265064001	Intrauterine artificial insemination (procedure)
426250000	Intrauterine insemination using donor sperm (procedure)
426389008	Intrauterine insemination using partner sperm (procedure)
425644009	Intrauterine insemination with controlled ovarian hyperstimulation using donor sperm (procedure)
426968007	Intrauterine insemination with controlled ovarian hyperstimulation using partner sperm (procedure)
225250007	Intravaginal artificial insemination (procedure)
225249007	Subzonal insemination (procedure)
176843009	Gamete intrauterine transfer (procedure)
236912008	Gamete intrafallopian transfer (procedure)
176996001	Endoscopic intrafallopian transfer of gamete (procedure)
236913003	Fallopian replacement of egg with delayed insemination (procedure)
225249007	Subzonal insemination
236915005	Tubal embryo transfer
236914009	Zygote intrafallopian transfer
63487001	Assisted fertilization (procedure)

A.109 QRPH BFDR Fertility Enhancing Drugs Medications Codes

A.109.1 Metadata

Fertility Enhancing Drugs Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.144
Name	This is the name of the value set	BFDR Fertility Enhancing Drugs Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that Fertility Enhancing Drugs were administered as a risk factor for pregnancy
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from RxNORM
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/rxnorm/
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.109.2 BFDR Fertility Enhancing Drugs Value Set

1970 Medication codes indicating Fertility Enhancing Drugs use the RxNorm code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.144
Vocabulary:	2.16.840.1.113883.6.88
RxNorm Code	RxNorm Description
197523	Clomiphene 50 MG Oral Tablet
347764	Follicle Stimulating Hormone 150 UNT/ML / Luteinizing Hormone 150 UNT/ML Injectable

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.144
Vocabulary:	2.16.840.1.113883.6.88
RxNorm Code	RxNorm Description
	Solution
314097	Follicle Stimulating Hormone 75 UNT/ML / Luteinizing Hormone 75 UNT/ML Injectable Solution
314097	Follicle Stimulating Hormone 75 UNT/ML / Luteinizing Hormone 75 UNT/ML Injectable Solution
313561	Urofollitropin 150 UNT/ML Injectable Solution
348522	Urofollitropin 300 UNT/ML Injectable Solution
854749	0.21 ML follitropin beta 833 UNT/ML Prefilled Syringe
854754	0.78 ML follitropin beta 833 UNT/ML Prefilled Syringe
854756	1.17 ML follitropin beta 833 UNT/ML Prefilled Syringe
854752	follitropin beta 350 UNT per 0.42 ML Prefilled Syringe
205320	follitropin beta 75 UNT/ML Injectable Solution
389216	follitropin beta 833 UNT/ML Injectable Solution
310413	Follitropin Alfa 300 UNT/ML Injectable Solution
351125	Follitropin Alfa 600 UNT/ML Injectable Solution
847960	follitropin alfa 75 UNT/ACTUAT Prefilled Pen, 12 ACTUAT
847953	Follitropin Alfa 75 UNT/ACTUAT Prefilled Syringe, 4 ACTUAT
847957	follitropin alfa 75 UNT/ACTUAT Prefilled Syringe, 6 ACTUAT
562724	Follitropin Alfa 75 UNT/ML Injectable Solution
896854	Chorionic Gonadotropin 10000 UNT/ML Injectable Solution
727505	chorionic gonadotropin 0.25 MG per 0.5 ML Prefilled Syringe
562725	Chorionic Gonadotropin 0.25 MG/ML Injectable Solution
403979	Chorionic Gonadotropin 0.5 MG/ML Injectable Solution

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.144
Vocabulary:	2.16.840.1.113883.6.88
RxNorm Code	RxNorm Description
896854	Chorionic Gonadotropin 10000 UNT/ML Injectable Solution
562828	Chorionic Gonadotropin 500 UNT/ML Injectable Solution
314097	Follicle Stimulating Hormone 75 UNT/ML / Luteinizing Hormone 75 UNT/ML Injectable Solution
197411	Bromocriptine 2.5 MG Oral Tablet
197412	bromocriptine 5 MG (bromocriptine mesylate 5.74 MG) Oral Capsule
1043563	24 HR Metformin hydrochloride 1000 MG / saxagliptin 2.5 MG Extended Release Tablet
1043570	24 HR Metformin hydrochloride 1000 MG / saxagliptin 5 MG Extended Release Tablet
1043578	24 HR Metformin hydrochloride 500 MG / saxagliptin 5 MG Extended Release Tablet
861731	Glipizide 2.5 MG / Metformin hydrochloride 250 MG Oral Tablet
861736	Glipizide 2.5 MG / Metformin hydrochloride 500 MG Oral Tablet
861740	Glipizide 5 MG / Metformin hydrochloride 500 MG Oral Tablet
861743	Glyburide 1.25 MG / Metformin hydrochloride 250 MG Oral Tablet
861748	Glyburide 2.5 MG / Metformin hydrochloride 500 MG Oral Tablet
861753	Glyburide 5 MG / Metformin hydrochloride 500 MG Oral Tablet
861025	Metformin hydrochloride 100 MG/ML Oral Solution
899989	24 HR Metformin hydrochloride 1000 MG / pioglitazone 15 MG Extended Release Tablet
899994	Metformin hydrochloride 1000 MG / pioglitazone 15 MG Extended Release Tablet
899996	24 HR Metformin hydrochloride 1000 MG / pioglitazone 30 MG Extended Release Tablet
900001	Metformin hydrochloride 1000 MG / pioglitazone 30 MG Extended Release Tablet
861760	Metformin hydrochloride 1000 MG / rosiglitazone 2 MG Oral Tablet

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.144
Vocabulary:	2.16.840.1.113883.6.88
RxNorm Code	RxNorm Description
861763	Metformin hydrochloride 1000 MG / rosiglitazone 4 MG Oral Tablet
1043568	Metformin hydrochloride 1000 MG / saxagliptin 2.5 MG Extended Release Tablet
1043575	Metformin hydrochloride 1000 MG / saxagliptin 5 MG Extended Release Tablet
861769	Metformin hydrochloride 1000 MG / sitagliptin 50 MG Oral Tablet
860996	24 HR Metformin hydrochloride 1000 MG Extended Release Tablet
860999	Metformin hydrochloride 1000 MG Extended Release Tablet
861004	Metformin hydrochloride 1000 MG Oral Tablet
861783	Metformin hydrochloride 500 MG / pioglitazone 15 MG Oral Tablet
861787	Metformin hydrochloride 500 MG / repaglinide 1 MG Oral Tablet
861790	Metformin hydrochloride 500 MG / repaglinide 2 MG Oral Tablet
861795	Metformin hydrochloride 500 MG / rosiglitazone 1 MG Oral Tablet
861806	Metformin hydrochloride 500 MG / rosiglitazone 2 MG Oral Tablet
861816	Metformin hydrochloride 500 MG / rosiglitazone 4 MG Oral Tablet
1043583	Metformin hydrochloride 500 MG / saxagliptin 5 MG Extended Release Tablet
861819	Metformin hydrochloride 500 MG / sitagliptin 50 MG Oral Tablet
860975	24 HR Metformin hydrochloride 500 MG Extended Release Tablet
860978	Metformin hydrochloride 500 MG Extended Release Tablet
861007	Metformin hydrochloride 500 MG Oral Tablet
861021	Metformin hydrochloride 625 MG Oral Tablet
860981	24 HR Metformin hydrochloride 750 MG Extended Release Tablet
860984	Metformin hydrochloride 750 MG Extended Release Tablet

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.144
Vocabulary:	2.16.840.1.113883.6.88
RxNorm Code	RxNorm Description
861822	Metformin hydrochloride 850 MG / pioglitazone 15 MG Oral Tablet
861010	Metformin hydrochloride 850 MG Oral Tablet
378730	Metformin Oral Tablet
374635	Glyburide / Metformin Oral Tablet
899988	Metformin / pioglitazone Extended Release Tablet
577093	Metformin / pioglitazone Oral Tablet
802742	Metformin / repaglinide Oral Tablet
378729	Metformin / rosiglitazone Oral Tablet
1043561	Metformin / saxagliptin Extended Release Tablet
700516	Metformin / sitagliptin Oral Tablet
372804	Metformin Extended Release Tablet
406082	Metformin Oral Solution
372803	Metformin Oral Tablet

A.110 QRPH BFDR Artificial or Intrauterine Insemination Codes

1975

A.110.1 Metadata

Artificial or Intrauterine Insemination Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.145
Name	This is the name of the value set	BFDR Artificial or Intrauterine Insemination Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Artificial or Intrauterine Insemination as a Risk Factor in Pregnancy
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT

Metadata Element	Description	Mandatory
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.110.2 BFDR Artificial or Intrauterine Insemination Value Set

Artificial or Intrauterine Insemination Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1980

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.145
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
236896006	Artificial insemination by donor (procedure)
236895005	Artificial insemination by husband (procedure)
57233006	Artificial insemination with sperm washing and capacitation (procedure)
46249006	Artificial insemination, heterologous (procedure)
66601000	Artificial insemination, homologous (procedure)
176844003	Intracervical artificial insemination (procedure)
265064001	Intrauterine artificial insemination (procedure)
426250000	Intrauterine insemination using donor sperm (procedure)
426389008	Intrauterine insemination using partner sperm (procedure)
425644009	Intrauterine insemination with controlled ovarian hyperstimulation using donor sperm (procedure)
426968007	Intrauterine insemination with controlled ovarian hyperstimulation using partner sperm

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.145
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	(procedure)
225250007	Intravaginal artificial insemination (procedure)

A.111 QRPH BFDR Assistive Reproductive Technology Codes

A.111.1 Metadata

Assistive Reproductive Technology Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.146
Name	This is the name of the value set	BFDR Assistive Reproductive Technology Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Assistive Reproductive Technology as a Risk Factor in Pregnancy
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.111.2 BFDR Assistive Reproductive Technology Value Set

Assistive Reproductive Technology Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

1990

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.146
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
52637005	Test tube ovum fertilization (procedure)
63487001	Assisted fertilization (procedure)
176843009	Gamete intrauterine transfer (procedure)
176996001	Endoscopic intrafallopian transfer of gamete (procedure)
225244002	Direct injection of sperm into cytoplasm of the oocyte (procedure)
225247009	Direct intraperitoneal insemination
225248004	Zona drilling (procedure)
225249007	Subzonal insemination
236912008	Gamete intrafallopian transfer (procedure)
236913003	Fallopian replacement of egg with delayed insemination (procedure)
236914009	Zygote intrafallopian transfer (procedure)
236915005	Tubal embryo transfer (procedure)
238312005	Intraperitoneal insemination
425866000	In vitro fertilization using donor eggs (procedure)
425901007	In vitro fertilization with intracytoplasmic sperm injection (procedure)
426417003	In vitro fertilization with preimplantation genetic diagnosis (procedure)
426914002	In vitro fertilization using donor egg and intracytoplasmic sperm injection (procedure)
427664000	In vitro fertilization using donor sperm (procedure)
443633009	Conceived by in vitro fertilization (finding)

A.112 QRPH BFDR Previous Cesarean Codes

A.112.1 Metadata

Previous Cesarean Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.147
Name	This is the name of the value set	BFDR Previous Cesarean Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Risk Factors of Pregnancy Previous Cesarean
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

1995 A.112.2 BFDR Previous Cesarean Value Set

Previous Cesarean Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.147
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
200151008	Cesarean section following previous cesarean section (finding)
302254004	Delivered by cesarean delivery following previous cesarean delivery (finding)
237313003	Vaginal delivery following previous cesarean section (finding)
200144004	Deliveries by cesarean (finding)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.147
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
200147006	Cesarean section - pregnancy at term (finding)
200151008	Cesarean section following previous cesarean section (finding)
302254004	Delivered by cesarean delivery following previous cesarean delivery (finding)
302253005	Delivered by cesarean section - pregnancy at term (finding)
200146002	Cesarean delivery - delivered (finding)
200148001	Delivery by elective cesarean section (finding)
200149009	Delivery by emergency cesarean section (finding)

2000 A.113 QRPH BFDR Number of Previous Cesareans Codes

A.113.1 Metadata

Number of Previous Cesareans Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.148
Name	This is the name of the value set	BFDR Number of Previous Cesareans Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Number of Previous Cesareans as a Risk Factor in Pregnancy
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010

Metadata Element	Description	Mandatory
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.113.2 BFDR Number of Previous Cesareans Value Set

Number of Previous Cesareans Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.148
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
68497-7	Previous cesarean deliveries

A.114 QRPH BFDR Time of Death Codes

A.114.1 Metadata

Time of Death Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.185
Name	This is the name of the value set	BFDR Time of Death Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Time of the Fetal Death
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010

Metadata Element	Description	Mandatory
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

2010 **A.114.2 BFDR Time of Death Value Set**

Time of Death Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.185
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
55287-7	Time of death

2015 **A.115 QRPH BFDR Hysterotomy/ Hysterectomy Codes**

A.115.1 Metadata

Hysterotomy/ Hysterectomy Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.150
Name	This is the name of the value set	BFDR Hysterotomy/ Hysterectomy Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect hysterotomy/hysterectomy as the method of delivery in fetal death
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active

Metadata Element	Description	Mandatory
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.115.2 BFDR Hysterotomy/Hysterectomy Value Set

2020 Hysterotomy/ Hysterectomy Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.150
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
236886002	Hysterectomy (procedure)
116141005	Abdominal hysterectomy (procedure)
302191001	Abdominal hysterectomy and left salpingo-oophorectomy (procedure)
302190000	Abdominal hysterectomy and right salpingo-oophorectomy (procedure)
13254001	Abdominal hysterectomy with colpo-urethrocystopexy, Marshall-Marchetti-Krantz type (procedure)
413144006	Abdominal hysterectomy with conservation of ovaries (procedure)
309879006	Abdominal hysterocolpectomy (procedure)
116143008	Total abdominal hysterectomy (procedure)
307771009	Radical abdominal hysterectomy (procedure)
361222003	Wertheim-Meigs abdominal hysterectomy (procedure)
116144002	Total abdominal hysterectomy with bilateral salpingo-oophorectomy (procedure)
361223008	Wertheim operation (procedure)
11050006	Closure of vesicouterine fistula with hysterectomy (procedure)
427107006	Excision of accessory uterus (procedure)
12398007	Excision of endometrial synechiae (procedure)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.150
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
54261007	Excision of uterus and supporting structures (procedure)
288042004	Hysterectomy and fetus removal (procedure)
41059002	Cesarean hysterectomy (procedure)
236988000	Elective cesarean hysterectomy (procedure)
236987005	Emergency cesarean hysterectomy (procedure)
288043009	Hysterectomy in pregnancy (procedure)
84275009	Obstetrical hysterotomy (procedure)
392000009	Hysterotomy for retained placenta (procedure)
18302006	Therapeutic abortion by hysterotomy (procedure)
52660002	Induced abortion following intra-amniotic injection with hysterotomy (procedure)
84267003	Hysterotomy with removal of foreign body (procedure)
26578004	Hysterotomy with removal of hydatidiform mole (procedure)
387644004	Supracervical hysterectomy (procedure)
29529008	Supracervical hysterectomy with removal of both tubes and ovaries (procedure)
112917009	Supracervical hysterectomy with unilateral removal of tube and ovary (procedure)

A.116 QRPH BFDR Fetus Weight Codes

A.116.1 Metadata

2025

Fetus Weight Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.151
Name	This is the name of the value set	BFDR Fetus Weight Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the weight of the fetus

Metadata Element	Description	Mandatory
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.116.2 BFDR Fetus Weight Value Set

Fetus Weight Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.151
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
57067-1	Estimated by palpation

2030

NOTE: Further Refinement of available LOINC codes to reflect more accurate representation of Fetal Weight at delivery pending.

A.117 QRPH BFDR Histological Placental Examination Codes

A.117.1 Metadata

Histological Placental Examination Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.152
Name	This is the name of the value set	BFDR Histological Placental Examination Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain

Metadata Element	Description	Mandatory
Purpose	Brief description about the general purpose of the value set	To reflect the Histological Placental Examination for fetal death
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

2035 **A.117.2 BFDR Histological Placental Examination Value Set**

Histological Placental Examination Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.152
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	Pending

2040 **A.118 QRPH BFDR Fetal Autopsy Codes**

A.118.1 Metadata

Fetal Autopsy Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.153
Name	This is the name of the value set	BFDR Fetal Autopsy Value Set

Metadata Element	Description	Mandatory
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Fetal Autopsy was performed
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.118.2 BFDR Fetal Autopsy Value Set

Fetal Autopsy Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.153
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
16361008	Autopsy, gross and microscopic examination, stillborn or newborn (procedure)
29240004	Autopsy examination (procedure)
41770000	Autopsy, gross and microscopic examination (procedure)
56417000	Autopsy, gross and microscopic examination with brain (procedure)
41554000	Autopsy, gross and microscopic examination with brain and spinal cord (procedure)
74348008	Autopsy, gross and microscopic examination, limited (procedure)
57438004	Autopsy, gross and microscopic examination, regional

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.153
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	(procedure)
4447001	Autopsy, gross and microscopic examination, stillborn or newborn without CNS (procedure)
82823006	Autopsy, gross examination with brain (procedure)
47197006	Autopsy, gross examination with brain and spinal cord (procedure)
72598009	Autopsy, gross examination, limited (procedure)
47847005	Autopsy, gross examination, limited, regional (procedure)
50333006	Autopsy, gross examination, macerated stillborn (procedure)
35459000	Autopsy, gross examination, stillborn or newborn (procedure)
5785009	Forensic autopsy (procedure)
61501008	Forensic autopsy, extensive (procedure)
26762004	Autopsy, gross examination, teaching, complete (procedure)
22677004	Autopsy, gross examination, teaching, limited (procedure)
168450005	Forensic examination (procedure)

A.119 QRPH BFDR Karyotype Determination Codes

A.119.1 Metadata

2050 Karyotype Determination Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.154
Name	This is the name of the value set	BFDR Karyotype Determination Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Fetal Autopsy was performed
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0

Metadata Element	Description	Mandatory
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.119.2 BFDR Karyotype Determination Value Set

Karyotype Determination Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.154
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
312948004	Karyotype determination (procedure)
444309000	Determination of karyotype from blood specimen (procedure)

2055

A.120 QRPH BFDR Number of Fetal Deaths This Delivery Codes

A.120.1 Metadata

Number of Fetal Deaths This Delivery Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.164
Name	This is the name of the value set	BFDR Number of Fetal Deaths This Delivery Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Number of Fetal Deaths This Delivery
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC

Metadata Element	Description	Mandatory
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

2060 A.120.2 BFDR Number of Fetal Deaths This Delivery Value Set

Number of Fetal Deaths This Delivery Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.164
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
57062-2	Births.stillborn

2065 A.121 QRPH BFDR Listeria Codes

A.121.1 Metadata

Listeria Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.16547
Name	This is the name of the value set	BFDR Listeria Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect infection with Listeria
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT

Metadata Element	Description	Mandatory
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.121.2 BFDR Listeria Value Set

2070 Listeria Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.16547
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
4241002	Listeriosis (disorder)
7964000	Congenital listeriosis (disorder)
359646002	Neonatal disseminated listeriosis (disorder)
238420008	Cutaneous involvement in listeriosis (disorder)
402128003	Cutaneous listeriosis (disorder)
200426004	Disseminated infantile listeriosis (disorder)
57420002	Listeria abortion (disorder)
29786001	Listeria conjunctivitis (disorder)
406590007	Listeria infection of the central nervous system (disorder)
240393003	Listeria cerebritis (disorder)
31568009	Listeria meningitis (disorder)
24630008	Listeria meningoencephalitis (disorder)
186317009	Listerial cerebral arteritis (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.16547
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
66380007	Listeria septicemia (disorder)
186318004	Listerial endocarditis (disorder)
186319007	Oculoglandular listeriosis (disorder)

A.122 QRPH BFDR Group B Streptococcus Codes

2075

A.122.1 Metadata

Group B Streptococcus Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.166
Name	This is the name of the value set	BFDR Group B Streptococcus Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Infection with Group B Streptococcus
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.122.2 BFDR Group B Streptococcus Value Set

Group B Streptococcus Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

2080

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.166
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
405633009	Streptococcus group B infection of the infant (disorder)
405634003	Streptococcus group B infection of the infant - age less than 30 days (disorder)
406612005	Invasive Group B beta-hemolytic streptococcal disease (disorder)
170488007	Streptococcus carrier (finding)
186380004	Gp B streptococcal septicemia (disorder)
426933007	Streptococcus agalactiae infection (disorder)

A.123 QRPH BFDR Cytomegalovirus Codes

A.123.1 Metadata

Cytomegalovirus Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.167
Name	This is the name of the value set	BFDR Cytomegalovirus Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect infection with Cytomegalovirus
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A

Metadata Element	Description	Mandatory
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

2085 **A.123.2 BFDR Cytomegalovirus Value Set**

Cytomegalovirus Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.167
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
28944009	Cytomegalovirus infection (disorder)
59527008	Congenital cytomegalovirus infection (disorder)
240551003	Chronic congenital cytomegalic inclusion disease (disorder)
422241000	Cytomegalic inclusion disease associated with AIDS (disorder)
426137009	Cytomegaloviral enteritis (disorder)
235749000	Cytomegaloviral colitis (disorder)
429300008	Cytomegaloviral gastritis (disorder)
16196000	Cytomegaloviral mononucleosis (disorder)
235947007	Cytomegaloviral pancreatitis (disorder)
7678002	Cytomegaloviral pneumonia (disorder)
22455005	Cytomegaloviral retinitis (disorder)
416491000	Immune recovery uveitis (disorder)
186698009	Cytomegalovirus hepatitis (disorder)
402122002	Cytomegalovirus infection of skin (disorder)
406570003	Cytomegalovirus infection of the central nervous system (disorder)
83159006	Cytomegalovirus encephalitis (disorder)
236590008	Cytomegalovirus-induced glomerulonephritis (disorder)
428217009	Disseminated cytomegalovirus infection (disorder)
232311007	Endocochlear cytomegalovirus infection (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.167
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
276701009	Fetal cytomegalovirus syndrome (disorder)
186718002	Human immunodeficiency virus (HIV) disease resulting in cytomegaloviral disease (disorder)

2090 **A.124 QRPH BFDR Parvovirus Codes**

A.124.1 Metadata

Parvovirus Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.168
Name	This is the name of the value set	BFDR Parvovirus Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect infection with Parvovirus
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.124.2 BFDR Parvovirus Value Set

2095 Parvovirus Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.168
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
186748004	Parvovirus infection (disorder)
276663004	Congenital human parvovirus infection (disorder)
406599008	Parvovirus infection of the central nervous system (disorder)

A.125 QRPH BFDR Toxoplasmosis Codes

A.125.1 Metadata

2100

Toxoplasmosis Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.169
Name	This is the name of the value set	BFDR Toxoplasmosis Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect infection with Parvovirus
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.125.2 BFDR Toxoplasmosis Value Set

Toxoplasmosis Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.169
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
187192000	Toxoplasmosis (disorder)
16116004	Acute lymphadenopathic toxoplasmosis (disorder)
73893000	Congenital toxoplasmosis (disorder)
281899002	Congenital hydrocephalus due to toxoplasmosis (disorder)
67372006	Conjunctivitis due to acquired toxoplasmosis (disorder)
240666009	Cutaneous toxoplasmosis (disorder)
17949000	Meningoencephalitis due to acquired toxoplasmosis (disorder)
22540004	Multisystemic disseminated toxoplasmosis (disorder)
416481006	Ocular toxoplasmosis (disorder)
46207001	Pneumonitis due to acquired toxoplasmosis (disorder)
415218004	Punctate outer retinal toxoplasmosis (disorder)
192701001	Toxoplasma encephalitis (disorder)
187197006	Toxoplasma hepatitis (disorder)
17681007	Hepatitis due to acquired toxoplasmosis (disorder)
187195003	Toxoplasma myocarditis (disorder)
194948006	Acute myocarditis - toxoplasmosis (disorder)
76534005	Myocarditis due to acquired toxoplasmosis (disorder)
416913007	Toxoplasma neuroretinitis (disorder)
187196002	Toxoplasma pneumonitis (disorder)
416589006	Toxoplasma retinitis (disorder)
421666009	Toxoplasmosis associated with AIDS (disorder)
187194004	Toxoplasmosis chorioretinitis (disorder)
314031009	Acute toxoplasmosis chorioretinitis (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.169
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
88290000	Focal chorioretinitis due to acquired toxoplasmosis (disorder)
314032002	Inactive toxoplasmosis chorioretinitis (disorder)
441854007	Reactivation of toxoplasmosis chorioretinitis (disorder)
187199009	Toxoplasmosis of multiple sites (disorder)

2105 A.126 QRPH BFDR State Codes

A.126.1 Metadata

State Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	2.16.840.1.113883.6.921.3.6.1.4.1.19376.1 .7.3.1.1.13.8.149
Name	This is the name of the value set	Codes for the Identification of the States, the District of Columbia and the Outlying Areas of the United States, and Associated Areas Publication # 5-2, May, 1987BFDR State Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	Federal Information Processing Standards Publication 5-2IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect State of residence or birth
Definition	A text definition describing how concepts in the value set were selected	Intentional: Identifies addresses within the United States are recorded using the FIPS 5-2 two-letter alphabetic codes for the State, District of Columbia, or an outlying area of the United States or associated area
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.itl.nist.gov/fipspubs/fip5-2.htm
Version	A string identifying the specific version of the value set.	19870918Version 1.0
Type		Intensional
Binding		Dynamic
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/20109/18/1987
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/20109/18/1987

Metadata Element	Description	Mandatory
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.126.2 BFDR State Value Set

Codes are not further constrained from FIPS 5-2. As an Intensional value set, the codes are not 2110 enumerated here.

A.127 QRPH BFDR Transferred for Maternal Medical or Fetal Indications for Delivery Codes

A.127.1 Metadata

BFDR Transferred for Maternal Medical or Fetal Indications for Delivery Value Set Metadata 2115 Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.176
Name	This is the name of the value set	BFDR Transferred for Maternal Medical or Fetal Indications for Delivery Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Transferred for Maternal Medical or Fetal Indications for Delivery
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.127.2 BFDR Transferred for Maternal Medical or Fetal Indications for Delivery Value Set

2120 BFDR Transferred for Maternal Medical or Fetal Indications for Delivery Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.176
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
	Pending

A.128 QRPH BFDR Transfer In Codes

A.128.1 Metadata

Transfer In Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.177
Name	This is the name of the value set	BFDR Transfer In Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect if the mother was transferred to this facility for maternal medical or fetal indications for delivery
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from UB-04 FL-15
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	www.nubc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A

Metadata Element	Description	Mandatory
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

2125 **A.128.2 BFDR Transfer In Value Set**

Transfer In Value Set will use the UB-04/NUBC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.177
Vocabulary:	2.16.840.1.113883.6.21
UB-04/NUBC Code	Description
2	Clinic
4	Transfer from a Hospital (Different Facility)
6	Transfer from Another Health Care Facility

2130 **A.129 QRPH BFDR Antibiotic Administration Procedure Codes**

A.129.1 Metadata

BFDR Antibiotic Administration Procedure Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.178
Name	This is the name of the value set	BFDR Antibiotic Administration Procedure Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Antibiotic Administration Procedure during labor and delivery
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active

Metadata Element	Description	Mandatory
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.129.2 BFDR Antibiotic Administration Procedure Value Set

2135 BFDR Antibiotic Administration Procedure Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.178
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
281790008	Intravenous antibiotic therapy (procedure)
307520009	Intramuscular antibiotic therapy (procedure)

A.130 QRPH BFDR Birthplace Setting Value Set Codes

2140 A.130.1 Metadata

BFDR Birthplace Setting Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.184
Name	This is the name of the value set	BFDR Birthplace Setting Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the birthplace of the newborn (setting)
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org

Metadata Element	Description	Mandatory
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2011
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2011
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.130.2 BFDR Birthplace Setting Observation Value Set

Birthplace Setting Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

2145

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.184
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
21842-0	Birthplace

A.131 QRPH BFDR Birthplace Codes

A.131.1 Metadata

BFDR Birthplace Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.186
Name	This is the name of the value set	BFDR Birthplace Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the Place where birth occurred
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html

Metadata Element	Description	Mandatory
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2012
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2012
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.131.2 BFDR Birthplace Value Set

- 2150 BFDR Birthplace Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.186
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
169813005	Home birth (finding)
408839006	Planned home birth (finding)
408838003	Unplanned home birth (finding)
169817006	Ambulance birth (finding)
91154008	Free-standing birthing center (environment)
67190003	Free-standing clinic (environment)

A.132 BFDR Number of Preterm Births Value Set Codes

A.132.1 Metadata

- 2155 BFDR Number of Preterm Births Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.187
Name	This is the name of the value set	BFDR Number of Preterm Births Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain

Metadata Element	Description	Mandatory
Purpose	Brief description about the general purpose of the value set	To reflect the number of preterm births in prior pregnancies
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2011
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2011
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.132.2 BFDR Number of Preterm Births Value Set

Number of Preterm Births Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.187
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
11637-6	BIRTHS PRETERM (REPORTED)

2160

A.133 QRPH BFDR ICU Care Codes

A.133.1 Metadata

BFDR ICU Care Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.188
Name	This is the name of the value set	BFDR ICU Care Value Set

Metadata Element	Description	Mandatory
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the fact that the mother was transferred to ICU following the birth
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2012
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2012
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.133.2 BFDR ICU Care Value Set

2165 BFDR ICU Care Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.188
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
305796008	Seen by intensive care - service (finding)
305797004	Seen by adult intensive care - service (finding)
305644002	Seen by intensive care specialist (finding)
305645001	Seen by adult intensive care specialist (finding)
305465003	Under care of intensive care specialist (finding)
305466002	Under care of adult intensive care specialist (finding)

A.134 QRPH BFDR Cleft Palate Alone Codes

A.134.1 Metadata

2170

Cleft Palate Alone Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.189
Name	This is the name of the value set	BFDR Cleft Palate Alone Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect Cleft Palate alone as an anomaly of the newborn
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.134.2 BFDR Cleft Lip with/without Cleft Palate Value Set

BFDR Cleft Palate Alone Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.189
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
448915004	Cleft of hard palate (disorder)
253994009	Cleft hard palate, bilateral (disorder)
253993003	Cleft hard palate, central (disorder)
253996006	Complete cleft hard and soft palate (disorder)
270513005	Central complete cleft palate (disorder)
24194000	Complete bilateral cleft palate (disorder)

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.189
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
204614006	Bilateral complete cleft palate with cleft lip (disorder)
47686007	Incomplete bilateral cleft palate (disorder)
204615007	Bilateral incomplete cleft palate with cleft lip (disorder)
253995005	Incomplete cleft hard and soft palate (disorder)
268197001	Central incomplete cleft palate (disorder)
43437003	Submucous cleft of hard palate (disorder)
254003000	Occult submucous cleft palate (disorder)
109546001	Cleft of primary palate (disorder)
109548000	Bilateral cleft of primary palate (disorder)
253997002	Cleft of soft palate (disorder)
254000002	Cleft soft palate, bilateral (disorder)
254001003	Complete cleft of soft palate (disorder)
254002005	Incomplete cleft of soft palate (disorder)
63567004	Uranostaphyloschisis (disorder)

2175 A.135 QRPH BFDR Transfer to Facility Codes

A.135.1 Metadata

BFDR Transfer to Facility Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.190
Name	This is the name of the value set	BFDR Transfer to Facility Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect if the infant was transferred within 24 hours of delivery to another facility
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html

Metadata Element	Description	Mandatory
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2012
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2012
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.135.2 BFDR Transfer to Facility Value Set

2180 BFDR Transfer to Facility Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.190
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
429202003	Transfer of care to hospital (procedure)
310449005	Referral to hospital (procedure)
306699001	Discharge to hospital (procedure)
306701001	Discharge to community hospital (procedure)
306700000	Discharge to long stay hospital (procedure)
306703003	Discharge to tertiary referral hospital (procedure)

A.136 QRPH BFDR Institution Referred to Value Set Codes

A.136.1 Metadata

BFDR Institution Referred to Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.191
Name	This is the name of the value set	BFDR Institution Referred to Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain

Metadata Element	Description	Mandatory
Purpose	Brief description about the general purpose of the value set	To reflect the institution to which the patient was referred
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2011
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2011
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

2185 **A.136.2 BFDR Institution Referred to Value Set**

Institution Referred to Value Set will use the LOINC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.191
Vocabulary:	2.16.840.1.113883.6.1
LOINC Code	LOINC Description
22022-8	Institution referred to

A.137 QRPH BFDR Birth Place Hospital Value Set Codes

2190 **A.137.1 Metadata**

BFDR Birth Place Hospital Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.192
Name	This is the name of the value set	BFDR Birth Place Hospital Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain

Metadata Element	Description	Mandatory
Purpose	Brief description about the general purpose of the value set	To reflect the birth occurred in the hospital
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2012
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2012
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.137.2 BFDR Birth Place Hospital Value Set

BFDR Birth Place Hospital Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

2195

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.192
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
108343000	Hospital AND/OR institution (environment)
22232009	Hospital (environment)

A.138 QRPH BFDR Birth Place Home Intended Value Set Codes

A.138.1 Metadata

BFDR Birth Place Home Intended Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.193
Name	This is the name of the value set	BFDR Birth Place Home Intended Value Set

Metadata Element	Description	Mandatory
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the birth occurred in the at home as intended
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2012
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2012
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.138.2 BFDR Birth Place Hospital Value Set

2200 BFDR Birth Place Home Intended Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.193
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
408839006	Planned home birth (finding)

A.139 QRPH BFDR Birth Place Home Unintended Value Set Codes

2205 **A.139.1 Metadata**

BFDR Birth Place Home Unintended Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.194

Metadata Element	Description	Mandatory
Name	This is the name of the value set	BFDR Birth Place Home Unintended Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the birth occurred in the at home unintended
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2012
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2012
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.139.2 BFDR Birth Place Hospital Value Set

BFDR Birth Place Home Unintended Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

2210

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.194
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
408838003	Unplanned home birth (finding)

A.140 QRPH BFDR Birth Place Home Unknown Intention Value Set Codes

A.140.1 Metadata

BFDR Birth Place Home Unknown Intention Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
------------------	-------------	-----------

2215

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.195
Name	This is the name of the value set	BFDR Birth Place Home Unknown Intention Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the birth occurred in the at home with intention unknown
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2012
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2012
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.140.2 BFDR Birth Place Home Unknown Intention Value Set

BFDR Birth Place Home Unknown Intention Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.195
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
169813005	Home birth (finding)

2220 A.141 BFDR Birth Place Freestanding Birthing Center Value Set Codes

A.141.1 Metadata

BFDR Birth Place Freestanding Birthing Center Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.196
Name	This is the name of the value set	BFDR Birth Place Freestanding Birthing Center Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the birth occurred at a freestanding birthing center
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/Snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2012
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2012
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

2225 **A.141.2 BFDR Birth Place Freestanding Birthing Center Value Set**

BFDR Birth Place Freestanding Birthing Center Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.196
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
91154008	Free-standing birthing center (environment)

2230 **A.142 BFDR Birth Place Clinic Office Value Set Codes**

A.142.1 Metadata

BFDR Birth Place Clinic Office Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.197
Name	This is the name of the value set	BFDR Birth Place Clinic Office Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the birth occurred in the at clinic or office
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2012
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2012
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

A.142.2 BFDR Birth Place Clinic Office Value Set

BFDR Birth Place Clinic Office Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:
2235

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.197
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
67190003	Free-standing clinic (environment)

A.143 QRPH BFDR NICU Care Codes

A.143.1 Metadata

BFDR NICU Care Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.198
Name	This is the name of the value set	BFDR NICU Care Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect the fact that the baby was transferred to NICU following the birth
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/Snomed_main.html
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2012
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2012
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE BFDR

2240 **A.143.2 BFDR NICU Care Value Set**

BFDR NICU Care Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.198
Vocabulary:	2.16.840.1.113883.6.96
SNOMED-CT Code	SNOMED-CT Description
405269005	Neonatal intensive care unit (environment)

Volume 4 – National Extensions

2245

5 National Extensions for IHE United States

5.x Pre-Population Specification for US Standards Certificate of Live Birth and US Standard Report of Fetal Death

- 2250 The U.S. Standard Certificate of Live Birth and the U.S. Standard Report of Fetal Death SHALL use derived elements to populate the processing variables as indicated in Table 5.X.2-1 and as specified in the Birth Edit Specifications and the Fetal Death Edit Specifications for the 2003 Revisions of the U.S. Standard Certificate of Live Birth and the U.S. Standard Report of Fetal Death.
- 2255 Standard worksheets are used in the U.S. to enhance the collection of quality, reliable data for birth and fetal death events. A common, standard form, entitled “Mother’s Worksheet for Child’s Birth Certificate”, has been established to identify information to be collected directly from the mother. The “Facility Worksheet for the Live Birth Certificate” was developed to identify information for which the best sources are the mother’s and infant’s medical records.
- 2260 The U.S. currently limits the data that may be pre-populated from an EHR for birth and fetal death events to a subset of vital records’ medical/health data requirements, that is, primarily those items included in the U.S. Standard Facility Worksheet for the Live Birth Certificate and the U.S. Standard Facility Worksheet for the Report of Fetal Death. The initial goal will be to monitor and assess the quality of the data that will be exchanged between electronic health record and vital records systems and the quality of the process of information exchange. This profile will not describe the data items on the U.S. Standard Mothers Worksheet for the Child’s Birth Certificate (excepting the two items “Mother’s prepregnancy weight” and “Mother’s height”) or the Patient’s Worksheet for the Report of Fetal Death. Additionally, these items will not be included for pre-population since these data elements are not collected from an EHR for vital records.
- 2265
- 2270 **5.x.1 Data Element Index**
- A relevant data set for HBS content reporting include those elements identified within the US efforts under the CDC/National Center for Health Statistics (NCHS) that can be computed from data elements in the electronic health record. The HBS CCD mapping rules described below overlays these data elements typically presented to the birth registrar in a form. This Derived Data Element Index is an attempt to describe which sections are intended to cover which domains, the value sets to be used to interpret the CCD content, and rules for examining CCD content to determine whether or not the data element is satisfied. These rules may specify examination of one or more CCD locations to make a determination of the data element result. The list includes derived data elements that compose knowledge concepts not currently represented in standards, most of which are optional. Where such standards do not exist, the
- 2275
- 2280

Form Manager will enhance with non-standard fields. While any CCD document may be used to populate the form, the IHE PCC Labor and Delivery Document will result in the maximum number of pre-populated data elements.

5.x.2 Form Manager Pre-population Data Element Mapping Specification

Table 5.X.2-1 describes the pre-population rules to derive the data elements to populate the following forms for U.S. vital registration: Facility Worksheet for the Live Birth Certificate and the Facility Worksheet for the Report of Fetal Death. This profile will not specify the data collected from the Mother's Worksheet. Additionally, these items will not be included for pre-population.

The Derivation Rule references the value sets and BFDR Code locations described indicated in this table. The value sets reference the Value Subsets provided in the document appendix which may be made available through a Value Set Repository as described by the IHE ITI ESVS profile. Further edit specifications are in the Birth Edit Specifications and the Fetal Death Edit Specifications for the 2003 Revision of the U.S. Standard Certificate of Birth and Report of Fetal Death (http://www.cdc.gov/nchs/vital_certs_rev.htm) which shall be required in addition to the mapping below.

Table 5.X.2-1: Form Element Mapping Specification

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
ANTI	Y	N	Abnormal conditions of the newborn: Antibiotics [received by the newborn for suspected neonatal sepsis]	Any antibacterial drug given systemically (intravenous or intramuscular.) (e.g. penicillin, ampicillin, gentamicin, cefotaxime, etc.)	IF (Indication CONTAINS ValueSet (BFDR Neonatal Sepsis Value Set) AND (Coded Product Name CONTAINS ValueSet (BFDR Antibiotics Value Set)) AND (Route CONTAINS ValueSet (BFDR Intramuscular Administration Route Value Set) OR ValueSet (BFDR IV Medication Administration Route Value Set))), OR IF Procedure ID CONTAINS ValueSet (BFDR Antibiotic Administration Procedure Value Set) THEN ANTI SHALL = "Y" ELSE	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Medications Administered Coded Product Name 1.3.6.1.4.1.19376.1.5.3.1.3.21 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/code	BFDR Antibiotics Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.3

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				"N"	<p>Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Medications Administered Route 1.3.6.1.4.1.19376.1.5.3.1.3.21 ClinicalDocument/component/structuredBody/component/section[[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/ subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/routeCode</p>	BFDR Intramuscular Administration Route Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.5	
					<p>Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Medications Administered Indication 1.3.6.1.4.1.19376.1.5.3.1.3.21 ClinicalDocument/component/structuredBody/component/section[[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/ subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/entryRelationship[@typeCode='RSON']/</p>	BFDR IV Medication Administration Route Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.4	
							BFDR Neonatal Sepsis Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.6

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						<p>observation[cda:templateId/@root ='2.16.840.1.113883.10.20.1.28']</p> <p>Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Procedure Entry Procedure ID 1.3.6.1.4.1.19376.1.5.3.1.4.19 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code</p>	
AVEN1	Y	N	Abnormal conditions of the newborn: Assisted ventilation [required immediately following delivery]	Infant given manual breaths with bag and mask or bag and endotracheal tube within the first several minutes from birth for any duration. Excludes oxygen only and laryngoscopy for aspiration of meconium.	<p>IF (Procedure ID CONTAINS ValueSet (Assisted Ventilation immediately following delivery) THEN AVEN1 SHALL = "Y" ELSE "N"</p> <p>NOTE: The LOINC codes associated with this value set are still pending. Until such time as these codes are available, this attribute will require data entry.</p>	<p>Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Procedure Entry Procedure ID 1.3.6.1.4.1.19376.1.5.3.1.4.19 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code</p>	<p>BFDR Assisted Ventilation Immediately Following Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.7</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						11]]/entry/procedure/code	
AVEN6	Y	N	Abnormal conditions of the newborn: Assisted ventilation for 6 or more hours	Infant given mechanical ventilation (breathing assistance) by any method for more than 6 hours. Includes conventional, high frequency and/or continuous positive pressure (CPAP).	IF (Observation Code CONTAINS ValueSet (BFDR Total Time on Ventilator Value Set) AND (Observation Value >6 Hours) THEN AVEN6 SHALL = "Y" ELSE "N" NOTE: The LOINC codes associated with this value set are still pending. Until such time as these codes are available, this attribute will require data entry.	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	BFDR Total Time on Ventilator Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.91
						Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Value ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/value	
BINJ	Y	N	Abnormal conditions of the newborn: Significant birth injury [(skeletal fracture(s), peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention)]	Significant birth injury: (skeletal fracture(s), peripheral nerve injury and/or soft tissue/solid organ hemorrhage which requires intervention). Defined as present immediately following delivery or manifesting following delivery. Includes any bony fracture or weakness or loss of sensation, but excludes fractured clavicles and transient facial nerve palsy. Soft tissue hemorrhage requiring evaluation and/or treatment includes sub-galeal (progressive extravasation within the scalp) hemorrhage, giant cephalohematoma, extensive truncal, facial and /or extremity ecchymosis accompanied by evidence of anemia and/or hypovolemia and or hypotension. Solid organ hemorrhage	IF Labor and Delivery Summary Newborn Delivery Information Coded Event Outcomes Observation Code CONTAINS ValueSet (VR Significant birth injury), THEN “Significant Birth Injury” SHALL = “Y” ELSE “N”	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/	BFDR Significant Birth Injury Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.9

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				includes subcapsular hematoma of the liver, fractures of the spleen, or adrenal hematoma. All require confirmation by diagnostic imaging or exploratory laparotomy.			
NICU	Y	N	Abnormal conditions of the newborn: Admission to NICU	Admission into a facility or unit staffed and equipped to provide continuous mechanical ventilatory support for the newborn.	IF (Labor and Delivery Summary Newborn Delivery Information Coded Event Outcome Observation Code CONTAINS (BFDR NICU Care Value Set)), THEN "NICU" SHALL = "Y" ELSE "N"	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Event Outcome 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	BFDR NICU Care Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.198
SEIZ	Y	N	Abnormal conditions of the newborn: Seizure or serious neurologic dysfunction	Seizure defined as any involuntary repetitive, convulsive movement or behavior. Serious neurologic dysfunction defined as severe alteration of alertness such as obtundation, stupor, or coma, i.e.	If (Labor and Delivery Summary Newborn Delivery Information Active Problems Problem Code CONTAINS ValueSet (VR Seizure or serious neurologic dysfunction)) THEN "SEIZ" SHALL = "Y" ELSE "N"	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Active Problems Problem Code 1.3.6.1.4.1.19376.1.5.3.1.3.6 ClinicalDocument/component/structuredBody/	BFDR Seizure or Serious Neurologic Dysfunction Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.10

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				hypoxicischemic encephalopathy. Excludes lethargy or hypotonia in the absence of other neurologic findings. Exclude symptoms associated with CNS congenital anomalies.		component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code	
SURF	Y	N	Abnormal conditions of the newborn:[Newborn given] Surfactant replacement therapy	Newborn given surfactant replacement therapy: Endotracheal instillation of a surface active suspension for the treatment of surfactant deficiency either due to preterm birth or pulmonary injury resulting in decreased lung compliance (respiratory distress). Includes both artificial and extracted natural surfactant.	IF (Labor and Delivery Summary Newborn Delivery Information Medications Administered Coded Product Name Procedure ID Coded Product Name CONTAINS ValueSet (Newborn Receiving Surfactant Replacement Therapy)), THEN "SURF" SHALL = "Y" ELSE "N"	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Medications Administered Coded Product Name 1.3.6.1.4.1.19376.1.5.3.1.3.21 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/code	BFDR Newborn Receiving Surfactant Replacement Therapy Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.11
NOA54	Y	N	Abnormal conditions of the newborn: None of the above	None of the listed abnormal conditions of the newborn.	This SHALL require data entry and SHALL NOT be a result of a default from the other attributes in the list	Data Entry Required	
DNA54	Y	N	Abnormal conditions of the newborn: Unknown	If the data are not available when the	IF ((AVEN1 = "U") OR (AVEN6 = "U") OR (NICU =	See: AVEN1, AVEN6, NICU, SURF, ANTI, SEIZ, BINJ	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				abnormal conditions of the newborn are provided, the pending flag is set. The item will appear on the final review screen for entry before information is sent to vital records.	“U”) OR (SURF = “U”) OR (ANTI = “U”) OR (SEIZ = “U”) OR (BINJ = “U”)), THEN “DNA54” SHALL = “1” ELSE “DNA54” SHALL = “0”		
APGARS	Y	N	Apgar Score: 5 Minute	A systematic measure for evaluating the physical condition of the infant at specific intervals following birth. Enter the infant's Apgar score at 5 minutes.	If (Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination General Appearance Result Type CONTAINS ValueSet (5 Min Apgar Score)), THEN “APGAR5” = (Result Value)	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 General Appearance 1.3.6.1.4.1.19376.1.5.3.1.1.9.16 Result Type ClinicalDocument/component/structuredBody/component/section[tempId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationship/observation/code	BFDR 5 Min Apgar Score Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.12
						Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 General Appearance 1.3.6.1.4.1.19376.1.5.3.1.1.9.16 Result ValueClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationshipt/observation/value	
APGAR10	Y	N	Apgar Score: 10 Minute	A systematic measure for evaluating the physical condition of the infant at specific intervals following birth. If the score at 5 minutes is less than 6, enter the infant's Apgar score at 10 minutes.	If ("APGAR5" <6), AND (Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination General Appearance Result Type CONTAINS ValueSet (10 Min Apgar Score), THEN "APGAR10" = (Result Value)	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 General Appearance 1.3.6.1.4.1.19376.1.5.3.1.1.9.16 Result Type ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/	BFDR 10 Min Apgar Score Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.13

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					<pre>subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationship/observation/code</pre> <pre>Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 General Appearance 1.3.6.1.4.1.19376.1.5.3.1.1.9.16</pre> <pre>Result Value ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationship/observation/value</pre>		

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
ATTENDN	Y	Y	Attendant's name	"ATTENDN" SHALL be populated using Procedures and Interventions using Provider Name WHERE Procedure ID contains ValueSet (BFDR Delivery Value Set)	"ATTENDN" SHALL be populated using Procedures and Interventions using Provider Name WHERE Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure ID contains ValueSet (BFDR Delivery Value Set) where the provider is the person responsible for delivering the child	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Provider Name 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/performer/assignedEntity/assignedPerson/name	
ATTEND	Y	Y	Attendant's title:	The title of the person (attendant) responsible for delivering the child. The attendant at birth is defined as the individual	IF Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure ID CONTAINS ValueSet (BFDR Delivery	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure ID 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				physically present at the delivery who is responsible for the delivery. Titles include: M.D. (doctor of medicine); D.O. (doctor of osteopathy); CNM/CM (certified nurse midwife/certified midwife); Other midwife (midwife other than a CNM/CM); and Other (specify)	Value Set), THEN IF Provider Type CONTAINS ValueSet (BFDR Physician Value Set), THEN “ATTEND” SHALL = “1”, ELSE IF Provider Type CONTAINS ValueSet (BFDR Doctor of Osteopathic Medicine Value Set), THEN “ATTEND” SHALL = “2”, ELSE IF 4.04 Provider Type CONTAINS ValueSet (BFDR Certified Midwife Value Set), THEN “ATTEND” SHALL = “3”, ELSE IF Provider Type CONTAINS ValueSet (BFDR Midwife Value Set), THEN “ATTEND” SHALL = “4”, ELSE IF Provider Type NOT NULL THEN “ATTEND” SHALL = “5”, ELSE “ATTEND” SHALL = “9”	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/performer/assignedEntity/code	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.16 BFDR Certified Midwife Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.17 BFDR Midwife Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.18
ATTENDS	Y	Y	Attendant: Other specified	The specific title of the person (attendant) responsible for delivering the child if not included in the list of provided titles. Examples include nurse, father, police officer, and EMS technician. The attendant at birth is	IF Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure ID CONTAINS ValueSet (BFDR Delivery Value Set) AND “ATTEND” = “5”, THEN ATTENDS SHALL = Provider Type	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure ID 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				defined as the individual physically present at the delivery who is responsible for the delivery.		<p>monponent/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/performer/assignedEntity/code</p> <p>Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure ID 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/monponent/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code</p>	
NPI	Y	Y	Attendant's NPI	The National Provider Identification Number (NPI) of the person (attendant) responsible for delivering the child.	<p>“NPI” SHALL be populated using the Provider ID of the Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure ID contains ValueSet (BFDR Delivery Value Set) where the Procedure ID is expressed as the National Provider Identifier (NPI)</p>	<p>Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Provider ID (NPI) 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/monponent/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/performer/assignedEntity/id</p> <p>Labor and Delivery Summary</p>	BFDR Delivery Value Set

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure ID 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14
BWG	Y	N	Birth weight (Infant's)	Infant's birthweight in grams.	IF Newborn Delivery Information Coded Detailed Physical Examination Coded Vital Signs Result Type = 3141-9 where Result methodCode CONTAINS ValueSet (BFDR Birth Weight Value Set), THEN "BWG" SHALL = Result Value WHERE Result Value Units are expressed in grams	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R esult type, Result methodCode ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[template	BFDR Birth Weight Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.20

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						d[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationshi/p/observation/value	
BWO	Y	N	Birth weight (Infant's)	Infant's birthweight in ounces.	IF Newborn Delivery Information Coded Detailed Physical Examination Coded Vital Signs Result Type = 3141-9 where Result methodCode CONTAINS ValueSet (BFDR Birth Weight Value Set), THEN "BWO" SHALL = Result Value WHERE 15.05 Result Value Units are expressed in ounces	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R esult Type, Result methodCodeClinicalDocument/com ponent/structuredBody/component /section[templateId[@root=1.3.6.1 .4.1.19376.1.5.3.1.1.21.2.4]]/ subject/relatedSubject/code[@cod e='NCHILD' AND id=idOfTheChild]/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.9. 15.1]]/component/section[template Id[@root=1.3.6.1.4.1.19376.1.5.3. 1.1.5.3.2]]/entry/act/entryRelations hip/observation/code ClinicalDocument/component/stru cturedBody/component/section[te mplateId[@root=1.3.6.1.4.1.19376 .1.5.3.1.1.21.2.4]]/ subject/relatedSubject/code[@cod e='NCHILD' AND	BFDR Birth Weight Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.20

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					<pre>id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/observation/methodCode</pre>		
BWP	Y	N	Birth weight (Infant's)	Infant's birthweight in pounds.	<p>Newborn Delivery Information Coded Detailed Physical Examination Coded Vital Signs Section Result Type = 3141-9 where Result methodCode</p>	<p>Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination Result Value 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/observation/value</p>	<p>BFDR Birth Weight Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.20</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					CONTAINS ValueSet (BFDR Birth Weight Value Set), THEN “BWP” SHALL = Result Value WHERE Result Value Units are expressed in pounds	1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R result type, methodCode 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/observation/code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/observation/methodCode	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination Result Value 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/entry/act/entryRelationshiip/observation/value	
ANTB	Y	N	Characteristics of labor and delivery: Antibiotics[received by the mother during labor]	Antibiotics received by the mother during labor. Includes antibacterial medications given systemically (intravenous or intramuscular) to the mother in the interval between the onset of labor and the actual delivery. Includes: Ampicillin, Penicillin, Clindamycin, Erythromycin,	IF (Labor and Delivery Summary Medications Administered Coded Product Name CONTAINS ValueSet (BFDR Antibiotics Value Set)) AND (Route CONTAINS ValueSet (BFDR Intramuscular Administration Route Value Set) OR ValueSet (BFDR IV Medication Administration Route Value Set)) AND (Administration Time >=procedure effectiveTime(low	Labor and Delivery Summary Medications Administered Coded Product Name 1.3.6.1.4.1.19376.1.5.3.1.3.21 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/code Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3	BFDR Antibiotics Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.3 BFDR IV Medication Administration Route Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				Gentamicin, Cefataxine, and Ceftriaxone. Information about the course of labor and delivery.	AND Administration Time <= procedure effectiveTime (high)) THEN "ANTI" SHALL = "Y" ELSE "N"	Medications Administered Route 1.3.6.1.4.1.19376.1.5.3.1.3.21 ClinicalDocument/component/structuredBody/component/section[[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/routeCode	8.4 BFDR Intramuscular Administration Route Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.5
						Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Medications Administered Administration Time 1.3.6.1.4.1.19376.1.5.3.1.3.21 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/effectiveTime(lower)	
						Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Effective Time 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11	BFDR Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/effectiveTime(low)	
AUGL	Y	N	Characteristics of labor and delivery: Augmentation of labor	Augmentation of labor: Stimulation of uterine contractions by drug or manipulative technique with the intent to reduce the time of delivery (i.e., after labor has begun). Information about the course of labor and delivery.	IF (Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure Code CONTAINS ValueSet (BFDR Augmentation of Labor - Procedure Value Set) OR (Coded Product Name CONTAINS (BFDR Augmentation of Labor - Medication Value Set)), THEN “AUGL” SHALL =“Y” ELSE “N”	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Augmentation of Labor - Procedure Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.22
CHOR	Y	N	Characteristics of labor and delivery: [Clinical] Chorioamnionitis	Any recorded maternal temperature at or above 38oC (100.4oF) or	IF (Labor and Delivery Summary Labor and Delivery	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.3.21 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/code	BFDR Augmentation of Labor - Medication Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.23

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
			[diagnosed during labor or maternal temperature >=38 degrees (100.4F)]	clinical diagnosis of chorioamnionitis during labor made by the delivery attendant (usually includes more than one of the following: fever, uterine tenderness and/or irritability, leukocytosis, or fetal tachycardia). Information about the course of labor and delivery.	Active Problems Problem Code CONTAINS ValueSet ((Chorioamnionitis during labor) OR (BFDR Fever Greater Than 100.4 Value Set)) THEN "CHOR" SHALL = "Y" ELSE "N"	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Active Problems Problem Code 1.3.6.1.4.1.19376.1.5.3.1.3.6 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code	8.24 BFDR Fever Greater Than 100.4 Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.25
ESAN	Y	N	Characteristics of labor and delivery: [Epidural or spinal]Anesthesia[during labor]	Administration to the mother of a regional anesthetic to control the pain of labor. Delivery of the agent into a limited space with the distribution of the analgesic effect limited to the lower body. Information about the course of labor and delivery.	IF (Labor and Delivery Summary Medications Administered Coded Product Name CONTAINS ValueSet (epidural anesthesia) OR ValueSet (spinal anesthesia) OR(Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure Code Procedure ID CONTAINS (BFDR Epidural Anesthesia - Procedure Value Set)) OR (MHC HBS Spinal Anesthesia - Procedure Value Set)) THEN "ESAN" SHALL be "Y" ELSE "N"	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code Labor and Delivery Summary Medications Administered Coded Product Name 1.3.6.1.4.1.19376.1.5.3.1.3.21 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Epidural Anesthesia - Procedure Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.27 MHC HBS Spinal Anesthesia - Procedure Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.29 BFDR Epidural Anesthesia - Medication Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.26 BFDR Spinal Anesthesia - Medication Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/code	8.28
FINT	Y	N	Characteristics of labor and delivery: Fetal intolerance [of labor such that one or more of the following actions was taken: in-utero resuscitation measures, further fetal assessment, or operative delivery]	Fetal intolerance of labor was such that one or more of the following actions was taken: In utero resuscitative measures, further fetal assessment, or operative delivery. Includes any of the following: Maternal position change; Oxygen Administration to the mother; Intravenous fluids administered to the mother; Amnioinfusion; Support of maternal blood pressure; Administration of uterine relaxing agents. Further fetal assessment including any of the following: scalp pH, scalp stimulation, acoustic stimulation. Operative delivery to shorten time to delivery of the fetus such as forceps, vacuum, or cesarean delivery.	IF (Labor and Delivery Summary Labor and Delivery Coded Event Outcomes Observation Code CONTAINS ValueSet (Fetal Intolerance of labor) AND (Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure Code CONTAINS ValueSet (BFDR In-utero Resuscitation Value Set) OR ValueSet (BFDR Further Fetal Assessment Value Set) OR ValueSet (BFDR Operative Delivery Value Set)), THEN "FINT" SHALL = "Y" ELSE "N" NOTE: The SNOMED codes associated with the intolerance of labor value set are still pending. Until such time as these codes are available, this attribute will require data entry.	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	BFDR Fetal Intolerance of Labor Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.30
						Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR In-utero Resuscitation Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.31
							BFDR Operative Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.33
							BFDR Further Fetal Assessment Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.32

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
INDL	Y	N	Characteristics of labor and delivery: Induction of labor	Induction of labor: Initiation of uterine contractions by medical and/or surgical means for the purpose of delivery before the spontaneous onset of labor (i.e., before labor has begun). Information about the course of labor and delivery.	IF (Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure Code CONTAINS ValueSet (BFDR Induction of Labor Value Set) THEN “INDL” SHALL = “Y” ELSE “N”	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Induction of Labor Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.34
MECS	Y	N	Characteristics of labor and delivery: Meconium staining	Moderate or heavy meconium staining of the amniotic fluid Staining of the amniotic fluid caused by passage of fetal bowel contents during labor and/or at delivery that is more than enough to cause a greenish color change of an otherwise clear fluid. Information about the course of labor and delivery.	IF (Labor and Delivery Summary Labor and Delivery Codededications administered ed Event Outcomes Observation Code CONTAINS ValueSet (BFDR Meconium staining Value Set) THEN “MECS” SHALL = “Y” ELSE “N”	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	BFDR Meconium staining Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.36

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
STER	Y	N	Characteristics of labor and delivery: Steroids [(glucocorticoids) for fetal lung maturation received by the mother prior to delivery]	<p>Steroids (glucocorticoids): For fetal lung maturation received by the mother before delivery.</p> <p>Includes: Betamethasone dexamethasone, or hydrocortisone specifically given to accelerate fetal lung maturation in anticipation of preterm delivery. Does not include: Steroid medication given to the mother as an anti-inflammatory treatment before or after delivery.</p> <p>Information about the course of labor and delivery.</p>	<p>IF (Labor and Delivery Summary Labor and Delivery Medications Administered Coded Product Name CONTAINS ValueSet (BFDR Glucocortico Steroids Value Set)) AND (Administration Time < Procedure Time(low)) THEN “STER” SHALL =“Y”ELSE “N”</p>	Labor and Delivery Summary Medications Administered Coded Product Name 1.3.6.1.4.1.19376.1.5.3.1.3.21 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/code	BFDR Glucocortico Steroids Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.38
						Labor and Delivery Summary Medications Administered Administration Time 1.3.6.1.4.1.19376.1.5.3.1.3.21 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/effectiveTime(low)	
						Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Time 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/co	BFDR Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	
NOA04	Y	N	Characteristics of labor and delivery: None of the above	None of the listed characteristics of labor and delivery that provide information about the course of labor and delivery.	This SHALL require data entry and SHALL NOT be a result of a default from the other attributes in the list	Data Entry Required	
DNA04	Y	N	Characteristics of labor and delivery: Unknown	If the data are not available when the characteristics of labor and delivery are provided, the pending flag is set. The item will appear on the final review screen for entry before information is sent to vital records.	IF ((INDL = "U") OR (AUGL = "U") OR (NVPR = "U") OR (STER = "U") OR (ANTB = "U") OR (CHOR = "U") OR (MECS = "U") OR (FINT = "U") OR (ESAN = "U")), THEN "DNA04" SHALL = "1" ELSE "DNA04" SHALL = "0"	See INDL, AUGL, NVPR, STER, ANTB, CHOR, MECS, FINT, ESAN	
IDOB_YR	Y	N	Child: Date of Birth: Year	The infant's date (year) of birth.	"IDOB_YR" SHALL be populated using Child's Metadata Entry: Date of Birth using the Year part of Date of Birth WHERE the Year is represented using 4-digits	/ClinicalDocument/component/structuredBody/component/section/templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/birthTime	
IDOB_MO	Y	N	Child: Date of Birth: Month	The infant's date (month) of birth.	"IDOB_MO" SHALL be populated using Child's Metadata Entry: Date of Birth using the Month part of Date of Birth WHERE the Month is represented using 2-digits	/ClinicalDocument/component/structuredBody/component/section/templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/birthTime	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
IDOB_DY	Y	N	Child: Date of Birth: Day	The infant's date (day) of birth.	"IDOB_DY" SHALL be populated using Child's Metadata Entry: Date of Birth using the Day part of Date of Birth WHERE the Day is represented using 2-digits	/ClinicalDocument/component/structuredBody/component/section/templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4']/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/ birthTime	
KIDFNAM E	Y	Y	Child's First Name/ Name of Fetus(optional at the discretion of the parents)	The legal name (first) of the child as provided by the parents.	"KIDFNNAME" SHALL be populated using Child's Metadata Entry: Person Name, using the First Name part of Person Name	/ClinicalDocument/component/structuredBody/component/section/templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4']/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/ subject/name	
KIDMNAME	Y	Y	Child's Middle Name / Name of Fetus(optional at the discretion of the parents)	The legal name (middle) of the child as provided by the parents.	"KIDMNAME" SHALL be populated using Child's Metadata Entry: Person Name, using the Middle Name part of Person Name	/ClinicalDocument/component/structuredBody/component/section/templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4']/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/ subject/name	
KIDLNAME	Y	Y	Child's Last Name / Name of Fetus(optional at the discretion of the parents)	The legal name (last) of the child as provided by the parents.	"KIDLNAME" SHALL be populated using Child's Metadata Entry: Person Name, using the Last Name part of Person Name	/ClinicalDocument/component/structuredBody/component/section/templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4']/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/ subject/name	
KIDSUFFIX	Y	Y	Child's Last Name Suffix:	The legal name (suffix) of the child as provided by the parents.	"KIDSUFFIX" SHALL be populated using HITSP/C83 Section 2.2.2.1 Personal Information, Data Element 1.05	/ClinicalDocument/component/structuredBody/component/section/templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4']/following-sibling::subject/relatedSubject/cod	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					Person Name	e[@code='NCHILD' AND id=idOfTheChild]/following-sibling::subject/name	
BFED	Y	N	Child: Infant being breastfed?	Information on whether the infant was being breast-fed during the period between birth and discharge from the hospital.	If Labor and Delivery Summary Newborn Delivery Information Active Problems Observation Code CONTAINS ValueSet (BFDR Breastfed Infant Value Set) THEN BFED SHALL be "Y".	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Active Problems 1.3.6.1.4.1.19376.1.5.3.1.3.6 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code	BFDR Breastfed Infant Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.41
ILIV	Y	N	Child: Infant living at time of report?	Information on the infant's survival. Check "Yes" if the infant is living. Check "Yes" if the infant has already been discharged to home care. Check "No" if it is known that the infant has died. If the infant was transferred but the status	IF NOT Labor and Delivery Summary Newborn Delivery Information Code Coded Event Outcomes Observation Code CONTAINS ValueSet(BFDR Neonatal Death Value Set) THEN "ILIV" SHALL = 'Y' ELSE 'N'	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/	BFDR Neonatal Death Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.149

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				is known, indicate the known status.		subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	
IRECNUM	Y	N	Child: Newborn Medical Record Number	The medical record number assigned to the newborn.	"IRECNUM" SHALL = Child's newborn medical record number	Labor and Delivery Summary ClinicalDocument/component/structuredBody/component/section[templateId[@root=2.16.840.1.11388.3.10.20.1.21]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/ClinicalDocument/componentOf/id	
ISEX	Y	N	Child: (infant) Sex -	The sex of the infant.	IF Labor and Delivery <i>recordTarget/patientRole/patient/administrativeGenderCode</i> CONTAINS ValueSet(BFDR Male Gender Value Set) THEN "ISEX" SHALL ='M' ELSE IF Labor and Delivery <i>recordTarget/patientRole/patient/administrativeGenderCode</i> CONTAINS ValueSet(BFDR Female Gender Value Set) THEN "ISEX" SHALL ='F' ELSE THEN "ISEX" SHALL ='N'	Labor and Delivery Summary ClinicalDocument/component/structuredBody/component/section[templateId[@root=2.16.840.1.11388.3.10.20.1.21]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/ClinicalDocument/componentOf/administrativeGenderCode	BFDR Male Gender Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.42
							BFDR Female Gender Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.43
ITRAN	Y	N	Child: Infant transferred within 24 hours of delivery/name the facility	Transfer status of the infant within 24 hours after delivery.	Labor and Delivery Summary Newborn Delivery Information Coded Event Outcomes Patient Transfer Observation Code	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4	BFDR Transfer to Facility Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.188

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
			FTRAN		CONTAINS ValueSet (BFDR Transfer to Facility Value Set) and (Coded Event Outcomes Patient Transfer effectiveTime (High) – Child date of birth) <= 24 hours THEN ITRAN SHALL = “Y” ELSE ITRAN SHALL = “N”	Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Patient Transfer Entry TBD Observation Code ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/component/section[templateId[@root=TBDpatientTransferOID]]/entry/act/entryRelationship/observation/code	
						Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Patient Transfer Entry TBD Observation Code ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/component/section[templateId[@root=TBDpatientTransferOID]]/entry/act/entryRelationship/observation	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					on/effectiveTime[high]		
FTRAN	Y	N	Child: Infant transferred within 24 hours of delivery/name the facility	If Labor and Delivery Summary Newborn Delivery Information Coded Event Outcomes Patient Transfer Entry Observation Code CONTAINS ValueSet (BFDR Institution Referred to Value Set) and (Observation effectiveTime (High) – Child Date of Birth) <= 24 hours THEN FTRAN SHALL = Observation Value	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Patient Transfer Entry Observation Code ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/component/section[templateId[@root=TBDpatientTransferOID]]/entry/act/entryRelationship/observation/code Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4	BFDR Institution Referred to Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.191	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Patient Transfer Entry Observation Value ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/component/section[templateId[@root=TBDpatientTransferOID]]/entry/act/entryRelationship/observation/value	
						Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Patient Transfer Entry Observation effectiveTime ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/component/section[templateId[@root=TBDpatientTransferOID]]/entry/act/entryRelationship/observation/effectiveTime	
						Labor and Delivery Summary	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						Child Date Of Birth /ClinicalDocument/component/structuredBody/component/section/templateId[@root='1.3.6.1.4.1.1937 6.1.5.3.1.1.21.2.4']/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/birthTime	
TB	Y	N	Child: Time of Birth	The infant's time of birth.	"TB" SHALL = Time part of Child's date of birth	/ClinicalDocument/component/structuredBody/component/section/templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4']/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild/birthTime	
ANEN	Y	Y	Congenital anomalies of the Newborn: Anencephaly	Partial or complete absence of the brain and skull. Also called anencephalus, acrania, or absent brain .Also includes infants with craniorachischisis (anencephaly with a contiguous spine defect).	IF (Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination Nervous System Observation Code CONTAINS ValueSet (BFDR Anencephaly of the Newborn Value Set THEN "ANEN" SHALL = "Y" ELSE "N".	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Nervous System 1.3.6.1.4.1.19376.1.5.3.1.1.9.35 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.	BFDR Anencephaly of the Newborn Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.53

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.35]]/entry/act/entryRelations hip/observation/code	
CCHD	Y	Y	Congenital anomalies of the Newborn: Cyanotic congenital heart disease	Congenital heart defects that cause cyanosis.	IF (Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination Heart Observation Code CONTAINS ValueSet (BFDR Cyanotic Congenital Heart Disease Value Set) THEN "CCHD" SHALL = "Y" ELSE "N".	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.1.9.15.1Heart 1.3.6.1.4.1.19376.1.5.3.1.1.9.29 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.29]]/entry/act/entryRelations hip/observation/code	BFDR Cyanotic Congenital Heart Disease Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.54
CDH	Y	Y	Congenital anomalies of the Newborn:- Congenital diaphragmatic hernia	Defect in the formation of the diaphragm allowing herniation of abdominal organs into the thoracic cavity.	If(Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination General Appearance Observation Code CONTAINS ValueSet (BFDR Congenital Diaphragmatic Hernia Value Set)THEN	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1General Appearance	BFDR Congenital Diaphragmatic Hernia Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.55

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					"CDH" SHALL = "Y" ELSE "N".	1.3.6.1.4.1.19376.1.5.3.1.1.9.16 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationshiip/observation/code	
CDIC	Y	Y	Congenital anomalies of the Newborn: Suspected chromosomal disorder karyotype confirmed	Suspected chromosomal disorder karyotype confirmed	If ((Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination General Appearance Observation Code CONTAINS ValueSet (BFDR Karyotype Confirmed Value Set) AND ((Problem Code CONTAINS ValueSet (BFDR Suspected Chromosomal Disorder Value Set)) THEN "CDIC" SHALL = "Y" ELSE "N".	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 General Appearance 1.3.6.1.4.1.19376.1.5.3.1.1.9.16 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationshiip/observation/code	BFDR Karyotype Confirmed Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.56 BFDR Suspected Chromosomal Disorder Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.57

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						hip/observation/code	
CDIS	Y	Y	Congenital anomalies of the Newborn: Suspected chromosomal Disorder	Suspected chromosomal disorder: Includes any constellation of congenital malformations resulting from or compatible with known syndromes caused by detectable defects in chromosome structure.	IF (NOT(Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination General Appearance Observation Code CONTAINS ValueSet (BFDR Karyotype Confirmed Value Set) AND (Problem Code CONTAINS ValueSet (Suspected chromosomal disorder)) THEN "CDIS" SHALL = "Y" ELSE "N")	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 General Appearance 1.3.6.1.4.1.19376.1.5.3.1.1.9.16 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationshipl/observation/code	BFDR Suspected Chromosomal Disorder Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.57
CDIP	Y	Y	Congenital anomalies of the Newborn: Suspected chromosomal disorder karyotype pending	Suspected chromosomal disorder karyotype pending.	If (Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination General Appearance Observation Code CONTAINS ValueSet (BFDR Suspected Chromosomal Disorder) AND Procedure Contains (BFDR Karyotype Determination Value Set) AND	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 General Appearance 1.3.6.1.4.1.19376.1.5.3.1.1.9.16 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationshipl/observation/code	BFDR Suspected Chromosomal Disorder 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.57

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					act classCode='ACT' moodCode='INT' AND NOT Result Type (BFDR Karyotype Result Value Set) THEN “CDIP” SHALL = “Y” ELSE “N”.	structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/ subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationship/observation/code	
					Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Procedures and Interventions Procedure ID 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/ subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Karyotype Determination Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.154	
					Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Results Result Type 1.3.6.1.4.1.19376.1.5.3.1.3.28 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/ subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/act/entryRelationship/observation/code	BFDR Karyotype Result Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.59	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						cturedBody/component/section[templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.3.28']] subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/entry/act/entryRelationship/observation/code	
CL	Y	Y	Congenital anomalies of the Newborn: Cleft Lip with or without Cleft Palate	Cleft lip with or without cleft palate refers to incomplete closure of the lip. Cleft lip may be unilateral, bilateral or median; all should be included in this category.	IF (Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination General Appearance Observation Coded Detailed Physical Examination Nervous System Observation Code CONTAINS ValueSet (BFDR Cleft Lip with/without Cleft Palate Value Set)) "CL" SHALL = "Y" ELSE "N".	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Nervous System 1.3.6.1.4.1.19376.1.5.3.1.1.9.35 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.35]]/entry/act/entryRelationship/observation/code	BFDR Cleft Lip with/without Cleft Palate Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.8.58
CP	Y	Y	Congenital anomalies of the Newborn: Cleft Palate alone	Cleft palate refers to incomplete fusion of the palatal shelves. This may be limited to the	IF (Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination General	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4	BFDRS Cleft Palate Alone Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				soft palate or may also extend into the hard palate. Cleft palate in the presence of cleft lip should be included in the “Cleft Lip with or without cleft Palate” category, rather than here.	Appearance Observation Coded Detailed Physical Examination Nervous System Observation Code CONTAINS ValueSet (BFDR Cleft Lip without Cleft Palate Value Set)) THEN “CLCP” SHALL = “Y” ELSE “N”.	Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Nervous System 1.3.6.1.4.1.19376.1.5.3.1.1.9.35 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.35]]/entry/act/entryRelationship/observation/code	13.8.189
DOWC	Y	Y	Congenital anomalies of the Newborn: Down Karyotype confirmed	Down Karyotype confirmed	IF ((Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination General Appearance Observation Coded Detailed Physical Examination General Appearance Observation Code CONTAINS ValueSet (BFDR Karyotype Confirmed Value Set) AND (Observation Code CONTAINS ValueSet (BFDR Downs Syndrome Value Set)) THEN “DOWC” SHALL = “Y” ELSE “N”	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 General Appearance 1.3.6.1.4.1.19376.1.5.3.1.1.9.16 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]	BFDR Karyotype Confirmed Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.56
							BFDR Downs Syndrome Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.61

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationship/observation/code	
DOWN	Y	Y	Congenital anomalies of the Newborn: Down Syndrome	Down Syndrome: Trisomy 21	IF (Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination General Appearance Observation Problem Code CONTAINS ValueSet (BFDR Downs Syndrome Value Set)) THEN "DOWN" SHALL = "Y" ELSE "N"	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.General Appearance 1.3.6.1.4.1.19376.1.5.3.1.1.9.16 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationship/observation/code	BFDR Downs Syndrome Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.61
DOWP	Y	Y	Congenital anomalies of the Newborn: Down Karyotype pending	Down Karyotype pending	IF (Labor and Delivery Summary Coded Detailed Physical Examination General Appearance Observation Code CONTAINS ValueSet (Down Karyotype pending) AND	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.G	BFDR Downs Syndrome Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.61

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					<p>Procedure Contains (BFDR Karyotype Determination Value Set) AND act classCode='ACT' moodCode='INT' AND NOT Result Type (BFDR Karyotype Result Value Set) THEN “DOWCOWP” SHALL = “Y” ELSE “N”</p>	<p>general Appearance 1.3.6.1.4.1.19376.1.5.3.1.1.9.16 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.16]]/entry/act/entryRelationship/observation/code</p>	
					<p>Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Procedures and Interventions Procedure Code1.3.6.1.4.1.19376.1.5.3.1.1.3.2.11 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code</p>	BFDR Karyotype Determination Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.154	
					Newborn Delivery Information	BFDR Karyotype Result	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Results Result Type 1.3.6.1.4.1.19376.1.5.3.1.3.28 ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.3.28']] subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/entry/act/entryRelationship/observation/code	Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.59
GAST	Y	Y	Congenital anomalies of the Newborn: Gastrochisis	An abnormality of the anterior abdominal wall, lateral to the umbilicus, resulting in herniation of the abdominal contents directly into the amniotic cavity. Differentiated from omphalocele by the location of the defect and absence of a protective membrane.	IF (Labor and Delivery Summary Coded Detailed Physical Examination Digestive System Observation Code CONTAINS ValueSet (BFDR Gastrochisis of the Newborn Value Set)) THEN "GAST" SHALL = "Y" ELSE "N".	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.A abdomen 1.3.6.1.4.1.19376.1.5.3.1.1.9.31 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/entry/act/entryRelations	BFDR Gastrochisis of the Newborn Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.62

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						hip/observation/code	
HYPO	Y	Y	Congenital anomalies of the Newborn: Hypospadias	Hypospadias: Incomplete closure of the male urethra resulting in the urethral meatus opening on the ventral surface of the penis. Includes first degree – on the glans ventral to the tip, second degree – in the coronal sulcus, and third degree – on the penile shaft.	If (Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination Renourogenital System Observation Code CONTAINS ValueSet (BFDR Hypospadias Value Set)) THEN “HYPO” SHALL = “Y” ELSE “N”.	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.Genitalia 1.3.6.1.4.1.19376.1.5.3.1.1.9.36 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.36]]/entry/act/entryRelations hip/observation/code	BFDR Hypospadias Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.63
LIMB	Y	Y	Congenital anomalies of the Newborn: Limb reduction defect	Limb reduction defect: (excluding congenital amputation and dwarfing syndromes) Complete or partial absence of a portion of an extremity secondary to failure to develop.	IF (Coded Detailed Physical Examination Musculoskeletal System Observation Code CONTAINS ValueSet (BFDR Limb Reduction Defect Value Set)) THEN “LIMB” SHALL = “Y” ELSE “N”.	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.Musculoskeletal System 1.3.6.1.4.1.19376.1.5.3.1.1.9.34 Observation Code	BFDR Limb Reduction Defect Value Set 6.1.4.1.19376.1.7.3.1.1.13.8.64

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.34]]/entry/act/entryRelationship/observation/code	
MNSB	Y	Y	Congenital anomalies of the Newborn: Meningomyelocele/ Spina Bifida	Spina bifida is herniation of the meninges and/or spinal cord tissue through a bony defect of spine closure. Meningomyelocele is herniation of meninges and spinal cord tissue. Meningocele (herniation of meninges without spinal cord tissue) should also be included in this category. Both open and closed (covered with skin) lesions should be included. Do not include Spina bifida occulta (a midline bony spinal defect without protrusion of the spinal cord or meninges).	IF (Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination Nervous System Observation Code CONTAINS ValueSet (BFDR Meningomyelocele/Spina Bifida of the Newborn Value Set) THEN “ANENMNSB” SHALL = “Y” ELSE “N”. 	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.Neurologic System 1.3.6.1.4.1.19376.1.5.3.1.1.9.35 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.35]]/entry/act/entryRelations	BFDR Meningomyelocele/Spina Bifida of the Newborn Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.65

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						hip/observation/code	
OMPH	Y	Y	Congenital anomalies of the Newborn: Omphalocele	A defect in the anterior abdominal wall, accompanied by herniation of some abdominal organs through a widened umbilical ring into the umbilical stalk. The defect is covered by a membrane, (different from gastroschisis, see below), although this sac may rupture. Also called exomphalos. Umbilical hernia (completely covered by skin) should not be included in this category.	IF (Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination Digestive System Observation Code CONTAINS ValueSet (BFDR Omphalocele of the Newborn Value Set) THEN "OMPH" SHALL = "Y" ELSE "N".	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.A abdomen 1.3.6.1.4.1.19376.1.5.3.1.1.9.31 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.31]]/entry/act/entryRelationship/observation/code	BFDR Omphalocele of the Newborn Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.66
NOA55	Y	Y	Congenital anomalies of the Newborn: None of the anomalies listed above	None of the listed congenital anomalies of the newborn or fetus.	This SHALL require data entry and SHALL NOT be a result of a default from the other attributes in the list	Data Entry Required	
DNA55	Y	Y	Congenital anomalies of the Newborn: Unknown	If the data are not available when the abnormal conditions of the newborn are provided, the pending	IF ((ANEN = "N") OR (MNSB = "N") OR (CCHD = "N") OR (CDH = "N") OR (OMP = "N") OR (GAST = "N") OR (LIMB = "N") OR (CL = "N"))	See ANEN, MNSB, CCHD, CDH, OMPF, GAST, LIMB, CL, CP, DOWN, DOWC, DOWP, CDIS, CDIC, CDIP, HYPO	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				flag is set. The item will appear on the final review screen for entry before information is sent to vital records.	OR (CP = "N") OR (DOWN = "N") OR (DOWC = "N") OR (DOWP = "N") OR (CDIS = "N") OR (CDIC = "N") OR (CDIP = "N") OR (HYPO = "N")), THEN "DNA55" SHALL = "1", ELSE "DNA55" SHALL = "0".		
YLLB	Y	Y	Date of last live birth:	The year of birth of the last live-born infant.	Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Date of Last Live Birth Value Set), THEN (IF Observation Value NOT NULL THEN "YLLB" SHALL = the Year part of Result Value WHERE Observation Value is expressed as Date AND WHERE the Year is represented using 4-digits ELSE "YLLB" SHALL = '8888') ELSE "YLLB" SHALL = '9999'	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code	BFDR Date of Last Live Birth Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.67
						Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0] /component/structuredBody/	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/value	
MLLB	Y	Y	Date of last live birth:	The month of birth of the last live-born infant.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Date of Last Live Birth Value Set), THEN (IF Result Value NOT NULL THEN “MLLB” SHALL = the Month part of Observation Value WHERE Observation Value is expressed as Date AND WHERE the Month is represented using 2-digits ELSE “MLLB” SHALL = ‘88’) ELSE “YLLB” SHALL = ‘99’ .	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code	BFDR Date of Last Live Birth Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.67

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13. 5]]/entry/act/entryRelationship/observation/value	
DLMP_DY	Y	Y	Date last Normal Menses began:	The date the mother's last normal menstrual period began.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Date of Last Menses Value Set), THEN <code>"CM_DLNM4 DLMP_DY"</code> SHALL = Day part of Observation Value WHERE Observation Value is expressed as Date	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13. 5]]/entry/act/entryRelationship/observation/code	BFDR Date of Last Menses Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.69

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13. 5]]/entry/act/entryRelationship/observation/value	
DLMP_MO	Y	Y	Date last Normal Menses began:	The date the mother's last normal menstrual period began.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Date of Last Menses Value Set), THEN <code>"CM_DLNM4 DLMP_MO"</code> SHALL = Month part of Observation Value WHERE ResObservationult Value is expressed as Date	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13. 5]]/entry/act/entryRelationship/observation/code	BFDR Date of Last Menses Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.69

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13. 5]]/entry/act/entryRelationship/observation/value	
DLMP_YR	Y	Y	Date last Normal Menses began:	The date the mother's last normal menstrual period began.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Date of Last Menses Value Set), THEN “CM_DLNM4DLMP_YR” SHALL = Year part of Observation Value WHERE Observation Value is expressed as Date	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13. 5]]/entry/act/entryRelationship/observation/code	BFDR Date of Last Menses Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.69

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13 .5]]/entry/act/entryRelationship/ob servation/value	
YOPO	Y	Y	Date of Last Other Pregnancy Outcome: Year	The date (year) that the last pregnancy that did not result in a live birth ended. Includes pregnancy losses at any gestation age. Examples: spontaneous or induced losses or ectopic pregnancy.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Date of Last Other Pregnancy Outcome Value Set), THEN (IF Observation Value NOT NULL THEN "YOPO" SHALL = the Year part of Observation Value WHERE Observation Value is expressed as Date AND WHERE the Year is represented using 4-digits ELSE YOPO" SHALL = '8888') ELSE "YOPO" SHALL = '9999'	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13 .5]]/entry/act/entryRelationship/ob servation/code	BFDR Date of Last Other Pregnancy Outcome Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.70

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13 .5]]/entry/act/entryRelationship/ob servation/value	
MOPO	Y	Y	Date of Last Other Pregnancy Outcome: Month	The date (month) that the last pregnancy that did not result in a live birth ended. Includes pregnancy losses at any gestation age. Examples: spontaneous or induced losses or ectopic pregnancy.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Date of Last Other Pregnancy Outcome Value Set), THEN (IF Observation Value NOT NULL THEN “MOPO” SHALL = the Month part of Observation Value WHERE Observation Value is expressed as Date AND WHERE the Month is represented using 2-digits ELSE MOPO” SHALL = ‘88’) ELSE “MOPO” SHALL = ‘99’	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13 .5]]/entry/act/entryRelationship/ob servation/code	BFDR Date of Last Other Pregnancy Outcome Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.70

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13 .5]]/entry/act/entryRelationship/ob servation/value	
ADDRESS_D	Y	Y	Facility Address	“Facility Address” SHALL be populated using the Child's facility address	Metadata Entry: Child's facility address ClinicalDocument/component/structuredBody/component/section[templateId[@root=2.16.840.1.113883.10.20.1.21]]/subject/relatedSubject/code[@code='N CHILD' AND id=idOfTheChild]/ClinicalDocument/componentOf/encompassingEncounter/location/healthCareFacility/ location/addr		
FNAME	Y	Y	Facility Name (if Not institution, give street and number)	The name of the facility where the delivery took place.	“FNAME” SHALL be populated using the Child's Facility Name	ClinicalDocument/component/structuredBody/component/section[templateId[@root=2.16.840.1.113883.10.20.1.21]]/subject/relatedSubject/code[@code='N CHILD'	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					AND id=idOfTheChild]ClinicalDocument/componentOf/ encompassingEncounter/ location/healthCareFacility/ location /name		
FNPI	Y	Y	Facility National Provider Identifier	National Provider Identifier.	“FNPI” SHALL be populated using the Child Facility's NPI Id	ClinicalDocument/recordTarget[N]/component/structuredBody/component/section[templateId[@root=2.16.840.1.113883.10.20.1.21]]/subject/relatedSubject/code[@code='N CHILD' AND id=idOfTheChild]/ClinicalDocument/componentOf/ encompassingEncounter/ location/healthCareFacility/ location /id	
CHAM	Y	Y	Infections present and treated during this pregnancy: Chlamydia	Chlamydia: A positive test for Chlamydia trachomatis. Infections present at the time of the pregnancy diagnosis or a confirmed diagnosis during the pregnancy with or without documentation of treatment. Documentation of treatment during this pregnancy is adequate if a definitive diagnosis is not present in the	IF (Labor and Delivery Summary Active Problems Problem Code CONTAINS ValueSet (BFDR Chlamydia Value Set)) OR (Labor and Delivery History and Physical Coded History of Infection Problem Concern Observation CONTAINS ValueSet (BFDR Chlamydia Value Set)) THEN “CHAM” SHALL = “Y” ELSE “N”.	Labor and Delivery Summary Active Problems Problem Code 1.3.6.1.4.1.19376.1.5.3.1.3.6 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code Labor and Delivery History and Physical Coded History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.	BFDR Chlamydia Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.93 BFDR Chlamydia Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.93

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				available record.		1.1 Problem Concern 1.3.6.1.4.1.19376.1.5.3.1.4.5.2 Observation ClinicalDocument/ recordTarget/component/structure dBody/component/section[templat eId[@root=1.3.6.1.4.1.19376.1.5. .1.16.2.1.1.1]] /entry/act/entryRelationship/obser vation/code	
GON	Y	Y	Infections present and treated during this pregnancy: Gonorrhea	Gonorrhea: A positive test/culture for Neisseria gonorrhea. Infections present at the time of the pregnancy diagnosis or a confirmed diagnosis during the pregnancy with or without documentation of treatment. Documentation of treatment during this pregnancy is adequate if a definitive diagnosis is not present in the available record.	IF (Labor and Delivery Summary Active Problems Problem Code CONTAINS ValueSet (BFDR Gonorrhea Value Set) OR (Labor and Delivery History and Physical Coded History of Infection Problem Concern Observation CONTAINS ValueSet (BFDR Gonorrhea Value Set)) THEN “GON” SHALL = “Y” ELSE “N”.	Labor and Delivery Summary Active Problems Problem Code 1.3.6.1.4.1.19376.1.5.3.1.3.6 ClinicalDocument/recordTarget/co mponent/structuredBody/compone nt/section[templateId[@root=1.3.6 .1.4.1.19376.1.5.3.1.3.6]]/entry/act /entryRelationship/observation/cod e	BFDR Gonorrhea Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.94
						Labor and Delivery History and Physical Coded History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1. 1.1 Problem Concern 1.3.6.1.4.1.19376.1.5.3.1.4.5.2 Observation ClinicalDocument/ recordTarget/component/structure dBody/component/section[templat	BFDR Gonorrhea Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.94

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						elId[@root=1.3.6.1.4.1.19376.1.5.3 .1.1.16.2.1.1.1]] /entry/act/entryRelationship/observation/code	
HEPB	Y	YN	Infections present and treated during this pregnancy: Hepatitis B	Hepatitis B (HBV, serum hepatitis): A positive test for the hepatitis B virus. Infections present at the time of the pregnancy diagnosis or a confirmed diagnosis during the pregnancy with or without documentation of treatment. Documentation of treatment during this pregnancy is adequate if a definitive diagnosis is not present in the available record.	IF (Labor and Delivery Summary Active Problems Problem Code CONTAINS ValueSet (BFDR Hepatitis B Value Set) OR (Labor and Delivery History and Physical Coded History of Infection Problem Concern Observation CONTAINS ValueSet (BFDR Hepatitis B Value Set)) THEN "HEPB" SHALL = "Y" ELSE "N".	Labor and Delivery Summary Active Problems Problem Code 1.3.6.1.4.1.19376.1.5.3.1.3.6 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6 .1.4.1.19376.1.5.3.1.3.6]]/entry/act /entryRelationship/observation/cod e	BFDR Hepatitis B Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.96
HEPC	Y	YN	Infections present and treated during this pregnancy: Hepatitis C	Hepatitis C (non-A, non-B hepatitis (HCV)): A positive test for the	IF (Labor and Delivery Summary Active Problems Problem Code CONTAINS	Labor and Delivery History and Physical Coded History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1. 1.1 Problem Concern 1.3.6.1.4.1.19376.1.5.3.1.4.5.2 Observation ClinicalDocument/ recordTarget/component/structure dBody/component/section[templat elId[@root=1.3.6.1.4.1.19376.1.5.3 .1.1.16.2.1.1.1]] /entry/act/entryRelationship/observation/code	BFDR Hepatitis B Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.96

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				<p>hepatitis C virus.</p> <p>Infections present at the time of the pregnancy diagnosis or a confirmed diagnosis during the pregnancy with or without documentation of treatment.</p> <p>Documentation of treatment during this pregnancy is adequate if a definitive diagnosis is not present in the available record.</p>	<p>ValueSet (BFDR Hepatitis C Value Set) OR (Labor and Delivery History and Physical Coded History of Infection Problem Concern Observation CONTAINS ValueSet (BFDR Hepatitis C Value Set)) THEN “HEPC” SHALL = “Y” ELSE “N”.</p>	<p>1.3.6.1.4.1.19376.1.5.3.1.3.6</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code</p>	
SYPH	Y	Y	Infections present and treated during this pregnancy: Syphilis	<p>Syphilis (also called lues) A positive test for Treponema pallidum.</p> <p>Infections present at the time of the pregnancy diagnosis or a confirmed diagnosis during the pregnancy with or without documentation of treatment.</p>	<p>IF (Labor and Delivery Summary Active Problems Problem Code CONTAINS ValueSet (BFDR Syphilis Value Set)) OR (Labor and Delivery History and Physical Coded History of Infection Problem Concern Observation CONTAINS ValueSet (BFDR Syphilis Value Set)) THEN</p>	<p>Labor and Delivery Summary Active Problems Problem Code</p> <p>1.3.6.1.4.1.19376.1.5.3.1.3.6</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.16.2.1.1]]/entry/act/entryRelationship/observation/code</p>	<p>BFDR Syphilis Value Set</p> <p>1.3.6.1.4.1.19376.1.7.3.1.1.13.8.98</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				Documentation of treatment during this pregnancy is adequate if a definitive diagnosis is not present in the available record.	“SYPH” SHALL =“Y” ELSE “N”.	Labor and Delivery History and Physical Coded History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1 Problem Concern 1.3.6.1.4.1.19376.1.5.3.1.4.5.2 Observation ClinicalDocument/recordTarget/component/structure dBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1]]/entry/act/entryRelationship/observation/code	BFDR Syphilis Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.98
NOA02	Y	Y	Infections present and treated during this pregnancy: None of the above	None of the listed infections were present and treated during this pregnancy.	This SHALL require data entry and SHALL NOT be a result of a default from the other attributes in the list	Data Entry Required	
AINT	Y	Y	Maternal Morbidity: - Admission to Intensive care [unit]	Admission to intensive care unit: Any admission, planned or unplanned, of the mother to a facility/unit designated as providing intensive care. Serious complications experienced by the mother associated with labor and delivery.	IF (Labor and Delivery Summary Labor and Delivery Coded Event Outcomes Observation CONTAINS ValueSet (BFDR ICU Care Value Set) THEN “AINT” SHALL be “Y” ELSE “N”).	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.	BFDR ICU Care Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.188

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	
MTR	Y	Y	Maternal Morbidity: Maternal Transfusion	Maternal transfusion: Includes infusion of whole blood or packed red blood cells within the period specified. Serious complications experienced by the mother associated with labor and delivery.	IF (Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure Code CONTAINS ValueSet (BFDR Transfusion Whole Blood or Packed Red Blood Value Set) THEN “MTR” SHALL be “Y” ELSE “N”	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Transfusion Whole Blood or Packed Red Blood Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.99
PLAC	Y	Y	Maternal Morbidity: [Third or fourth degree] perineal laceration	Third or fourth degree perineal laceration: 3rd degree laceration extends completely through the perineal skin, vaginal mucosa, perineal body and anal sphincter. 4th degree laceration is all of the above with extension through the rectal mucosa. Serious complications experienced by the mother associated with labor and delivery.	IF (Labor and Delivery Summary Labor and Delivery Coded Event Outcomes Observation Code CONTAINS ValueSet (BFDR Third Degree Perineal Laceration Value Set) OR (BFDR Fourth Degree Perineal Laceration Value Set) THEN “PLAC” SHALL be “Y” ELSE “N”	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation CodeClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	BFDR Third Degree Perineal Laceration Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.100 BFDR Fourth Degree Perineal Laceration Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.101
RUT	Y	Y	Maternal Morbidity:	Ruptured Uterus:	IF (Labor and Delivery Summary	Labor and Delivery Summary	BFDR Ruptured Uterus Value

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
			Ruptured Uterus	Tearing of the uterine wall. Serious complications experienced by the mother associated with labor and delivery.	Labor and Delivery Active Coded Event Outcomes Observation Code CONTAINS ValueSet (BFDR Ruptured Uterus Value Set) THEN “RUT” SHALL be “Y” ELSE “N”	Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.102
UHYS	Y	Y	Maternal Morbidity: Unplanned hysterectomy	Unplanned hysterectomy: Surgical removal of the uterus that was not planned prior to admission for delivery. Includes an anticipated or possible but not definitively planned procedure. Serious complications experienced by the mother associated with labor and delivery.	IF (Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure Code CONTAINS ValueSet(BFDR Unplanned Hysterectomy)) THEN “UHYS” SHALL be “Y” ELSE “N” NOTE: The SNOMED-CT codes associated with this value set are still pending. Until such time as these codes are available, this attribute will require data entry.	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Unplanned Hysterectomy 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.103
UOPR	Y	Y	Maternal Morbidity: Unplanned operat[ing]ion [room procedure following delivery]	Unplanned operating room procedure following delivery: Any transfer of the mother back to a surgical area	IF (Labor and Delivery Summary Labor and Delivery Procedure Code CONTAINS ValueSet (BFDR Unplanned Operation Value Set) AND (Mother's	Labor and Delivery Summary Mother's Metadata Entry: Mother's facility location <i>recordTarget/patientRole/providerOrganization/addr</i>	BFDR Facility Location OR Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.104

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				for an operative procedure that was not planned prior to the admission for delivery. Excludes postpartum tubal ligations. Serious complications experienced by the mother associated with labor and delivery.	facility location CONTAINS ValueSet (BFDR Facility Location OR Value Set) AND (Mother's facility location effectiveTime (low) > Procedure Date/Time (high) WHERE Procedure ID CONTAINS (BFDR Delivery Value Set)) "UOPR" SHALL be "Y" ELSE "N" NOTE: The SNOMED-CT codes associated with this value set are still pending. Until such time as these codes are available, this attribute will require data entry.	Labor and Delivery Summary Mother's Metadata Entry: Mother's facility location <i>recordTarget/patientRole/providerOrganization/effectiveTime</i>	
						Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14 BFDR Unplanned Operation Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.105
						Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Date/Time 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/effectiveTim	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						e	
NOA05	Y	Y	Maternal Morbidity:None of the above NOTE: NOA05 is also used for onset of labor	None of the listed serious complications experienced by the mother associated with labor and delivery.	This SHALL require data entry and SHALL NOT be a result of a default from the other attributes in the list	Data Entry Required	
PRES	Y	Y	Method of Delivery: Fetal presentation [at birth]: Cephalic	The physical process by which the complete delivery of the fetus was affected. Fetal presentation at birth - Cephalic: Presenting part of the fetus listed as vertex, occiput anterior (OA), occiput posterior (OP); Breech: Presenting part of the fetus listed as breech, complete breech, frank breech, footling breech; Other: Any other presentation not listed above.	IF (Labor and Delivery Summary Labor and Delivery Coded Event Outcomes Observation Code CONTAINS ValueSet (BFDR Fetal Presentation at Birth-Cephalic Value Set) THEN "PRES" SHALL = "1" ELSE IF (Observation Code CONTAINS ValueSet (BFDR Fetal Presentation at Birth-Breech Value Set) THEN "PRES" SHALL = "2" ELSE IF (Observation Code CONTAINS ValueSet (BFDR Fetal Presentation at Birth-Other Value Set) THEN "PRES" SHALL = "3" ELSE "PRES" SHALL = "9")	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Coded Event Outcomes Observation Code 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	BFDR Fetal Presentation at Birth- Breech Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.108 BFDR Fetal Presentation at Birth- Cephalic Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.109 BFDR Fetal Presentation at Birth- Other Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.110
ROUT	Y	Y	Method of Delivery: [Final]Route and method of delivery	The physical process by which the complete delivery of the fetus was	IF (Labor and Delivery Summary Labor and Delivery Procedures	Labor and Delivery Summary Labor and Delivery	BFDR Route and Method of Delivery - Spontaneous Delivery Value Set

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				affected. Includes: Vaginal/spontaneous: delivery of the entire fetus through the vagina by the nature force of labor with or without manual assistance from the delivery attendant; Vaginal/forceps Delivery of the fetal head through the vagina by the application of obstetrical forceps to the fetal head; Vaginal/vacuum Delivery of the fetal head through the vagina by the application of a vacuum cup or ventouse to the fetal head; or Cesarean: Extraction of the fetus, placenta, and membranes through an incision in the maternal abdominal and uterine walls.	and Interventions Procedure Code CONTAINS ValueSet (BFDR Route and Method of Delivery - Spontaneous Delivery Value Set) THEN “ROUT” SHALL = “1” ELSE IF Procedure Code CONTAINS ValueSet (BFDR Route and Method of Delivery - Forceps Delivery Value Set) THEN “ROUT” SHALL = “2” ELSE IF Procedure Code CONTAINS ValueSet (BFDR Route and Method of Delivery - Vacuum Delivery Value Set) THEN “ROUT” SHALL = “3” ELSE IF Procedure Code CONTAINS ValueSet (BFDR Route and Method of Delivery - Cesarean Delivery Value Set) THEN “ROUT” SHALL = “4” ELSE “ROUT” SHALL = “9”.	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.111 BFDR Route and Method of Delivery - Forceps Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.112 BFDR Route and Method of Delivery - Vacuum Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.113 BFDR Route and Method of Delivery - Cesarean Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.114
TLAB	Y	Y	Method of Delivery: Trial of labor attempted	If cesarean, indicate if a trial of labor was attempted (labor was allowed, augmented, or induced with plans for a vaginal delivery).	IF (Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure Code CONTAINS Procedure Code CONTAINS CONTAINS	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure ID	BFDR Route and Method of Delivery - Trial of Labor Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.115 BFDR Route and Method of

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					ValueSet (BFDR Route and Method of Delivery - Cesarean Delivery Value Set) THEN (IF (Procedure Code CONTAINS ValueSet (BFDR Route and Method of Delivery - Trial of Labor Value Set) THEN “TLAB” SHALL be “Y”. IF NOT Procedure Code CONTAINS ValueSet (BFDR Route and Method of Delivery - Scheduled Cesarean Value Set) THEN “TLAB” SHALL NOT be available for data entry. SHALL = “X” ELSE IF =NULL THEN “U”) ELSE “N”.	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	Delivery - Scheduled Cesarean Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.116 BFDR Route and Method of Delivery - Cesarean Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.114
MARE	Y	Y	Mother: Has the mother ever been married?	Indicates if the mother has ever been married.	IF (Mother’s Metadata Entry : Marital Status CONTAINS ValueSet (BFDR Married Value Set) OR ValueSet (BFDR Previously Married Value Set) THEN “MARE” SHALL = ‘Y’ ELSE IF Mother’s Metadata Entry Marital Status CONTAINS ValueSet (BFDR Never Married Value Set) THEN “MARE” SHALL = ‘N’ ELSE “MARE” SHALL = ‘U’	Labor and Delivery Summary Mother’s Metadata Entry: Marital Status recordTarget/patientRole/patient/maritalStatusCode	BFDR Married Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.170 BFDR Never Married Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.171 BFDR Previously Married Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.172
MFNAME	Y	Y	Mother's Current Legal Name: First Name	The current legal first name of the mother.	“MFNAME” SHALL be populated using Mother’s Metadata Entry: Mother’s Name using the First Name part of Mother’s Name	Mother’s Metadata Entry: Mother’s Name /ClinicalDocument/recordTarget[0]/patientRole/patient/name	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
MMNAME	Y	Y	Mother's Current Legal Name: Middle Name	The current legal middle name of the mother.	“MMNAME” SHALL be populated using Mother’s Metadata Entry: Mother’s Name using the Middle Name part of part of Mother’s Name	Labor and Delivery Summary Mother’s Metadata Entry: Mother’s Name /ClinicalDocument/recordTarget[0]/patientRole/patient/name	
MLNAME	Y	Y	Mother's Current Legal Name: Last Name	The current legal last name of the mother.	“MLNAME” SHALL be populated using Mother’s Metadata Entry: Mother’s Name using the Last Name part of part of Mother’s Name	Labor and Delivery Summary Mother’s Metadata Entry: Mother’s Name /ClinicalDocument/recordTarget[0]/patientRole/patient/name	
MSUFF	Y	Y	Mother's Current Legal Name: suffix	The current legal name suffix of the mother.	“MSUFF” SHALL be populated using Mother’s Metadata Entry: Mother’s Name the Last Name Suffix part of part of Mother’s Name	Labor and Delivery Summary Mother’s Metadata Entry: Mother’s Name /ClinicalDocument/recordTarget[0]/patientRole/patient/name	
HFT	Y	Y	Mother's Height: Feet	Mother's height feet	IF (Mother’s) Labor and Delivery Summary Coded Detailed Physical Examination Coded Vital Signs Section Result Type CONTAINS ValueSet (BFDR Height Value Set), THEN “HFT” SHALL = feet part of Result Value WHERE Result Value Units are expressed in Feet and Inches	(Mother’s) Labor and Delivery Summary Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs Section 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R esult Type ClinicalDocument/recordTarget/co	BFDR Height Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.190

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					monponent/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/observation/code		
					(Mother's) Labor and Delivery Summary Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs Section 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2 Result Value ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/observation/value		
					(Mother's) Labor and Delivery Summary Coded Detailed Physical Examination		

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs Section 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2. 2 Result Value Units 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 ClinicalDocument/recordTarget/co mponent/structuredBody/compone nt/section[templateId[@root=1.3.6 .1.4.1.19376.1.5.3.1.1.9.15.1]]/co mponent/section[templateId[@roo t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/obse rvation/units	
HIN	Y	Y	Mother's Height: Inches	Mother's height inches	IF Mother's Labor and Delivery Summary Coded Detailed Physical Examination Coded Vital Signs Section Result Type CONTAINS ValueSet (BFDR Height Value Set), THEN " HETHIN " SHALL = Inches part of Result Value WHERE Result Value Units are expressed in Feet and Inches	(Mother's) Labor and Delivery Summary Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs Section 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R esult Type ClinicalDocument/recordTarget/co mponent/structuredBody/compone nt/section[templateId[@root=1.3.6 .1.4.1.19376.1.5.3.1.1.9.15.1]]/co mponent/section[templateId[@roo t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2	BFDR Height Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.190

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
]]/entry/act/entryRelationship/observation/code	
						(Mother's) Labor and Delivery Summary Coded Vital Signs Section 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2 Result Value 1.3.6.1.4.1.19376.1.5.3.1.3.28 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/observation/value	
						(Mother's) Labor and Delivery Summary Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs Section 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2 Result Value Units	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/observation/units	
MRECNUM	Y	Y	Mother's medical record number	The mother's medical record number for this facility admission	“MRECNUM” SHALL be populated using Mother’s Metadata Entry: Mother’s Person ID using Mother’s Person ID Where Person ID represents the Mother’s Medical Record Number	(Mother’s) Labor and Delivery Summary /ClinicalDocument/recordTarget[0]/patientRole/patient/id	
PWGT	Y	Y	Mother's pre-pregnancy weight	The mother's prepregnancy weight	IF Mother’s Labor and Delivery Summary Coded Detailed Physical Examination Coded Vital Signs Section : Result Type = 3141-9 where methodCode CONTAINS ValueSet (Mother’s Pre-pregnancy weight), THEN “PWGT” SHALL = Result Value	(Mother’s) Labor and Delivery Summary Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs Section 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R esult Type methodCode 1.3.6.1.4.1.19376.1.5.3.1.3.28 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/obse	BFDR Pre-Pregnancy Weight Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.118

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						rvation/methodCode (Mother's) Labor and Delivery Summary Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs Section 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R esult Value 1.3.6.1.4.1.19376.1.5.3.1.3.28 ClinicalDocument/recordTarget/compone nt/structuredBody/component/section[templateId[@root=1.3.6 .1.4.1.19376.1.5.3.1.1.9.15.1]]/co mponent/section[templateId[@roo t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/obse rvation/value	
NFACL	Y	Y	Mother: If Mother transferred for maternal medical or fetal indications for delivery, enter name of facility mother transferred from.	Indicates the name of the facility the mother was transferred from if the mother was transferred from another facility. Transfers include hospital to hospital, birth facility to hospital, etc. Does not include home to hospital.	IF Labor and Delivery Summary Mother's Encounter Admission Source is value set (BFDR Transfer In Value Set) and Labor and Delivery Summary Labor and Delivery Active Problems Problem Code is value set (BFDR Transferred for Maternal Medical or Fetal Indications for Delivery), THEN NFACL SHALL = Referring Facility Name ELSE	(Mother's) Labor and Delivery Summary Mother's Encounter 2.16.840.1.113883.10.20.1.21 Referring Facility Name ClinicalDocument/recordTarget/compone nt/structuredBody/component/section[templateId[@root=2.16 .840.1.113883.10.20.1.21]]/particip ant[@typeCode='ORG']/name	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				NFACL SHALL = NULL' NOTE: Codes for transfer for maternal or fetal indications are not currently available. Until such time as these codes are available, this attribute will require data entry.	(Mother's) Labor and Delivery Summary Mother's Encounter 2.16.840.1.113883.10.20.1.21 Admission Source ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=2.16.840.1.113883.10.20.1.21]]/participant[@typeCode='ORG']/code	BFDR Transfer In Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.177	
TRAN	Y	Y	Mother transferred for maternal medical or fetal indications for delivery?	Indicates if the mother was transferred from another facility. Transfers include hospital to hospital, birth facility to hospital, etc. Does not include home	If Labor and Delivery Summary Mother's Encounter Admission Source is value set (Mother transferred) and Labor and Delivery Summary Labor and Delivery Coded Event Outcomes Observation Code is	(Mother's) Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Active Problems Problem Code 1.3.6.1.4.1.19376.1.5.3.1.3.6 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code	BFDR Transferred for Maternal Medical or Fetal Indications for Delivery 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.176

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				to hospital.	value set (BFDR Transferred for Maternal Medical or Fetal Indications for Delivery Value Set), THEN “TRAN” SHALL = “Y” ELSE IF 16.06 NOT NULL, THEN TRAN SHALL = “N” ELSE TRAN SHALL = “U”.	1.3.6.1.4.1.19376.1.7.3.1.1.13.7 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code Mother’s Encounter 2.16.840.1.113883.10.20.1.21 Admission Source ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=2.16.840.1.113883.10.20.1.21]]/participant[@typeCode='ORG']/code	
DWGT	Y	Y	Mother's weight at delivery	The mother's weight at the time of delivery.	(Mother's) Coded Labor and Delivery Summary Coded Detailed Physical Examination Coded Vital Signs Section Result Type=3141-9 where Result methodCode CONTAINS ValueSet (BFDR Mother's Delivery Weight Value Set), THEN “DWGT” SHALL = Result Value	(Mother's) Labor and Delivery Summary Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs Section 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R result Type methodCode ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]	BFDR Mother's Delivery Weight Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.120

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						<p>J]/entry/act/entryRelationship/observation/methodCode</p> <p>(Mother's) Labor and Delivery Summary Coded Detailed Physical Examination</p> <p>1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs Section 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R esult Value ClinicalDocument/recordTarget/compone nt/structuredBody/component/section[templateId[@root=1.3.6 .1.4.1.19376.1.5.3.1.1.9.15.1]]/co mponent/section[templateId[@roo t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/obse rvation/value</p>	
POPO	Y	Y	Number of other pregnancy outcomes	Total number of other pregnancy outcomes that did not result in a live birth. Includes pregnancy losses of any gestation age. Examples: spontaneous or induced losses or ectopic pregnancy.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (Previous other pregnancy outcomes), THEN “POBOPPO” SHALL = Observation Value	<p>Labor and Delivery History and Physical Pregnancy History</p> <p>1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation</p> <p>1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code</p> <p>ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5 .3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13</p>	<p>BFDR Previous Other Pregnancy Outcomes Value Set</p> <p>1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.121</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						.5]]/entry/act/entryRelationship/observation/code Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/value	
PLBD	Y	Y	Number of previous live births now dead (do not include this child)	The total number of previous live-born infants now dead.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (Number of Previous Live Births now Dead), THEN “PLBD” SHALL = Observation Value	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/ob	BFDR Number of Previous Live Births Now Dead Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.122

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						<p>servation/code</p> <p>Labor and Delivery History and Physical</p> <p>Pregnancy History</p> <p>1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4</p> <p>Pregnancy Observation</p> <p>1.3.6.1.4.1.19376.1.5.3.1.4.13.5</p> <p>Observation Value</p> <p>ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/value</p>	
PLBL	Y	Y	Number of previous live births now living (do not include this child)	The total number of previous live-born infants now living.	<p>IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (Number of Previous Live Births now Living), THEN “PLBL” SHALL = Observation Value</p>	<p>Labor and Delivery History and Physical</p> <p>Pregnancy History</p> <p>1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4</p> <p>Pregnancy Observation</p> <p>1.3.6.1.4.1.19376.1.5.3.1.4.13.5</p> <p>Observation Code</p> <p>ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/ob</p>	<p>BFDR Number of Previous Live Births Now Living Value Set</p> <p>1.3.6.1.4.1.19376.1.7.3.1.1.13.8.123</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						<p>servation/code</p> <p>Labor and Delivery History and Physical</p> <p>Pregnancy History</p> <p>1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4</p> <p>Pregnancy Observation</p> <p>1.3.6.1.4.1.19376.1.5.3.1.4.13.5</p> <p>Observation Value</p> <p>ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/value</p>	
OWGEST	Y	Y	Obstetric Estimate of Gestation	The best obstetric estimate of the infant's gestation in completed weeks based on the birth attendant's final estimate of gestation . This estimate of gestation should be determined by all perinatal factors and assessments such as ultrasound, but not the neonatal exam. Ultrasound taken early in pregnancy is preferred.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (Obstetric Estimate of Gestation), THEN "OWGEST" SHALL = Observation Value	<p>Labor and Delivery History and Physical</p> <p>Pregnancy History</p> <p>1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4</p> <p>Pregnancy Observation</p> <p>1.3.6.1.4.1.19376.1.5.3.1.4.13.5</p> <p>Observation Code</p> <p>ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/ob</p>	<p>BFDR Obstetric Estimate of Gestation Value Set</p> <p>1.3.6.1.4.1.19376.1.7.3.1.1.13.8.124</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						<p>servation/code</p> <p>Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13. .5]]/entry/act/entryRelationship/ob servation/value</p>	
CERV	Y	N	Obstetric procedures: Cervical cerclage	<p>Cervical cerclage: Circumferential banding or suture of the cervix to prevent or treat dilation. Includes: MacDonald's suture; Shirodkar procedure; and Abdominal cerclage via laparotomy.</p> <p>Obstetric procedures: Medical treatment or invasive/manipulative procedure performed during this pregnancy to treat the pregnancy or to manage labor and/or</p>	<p>IF Labor and Delivery Summary Labor and Delivery Procedures and Interventions Section Procedure Code CONTAINS ValueSet (BFDR Cervical Cerclage Value Set), THEN "CERV" SHALL = 'Y' ELSE IF Procedure Code = NULL THEN 'U' ELSE 'N'</p>	<p>Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code</p>	<p>BFDR Cervical Cerclage Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.125</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				delivery.			
ECVF	Y	N	Obstetric procedures: Failed External cephalic Version	Failed External cephalic version: Failed attempt to convert a fetus from a nonvertex to a vertex presentation by external manipulation. Obstetric procedures: Medical treatment or invasive/manipulative procedure performed during this pregnancy to treat the pregnancy or to manage labor and/or delivery.	IF Labor and Delivery Summary Labor and Delivery Procedures and Interventions Section Procedure ID CONTAINS ValueSet (BFDR External Cephalic Version Value Set) as Intent and Negation=TRUE, THEN "ECVF" SHALL = 'Y' ELSE IF Procedure Code = NULL THEN 'U' ELSE 'N'	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure ID 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR External Cephalic Version Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.127
ECVS	Y	N	Obstetric procedures: Successful External cephalic version	Successful External cephalic version: Successful conversion of a fetus from a nonvertex to a vertex presentation by external manipulation. Obstetric procedures: Medical treatment or invasive/manipulative procedure performed during this pregnancy to treat the pregnancy or to manage labor and/or delivery.	IF Labor and Delivery Summary Labor and Delivery Procedures and Interventions Section Procedure Code CONTAINS ValueSet (BFDR External Cephalic Version Value Set), AND NOT (Intent and Negation)=TRUE, THEN "ECVS" SHALL = 'Y' ELSE IF Procedure Code = NULL THEN 'U' ELSE 'N'	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR External Cephalic Version Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.127
TOC	Y	N	Obstetric procedures: Tocolysis	Tocolysis: Administration of any agent with the intent to	IF Labor and Delivery Summary Labor and Delivery Procedures and Interventions	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3	BFDR Tocolysis Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.128

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				<p>inhibit preterm uterine contractions to extend the length of the pregnancy.</p> <p>Medications:</p> <ul style="list-style-type: none"> Magnesium sulfate (for preterm labor); Terbutaline; Indocin (for preterm labor). <p>Obstetric procedures:</p> <ul style="list-style-type: none"> Medical treatment or invasive/manipulative procedure performed during this pregnancy to treat the pregnancy or to manage labor and/or delivery. 	<p>Section Procedure Code CONTAINS ValueSet (BFDR Tocolysis Value Set), THEN “TOC” SHALL = ‘Y’ ELSE IF Procedure Code = NULL THEN ‘U’ ELSE ‘N’</p>	<p>Procedures and Interventions</p> <p>Procedure Code</p> <p>1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code</p>	
NOA03	Y	N	Obstetric procedures: None of the above	<p>None of the listed obstetric procedures were performed for medical treatment or invasive/manipulative procedures during this pregnancy to treat the pregnancy or to manage labor and/or delivery.</p>	<p>This SHALL require data entry and SHALL NOT be a result of a default from the other attributes in the list</p>	Data Entry Required	
PROM	Y	N	Onset of labor: Premature Rupture	<p>Premature Rupture of the Membranes (prolonged≥12 hours): Spontaneous tearing of the amniotic sac, (natural breaking of the “bag of waters”), 12 hours or more before</p>	<p>IF Labor and Delivery Summary Labor and Delivery Coded Event Outcomes Observation Code CONTAINS ValueSet (BFDR Premature Rupture Value Set), THEN “PROM” SHALL = ‘Y’ ELSE IF Problem Code = ‘NULL’ THEN “PROM” SHALL = ‘U’</p>	<p>Labor and Delivery Summary</p> <p>Labor and Delivery</p> <p>1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3</p> <p>Coded Event Outcomes</p> <p>1.3.6.1.4.1.19376.1.7.3.1.1.13.7</p> <p>Observation Code</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/observation/code</p>	<p>BFDR Premature Rupture Value Set</p> <p>1.3.6.1.4.1.19376.1.7.3.1.1.13.8.129</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				labor begins. Serious complications experienced by the mother associated with labor and delivery.	ELSE “PROM” SHALL = ‘N’	nt/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	
PRIC	Y	N	Onset of labor: Precipitous Labor	Precipitous labor (<3hours): Labor that progresses rapidly and lasts for less than 3 hours. Serious complications experienced by the mother associated with labor and delivery.	IF Labor and Delivery Summary Labor and Delivery Coded Event Outcomes Observation Code CONTAINS ValueSet (BFDR Precipitous Labor Value Set), THEN “PRIC” SHALL = ‘Y’ ELSE IF Problem Code = ‘NULL’ THEN “PRIC” SHALL = ‘U’ ELSE “PRIC” SHALL = ‘N’	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	BFDR Precipitous Labor Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.130
PROL	Y	N	Onset of labor: Prolonged Labor	Prolonged labor (\geq 20 hours): Labor that progresses slowly and lasts for 20 hours or more. Serious complications experienced by the mother associated with labor and delivery.	IF Labor and Delivery Summary Labor and Delivery Coded Event Outcomes Observation Code CONTAINS ValueSet (BFDR Prolonged Labor Value Set), THEN “PROL” SHALL = ‘Y’ ELSE IF Problem Code = ‘NULL’ THEN “PROL” SHALL = ‘U’ ELSE “PROL” SHALL = ‘N’	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	BFDR Prolonged Labor Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.131

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						vation/code	
NOA05	Y	N	Onset of labor: None of the above NOTE: NOA05 is also used for Maternal Morbidity	None of the listed serious complications experienced by the mother associated with labor and delivery.	This SHALL require data entry and SHALL NOT be a result of a default from the other attributes in the list	Data Entry Required	
SFN	Y	Y	Place where birth occurred: State Facility Number		IF Labor and Delivery Summary Newborn Delivery Information Coded Event Outcomes Observation Code CONTAINS ValueSet(BFDR Birthplace Value Set) THEN “SFN” SHALL = Facility ID part of Observation Value	/ClinicalDocument/component/structuredBody/component/section/templateId[@root='1.3.6.1.4.1.1937 6.1.5.3.1.1.21.2.4']/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/addr/county	
FLOC	Y	Y	Place where birth occurred: Facility City/Town		“FLOC” SHALL = City/Town part of Metadata Entry: Birth Place taken from the newborn’s record	/ClinicalDocument/component/structuredBody/component/section/templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4'] /relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/addr/county	
CNAME	Y	Y	Place where birth occurred: County Name		“CNAME” SHALL = County name part of Metadata Entry: Birth Place taken from the newborn’s record	/ClinicalDocument/component/structuredBody/component/section/templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4'] /subject/relatedSubject/code[@code='NCHILD AND id=idOfTheChild']/addr/county	
CNTYO	Y	Y	Place where birth		“CNTYO” SHALL = County	ClinicalDocument/component/stru	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
			occurred: County Code		Code part of Metadata Entry: Birth Place taken from the newborn's record	structuredBody/component/section/templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4']/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/addr/county	
BPLACE	Y	N	Place where birth occurred: Birth Place		IF Labor and Delivery Summary Newborn Delivery Information Coded Event Outcomes Observation Code CONTAINS ValueSet (BFDR Birth Place Value Set) THEN IF Observation Value CONTAINS ValueSet (BFDR Birth Place Hospital Value Set) THEN BPLACE SHALL = '1' ELSE IF Observation Value CONTAINS ValueSet (BFDR Birth Place Freestanding Birthing Center Value Set) THEN BPLACE SHALL = '2' ELSE IF Observation Value CONTAINS ValueSet (BFDR Birth Place Home Intended Value Set) THEN BPLACE SHALL = '3' ELSE IF Observation Value CONTAINS ValueSet (BFDR Birth Place Home Unintended Value Set) THEN BPLACE SHALL = '4' ELSE IF Observation Value CONTAINS ValueSet (BFDR Birth Place Home Unknown Intention Value Set) THEN BPLACE SHALL = '5' ELSE IF Observation Value	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/component/structuredBody/component/section/templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section/templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]/entry/act/entryRelationship/observation/code	BFDR Birthplace Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.184

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				CONTAINS ValueSet (BFDR Birth Place Clinic Office Value Set) THEN BPLACE SHALL = ‘6’ ELSE BPLACE SHALL = ‘7’	oot=1.3.6.1.4.1.19376.1.5.3.1.1.21 .2.4]/ subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13 .7]]/entry/act/entryRelationship/observation/value	BFDR Birth Place Home Unintended Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.194 BFDR Birth Place Home Unknown Intention Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.195 BFDR Birth Place Clinic Office Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.196 BFDR Birth Place Freestanding Birthing Center Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.197	
PLUR	Y	Y	Plurality	The number of fetuses delivered live or dead at any time in the pregnancy regardless of gestational age or if the fetuses were delivered at different dates in the pregnancy. (“Reabsorbed” fetuses, those which are not “delivered” (expulsed or extracted from the mother) should not be counted.)	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (Birth Plurality of Delivery), THEN “PLUR” SHALL = Observation Value	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13]	BFDR Birth Plurality of Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.132

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						.5]]/entry/act/entryRelationship/observation/code	
DOFP_MO	Y	Y	Prenatal care visits: Date of first prenatal care visit: Month	The month a physician or other health care professional first examined and/or counseled the pregnant woman for the pregnancy.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR First Prenatal Care Visit Value Set) THEN (IF Observation Value NOT NULL THEN “DOFP_MO” SHALL = the Month part of Observation Value WHERE the Month is represented using 2-digits ELSE DOFP_MO” SHALL = ‘88’) ELSE “DOFP_MO” SHALL = ‘99’	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/value	BFDR First Prenatal Care Visit Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.133

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						servation/code Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. .3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13 .5]]/entry/act/entryRelationship/ob servation/value	
DOFP_DY	Y	Y	Date of first prenatal care visit: Day	The day a physician or other health care professional first examined and/or counseled the pregnant woman for the pregnancy.	IF Labor and Delivery History and Physical Pregnancy History Observation CONTAINS ValueSet (BFDR First Prenatal Care Visit Value Set THEN (IF Observation Value NOT NULL THEN “DOFP_DY” SHALL CONTAINS the Day part of Observation Value WHERE the Day is represented using 2-digits ELSE DOFP_DY” SHALL = ‘88’) ELSE “DOFP_DY” SHALL = ‘99’	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. .3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13	BFDR First Prenatal Care Visit Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.133

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						.5]]/entry/act/entryRelationship/observation/code Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/value	
DOFP_YR	Y	Y	Date of first prenatal care visit: Year	The year a physician or other health care professional first examined and/or counseled the pregnant woman for the pregnancy.	IF Labor and Delivery History and Physical Pregnancy History Observation CONTAINS ValueSet (BFDR First Prenatal Care Visit Value Set), THEN (IF Observation Value NOT NULL THEN “DOFP_YR” SHALL = the Year part of Observation Value WHERE the Year is represented using 4-digits ELSE DOFP_YR” SHALL = ‘8888’) ELSE “DOFP_YR” SHALL = ‘9999’	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/ob	BFDR First Prenatal Care Visit Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.133

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						servation/code Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. .3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13 .5]]/entry/act/entryRelationship/ob servation/value	
DOLP_MO	Y	Y	Prenatal care visits: Date of last prenatal care visit: Month	The month of the last prenatal care visit recorded in the records.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Last Prenatal Care Visit Value Set), THEN (IF Result Value NOT NULL THEN “DOLP_MO” SHALL = the Month part of Observation Value WHERE Result Value is expressed as Date AND WHERE the Month is represented using 2-digits for the MAX Observation Value ELSE DOLP_MO” SHALL = ‘88’) ELSE “DOLP_MO”	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. .3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13 .5]]/entry/act/entryRelationship/ob servation/value	BFDR Last Prenatal Care Visit Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.134

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					SHALL = '99'	<p>servation/code</p> <p>Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. .3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13 .5]]/entry/act/entryRelationship/ob servation/value</p>	
DOLP_DY	Y	Y	Prenatal care visits: Date of last prenatal care visit: Day	The day of the last prenatal care visit recorded in the records.	<p>IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Last Prenatal Care Visit Value Set), THEN (IF Result Value NOT NULL THEN “DOLP_DY” SHALL = the Day part of Observation Value WHERE Result Value is expressed as Date AND WHERE the Day is represented using 2-digits for the MAX Observation Value ELSE DOLP_DY” SHALL = ‘88’) ELSE “DOLP_DY” SHALL =</p>	<p>Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. .3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13 .5]]/entry/act/entryRelationship/ob servation/value</p>	<p>BFDR Last Prenatal Care Visit Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.134</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					'99'	<p>servation/code</p> <p>Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13 .5]]/entry/act/entryRelationship/ob servation/value</p>	
DOLP_YR	Y	Y	Prenatal care visits: Date of last prenatal care visit: Year	The year of the last prenatal care visit recorded in the records.	<p>IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Last Prenatal Care Visit Value Set), THEN (IF Result Value NOT NULL THEN “DOLP_DY” SHALL = the Year part of Observation Value WHERE Result Value is expressed as Date AND WHERE the Year is represented using 4-digits for the MAX Observation Value ELSE DOLP_YR” SHALL = ‘8888’) ELSE “DOLP_YR” SHALL =</p>	<p>Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13]</p>	<p>BFDR Last Prenatal Care Visit Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.134</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					'9999' .	.5]]/entry/act/entryRelationship/observation/code Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value (Timestamp) ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13. .5]]/entry/act/entryRelationship/observation/value	
NPREV	Y	Y	Prenatal care visits: Total number of prenatal visits for this pregnancy	The total number of visits recorded in the record.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Number Prenatal Care Visits Value Set), THEN “NPREV” SHALL = Observation Value	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0] /component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13. .5]]/entry/act/entryRelationship/ob	BFDR Number Prenatal Care Visits Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.13

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						servation/code Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/value	
PAY	Y	N	Principal source of payment for this delivery	The principal source of payment at the time of delivery: Includes: Private insurance (Blue Cross/Blue Shield, Aetna, etc.); Medicaid (or a comparable State program); Self-pay (no third party identified); Other (Indian Health Service, CHAMPUS/TRICARE, other	NOTE: The US-Specific codes associated with this value set are not yet mapped to the form data from HITSP selected ANSI X12 Values. Until such time as these codes are mapped, this attribute will require implementation-specific mapping.	Payers 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.7 Coverage Entry 1.3.6.1.4.1.19376.1.5.3.1.4.17	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				government [Federal, State, local]); Unknown			
PDIAB	Y	Y	Risk factors in this pregnancy: Prepregnancy Diabetes	Prepregnancy Diabetes (diagnosis of glucose intolerance requiring treatment before this pregnancy).	IF History of Past Illness Problem Code CONTAINS ValueSet (BFDR Prepregnancy Diabetes Value Set), THEN “PDIAB” SHALL = ‘Y’ ELSE IF Problem Code = ‘NULL’ THEN “PDIAB” SHALL = ‘U’ ELSE “PDIAB” SHALL = ‘N’	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code	BFDR Prepregnancy Diabetes Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.136
GDIAB	Y	Y	Risk factors in this pregnancy: Gestational Diabetes	Gestational Diabetes (diagnosis of glucose intolerance requiring treatment during this pregnancy).	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Gestational Diabetes Value Set), THEN “GDIAB” SHALL = ‘Y’ ELSE IF Problem Code = ‘NULL’ THEN “GDIAB” SHALL = ‘U’ ELSE “GDIAB” SHALL = ‘N’	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code	BFDR Gestational Diabetes Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.137

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						.5]]/entry/act/entryRelationship/observation/code	
PHYPE	Y	Y	Risk factors in this pregnancy: Prepregnancy Hypertension	Prepregnancy (Chronic) Hypertension (Elevation of blood pressure above normal for age, gender, and physiological condition with diagnosis prior to the onset of this pregnancy. Does not include gestational (pregnancy induced) hypertension (PIH).)	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Prepregnancy Hypertension Value Set) AND NOT Problem Code CONTAINS (BFDR Gestational Hypertension Value Set) THEN "PHYPE" SHALL = 'Y' ELSE IF Problem Code = 'NULL' THEN "PHYPE" SHALL = 'U' ELSE "PHYPE" SHALL = 'N'	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code	BFDR Prepregnancy Hypertension Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.138 BFDR Gestational Hypertension Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.139
GHYPE	Y	Y	Risk factors in this pregnancy: Gestational Hypertension	Gestational Hypertension (Elevation of blood pressure above normal for age, gender, and physiological condition with diagnosis in this pregnancy (pregnancy-induced hypertension or preeclampsia).	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Gestational Hypertension Value Set) AND NOT Problem Code CONTAINS (BFDR Prepregnancy Hypertension Value Set) THEN "GHYPE" SHALL = 'Y' ELSE IF Problem Code = 'NULL' THEN "GHYPE" SHALL = 'U' ELSE "GHYPE" SHALL = 'N'	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/ob	BFDR Gestational Hypertension Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.139 BFDR Prepregnancy Hypertension Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.138

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						servation/code	
EHYPE	Y	Y	Risk factors in this pregnancy: Eclampsia	Eclampsia Hypertension (Elevation of blood pressure above normal for age, gender, and physiological condition with proteinuria with generalized seizures or coma. May include pathologic edema.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (Eclampsia), THEN "EHYPE" SHALL = 'Y' ELSE IF Problem Code = 'NULL' THEN "EHYPE" SHALL = 'U' ELSE "EHYPE" SHALL = 'N'	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code	BFDR Eclampsia Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.140
PPB	Y	Y	Risk factors in this pregnancy: Previous preterm births	History of pregnancy(ies) terminating in a live birth of less than 37 completed weeks of gestation.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Preterm Birth Value Set) OR (Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Number of Preterm	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.8.141]]/entry/act/entryRelationship/observation/code	BFDR Preterm BirthValue Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.141
							BFDR Number of Preterm Births Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.187

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				Births Value Set) AND Pregnancy History Observation Value >0) THEN “PPB” SHALL = ‘Y’ ELSE IF Problem Code = ‘NULL’ THEN “PPB” SHALL = ‘U’ ELSE “PPB” SHALL = ‘N’	oot=1.3.6.1.4.1.19376.1.5.3.1.1.5. 3.4]] /component/section[templateId[@r oot=1.3.6.1.4.1.19376.1.5.3.1.4.13 .5]]/entry/act/entryRelationship/ob servation/code	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Value ClinicalDocument/recordTarget[0]/component/structuredBody/ component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1. .1.5.3.4]] /component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1. .4.13.5]]/entry/act/entryRelations hip/observation/value	
PPO	Y	Y	Risk factors in this pregnancy: Poor pregnancy outcomes	History of pregnancies continuing into the 20th week of gestation and resulting in any of the listed outcomes: Perinatal death (including fetal and neonatal deaths); Small for gestational age;	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Poor Pregnancy Outcome – History Value Set) THEN “PPO” SHALL = ‘Y’ ELSE IF 7.04 Problem Code = ‘NULL’ THEN “PPO” SHALL = ‘U’ ELSE	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code	BFDR Poor Pregnancy Outcome – History Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.142

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				Intrauterine-growth-restricted birth.	“PPO” SHALL = ‘N’	ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code	
INFT	Y	Y	Risk factors in this pregnancy: Infertility treatment	Any assisted reproductive treatment used to initiate the pregnancy. Includes: Drugs (such as Clomid, Pergonal); Artificial insemination; Technical procedures (such as in-vitro fertilization).	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Infertility Treatment Value Set) THEN “INFT” SHALL = ‘Y’ ELSE IF Procedure Code = ‘NULL’ THEN “INFT” SHALL = ‘U’ ELSE “INFT” SHALL = ‘N’	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code	BFDR Infertility Treatment Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.143
INFT_DRG	Y	Y	Risk factors in this pregnancy: Infertility: Fertility Enhancing Drugs, AI	Fertility-enhancing drugs, artificial insemination or intrauterine insemination Any fertility enhancing drugs (e.g., Clomid, Pergonal), artificial insemination or	IF Labor and Delivery Summary Admission Medication History Medications AdministeredSection Coded Product Name CONTAINS ValueSet (BFDR Fertility Enhancing Drugs) THEN “INFT_DRG” SHALL = ‘Y’	Labor and Delivery Summary Admission Medication History 1.3.6.1.4.1.19376.1.5.3.1.3.20 Medications Administered Coded Product Name 1.3.6.1.4.1.19376.1.5.3.1.3.21 ClinicalDocument/recordTarget/component/structuredBody/componen	BFDR Fertility Enhancing Drugs 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.144

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				intrauterine insemination used to initiate the pregnancy.	ELSE IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS (BFDR Artificial or Intrauterine Insemination Value Set) THEN “INFT_DRG” SHALL = ‘Y’ ELSE (IF (Coded Product Name = ‘NULL’) AND (Procedure Code = ‘NULL’) THEN “INFT_DRG” SHALL = ‘U’) ELSE “INFT_DRG” SHALL = ‘N’	nt/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/substanceAdministration/code Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code	BFDR Artificial or Intrauterine Insemination Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.145
INFT_ART	Y	Y	Risk factors in this pregnancy: Infertility: Asst. Rep. Technology	Assisted reproductive technology (e.g. in vitro fertilization (IVF), gamete intrafallopian transfer GIFT)) Any assisted reproductive technology (ART/technical procedures (e.g., IVF, GIFT, ZIFT)) used to initiate the pregnancy.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Assistive Reproductive Technology Value Set) THEN “INFT_ART” SHALL = ‘Y’ ELSE IF Procedure Code = ‘NULL’ THEN “INFT_ART” SHALL = ‘U’ ELSE “INFT_ART” SHALL = ‘N’	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Pregnancy Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 Observation Code ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code	BFDR Assistive Reproductive Technology Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.146

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						.5]]/entry/act/entryRelationship/observation/code	
PCES	Y	Y	Risk factors in this pregnancy: Previous cesarean	Previous delivery by extracting the fetus, placenta, and membranes through an incision in the mother's abdominal and uterine walls.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Previous Cesarean Value Set) THEN "PCES" SHALL = 'Y' ELSE IF Problem Code = 'NULL' THEN "PCES" SHALL = 'U' ELSE "PCES" SHALL = 'N'	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Observation Code 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code	BFDR Previous Cesarean Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.147
NPCES	Y	Y	Risk factors in this pregnancy: Number of previous cesareans	Number of previous deliveries extracting the fetus, placenta, and membranes through an incision in the mother's abdominal and uterine walls.	IF Labor and Delivery History and Physical Pregnancy History Observation Code CONTAINS ValueSet (BFDR Number of Previous Cesareans Value Set), THEN "NPCES" SHALL = Result Value	Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Observation Code 1.3.6.1.4.1.19376.1.5.3.1.4.13.5 ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/code	BFDR Number of Previous Cesareans Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.148

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						Labor and Delivery History and Physical Pregnancy History 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4 Observation Value ClinicalDocument/recordTarget[0]/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.5]]/entry/act/entryRelationship/observation/value	
NOA01	Y	Y	Risk factors in this pregnancy: None of the above	The patient had none of the listed risk factors in this pregnancy.	This attribute SHALL NOT be determined by default. If there are no other risk factors identified through other attributes, the form manager SHALL require data entry to assure the accuracy of the data.		
SORD	Y	Y	Set Order	Order this infant was delivered in the set.	If Labor and Delivery Summary Labor and Delivery Coded Event Outcome Multiple Birth =’Y’ THEN “SORD” SHALL be populated using Birth Order AND using ‘99’ where not known ELSE IF Multiple Birth =’N’ “SORD” SHALL = ‘88’	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Multiple Birth Indication Coded Event Outcome 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/entry/act/entryRelationship/observation/value	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelations hip/observation/code	
FSEX	Y	N	Child: (infant) Sex -	The sex of the infant.	IF Labor and Delivery recordTarget/patientRole /patient/administrativeGenderCode CONTAINS ValueSet(BFDR Male Gender Value Set) THEN ‘FSEX’ SHALL =’M’ ELSE IF Labor and Delivery recordTarget/patientRole /patient/administrativeGenderCode CONTAINS ValueSet(BFDR Female Gender Value Set) THEN “FSEX” SHALL =’F’ ELSE THEN “FSEX” SHALL =’N’	Labor and Delivery Summary recordTarget/patientRole/p atient/administrativeGende rCode	BFDR Male Gender Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.42 BFDR Female Gender Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.43
FDOD_YR	N	Y		Date of Delivery (Fetus) Year	IF Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure Code CONTAINS ValueSet (BFDR Delivery Value Set) THEN “FDOD_YR” SHALL = Year part of Procedure Date/Time	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.]]	BFDR Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						11]]/entry/procedure/code	
FDOD_MO	N	Y		Date of Delivery (Fetus) Month	IF Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure Code CONTAINS ValueSet (BFDR Delivery Value Set) THEN “FDOD_MO” SHALL = Month part of Procedure Date/Time	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14
FDOD_DY	N	Y		Date of Delivery (Fetus) Day	IF Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure Code CONTAINS ValueSet (BFDR Delivery Value Set) THEN “FDOD_DYYR” SHALL = Day part of Procedure Date/Time	Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14
ETIME	N	Y	Estimated Time of Fetal Death	Item to indicate when the fetus died with respect to labor and assessment.	IF Newborn Delivery Information Coded Event Outcomes Observation Code CONTAINS ValueSet (BFDR	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Event Outcomes	BFDR Time of Death Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.185

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					Time of Death Value Set), THEN “ETIME” SHALL = Observation Value WHERE Result Value is the Time of Death of the Fetus	1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code	
	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Value ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/value						

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
LIVEB	Y	N	Not single birth - specify number of infants in this delivery born alive.	Specify the number of infants in this delivery born alive	IF Labor and Delivery Summary Newborn Delivery Information Coded Event Outcomes Observation Code CONTAINS ValueSet (BFDR Number of Live Births Value Set), THEN SHALL = Observation Value	Labor and Delivery Summary (Mother's) Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.13.7]]/entry/act/entryRelationshiip/observation/code	BFDR Number of Live Births Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.68
FDTH	N	Y	Number of fetal deaths	Specify the number of fetal deaths in this delivery	IF Labor and Delivery Summary Newborn Delivery Information Coded Event Outcomes Observation CONTAINS ValueSet (BFDR Number of Fetal Deaths This	Labor and Delivery Summary (Mother's) Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Code ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.13.7]]/entry/act/entryRelationshiip/observation/value	BFDR Number of Fetal Deaths This Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.164

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				Delivery Value Set), THEN SHALL = Observation Value	cturedBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/code		
HYST	N	Y	Method of Delivery: Hysterotomy/Hysterectomy?	Hysterotomy/Hysterectomy was the physical process by which the complete delivery of the fetus was affected. Hysterotomy: Incision into the uterus extending into the uterine cavity. May be performed vaginally or transabdominally. Hysterectomy: Surgical removal of the uterus.	IF Labor and Delivery Procedures and Interventions Procedure ID CONTAINS ValueSet (BFDR Hysterotomy/Hysterectomy Value Set), THEN “HYST” SHALL = Result Value	Labor and Delivery Summary (Mother’s) Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7 Observation Value ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.7.3.1.1.13.7]]/entry/act/entryRelationship/observation/value	BFDR Hysterotomy/Hysterectomy Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.150

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				May be performed abdominally or vaginally.		11]]/entry/procedure/code	
TD	N	Y	Time of delivery	Hour and minute fetus was delivered.	IF Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure Code CONTAINS ValueSet (BFDR Delivery Value Set), THEN “TD” SHALL = Result Value	Labor and Delivery Summary (Mother’s) Labor and Delivery Summary Labor and Delivery 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Delivery Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.14

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
AUTOP	N	Y	Was an autopsy performed?	Information on whether or not an autopsy was performed	IF (Labor and Delivery Summary Labor and Delivery Procedures and Interventions Procedure Code CONTAINS ValueSet CONTAINS ValueSet (BFDR Fetal Autopsy Value Set) THEN "AUTOP" SHALL = "Y" ELSE "N".	Labor and Delivery Summary (Mother's) Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Procedures and Interventions Procedure Code 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/procedure/code	BFDR Fetal Autopsy Value Set
FWO	N	Y	Weight of Fetus (in ounces)	Fetus' weight in ounces.	IF Labor and Delivery Summary Newborn Delivery Information Coded Detailed Physical Examination Coded Vital Signs Result Type = 3141-9 where Result methodCode CONTAINS ValueSet (BFDR Fetus Weight Value Set) THEN "FWO" SHALL = Result Value WHERE units are specified in Ounces	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2 Result methodCode 1.3.6.1.4.1.19376.1.5.3.1.3.28	BFDR Fetus Weight Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.151
						Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R result Value 1.3.6.1.4.1.19376.1.5.3.1.3.28	
FWG	N	Y	Weight of Fetus (grams preferred, specify unit)	Fetus' weight in grams.	IF Newborn Delivery Information Coded Detailed Physical Examination Coded Vital Signs Result Type = 3141-9 where Result methodCode CONTAINS ValueSet (BFDR Fetus Weight Value Set) THEN “FWG” SHALL = Result Value WHERE units are specified in Grams	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R result methodCode 1.3.6.1.4.1.19376.1.5.3.1.3.28	BFDR Fetus Weight Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.151
						Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R result Value 1.3.6.1.4.1.19376.1.5.3.1.3.28	

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
FWP	N	Y	Weight of Fetus (in pounds)	Fetus' weight in pounds.	IF Newborn Delivery Information Coded Detailed Physical Examination Coded Vital Signs Result Type = 3141-9 where Result methodCode CONTAINS ValueSet (BFDR Fetus Weight Value Set) THEN "FWP" SHALL = Result Value WHERE units are specified in pounds	Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4 Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2 Result type, ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.1.2]]/entry/act/entryRelationship/observation/code	BFDR Fetus Weight Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.151

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
					<p>1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1 Coded Vital Signs 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R esult type, Result methodCode</p> <p>ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2]]/entry/act/entryRelationship/observation/methodCode</p>		
					<p>Labor and Delivery Summary Newborn Delivery Information 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4</p> <p>Coded Detailed Physical Examination 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1</p> <p>Coded Vital Signs 1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2R esult Value ClinicalDocument/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4]]/</p>		

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						subject/relatedSubject/code[@code='NCHILD' AND id=idOfTheChild]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.5.3.2]]/entry/act/entryRelationship/observation/value 1.3.6.1.4.1.19376.1.5.3.1.3.28	
LM	N N	Y	Infections present and treated during this pregnancy: Listeria	<p>Listeria: A diagnosis of or positive test for Listeria monocytogenes. Infections present at the time of the pregnancy diagnosis or a confirmed diagnosis during the pregnancy with or without documentation of treatment.</p> <p>Documentation of treatment during this pregnancy is adequate if a definitive diagnosis is not present in the available record.</p>	<p>IF (Labor and Delivery Summary Active Problems Problem Code CONTAINS ValueSet (BFDR Listeria Value Set)) OR (Labor and Delivery History and Physical Coded History of Infection Problem Concern Observation CONTAINS ValueSet (BFDR Listeria Value Set))</p> <p>THEN THEN "LM" SHALL = "Y" ELSE "N".</p>	<p>Labor and Delivery Summary Active Problems Problem Code 1.3.6.1.4.1.19376.1.5.3.1.3.6</p> <p>ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code</p>	<p>BFDR Listeria Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.165</p>
						<p>Labor and Delivery History and Physical Coded History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1</p> <p>Problem Concern 1.3.6.1.4.1.19376.1.5.3.1.4.5.2</p> <p>Observation</p>	<p>BFDR Listeria Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.165</p>

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
						ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code	
GBS		Y	Infections present and treated during this pregnancy: Group B Streptococcus	Group B Streptococcus: A diagnosis of or positive test for Streptococcus agalactiae or group B streptococcus. Infections present at the time of the pregnancy diagnosis or a confirmed diagnosis during the pregnancy with or without documentation of treatment. Documentation of treatment during this pregnancy is adequate if a definitive diagnosis is not present in the available record.	IF (Labor and Delivery Summary Active Problems Problem Code CONTAINS ValueSet (BFDR Group B Streptococcus Value Set)) OR (Labor and Delivery History and Physical Coded History of Infection Problem Concern Observation CONTAINS ValueSet (BFDR Group B Streptococcus Value Set)) THEN THEN "GBS" SHALL = "Y" ELSE "N".	Labor and Delivery Summary Active Problems Problem Code 1.3.6.1.4.1.19376.1.5.3.1.3.6 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code	BFDR Group B Streptococcus Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.166
CMV	N	Y	Infections present and treated during this	Cytomegalovirus (CMV): A diagnosis of	IF (Labor and Delivery Summary Active Problems	Labor and Delivery Summary Active Problems	BFDR Cytomegalovirus Value Set

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
			pregnancy: Cytomeglovirus	or positive test for Cytomegalovirus. Infections present at the time of the pregnancy diagnosis or a confirmed diagnosis during the pregnancy with or without documentation of treatment. Documentation of treatment during this pregnancy is adequate if a definitive diagnosis is not present in the available record.	Problem Code CONTAINS ValueSet (BFDR Cytomegalovirus Value Set)) OR (Labor and Delivery History and Physical Coded History of Infection Problem Concern Observation CONTAINS ValueSet (BFDR Cytomegalovirus Value Set)) THEN THEN "CMV" SHALL = "Y" ELSE "N".	Problem Code 1.3.6.1.4.1.19376.1.5.3.1.3.6 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code Labor and Delivery History and Physical Coded History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1 Problem Concern 1.3.6.1.4.1.19376.1.5.3.1.4.5.2 Observation ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code	1.3.6.1.4.1.19376.1.7.3.1.1.13.8.167
B19	N	Y	Infections present and treated during this pregnancy: Parvovirus	Parvovirus: A diagnosis of or positive test for Parvovirus B19. Infections present at the time of the pregnancy diagnosis or a confirmed diagnosis during the pregnancy with or without documentation of treatment.	IF (Labor and Delivery Summary Active Problems Problem Code CONTAINS ValueSet (BFDR Parvovirus Value Set)) OR (Labor and Delivery History and Physical Coded History of Infection Problem Concern Observation CONTAINS ValueSet (BFDR Parvovirus Value Set)) THEN	Labor and Delivery Summary Active Problems Problem Code 1.3.6.1.4.1.19376.1.5.3.1.3.6 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code	BFDR Parvovirus Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.168

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source	Value sets
				Documentation of treatment during this pregnancy is adequate if a definitive diagnosis is not present in the available record	THEN "B19" SHALL = "Y" ELSE "N".	Labor and Delivery History and Physical Coded History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1. 1.1 Problem Concern 1.3.6.1.4.1.19376.1.5.3.1.4.5.2 Observation	BFDR Parvovirus Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.168
TOXO	N	Y	Infections present and treated during this pregnancy: Toxoplasmosis	Toxoplasmosis: A diagnosis of or positive test for Toxoplasma gondii.	IF (Labor and Delivery Summary Active Problems Problem Code CONTAINS ValueSet (BFDR Toxoplasmosis Value Set)) OR (Labor and Delivery History and Physical Coded History of Infection Problem Concern Observation CONTAINS ValueSet (BFDR Toxoplasmosis Value Set)) THEN THEN "TOXO" SHALL = "Y" ELSE "N".	Labor and Delivery Summary Active Problems Problem Code 1.3.6.1.4.1.19376.1.5.3.1.3.6 ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code	BFDR Toxoplasmosis Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.169
						Labor and Delivery History and Physical Coded History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1. 1.1 Problem Concern 1.3.6.1.4.1.19376.1.5.3.1.4.5.2 Observation ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.6]]/entry/act/entryRelationship/observation/code	BFDR Toxoplasmosis Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.13. 8.169

The EHR mapping associated with the attributes described in Table 5.X.2-1 are provided by this specification. Until such time as permissible by the jurisdiction, the attributes included in Table 5.X.2-2 SHALL require manual entry to assure the accuracy of the certificate data.

Table 5.X.2-2 Attributes Requiring Direct Data Entry

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source
AUTOPF	N	Y	Were autopsy or histological placental examination results used in determining the cause of fetal death?	Information on whether the findings of the autopsy or histological placental examination were used in completing the medical portion of the fetal death report.	Data Entry Required	Data Entry Required
HISTOP	N	Y	Was a Histological Placental Examination performed?	Information on whether or not a histological placental examination was performed	Data Entry Required	Data Entry Required
	N	Y	Initiating Cause/Condition: Maternal Condition/Diseases (Specify)	The initiating cause/condition (18a) is for reporting a single condition that most likely began the sequence of events resulting in the death of the fetus.	Data Entry Required	Not Available from EHR
COD18a1	N	Y	Rupture of membranes prior to onset of labor	Yes/No Response	Data Entry Required	Not Available from EHR

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source
COD18a2	N	Y	Abruptio placenta	Yes/No Response	Data Entry Required	Not Available from EHR
COD18a3	N	Y	Placental insufficiency	Yes/No Response	Data Entry Required	Not Available from EHR
COD18a4	N	Y	Prolapsed cord	Yes/No Response	Data Entry Required	Not Available from EHR
COD18a5	N	Y	Chorioamnionitis	Yes/No Response	Data Entry Required	Not Available from EHR
COD18a6	N	Y	Other complications of placenta, cord or membranes	Yes/No Response	Data Entry Required	Not Available from EHR
COD18a7	N	Y	Unknown	Yes/No Response	Data Entry Required	Not Available from EHR

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source
COD18a8	N	Y	Maternal conditions/diseases	Literal responses	Data Entry Required	Not Available from EHR
COD18a9	N	Y	Other complications of placenta, cord, or membranes listed	Literal responses	Data Entry Required	Not Available from EHR
COD18a10	N	Y	Other obstetrical or pregnancy complications	Literal responses	Data Entry Required	Not Available from EHR
COD18a11	N	Y	Fetal anomaly	Literal responses	Data Entry Required	Not Available from EHR
COD18a12	N	Y	Fetal injury	Literal responses	Data Entry Required	Not Available from EHR
COD18a13	N	Y	Fetal infection	Literal responses	Data Entry Required	Not Available from EHR

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source
COD18a14	N	Y	Other fetal conditions/disorders	Literal responses	Data Entry Required	Not Available from EHR
	N	Y	Other Significant Causes or Conditions: Maternal Condition/Diseases (Specify)	Contributing cause	Data Entry required	Not Available from EHR
COD18b1	N	Y	Rupture of membranes prior to onset of labor	Yes/No Response	Data Entry required	Not Available from EHR
COD18b2	N	Y	Abruptio placenta	Yes/No Response	Data Entry required	Not Available from EHR
COD18b3	N	Y	Placental insufficiency	Yes/No Response	Data Entry required	Not Available from EHR
COD18b4	N	Y	Prolapsed cord	Yes/No Response	Data Entry required	Not Available from EHR

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source
COD18b5	N	Y	Chorioamnionitis	Yes/No Response	Data Entry required	Not Available from EHR
COD18b6	N	Y	Othercomplication of placenta, cord, or membranes	Yes/No Response	Data Entry required	Not Available from EHR
COD18b7	N	Y	Unknown	Yes/No Response	Data Entry required	Not Available from EHR
COD18b8	N	Y	Maternal conditions/diseases	Literal responses	Data Entry required	Not Available from EHR
COD18b9	N	Y	Other complications of placenta, cord, or membranes	Literal responses	Data Entry required	Not Available from EHR
COD18b10	N	Y	Other obstetrical or pregnancy complications	Literal responses	Data Entry required	Not Available from EHR

IHE QRPH Technical Framework Supplement – Maternal Child Health-Birth and Fetal Death Reporting (BFDR)

US Attribute code	Used in Birth	Used in Fetal Death	Form Data Element	Definition	Derivation Rule	LDS Source
COD18b11	N	Y	Fetal anomaly	Literal responses	Data Entry required	Not Available from EHR
COD18b12	N	Y	Fetal injury	Literal responses	Data Entry required	Not Available from EHR
COD18b13	N	Y	Fetal infection	Literal responses	Data Entry required	Not Available from EHR
COD18b14	N	Y	Other fetal conditions/disorders	Literal responses	Data Entry required	Not Available from EHR