

Integrating the Healthcare Enterprise



5

**IHE IT Infrastructure
Technical Framework Supplement**

10

**Healthcare Provider Directory
(HPD)**

15

Trial Implementation

20

Date: August 31, 2012
Author: IHE ITI Technical Committee
Email: iti@ihe.net

25

Foreword

30 This is a supplement to the IHE IT Infrastructure Technical Framework 9.0. Each supplement undergoes a process of public comment and trial implementation before being incorporated into the volumes of the Technical Frameworks.

This supplement is submitted for Trial Implementation as of August 31, 2012 and may be available for testing at subsequent IHE Connectathons. The supplement may be amended based on the results of testing. Following successful testing it will be incorporated into the IT Infrastructure Technical Framework. Comments are invited and can be submitted at
35 <http://www.ihe.net/iti/iticomments.cfm>.

This supplement describes changes to the existing technical framework documents and where indicated amends text by addition (**bold underline**) or removal (**~~bold strikethrough~~**), as well as addition of large new sections introduced by editor’s instructions to “add new text” or similar, which for readability are not bolded or underlined.

40 “Boxed” instructions like the sample below indicate to the Volume Editor how to integrate the relevant section(s) into the relevant Technical Framework volume:

<i>Replace Section X.X by the following:</i>
--

45 General information about IHE can be found at: www.ihe.net

Information about the IHE IT Infrastructure domain can be found at:
<http://www.ihe.net/Domains/index.cfm>

Information about the structure of IHE Technical Frameworks and Supplements can be found at:
<http://www.ihe.net/About/process.cfm> and <http://www.ihe.net/profiles/index.cfm>

50 The current version of the IHE Technical Framework can be found at:
http://www.ihe.net/Technical_Framework/index.cfm

55

CONTENTS

60	INTRODUCTION	5
	OPEN ISSUES AND QUESTIONS	5
	CLOSED ISSUES.....	5
	VOLUME 1 – INTEGRATION PROFILES	14
	1.7 HISTORY OF ANNUAL CHANGES	14
65	2.1 DEPENDENCIES AMONG INTEGRATION PROFILES	14
	2.2.28 <i>Health Care Provider (HPD)</i>	14
	28 HEALTH PROVIDER DIRECTORY (HPD) INTEGRATION PROFILE	14
	28.1 ACTORS/ TRANSACTIONS	15
	28.1.1 <i>Actors</i>	16
70	28.1.1.1 Provider Information Directory	16
	28.1.1.2 Provider Information Source	18
	28.1.1.3 Provider Information Consumer.....	19
	28.2 HPD INTEGRATION PROFILE OPTIONS	19
	28.2.1 <i>Provider Information Feed Option</i>	19
75	28.3 HEALTHCARE PROVIDER DIRECTORY (HPD) PROCESS FLOW	19
	28.3.1 <i>Use Cases</i>	19
	28.3.1.1 Provider Information Query Transaction Use Cases	19
	28.3.1.2 Provider Information Feed Transaction Use Cases	22
	28.3.2 <i>Detailed Interactions</i>	23
80	28.3.2.1 Detail Interactions – Transactions	23
	28.3.2.2 Detail Interactions – Entities and Attributes.....	24
	28.4 HPD SECURITY CONSIDERATIONS	29
	APPENDIX A: ACTOR SUMMARY DEFINITIONS	31
	APPENDIX B: TRANSACTION SUMMARY DEFINITIONS	31
85	GLOSSARY	32
	VOLUME 2B - TRANSACTIONS	33
	3.58 PROVIDER INFORMATION QUERY	33
	3.58.1 <i>Scope</i>	33
	3.58.2 <i>Use Case Roles</i>	34
90	3.58.3 <i>Referenced Standards</i>	34
	3.58.4 <i>Interaction Diagram</i>	35
	3.58.4.1 Provider Information Query Request	35
	3.58.4.1.1 Trigger Events.....	36
	3.58.4.1.2 Message Semantics	36
95	3.58.4.1.2.1 HPD Schema Structure	36
	3.58.4.1.2.2 HPD Schema Content	37
	3.58.4.1.2.2.1 Object Classes	37
	3.58.4.1.2.2.2 Individual Provider	42
	3.58.4.1.2.2.3 Organizational Provider.....	45
100	3.58.4.1.2.2.4 Relationships	49
	3.58.4.1.2.3 Status Code Values	50
	3.58.4.1.3 Expected Actions	51
	3.58.4.2 Provider Information Query Response	51

105	3.58.4.2.1 Trigger Events.....	51
	3.58.4.2.2 Message Semantics	51
	3.58.4.2.3 Expected Actions	51
	3.58.5 <i>Security Considerations</i>	52
	3.58.6 <i>Protocol Requirements</i>	52
110	3.59 PROVIDER INFORMATION FEED.....	52
	3.59.1 <i>Scope</i>	53
	3.59.2 <i>Use Case Roles</i>	53
	3.59.3 <i>Referenced Standards</i>	54
	3.59.4 <i>Interaction Diagram</i>	55
115	3.59.4.1 Provider Information Feed Request.....	55
	3.59.4.1.1 Trigger Events.....	56
	3.59.4.1.2 Message Semantics	56
	3.59.4.1.3 Schema Structure	57
	3.59.4.1.4 Expected Actions	57
120	3.59.4.2 Provider Information Feed Response.....	57
	3.59.4.2.1 Trigger Events.....	58
	3.59.4.2.2 Message Semantics	58
	3.59.4.2.3 Expected Actions	58
	3.59.5 <i>Security Considerations</i>	58
125	3.59.5.1 Security Audit Considerations.....	58
	3.59.5.1.1 Provider Information Source audit message.....	59
	3.59.5.1.2 Provider Information Directory audit message	60
	3.59.6 <i>Protocol Requirements</i>	61

130

Introduction

This introduces the Healthcare Provider Directory (HPD) profile that supports queries against, and management of, healthcare provider information that may be publicly shared in a directory structure. HPD directory structure is a listing of the following two categories of healthcare providers that are classified by provider type, specialties, credentials, demographics and service locations.

- Individual Provider – A person who provides healthcare services, such as a physician, nurse, or pharmacist.
- Organizational Provider – Organization that provides or supports healthcare services, such as hospital, Healthcare Information Exchange (HIE), Managed Care, Integrated Delivery Network (IDN), and Association.

140

This profile is scoped to include the following:

- Two transactions
 - Provider Information Feed
 - Provider Information Query
- Three Actors
 - Provider Information Directory
 - Provider Information Consumer
 - Provider Information Source
- Environments where a single Provider Information Directory is sufficient for providing responses to Provider Information Feeds and Provider Information Query transactions.

145

150

Open Issues and Questions

- HPD029:
 - Issue: We would like to have an alternative to DSML. Any alternative suggestions to DSML are welcome.

155

Closed Issues

- HPD001:
 - Issue: Comparison of standards identifies two groups of candidate standards. HL7 V3 Provider Directory and LDAP and its extensions (PWP, ISO/TS 21091).
 - Resolution: 2/18/10 (updated during July F2F: 7/12/10) Based on the research that was done the HPD will be based on LDAP and the use of ISO 21019 schema.

160

- **LDAP considerations:** HPD is likely to have a high volume of lookups. For small deployments, this will lead to efficient use of system resources. For very large deployments, LDAP is likely to be the best or only viable option: LDAP Schema extensibility makes it easy to add in new objects and attributes and to update the capabilities of existing ones: Good tooling support: LDAP is much more extensively implemented and there are many products and open source solutions designed for LDAP deployment, and so use of LDAP simplifies application integration: HPD Profile shall consider applying DSMLv2 to express LDAP requests and responses in SOAP bindings. DSMLv2 is a systematic translation of LDAP’s ASN.1 grammar (defined by RFC 2251) into XML-Schema.

Furthermore, LDAP standard is commonly used for the personnel directories within organizations. Provider information has quite an overlap with the personnel information; therefore, the reuse of this standard and available software tooling on LDAP is preferable. Federation is another aspect, although not currently in scope of this profile, is important to support multiple, federated directories in the future. Federation solutions for LDAP are well defined in the IT industry, which will be useful to support federation characteristics within this profile.

- **HL7 v3 standard consideration:** Our research did not identify open tools that support HL7 v3 provider schema. The perceived complexity of HL7 v3 interfaces could pose barrier to implementation. Other significant challenge is that there is a limited implementation of HL7v3 provider or personnel directory in production environments.

- HPD002:
 - Issue: Are transactions for subscribe and notify critically needed or should this be scoped to future work?
 - Resolution (2/4/10): Transactions for subscribe and notify are not critically needed for this version, and are not part of the scope of this profile. They were identified to meet the need of consumers who would like to keep a local copy of the HPD (or a subset of the HPD) current.

- HPD003:
 - Issue: Does a data modeling tool need to be identified, and if so, which one should we use, and why?
 - Resolution (2/4/10) – A data modeling tool does not need to be identified. The data model is not being built for the profile. Entities and attributes are being identified in this document. The data format will be defined by the Provider Information Directory Actor.

- HPD004:
 - Issue: Do we need to include “Provider Privileges at an organization” as an attribute to be defined in this standard?
 - Resolution (2/18/10) – This profile does not include “Provider Privileges” because the privileges change frequently and have inconsistent meanings within each organization.

- 205 Also, in many organizations Provider Privileges are associated with different areas of the organization. In some, a provider may have multiple different privileges associated with different departments.
- HPD005:
 - Issue: Do we need to include “Provider Role” as an attribute of provider?
 - Resolution (2/18/10) – This profile does not include “Provider Role” because the role has an inconsistent meaning to different organizations. A use case has not been identified where this would be a necessary piece of information.
 - HPD006:
 - Issue: How will attributes which contain content that is not the most recent content, be handled? Possibilities where this might be an issue are:
 - 215 • Name
 - Addresses
 - Identifiers
 - Credentials
 - Specialty
 - Resolution (4/22/10): Where it makes sense, each of these attributes will have a status which will identify the content as inactive or active. There will be no need to mark Name as active or inactive. Primary name will be designated, and all other names are included, whether they are currently being used or not.
 - HPD007:
 - 225 • Issue: How will we identify the limited number of locations of a provider, if the provider works at a subset of the locations of an organization?
 - Resolution (4/22/10): A provider address must be associated with the provider directly and cannot be derived from the address of the organization provider that this individual is a member of.
 - HPD008:
 - 230 • Issue: How will global identifiers be handled? This discussion came up as a result of a discussion on NPI numbers.
 - Resolution (3/15/10) – NPI numbers cannot be used as unique identifiers for multiple reasons; Not all Providers have NPI numbers; Some providers have multiple NPI numbers; Registration to NPI is self-directed; NPI is not a global identifier. Global identifiers will be handled by providing the capability for multiple identifiers, including an identifier type which defines the “type of identifier”. There is no specification of particular identifiers. Identifier type will be defined regionally or nationally.
 - 235
 - HPD009:
 - 240 • Issue: Should the Validation attribute structure be included in the schema for the initial profile, or be extended in a later update of the profile? This attribute structure indicates whether or not validation of this information has been done (Flag), when the validation

- 245 was done (Date), who did the validation (Source). The validation attribute structure can be included for multiple areas in the schema, but most importantly for overall validation of the Organization and Individual Provider attributes, the Relationship information, and the Certification, Specialty, and Degree information.
- Resolution (4/26/10): The validation attribute will NOT be included in the schema for the initial profile. It is assumed that the HPD actor will validate the feed. That needs to be clearly stated in the document (see section X.1.1.3).
- 250
- HPD0010:
 - Issue: Currently, language, as a multiple attribute, is associated with Individual Provider only. Should language be considered an attribute for Organizational Provider? A Use Case has not been defined for this.
 - Resolution (4/26/10): Language should be considered an attribute for Organizational Provider as well as Individual Provider. A Use Case has been added to reflect this.
- 255
- HPD0011:
 - Issue: How should addresses be defined so that the definition meets global needs?
 - Resolution: (4/26/10): Change Zip Code to postal code. Otherwise, represent the address as currently defined, minimum requirement is \$addr, but we will allow all of the defined fields.
- 260
- HPD0012:
 - Issue: Categories have been identified that have a set of values specified by a standard. Those standard specifications were originally included in this document in section 3.58.4.1.2.3. Some of the existing standards do not include all of the values required for this profile. How will those values be extended?
 - Resolution (4/22/10, updated 7/16/10): The specification examples for the values were removed in most cases, as the values will ultimately be defined by international, national, or regional organizations.
- 265
- HPD0013:
 - Issue: The following Category attributes do not have agreed to value definitions:
 - Identifiers
 - Addresses
 - Resolution (4/22/10):
 - Identifiers – The values will be defined by national or regional organizations.
 - Addresses – This profile only addresses three address types, each of which is a separately defined attribute in the auxiliary class (Billing Address, Mailing Address, and Practice Address).
- 270
- 275
- HPD0014:
 - Issue: Currently *Department* has been included as an attribute for Organizational Provider. Should this be kept? There is no Use Case for this.
- 280

- Resolution (4/26/10): Department can be handled as another Organization, if the HPD Actor determines that the department should be included. This will allow for more flexibility in the HPD. An Organizational Provider which is a department can be a member of another Organizational Provider, such as a hospital. This will be controlled by the Organizational Provider Type.
285
- HPD0015:
 - Issue: Currently *Contact* has been included as an attribute for Organizational Provider to store contact information for only clinical contacts and not administrative contacts as ISO 21091 only allows for clinical contacts. Should an administrative contact be required? If needed, should it be a single contact, or multiple contacts? If a single contact, then Contact Type would not be required. There is no Use Case for this.
290
 - Resolution (4/26/10): Multiple contacts will be required. Administrative person is out of scope of this profile, however, since Department has become an Organizational Provider, Contact for Department could be set up to be an Administrative Role. Contact name may be a role or a name. The profile schema should define this as close to “person” information as possible, including name/role, address, phone number (including fax, and phone number).
295
- HPD0016:
 - Issue: Currently *Specialty Role* has been included as an attribute for Organizational Provider. Should this be kept?
300
 - Resolution (4/07/10) – Specialty is associated with the Organizational provider. However, the role such as Primary Care, Consulting etc., which is defined as “the functional involvement of the provider with the clinical activity” changes frequently. It is difficult to maintain currency of the data. Also, there is no Use Case defined that demands for this attribute.
305
- HPD0017:
 - Issue: Does the Provider Feed transaction include only Add and Change, or does it also include Deactivate and Delete?
 - Resolution (4/20/10, updated 7/16/10) – LDAP standard has a delete method, as well as a method for Add and Modify (Update). This profile provides operation for Add, Update and Delete. Any existing record can be deactivated using the LDAP Modify method and marking the status of provider as Inactive. An entry can also be deleted from HPD permanently using the LDAP Delete method. Once an entry is deleted from HPD, it cannot be queried. It is an implementer’s choice whether to allow delete method for deleting a provider entry.
310
315
- HPD0018:
 - Issue raised during a discussion of section 3.59.4.1 Provider Feed Request: As of 4/20/10 the profile reflects the decision made at the F2F in February that for a Provider Feed request, the only response provided by the HPD Actor would be an acknowledgement that the transaction has been received. Data administration issues such as data reconciliation, data validation, data integrity etc. associated with the Add/Update/Delete
320

- operations are considered back-end processes for the purpose of this profile and proposed to be addressed by the policies and procedures of the organization managing the HPD. The profile would not provide any guidance on any expected actions or back-end processes to be executed, or policies to be followed by the HPD actor. If that is the case then this transaction would be an optional transaction. This may have been misunderstood, or an invalid conclusion and needs re-addressing by the IHE committee.
- 325
- Resolution (4/26/10, updated May, 2010): Initially, this was thought to be a required transaction for the Provider Information Directory Actor, however, it was later realized that Transaction Feed is an optional transaction, and it is reflected as such in the document. If the Provider Information Feed Transaction is implemented then the required actions for the HPD Actor are that the HPD Actor is required to have a policy to conform to LDAP specification for processing add, delete, and update. The HPD Actor must have a policy to validate feeds and handle data integrity prior to publishing the date.
- 330
- HPD0019:
 - Issue: Transaction Names have not been finalized. The names identified here (as of 4/20/01) do not conform to what is typically used in IHE. Recommendations are
 - Replace Add/Update Provider with Provider Feed
 - Replace HPD Lookup Provider with Provider Information Query
- 335
- Resolution (4/22/10): Transactions have been renamed.
- 340
- HPD020:
 - Issue: For the Provider Feed request transaction, do we use LDAP or SOAP? Discussion was initiated, but resolution was not documented.
 - Resolution (4/22/01) – The profile defines SOAP but LDAP can also be used.
- 345
- HPD021:
 - Issue: Currently "Degrees" has been added as a separate attribute for Individual Provider. We realize, if we consolidate "Degrees" with "Credentials", then we only need to add a single structure class, HPDProviderCredential. If we consolidate "Degrees" with "Credentials" and add type to the HPDProviderCredential class to distinguish the two, then the profile is simpler. NOTE: "Degrees" is not valid for Organizational provider. What approach should we take?
 - Resolution (04/28/10): Degrees (i.e., Medical Degree, PharmD, PHD, etc.) will be included in HPDProviderCredential, distinguished by type.
- 350
- HPD022:
 - Issue: In previous discussion it had been agreed that "TYPE" would be included with the "Name" attribute, and that the Type value set would be the values in HL7 0200 standard (with some exceptions). It has now been determined that including TYPE would add complexity to how the names are currently stored in the schema. Is Type necessary for Name, or is it sufficient to provide the capability for multiple names, without identifying TYPE.
- 355
- 360

- Resolution 4/28/10: We do not need to include “TYPE” for name. This means we will not be able to distinguish between aka (also known as), maiden name, and others. This discussion has been dealt with in the PWP profile, and therefore does not need to be dealt with again, here. A reference to the PWP schema regarding Name will be included in the document.
365
- HPD023:
 - Issue: This issue was identified as a result of Issue HPD011. Do we need to define a Delivery Address? This is the preferred address where deliveries are to be made.
 - Resolution (4/28/10 updated July 2010 – F2F): This profile does not define a delivery address as part of the schema. The consensus at the July 2010 F2F was that this directory would not be used for this purpose. A provider who is sending deliveries would know where those deliveries are to go.
370
- HPD024:
 - Issue: Use of Address Structure:
375
 - First Option is to make an address as an attribute with syntax dstring *("\$" dstring) similar to that of the postal code but additionally enforce format of “key=value” that allows for key to be of different kinds: address status and address components. This would allow adding new types without redefining the schema and allow us to search for &(status=primary, city=Nowehresville).
 - Second option is to have two different attributes as LDAP Postal Address syntax to distinguish primary and other addresses. E.g., *hpdPrimaryProviderPracticeAddress* and *hpdProviderPracticeAddress*. In this option, the Address Status attribute is not maintained and assumes Primary Address as always active.
380
 - Third option is to search based on a value stored in a subordinate Address object. In that case, we have to obtain that object and then perform a second search on the object's parent's DN to obtain the entire entry making provider search based on address inefficient.
385
 - Resolution (4/26/10): First Option
- HPD025:
390
 - Issue: For "memberof" query, ex: find the organizations that this provider is a memberof. Who is responsible for defining how many "memberof" relationship levels should be searched, and returned. 1) Should the HPD always search and return all levels, 2) Should the HPD only search one level at a time, and have the Consumer request subsequent searches, 3) Should the consumer identify "up to" how many levels the HPD should search 4)Should the consumer identify "up to" what type of organization to search to.
395
 - Resolution (4/28/10): This is determined by the LDAP standards and will not be defined in this profile.
- HPD026:
 - Issue: Profile name (HPD) and Actor name (HPD) make this profile confusing.
400
 - Resolution (4/30/10): Profile name will stay the same. Actor names change as follows:

- Healthcare Provider Directory (HPD) Actor – Provider Information Directory
- Provider Directory Source – Provider Information Source
- Provider Directory Consumer – Provider Information Consumer
- Provider Feed – Provider Information Feed
- 405 • Provider Information Query – Provider Information Query
- HPD027:
 - Issue: The Provider Information Query transaction is dependent on the System Directory for Document Sharing (SDDS) profile for some of the use cases identified. SDDS has been delayed, and will not be ready for release for Public Comment before the deadline.
 - 410 • Resolution: 7/12/2010: Profile HPD to store system URL pointing to a) Web services Definition Language (WSDL) defining the service end points. However, the automatic processing of WSDL in an interoperable manner by the Provider Information Consumer is out of scope of this profile. b) System directory end point c) other emerging standard.

415 While SDDS profile is still in development, HPD implementer can choose to implement an option ‘a’ as stated above. Once SDDS profile is published, option b would reference system endpoints maintained in the SDDS.
- HPD028:
 - Issue: The Provider Information Feed returns only an acknowledgement, and not results of the action (whether the action was successful or not). There is a concern that ACID properties that guarantee Provider Information Feed transaction is processed reliably are not adhered to in this profile. ACID properties are defined as Atomicity, Consistency, Isolation, and Durability.
 - 425 • Atomicity means that the Provider Information Directory allows updates to Provider Information Feed transaction either all or none. These updates from the source's perspective are not atomic in the sense that the changes may not be completed based on Provider Information Directory's policy decisions. Lack of atomicity may mean that only some of the changes might be applied to the directory.
 - 430 • Consistency--One would hope that this property would be assured. You don't want an inconsistent directory.
 - 435 • Isolation--In a typical database I start a transaction, perform a number of operations, and then commit the transaction. These transactions might occur simultaneously and it is important that changes in one transaction would not be seen in another simultaneous or overlapping transaction. Of course it is possible that the changes in these simultaneous transactions may be inconsistent with one another, which would mean that some of these transactions would be automatically aborted and the client would know this.
 - 440 • Durability--It does not appear that we have durability in HPD. So, for example when a source has its update acknowledged, one has no assurance that the update was performed even if policy would have permitted it. If the database crashed

after acknowledgement, but before processing completed then it would lose the feed's update. This leaves the source unsure of the final contents of the Provider Information Directory.

445 Resolution: 7/12/2010: IHE agrees with the validity of the concern as noted in this
open issue. The data management issues related to handling of Provider Information
Feed in all or in part, or none immediately or with delays, thus affecting the ACID
properties of the Provider Information Directory, are currently considered as complex
and not yet fully identified. The implications of such issues are suggested to be
450 further explored during the HPD trial implementation period and a feedback from
trial implementation shall be provided by the implementers to IHE. In the current
version, HPD profile proposes that such issues shall be managed by back office
procedures that are currently beyond the scope this profile. It is also noted that a back
office procedure and governance policies between the Provider Information Source
and the Provider Information Directory need to be established for results handling
455 associated with the processing of the Provider Information Feed.

460

Volume 1 – Integration Profiles

1.7 History of Annual Changes

Add the following bullet to the end of the bullet list in section 1.7

- 465
- Added the HPD Profile which supports a healthcare provider directory.

2.1 Dependencies among Integration Profiles

Add the following to Table 2-1

HPD	None	- None
-----	------	--------

470

Add the following section to section 2.2

2.2.28 Health Care Provider (HPD)

The Healthcare Provider Directory profile supports management (persistence and access) of healthcare provider information in a directory structure. HPD directory structure is a listing of the following two categories of healthcare providers that are classified by provider type, specialties, credentials, demographics and service locations:

- 475
- Individual Provider – A person who provides healthcare services, such as a physician, nurse, or pharmacist.
 - Organizational Providers – Organizations that provide or support healthcare services, such as hospitals, Counseling Organizations (e.g., Drug, Alcohol) Healthcare Information Exchanges (HIEs), Managed Care, Integrated Delivery Networks (IDNs), and Associations.
- 480

Add Section 28

28 Health Provider Directory (HPD) Integration Profile

This profile introduces the Healthcare Provider Directory which supports management (persistence and access) of healthcare provider information in a directory structure. HPD directory structure is a listing of the following two categories of healthcare providers that are classified by provider type, specialties, credentials, demographics and service locations:

- 485
- Individual Provider – A person who provides healthcare services, such as a physician, nurse, or pharmacist.

- 490
- Organizational Providers – Organizations that provide or support healthcare services, such as hospitals, Counseling Organizations (e.g., Drug, Alcohol) Healthcare Information Exchanges (HIEs), Managed Care, Integrated Delivery Networks (IDNs), and Associations.

495

Typical provider information maintained by the directory is demographics, address, credential and specialty information as well as electronic endpoint to facilitate trusted communications with a provider. The directory can also maintain relationship. Some examples of relationship are: a Health Information Exchange (HIE) and its members: Integrated Delivery Networks and their care delivery members, hospitals and their practitioners, hospitals and their sub organizations including departments, physician Practice Groups and their practitioners, practitioners and the hospitals they are associated with (members of), and Medical Associations and their members.

500

Different kinds of data sources and consumers interface with the Provider Information Directory to:

- Send new and updated provider information
- Query provider information

505

It is intended that provider information comes from authorized international, regional, state and national sources, as stewards of the most accurate and current data. Some identified sources are:

- State licensing bureaus
 - National Associations
 - Commercial registries
 - Delivery Networks
- 510
- Information Exchanges etc.

515

The scope of this profile focuses initially on the minimum “foundational” attribute set required for defining a provider information directory, resulting in a usable work product as well as recommendations for future phase expansions. This profile is readily adaptable and scalable to production environments needing to operate trusted provider directory services that link multiple endpoints spanning enterprise, regional, national, and global jurisdictions. This profile is extendable to information not explicitly defined in the profile.

28.1 Actors/ Transactions

520

Figure 28.1-1 shows the actors directly involved in the HPD Integration Profile and the relevant transactions between them. Other actors that may be indirectly involved due to their participation in other related profiles, etc. are not necessarily shown.




Figure 28.1-1: HPD Profile Actor Diagram

525 Table 28.1-1 lists the transactions for each actor directly involved in the HPD Profile. In order to claim support of this Integration Profile, an implementation must perform the required transactions (labeled “R”). Transactions labeled “O” are optional. A complete list of options defined by this Integration Profile and that implementations may choose to support is listed in ITI TF-1: 28.2.

Table 28.1-1: HPD Integration Profile - Actors and Transactions

Actors	Transactions	Optionality	Section in Vol. 2b
Provider Information Directory	Provider Information Query	R	3.58
	Provider Information Feed	O	3.59
Provider Information Consumer	Provider Information Query	R	3.58
Provider Information Source	Provider Information Feed	R	3.59

530 **28.1.1 Actors**

28.1.1.1 Provider Information Directory

535 The Provider Information Directory performs the function of processing Provider Information Query to search for providers based on a search criteria received from the Provider Information Consumer. The Provider Information Directory also performs the function of processing the Provider Information Feed received from the Provider Information Source. Both functions are described briefly below:

Provider Information Query: The Provider Information Directory responds to Provider Information Query request from the Provider Information Consumer. The Provider Information

540 Query request includes search criteria for the provider and the type of information the Provider Information Consumer is looking to receive in the response. The Provider Information Directory actor shall return zero, one, or more providers (individual or organization) based on the search criteria.

Provider Information Feed: The Provider Information Feed specifies one or more of the following actions:

- 545
- An “Add” to add new provider entries
 - A “Delete” to delete any existing entries
 - An “Update” to modify or update any existing entries

550 Upon receiving the Provider Information Feed, the Provider Information Directory acknowledges to the source that the information has been received. This acknowledgement does not imply that the contributed directory entry information has been processed and the directory has been updated. This is a workflow management process, which is usually dependent on the type of directory information, and the policies associated with the vetting of the information, its availability constraints, and many other factors which are beyond the scope of this profile. This may be subject to the development of future profiling within IHE. Additionally, a directory may not choose to trust any authoritative sources other than itself. Therefore, this transaction is optional for the Provider Information Directory. This profile does not restrict Provider Information Directory to receive feeds in formats other than what is profiled by this specification.

560 **Provider Information Entities and Attributes:** The following diagram illustrates examples of supporting provider entries with or without relationships in a Provider Information Directory.




Figure 28.1.1.1-1: Different Provider Information Directory Structures

565 The schema of directory is flexible and allows for a variation of structures to support relationships between providers. As depicted in the right half of the figure above, an
 Organizational provider defined at a top level could be a Health Exchange (HIE) or an Integrated
 Delivery Network (IDN). Underneath this organizational provider, it has multiple members listed
 570 both as the individual (practitioners etc.) and as organizational (hospitals, labs, pharmacies etc.)
 providers. Additionally, an organization provider (hospital) holds a relationship with individual
 providers (physicians, nurses etc.) who practice at this hospital, and organizational providers that
 represent departments or sub-organizations. The left half of the figure shows that individual or
 organizational provider can be maintained stand-alone without any relationship to other provider.

28.1.1.2 Provider Information Source

575 The Provider Information Source actor sends a Provider Information Feed to the Provider
 Information Directory actor. The feed consists of Add, Update, or Delete requests, a single
 request at a time, or in batches.

After initiating the Provider Information Feed transaction, the Provider Information Source actor
 receives an acknowledgement from the Provider Information Directory actor indicating that the
 580 Provider Information Feed transaction has been received. The acknowledgement does not
 include the result of the Provider Information Feed request. The Provider Information Source
 will not know if the request was successfully applied. In order to assure that updates were
 applied successfully the Provider Information Source would need to become a Provider
 Information Consumer and execute a Provider Information Query.

585 **28.1.1.3 Provider Information Consumer**

The Provider Information Consumer actor initiates a Provider Information Query request to the Provider Information Directory actor indicating search criteria in the request. The Provider Information Consumer includes, in that request, the set of information that should be returned in the response to the query.

590 The Provider Information Consumer actor receives a response to the Provider Information Query request from the Provider Information Directory actor. The Provider Information Consumer must be able to handle a response which consists of zero, one, or more providers matching the search criteria.

28.2 HPD Integration Profile Options

595 Options that may be selected for this HPD Integration Profile are listed in the table 28.2-1 along with the actors to which they apply. Dependencies between options when applicable are specified in notes.

Table 28.2-1: HPD - Actors and Options

Actor	Options	Vol & Section
Provider Information Directory	<i>Provider Information Feed</i>	ITI TF-1: 28.2.1
Provider Information Source	<i>No options defined</i>	--
Provider Information Consumer	<i>No options defined</i>	--

600 **28.2.1 Provider Information Feed Option**

When the Provider Information Feed Option is declared the Provider Information Directory shall support the Provider Information Feed [ITI-59] transaction.

28.3 Healthcare Provider Directory (HPD) Process Flow

28.3.1 Use Cases

605 **28.3.1.1 Provider Information Query Transaction Use Cases**

Yellow Pages Lookup: A patient is referred to an endocrinology specialist for an urgent lab test. The referring physician needs to get the contact data of close-by endocrinologists in order to ask whether one of them can perform this test in their own lab. The patient prefers a female endocrinologist who can converse in Spanish regarding medical information.

610 **Current Situation:** The physician has a card catalog with names of local endocrinology specialists. Office staff calls each in turn to ask if they are available to run the test. Each is questioned regarding their availability and ability to speak Spanish. Presumably the card catalog name would indicate the Gender of the physician.

615 **Use of HPD:** As a Provider Information Consumer, a computer application running in the office
of physician is used to lookup provider information. The office staff enters the specialty,
geographic indicators like zip code, city or state, language and gender. The application sends a
query request to the Provider Information Directory which returns information about every
620 provider satisfying the search, in particular the physical and electronic address, and contact
information. An appropriate endocrinologist is chosen based on the attributes included in the
response, an appointment is made, and the referral documentation is electronically sent to the
physician using the electronic address specified.

625 **Query providers and their associations for Social Services Disability Determination:** A
citizen, as a claimant, applies for disability benefits from the Social Services Department. This
disability is due to a medical condition. In order to receive benefits, an application must be
made, medical evidence must be provided, and a determination made on the claim.

- Some of the medical evidence is more than six months old, and the doctor providing the service has since retired.
- Some medical evidence comes from a physician who works in a clinic that has multiple office locations.
- 630 • Some of the medical evidence comes from a hospital that has since merged with another, and changed its name.
- Some of the medical evidence comes from a physician who has recently moved his offices to a different location

635 The claimant, in the claim, includes a list of the providers seen (names or practices) and other
medical services he has obtained, related to his disability. The Social Services department needs
to gather medical evidence from all the reported providers, and wants to direct their queries to
the specific providers mentioned. For that purpose, the Social Services department needs to
obtain the provider's contact information, electronic address, and provider's relationship with
other organizations such as HIE, for each of the providers supplied by the claimant.

640 **Current Situation:** The Claims Processor searches through an electronic file or card catalog of
providers to look up providers that the claimant has named. If the Claims Processor finds a
provider in the file, or catalog, the Claims Processor faxes a request for medical evidence along
with a release form signed by the patient. Often research has to be done before a fax number can
645 be determined (phone calls need to be made, or additional contact information needs to be
identified). If the Claims Processor does not find a provider in the file, or catalog, extensive
research may need to be done before the correct provider is identified. This must be done for
every provider on the claim.

Because limited or outdated information is often given by the claimant, identifying the provider
can take quite a long time, substantially delaying the process and the disability determination.

650 **Use of HPD:** The disability software application collects healthcare services provider data from
a list of filed claims. Acting as Provider Information Consumer, this application sends a query
request to the Provider Information Directory for each provider on the claim. The Provider
Information Directory returns information about the providers, in particular, the electronic
address where the Medical Evidence Requests (MERs) are serviced for that provider. Working

655 with the System Directory for Document Sharing (SDDS) profile to identify the appropriate electronic end point, an appropriate MER request is sent to the physician.

660 **Emergency Responders Identification in planning for an emergency event:** Emergency response planning requires the identification of potential providers who can assist in an emergency. Providers must meet specific credentialing criteria and must be located within a reasonable distance of the emergency event.

Current Situation: The planners of the emergency event search for potential provider participants by manually initiating searches on the internet, contacting associations for candidates, and looking through the local yellow pages. Once phone number contact information for these providers is identified, contact is initiated.

665 **Use of HPD:** Using HPD, an emergency planning team member can initiate a single search for a list of providers based on specialty, geographic indicators like zip code, city or state, and other criteria. The Provider Information Directory returns information about every provider satisfying the search, including e-mail addresses. An e-mail can be generated to all identified providers requesting participation.

670 ***Other Provider Information Query Use cases which refine the requirements introduced above:***

675 **Provider Authorization and lookup during an emergency event:** During Hurricane Katrina, health care volunteers were turned away from disaster sites because there was no means available to verify their credentials. At an emergency site, the Provider Information Directory can be queried to quickly identify and grant permission to credentialed providers to enter the scene.

680 **Forwarding of Referral Documents to a Specialist:** A primary care provider (PCP) needs to send referral documents (e.g., CDA/CCD) to a specialist. The PCP knows the name and phone number of the Specialist, but needs to identify the electronic address such as email where the patient's documentation should be sent.

Forwarding of Referral Documents to a Hospital: A PCP refers a patient to the Hospital for admission. The PCP needs to send various documentation to the Hospital to be part of their EHR when the patient arrives. The PCP needs to identify the Hospital's electronic address such as email or service end point where the patient's documentation should be sent.

685 **Keeping agency provider information current:** A German government agency dealing with healthcare services for its constituents wishes to keep its agencies healthcare provider information current. The agency determines that it will use the Provider Information Directory to access the most current provider information. The German agency only requires a subset of the Provider Information Directory available information. On a regular basis, the Provider Information Directory provides to the agency a list of the updated information needed.

690 **Providing Personal Health records to a new Primary Care Physician:** An individual has changed health plans. As a result that individual must change his Primary Care Physician. The individual has a Personal Health Record and would like to provide that information to his new

695 Primary Care Physician. The individual needs to determine where to have the Personal Health Record transmitted to.

Certificate Retrieval: National regulations in many European countries require that an electronically transmitted doctor’s letter be encrypted in a way that only the identified receiver is able to decrypt. In order to encrypt the letter, the sender has to discover the encryption certificate of the receiver.

700 **Language Retrieval:** An individual who only speaks Italian requires healthcare services at an Outpatient Clinic. That individual would like to be able to communicate with the Clinic personnel, if at all possible. The individual or his caregiver needs to determine which clinic supports Italian and provides the service that is required.

28.3.1.2 Provider Information Feed Transaction Use Cases

705 **Add Provider:** The following are a list of possible events that would result in the addition of a Healthcare Provider to the Provider Information Directory.

- A provider adds himself/herself to the Provider Information Directory
- An agent for the provider adds the provider to the Provider Information Directory
- 710 • An HIE not yet on the Provider Information Directory adds itself, its Organizations (hospitals, etc.), the Organization’s associated departments, and its providers to the Provider Information Directory
- An entity already on the Provider Information Directory, like an HIE or Organization, adds providers (Individual or Organization)
- 715 • A credentialing organization has credentialed new members and would like to add them to the Provider Information Directory (Providers may not exist; this should be an add request.)

Update Provider: The following are a list of possible events that would result in the updating of a Healthcare Provider to the Provider Information Directory.

- 720 • A provider updates information for themselves: adds/deletes/changes his/her location, or adds/deletes a relationship, changes his/her name, adds/deletes/updates a credential, adds/deletes/updates identifiers.
- A provider retires and wishes to dissociate himself/herself from the Provider Information Directory. Provider Information Directory does not allow delete to preserve the historical information, but allows deactivating of a provider entry.
- 725 • An agent for the provider updates information for the provider: adds/deletes/changes the provider location, or adds/deletes a relationship, changes the provider name, adds/deletes/updates a credential, adds/deletes/updates identifiers.
- A credentialing organization has renewed credentials for its members.
- 730 • An entity already on the Provider Information Directory, like an HIE or Organization, has modified Provider information (Individual or Organization). The location has changed,

providers have disassociated themselves with the organization, a new location has been added, or a provider has retired.

Current Situation: Healthcare provider directories which are maintained via a “push” process, meaning additions and changes are sent to the directory on a regular basis, for processing:

- 735
- May receive adds and updates from only one source
or
 - Must have the capability for different modes of communications if it receives updates from more than one source.

740 If a single source of healthcare provider information “pushes” adds and updates to multiple directories, then that source may need to communicate with each healthcare provider directory differently.

Use of HPD: The Provider Information Directory is maintained by receiving information in the standardized format regardless of the source “pushing” that information. Adding another source is transparent to the Provider Information Directory.

745 If a single source “pushes” data to multiple Provider Information Directories that subscribe to the HPD profile then only one form of communication is required. Adding another Provider Information Directory would be transparent to the source.

28.3.2 Detailed Interactions

750 28.3.2.1 Detail Interactions – Transactions

As described in Figure 28.3.2.1-1, there are two main interactions with the Provider Information Directory. One is the Provider Information Source actor interaction with the Provider Information Directory, and the other is the Provider Information Consumer actor with the Provider Information Directory.

- 755
- Provider Information Source initiates a Provider Information Feed transaction and receives a Provider Information Feed acknowledgement indicating that the Provider Information Feed transaction has been received. The Provider Information Directory processes the Provider Information Feed request, but does not indicate to the Provider Information Source whether or not the Provider Information Feed was successfully processed. The data management
- 760 actions taken by the Provider Information Directory associated with the Provider Information Feed transaction are outside the scope of this profile.
- Provider Information Consumer initiates a Provider Information Query request to the Provider Information Directory, identifying search criteria and specifying the types of information the consumer is looking for. The Provider Information Directory searches for
- 765 content matching the search criteria and returns the types of information requested. The Provider Information Directory actor may return zero, one, or many response elements depending on what is found to match the search criteria.




Figure 28.3.2.1-1: Basic Process Flow in HPD Profile

770 **28.3.2.2 Detail Interactions – Entities and Attributes**

The following tables show a summary of the entities and attributes found in the Provider Information Directory. The healthcare providers that this profile deals with are classified into two groups.

- 775
1. Organizational Providers – Organizations that provide or support healthcare services, such as hospitals, Healthcare Information Exchanges (HIEs), Integrated Delivery Networks (IDNs), and Associations (Table 28.3.2.2-1).
 2. Individual Provider – A person who provides healthcare services, such as a physician, nurse, or pharmacist (Table 28.3.2.2-2).

780 In addition to information about the healthcare providers, the HPD schema also provides the ability to manage relationships between organizational providers and other organizational providers, and between individual providers and organizational providers.


This means that the HPD schema can be used to feed and query the following:

- 785
1. What other organizational providers an organizational provider is *a member of*
 2. What other organizational providers are *members of* a particular organizational provider
 3. What organizational providers an individual provider is *a member of*
 4. What individual providers are *members of* a particular organizational provider

An Organizational Provider or an Individual Provider shall not have a “member of” relationship with an Individual Provider.

Organizational Provider Attributes

790 The figure below depicts the data model pertaining to an Organizational Provider as defined by the Provider Information Directory. The cardinality 0..N implies an attribute is optional but could have many values. 1..N implies that an attribute is required and could have many values.



795 **Figure 28.3.2.2-1: Organizational Provider Entity and its Attributes**

An Organizational Provider has attributes to capture information related to Address, Name, Identifier, Credential and Specialty that are further described in the table below. An Organizational Provider may be composed of multiple Organizational Providers such as departments (or any business structure for an organization). These are depicted as sub-Organizational Providers in this figure. The relationship between organizations is maintained through the concept of Relationship groups. An Organizational provider can own one or many Relationship groups. A Relationship group could have one or more members of both provider types: organizational and individual. Sub-organizations such as departments are associated with their parent organization through Relationship group.

805 The table below provides a summarized description of the attributes of the Organizational Provider. A field by field level description may be found in the specification of the transactions in ITI TF-2b:3.58.4.1.2.2.3.

Table 28.3.2.2-1: Organizational Provider Attributes


Attribute	Description
Type	The type of organization represented. Some values are: Hospitals HIEs IDNs Associations Labs Clinics, Departments Pharmacies Practice
Status	The status of this organization. Active – This organization is currently in existence. Inactive – This organization is no longer in existence
Name	This attribute contains multiple names for an organization.
Contact	Multiple individuals who can be contacted in reference to this organization, including a phone number and e-mail address. An individual role can be included in the name, instead of an individual.
Electronic Service URI	Reference to an entry in a systems directory or to a services definition page where this organization has its electronic access points defined.
Medical Records Delivery Email Address	Electronic mailing address of an organization where medical or administrative records can be sent
Address	Physical address information for an organization. Each type of address can be primary or secondary. Addresses that are no longer valid are marked as Inactive. Billing Address <ul style="list-style-type: none"> • One primary address-the preferred billing address for the organization • Multiple secondary billing addresses • Multiple inactive addresses which were once used as billing addresses but are no longer valid. Mailing Address <ul style="list-style-type: none"> • One primary address-the preferred mailing address for the organization • Multiple secondary mailing addresses • Multiple inactive addresses which were once used as mailing addresses but are no longer valid. Practice Address <ul style="list-style-type: none"> • Multiple primary addresses-All locations where healthcare services are provided • There are no secondary practice addresses • Multiple inactive addresses which were once used as practice addresses but are no longer valid.
Language	Language(s) that an Organization support
Credential	This includes certifications or licenses earned by an organization.
Specialty	Organization’s specialization, a specific medical service, a specialization in treating a specific disease. Some specialties are: Psychiatry Radiology Endocrinology

Attribute	Description
Identifier	National, Regional or local identifier that uniquely identify an organization that is may be publicly shared. Some examples are: National Provider Identifier # Tax ID #
Certificate	Various kind of certificate (encryption, signing, attribute) information for the organization
Relationship	Business associations either between an organization and an individual provider or between an organization and another organization. There can be multiple types of relationship but this profile generically categorizes all relationship as “member-of”.

810

Individual Provider Attributes

The figure below depicts the data model as it pertains to Individual Providers defined by the Provider Information Directory. The cardinality 0..N implies an attribute is optional but could have many values. 1..N implies that an attribute is required and could have many values.



815

Figure 28.3.2.2-2: Individual Provider Entity and its Attributes

Individual Provider has information related to Address, Name, Identifier, Credential and Specialty as described in the table below. The relationship between individual and an organizational provider is modeled using the concept of group. As shown in the figure, an organizational provider can own one or multiple groups. Each group could have several individual members.

The table below provides a high-level description of the attributes of the Individual Provider. A field by field level description may be found in the specification of the transactions in volume ITI-TF-2b: 3.58.4.1.2.2.

825

Table 28.3.2.2-2: Individual Providers Attributes

Attribute	Description
Type	Type of individual provider. Some values are: Physician Pharmacist Nurse Nurse Practitioner Physical Therapist
Status	The status of this individual. Active – currently practicing Inactive – currently not practicing Retired Deceased
Name	Names that a provider has, or is, known by.
Language	Language(s) that the provider is fluent in.
Gender	
Medical Records Delivery Email Address	Electronic mailing address of an individual where medical or administrative records can be sent
E-Mail	Electronic mailing addresses to receive general purpose communication but not related to medical records
Electronic Service URI	Reference to an entry in a systems directory or to a services definition page where this individual provider has its electronic access points defined.
Address	Physical address information for an individual. An address can be designated as primary or secondary. Addresses that are no longer valid are marked as Inactive. Three types of addresses are supported: Billing Address <ul style="list-style-type: none"> • One primary address-the preferred billing address for the individual • Multiple secondary billing addresses • Multiple inactive addresses which were once used as billing addresses but are no longer valid. Mailing Address <ul style="list-style-type: none"> • One primary address-the preferred mailing address for the individual • Multiple secondary mailing addresses • Multiple inactive addresses which were once used as mailing addresses but are no longer valid. Practice Address <ul style="list-style-type: none"> • Multiple primary addresses-All locations where the individual provides healthcare services • There are no secondary practice addresses • Multiple inactive addresses which were once used as practice addresses but are no longer valid
Credentials	Includes certification(s), license(s) and degree(s) earned by an individual provider. Information includes the Credential #, the name of credential, issuing authority, issue date, valid dates. Some examples are:

Attribute	Description
	Preventive Cardiology Diabetes Counseling PharmD MD
Specialty	Individual’s specialization, a specific medical service, a specialization in treating a specific disease. Some types are: Psychiatry Radiology Endocrinology
Identifiers	National, Regional or local identifier that uniquely identifies an individual that is okay to be publicly shared. Some examples are: National Provider Identifier # Tax ID # Hospital Issued Identifier The profile does not include sensitive identifiers such as Drivers’ license or Social Security Number, as only publicly shared information is included
Certificate	Various kind of certificate information (encryption, signing, attribute) for the individual
Relationship	Business associations with an organization. There can be multiple types of relationship but this profile generically categorizes all relationship as “member-of”.

28.4 HPD Security Considerations

830

This profile assumes that the provider information being dealt with here is information that may be publicly shared and therefore this profile does not include specific security mechanisms that would be required based on the policies where this profile is implemented. However it includes the necessary capability to be combined with one or more security and privacy profiles developed by IHE or other entities. This section provides an overview of the typical risks that should be mitigated if desired, and recommends the corresponding IHE profile(s) that should be combined with HPD.

835

IHE requires that HPD schema be validated against national privacy regulations, and possibly other state and contractual requirements for publicly sharing provider information. If there is any information, in part, or whole, as defined by the HPD profile schema or any extensions to the given schema, that is considered private or sensitive, then appropriate security and privacy procedures shall be considered to protect that information.

840

For general IHE risks and threats please see ITI TF-1: Appendix G.

845

Some categories of risks currently identified for consideration are:

- The possibility of inaccurate or unverified provider data being fed to the Provider Information Directory.

- Accidental release of provider information protected by additional regulation or law.
- 850 • Malicious attacks to the data, modifying the data either in transmission or at the Provider Information Source or at Provider Information Directory sites.
- Policies and procedures for the verification, validation, and reconciliation of data are ineffective or inconsistent.
- 855 • Any activity performed on HPD data by Provider Information Consumer actor with the expectation that data are authoritative. For instance, PHI could be transmitted to a FAX number, a mailing address, or a health internet address with the expectation that the addresses are authoritative.

The following shall be considered by implementers of the profile, as part of the planning process for implementation:

- 860 • Implement and enforce policies and procedure to validate the provider information before it is stored and published by Provider Information Directory
- The Audit Trail and Node Authentication (ATNA) profile should be considered to ensure that nodes in a network are authenticated.
- 865 • The ATNA profile to capture and record audit trail events related to the Provider Information Feed transaction.
- The Enterprise User Authentication (EUA) profile to authenticate Provider Information Source and/or Provider Information Consumer if access to query or feed information is limited and controlled. If HPD is going to be public, open and searchable by anyone, the user authentication may not be applicable.
- 870 • The Cross-Enterprise User Assertion (XUA) to assert Provider Information Consumer credentials for the purpose of enforcing Role Based Access Control (RBAC) and protecting any non-public sensitive information if access to query information is limited and controlled.
- The Personnel White Pages (PWP) profile provides a repository that may be used to hold system users' identification data.
- 875 • The best practices for Infrastructure and Network Security: Protecting Application and Data zone by the Demilitarized zone (DMZ)
- The best practices of operations management for network monitoring, intrusion detection and secured data backups.

880 Implementers may follow these IHE profiles to fulfill some of their security needs. It is understood that institutions must implement policy and workflow steps to satisfy enterprise needs and to comply with regulatory requirements.

885 The HPD implementer is further advised that many risks associated with physical security, operational management cannot be mitigated by the HPD profile and instead responsibility for mitigation is transferred to the HPD implementer.

Appendix A: Actor Summary Definitions

Provider Information Directory - Supports a directory of healthcare providers. The directory can include:

- 890
- Only Individual Providers
 - Only Organizational Providers
 - Organizational Providers and Individual Providers

Provider Information Source - Submits healthcare provider data to a Provider Information Directory and receives an acknowledgement that the submission has been received.

- 895
- Provider Information Consumer** - Accesses healthcare provider data from a Provider Information Directory.

Appendix B: Transaction Summary Definitions

Provider Information Feed - Supports the addition or update of provider data in a Provider Information Directory.

- 900
- Provider Information Query** - Supports the ability to query a Provider Information Directory for information about providers

Glossary

Add the following terms to the Glossary:

905 **Healthcare Provider** - medical information entities such as physicians, medical laboratories, hospitals, dentists, pharmacists, nurses, diagnostic imaging professionals etc. This includes both individuals as well as organizations.

HPD – Healthcare Provider Directory

910

Volume 2b - Transactions

Add sections 3.58 and 3.59

3.58 Provider Information Query

915 This section corresponds to transaction ITI-58 of the IHE Technical Framework. This transaction is used by the Provider Information Consumer and Provider Information Directory actors.


3.58.1 Scope

This transaction supports the ability to lookup information about healthcare providers from a healthcare provider directory on the following:

- 920 • Individual Providers – A person who provides healthcare services, such as a physician, nurse, or pharmacist.
- Organizational Providers – Organizations that provide or support healthcare services, such as hospitals, Healthcare Information Exchanges (HIEs), Managed Care, Integrated Delivery Networks (IDNs), and Associations.
- 925 • Relationship between providers. The scope of this transaction considers one type of relationship; member of. Examples of this relationship are:
 1. Hospitals, clinics, labs, other organization providers, and physicians are *members of* an HIE
 2. A list of physicians *are members of* a hospital
 3. A physician is *a member* in a list of organization providers

930 The summary of the current minimal foundational attributes that are in scope for this transaction are defined in tables 3.58.4.1.2.2.2-1 and 3.58.4.1.2.2.3-1. A provider directory entry shall contain all required attributes and some or all of the optional attributes. A Provider Information Directory actor shall be able to act on all of the attributes. General definitions of the attributes can be found in ITI TF-1:28.3.2.2.

935 **3.58.2 Use Case Roles**



Actor: Provider Information Consumer

Role: Sends lookup request to the Provider Information Directory. Receives response from the Provider Information Directory. The consumer only queries for the information that is meaningful for its purpose.

940

Actor: Provider Information Directory

Role: Receives lookup requests from the Provider Information Consumer. Fulfills those requests and returns requested information on zero to many Organization and Individual Providers.

945 **3.58.3 Referenced Standards**

LDAP (Lightweight Directory Access Protocol), an open standard built on X.500 framework, is adopted by this profile as the minimal specifications for exchange standards of provider information. Furthermore, the International Organization for Standards (ISO) defined as ISO 21091 is referenced to define the attributes of health professionals and organizations to represent health care regulatory information, clinical credentials, multiple affiliations etc. By leveraging the ISO 21091 and underlying LDAP standard, this schema and associated transactions are designed for the interoperability communication. The usage of standard LDAP schema would make the adoption of HPD by the HIT vendors easier and extensible with their existing implementations.

950

This transaction schema applies DSMLv2 to express LDAP requests and responses in SOAP bindings. DSMLv2 is a systematic translation of LDAP's ASN.1 grammar (defined by RFC 2251) into XML-Schema. DSMLv2 provides advantages in the adoption of this transaction for an interoperable electronic exchange. First, tools for marshaling XML into SOAP messages are readily available, making development much easier. Second, firewalls are often configured to allow HTTP and HTTPS protocols to pass. This make it possible for DSML, carried in the HTTP or HTTPS protocol, to become the method for carrying provider information on the internet in an interoperable manner.

960

The Provider Information Query transaction will conform to the following standard specifications:

- 965
- Health informatics — Directory services for health care providers, subjects of care, and other entities (ISO/TS 21091)
 - IETF LDAP v3 [RFC 2068, RFC 2251, RFC 2256, RFC 2985, RFC 2798, RFC 3066]
 - DSMLv2
 - SOAP 1.2

970

3.58.4 Interaction Diagram




Figure 3.58.4-1 Basic Process Flow for Provider Information Query

975

3.58.4.1 Provider Information Query Request

Provider Information Consumer initiates a Provider Information Query Request to the Provider Information Directory. The Provider Information Query Request includes search parameters and defines the response set that is expected to be returned.

3.58.4.1.1 Trigger Events

980 This message is sent from a Provider Information Consumer actor to a Provider Information Directory actor to get additional information about an Individual or an Organizational Provider or a list of providers. The Provider Information Consumer shall provide search information and identify the information that the Provider Information Consumer is interested in receiving in response.

985 3.58.4.1.2 Message Semantics

The Provider Information Query request uses the SOAP based DSMLv2 batchRequest message to express a query.

990 The query operation for looking up provider entries in the Provider Information Directory shall be done through the use of searchRequest operation. For querying individuals, the base object is HCProfessional and for querying organizations, the base object is HCRegulatedOrganization. The relationships can be looked up by querying the groupOfNames object.

The searchRequest allows specifying a list of attributes to be returned for matching query. If this list is empty or a special value of * is used, then all user attributes are returned. The request transaction shall support all LDAP standard search filters.

995 This transaction does not limit any restriction on the search scope, size limit, time limit or list of attributes. If needed, those can be constraint by the Provider Information Directory actor implementer.

The examples for Provider Information Query Request transaction can be found online on the IHE FTP site, see ITI TF-2x: Appendix W

1000

3.58.4.1.2.1 HPD Schema Structure

The HPD schema defines LDAP *organizationalUnit* (OU) containers to organize the information on Providers. Object classes within OU represent Individual Provider, Organization Provider and Relationships that are managed using the schema from ISO/TS 21091 and LDAP.

1005 The directory naming context shall be o=HPD Owner, dc=HPD where HPD Owner value shall be replaced with the name of organization hosting the Healthcare Provider Directory.

There are nodes that are subordinate to dc=HPD.

- ou=HCProfessional for storing individual provider information.
- ou=HCRegulatedOrganization containing information on organizational providers and its relevant information.
- ou=Relationship – a groupOfNames for holding the “member-of” relationships among providers. Groups holding the members that are related are represented by standard LDAP groupOfNames class. Each Group has a group owner organization that owns the relationship and has group members that are Individual and Organization providers.

1010

- 1015 • ou=HPDCredential to include health related credentials of providers.

The Directory Information Tree for this transaction is shown in the following diagram.




Figure 3.58.4.1.2.1-1: Transaction Information Tree

1020 **3.58.4.1.2.2 HPD Schema Content**

This section describes the mapping of the HPD schema attributes and ISO 21091/LDAP standard object classes. The HPD schema extends the ISO 21091 schema to include other attributes that are not covered by ISO 21091.

3.58.4.1.2.2.1 Object Classes

1025 **HCProfessional**

This is an object class defined by ISO 21091 to store information about Individual provider.

- Object Class:* HCPProfessional
- Superior Object Class:* InetOrgPerson
- OID:* 1.0.21091.1.2
- 1030 *Object Class Type:* Structural

HCPRegulatedOrganization

This is an object class defined by ISO 21091 to store information about Organization provider.

- Object Class:* HCPRegulatedOrganization
- 1035 *Superior Object Class:* Organization
- OID:* 1.0.21091.1.4
- Object Class Type:* structural

HPDProvider

- 1040 The HPD schema defines an ‘Auxiliary’ object class HPDProvider to include additional provider attributes (for both Individual and Organizational Provider) that are not defined in the ISO 21091 schema. Being an Auxiliary object, the HPDProvider class attributes can be “mixed-in” with HCPProfessional and HCPRegulatedOrganization object classes. This class has the object class, *top*, as its superior. The OID for this class is assigned by IHE.

- 1045 *Object Class:* HPDProvider
- Superior Object Class:* top
- OID:* 1.3.6.1.4.1.19376.1.2.4.1
- Object Class Type:* Auxiliary

1050 **Table 3.58.4.1.2.2.1-1: HPDProvider Optional Attributes**

Attribute	OID	Description	Syntax	Matching rules	Multi - Valued
hpdProviderStatus	1.3.6.1.4.1.19376.1.2.4.1.1	Maintain status of provider in directory Values are defined in table 3.58.4.1.2.3-1	Directory String	Case Ignore Match	S

Attribute	OID	Description	Syntax	Matching rules	Multi-Valued
hpdProviderLanguageSupported	1.3.6.1.4.1.1937 6.1.2.4.1.2	Languages that the provider supports Recommended best practice is to use RFC 3066 [RFC 3066] which, in conjunction with ISO 639 [ISO639], defines two- and three-letter primary language tags with optional subtags. Examples include "en" or "eng" for English, "akk" for Akkadian, and "en-GB" for English used in the United Kingdom."	Directory String	Case Ignore Match, Case Ignore Substrings Match	M
hpdProviderBillingAddress	1.3.6.1.4.1.1937 6.1.2.4.1.3	status=<primary, other, inactive> \$ streetNumber=1221 \$ streetName=Circle Lane \$ city=Nowheresville \$ state=Some \$ postalCode=98765-4321 \$ country=US \$ addr = 1221 Circle Lane Nowheresville Some 98765 US See NOTE 1 below	Postal Address	Case Ignore Match, Case Ignore Substrings Match	M
hpdProviderMailingAddress	1.3.6.1.4.1.1937 6.1.2.4.1.7	status=<primary, other, inactive> \$ streetNumber=1221 \$ streetName=Circle Lane \$ city=Nowheresville \$ state=Some \$ postalCode=98765-4321 \$ country=US \$ addr = 1221 Circle Lane Nowheresville Some 98765 US See NOTE 1 below	Postal Address	Case Ignore Match, Case Ignore Substrings Match	M
hpdProviderPracticeAddress	1.3.6.1.4.1.1937 6.1.2.4.1.4	status=<primary, other, inactive> \$ streetNumber=1221 \$ streetName=Circle Lane \$ city=Nowheresville \$ state=Some \$ postalCode=98765-4321 \$ country=US \$ addr = 1221 Circle Lane Nowheresville Some 98765 US See NOTE 1 below	Postal Address	Case Ignore Match, Case Ignore Substrings Match	M

Attribute	OID	Description	Syntax	Matching rules	Multi - Valued
hpdMedicalRecordsDeliveryEmailAddress	1.3.6.1.4.1.1937 6.1.2.4.1.5	Electronic mailing address of provider where medical records can be sent	String	Case Ignore Match	S
memberOf	1.3.6.1.4.1.1937 6.1.2.4.1.6	Group to which provider is a member of. A provider can be a member of zero, one or many groups.	DN	Case Ignore Match	M
hpdCredential	1.3.6.1.4.1.1937 6.1.2.4.1.8	Detailed Health related credentials earned by provider; DN to one or more credential entries in the HPDCredential object class	DN	Case Ignore Match	M

NOTE 1:

If an address is included, then the \$addr is required.

Address Status values are defined in table 3.58.4.1.2.3-1

Country and State Code values are based on the ISO Standard 3166.

1055 City values will be defined by national or regional organizations. An example of a possible list of City values may be found in the World Gazetteer. Reference URL:

http://www.commondatahub.com/city_source.jsp

CDH GC05 – Cities in US and Canada

CDH GC06 – Large Cities in US and Canada

1060 DCH GC07S- Large Cities in the world (population > 20,000)

HPDProviderCredential

HPDProviderCredential is defined as a ‘Structure’ object class to contain credential attributes (for both Individual and Organizational Provider). This class has the object class, *top*, as its superior. The OID for this class is assigned by IHE.

1065

Object Class: HPDProviderCredential

Superior Object Class: top

OID: 1.3.6.1.4.1.19376.1.2.4.2

Object Class Type: Structure

1070

Table 3.58.4.1.2.2.1-2: HPDProviderCredential Mandatory Attributes

Attribute	OID	Description	Syntax	Matching rules	Multi - Valued
------------------	------------	--------------------	---------------	-----------------------	-----------------------

Attribute	OID	Description	Syntax	Matching rules	Multi - Valued
credentialType	1.3.6.1.4.1.19 376.1.2.4.2.1	Type of Credential<degree, certificate, credential> Degree is not a valid type for Organizational Provider’s credential	Directory String	Case Ignore Match	S
credentialName	1.3.6.1.4.1.19 376.1.2.4.2.2	Name of Credential, degree, or certification that belongs to provider. Follows the ISO21091 naming format as that of the HCStandardRole: credentialName@organization_domain_name where credentialName is the standard name of the credential, and organization_domain_name is the domain name of the organization for those credentials local to the organization, or credential@Locality where credential is the standard name of the structural role if applicable to the Locality (i.e., state).	Directory String	Case Ignore Match	S
credentialNumber	1.3.6.1.4.1.19 376.1.2.4.2.3	Credential Identifier Follows the ISO 21091 UID format: (Issuing Authority OID: ID) The issuing authority OID could be used to identify the issuing agency, state and country. ID is the national/regional identifier assigned to the provider’s credential. E.g. a certificate number.	Directory String	Case Ignore Match	S

Table 3.58.4.1.2.2.1-3: HPDProviderCredential Optional Attributes

Attribute	OID	Description	Syntax	Matching rules	Multi - Valued
credentialDescription	1.3.6.1.4.1.19 376.1.2.4.2.4	Additional information on the credential	Directory String	Case Ignore Match	S
credentialIssueDate	1.3.6.1.4.1.19 376.1.2.4.2.5	Date when credential was issued to the provider	Date	Case Ignore Match	S
credentialRenewalDate	1.3.6.1.4.1.19 376.1.2.4.2.6	Date when credential is due renewal	Date	Case Ignore Match	S
credentialStatus	1.3.6.1.4.1.19 376.1.2.4.2.7	Values are defined in table 3.58.4.1.2.3-1	Directory String	Case Ignore Match	S

1075 **3.58.4.1.2.2.2 Individual Provider**

Entries for Individual Provider in the Provider Information Directory use the attributes of HCProfessional object class that extends from inetOrgPerson object class. HPDProvider and HPDProviderCredential auxiliary object classes are mixed-in to define additional attributes.

1080

Table 3.58.4.1.2.2.2-1: Individual Provider Mapping

HPD Concept	LDAP Syntax	Object Class	Attribute within Object Class	Single/Multi Valued	Optio nality	Comments
Unique Entry Identifier	String	inetOrgPerson	uid	S	R	RDN Format as defined by ISO 21091 section 9.2 (Issuing Authority Name:ID)
Provider “Identifiers”	String	HCProfessional	hcIdentifier	M	R	Format as defined by ISO 21091 (Issuing Authority:Type:ID:Status) Type values will be defined by national or regional organizations. Status is defined in section 3.58.4.1.2.3
Provider Type	String	HCProfessional	hcProfession	M	R	The values will be defined by national or regional organizations. An example of possible types is the list of Individuals or Groups Values from the Healthcare Provider Taxonomy Published by the American Medical Association twice a year. An example of this document can be found at the following reference URL: http://www.adldata.com/Downloads/Glossaries/taxonomy_80.pdf .
Provider Type description	String	inetOrgPerson	description	S	R	The definitions will be defined by national or regional organizations. See Provider Type for more information.
Provider Status	String	HPDProvider	hpdProviderStatus	S	O	Values found in Table 3.58.4.1.2.3-1
Provider Primary Name	String	inetOrgPerson	displayName	S	R	Use of language tag and HL7 Name Data Type (XCN) as per ITI TF-2a: 3.24.5.2.3.1
Provider Title	String	inetOrgPerson	title	S	O	Use of language tag and HL7 Name Data Type

HPD Concept	LDAP Syntax	Object Class	Attribute within Object Class	Single/ Multi Valued	Optio nality	Comments
						(XCN) as per ITI TF-2a: 3.24.5.2.3.1
Provider First name	String	inetOrgPerson	givenName	M	R2	Use of language tag and HL7 Name Data Type (XCN) as per ITI TF-2a: 3.24.5.2.3.1
Provider Middle Name	String	inetOrgPerson	initials	M	O	Use of language tag and HL7 Name Data Type (XCN) as per ITI TF-2a: 3.24.5.2.3.1
Provider Last Name	String	inetOrgPerson	sn	M	R	Use of language tag and HL7 Name Data Type (XCN) as per ITI TF-2a: 3.24.5.2.3.1
Provider Known names	String	inetOrgPerson	cn	M	R	Use of language tag and HL7 Name Data Type (XCN) as per ITI TF-2a 3.24.5.2.3.1
Provider Language Supported	String	HPDProvider	hpdProviderLang uageSupported	M	O	Supported written or spoken language for a person. Values for this attribute type MUST conform to the definition of the Accept-Language header field defined in [RFC2068] with one exception: the sequence "Accept-Language" ":" should be omitted. The following example indicates that this person supports French, supports British English 80%, and general English 70%. (e.g., fr, en-gb;q=0.8, en;q=0.7)
Provider Gender	String	Natural Person	gender	S	O	Using Natural Person auxiliary class as defined in RFC 2985
Provider medical records deliver email address	String	HPDProvider	hpdMedicalReco rdsDeliveryEmai lAddress	S	O	Intended for sending medical records via email
Provider e-mail address	String	inetOrgPerson	mail	M	O	Intended for general purpose email communication
S-Mime Certificate	Binary	inetOrgPerson	userSMIMECerti ficate	M	O	RFC2798: PKCS#7 SignedData used to support S/MIME; typically used for encrypting mime messages over an email. Other

HPD Concept	LDAP Syntax	Object Class	Attribute within Object Class	Single/Multi Valued	Optionality	Comments
						purpose constraint can be found by looking inside the certificates.
Signing Certificate	Binary	HCPersonal	hcSigningCertificate	M	O	Public key and certificate for the user's non-repudiation signing certificate used for health transactions
User Certificate	Binary	inetOrgPerson	userCertificate	M	O	RFC2256: X.509 user certificate for general purpose use; purpose constraint can be found by looking inside the certificates
Electronic Service URI	String	groupofURLs	labeledURI	M	O	Points to a service entry in a systems directory or to a webservices definition page defining the end points of services.
Creation Date	Date	N/A	createTimestamp	S	R	This is an operation attribute that LDAP directory server maintains to capture the time when an entry was created.
Last Update Date	Date	N/A	modifyTimestamp	S	R	This is an operation attribute that that LDAP directory server maintains to capture the time when an entry was modified.
Provider Facility Name	String	inetOrgPerson	physicalDeliveryOfficeName	M	R2	This attribute contains the facility name that a postal service uses to identify a provider's facility.
Provider Mailing Address	Postal Address	HPDProvider	hpdProviderMailingAddress	M	R2	Mailing address
Provider Billing Address	Postal Address	HPDProvider	hpdProviderBillingAddress	M	O	Business billing or legal address
Provider Practice Address	Postal Address	HPDProvider	hpdProviderPracticeAddress	M	R2	Practice or Service address
Provider Practice Organization	DN	HCPersonal	HcPracticeLocation	M	O	DN of organization the provider practices
Provider Business Phone	Telephone Number	inetOrgPerson	telephoneNumber	M	R2	As per ITI TF-2a:3.24
Provider Mobile	Telephone	inetOrgPerson	Mobile	M	R2	As per ITI TF-2a:3.24

HPD Concept	LDAP Syntax	Object Class	Attribute within Object Class	Single/ Multi Valued	Optio nality	Comments
Phone	Number					Business Mobile
Provider Pager	Telephone Number	inetOrgPerson	Pager	M	R2	As per ITI TF-2a:3.24
Provider Fax	Facsimile Telephone Number	inetOrgPerson	facsimileTelepho neNumber	M	R2	
Provider “Credential”	DN	HPDProvider	hpdCredential	M	O	Detailed Health related credentials earned by provider
Provider Specialty	String	HCPProfessional	hcSpecialisation	M	O	A major Grouping i.e., Dermatology, Oncology, Dental, Internal Med. (Issuing Authority: Code System: Code: CodeDisplayName) Populate with ISO 21298 defined medical specialties. May also be populated with other specialties specified by jurisdiction or organization
Provider Relationship	DN	HPDProvider	memberOf	M	O	Groups to which this provider belongs; In search scenarios, it is desirable for a Provider Information Consumer to be able to determine which organizations this individual provider is a member of.

3.58.4.1.2.2.3 Organizational Provider

Object Classes: HCRegulatedOrganization, HPDProvider

Entries for Organization Provider in the Provider Information Directory uses the attributes of HCRegulatedOrganization object class that extends from ‘Organization’ object class.

1085 HPDProvider object class is used to define additional attributes.

Table 3.58.4.1.2.2.3-1: Organizational Provider Mapping

HPD Concept	LDAP Syntax	Object Class	Attribute within Object Class	Single/ Multi Valued	Optio nality	Comments
Unique Entity Identifier	String	Organization	uid	S	R	RDN Format as defined by ISO 21091 section 9.2 (Issuing Authority Name:ID)

HPD Concept	LDAP Syntax	Object Class	Attribute within Object Class	Single/Multi Valued	Optionality	Comments
Org Identifiers	String	HCREgulatedOrganization	hcIdentifier	M	R	Format as defined by ISO 21091 (Issuing Authority:Type:ID: Status) Type values will be defined by national or regional organizations. Status is defined in section 3.58.4.1.2.3
Organization known names	String	Organization	O	M	R2	Organization known name. Use of language tag and HL7 Name Data Type (XCN) as per ITI TF-2a: 3.24.5.2.3.1
Organization Name	String	HCREgulatedOrganization	HcRegisteredName	M	R	The legal name of the entity as registered with the health care regulating authority. Use of language tag and HL7 Name Data Type (XCN) as per ITI TF-2a: 3.24.5.2.3.1
Org Type	String	Organization	businessCategory	S	O	The values will be defined by national or regional organizations. An example is the list of Non Individual Values from the Healthcare Provider Taxonomy Published by the American Medical Association twice a year. An example of this document can be found at the following reference URL: http://www.adldata.com/Downloads/Glossaries/taxonomy_80.pdf .

HPD Concept	LDAP Syntax	Object Class	Attribute within Object Class	Single/Multi Valued	Optionality	Comments
Org Type Description	String	Organization	description	M	O	The description shall be defined by national or regional organizations. See Org Type for more information.
Org Status	String	HPDProvider	hpdProviderStatus	S	O	Values found in Table 3.58.4.1.2.3-1
Org Contact	DN	HCPRegulatedOrganization	ClinicalInformationContact	M	O	Clinical contacts; DN to HCProfessional entry
Org Practice Address	Postal Address	HPDProvider	hpdProviderPracticeAddress	M	R2	Practice or Service address
Org Billing Address	Postal Address	HPDProvider	hpdProviderBillingAddress	M	O	Business billing or legal address
Org Mailing Address	Postal Address	HPDProvider	hpdProviderMailingAddress	M	R2	Mailing address
Org Credentials	DN	HPDProvider	hpdCredential	M	O	Detailed Health related credentials earned by provider; Degree is not a valid type for Organizational Provider
Provider Language Supported	String	HPDProvider	hpdProviderLanguageSupported	M	O	Language that the organization supports. Values for this attribute type MUST conform to the definition of the Accept-Language header field defined in [RFC2068] with one exception: the sequence "Accept-Language" ":" should be omitted. The following example indicates that this person supports French, supports British English 80%, and

HPD Concept	LDAP Syntax	Object Class	Attribute within Object Class	Single/ Multi Valued	Optionality	Comments
						general English 70%. (e.g., fr, en-gb;q=0.8, en;q=0.7)
Org Specialty	String	HCREgulatedOrganization	HcSpecialisation	M	O	(Issuing Authority: Code System: Code: CodeDisplayName) Populate with ISO 21298 defined medical specialties. May also be populated with other specialties specified by jurisdiction or organization
Electronic Service URI	String	groupofURLs	labeledURI	M	O	Points to a service entry in a systems directory or to a webservicess definition page defining the end points of services.
Signing Certificate	Binary	HCREgulatedOrganization	HcSigningCertificate	M	O	Public key and certificate for the user's non-repudiation signing certificate used for health transactions
Organization Certificate	Binary	HCREgulatedOrganization	HcOrganizationCertificates	M	O	Used for storing health care organization certificates; Certificate purpose constraint can be found by looking inside the certificates.
Org Business Phone	Telephone Number	Organization	telephoneNumber	M	R2	
Org Fax	Facsimile Telephone Number	Organization	facsimileTelephoneNumber	M	R2	
Provider Relationship	DN	HPDProvider	memberof	M	O	Groups to which this provider belongs; In search scenarios, it is desirable for a Provider Information Consumer to be

HPD Concept	LDAP Syntax	Object Class	Attribute within Object Class	Single/ Multi Valued	Optio nality	Comments
						able to determine which organizations this organization provider is a member of.
Creation Date	Date	N/A	createTimes tamp	S	R	This is an operation attribute that LDAP directory server maintains to capture the time when an entry was created.
Last Update Date	Date	N/A	modifyTime stamp	S	R	This is an operation attribute that that LDAP directory server maintains to capture the time when an entry was modified.

3.58.4.1.2.2.4 Relationships

1090 The profile schema allows maintaining relationships between providers. The scope of this transaction considers one type of relationship; *Member Of*. Examples of this relationship are:

1. Hospitals, clinics, labs, other organization providers, and physicians are *members of* an HIE
2. A list of physicians *are members of* a hospital
3. A number of hospitals, practitioners are *members of* an Integrated Delivery Network
- 1095 4. Departments or clinics are organizations which are *members of* a Hospital
5. A physician is *a member of* one or more organization providers

This means that the transaction schema can be used to feed the following:

1. What other organizational providers an organizational provider is *a member of*
 - Attribute *memberOf* in the Organization schema (see section 3.58.4.1.2.2.3)
- 1100 2. What other organizational providers are *members of* a particular organizational provider
 - Through use of groupofNames schema (an LDAP standard object class)
3. What organizational providers an individual provider is *a member of*
 - Attribute *memberOf* in the Individual Provider schema (see section 3.58.4.1.2.2.2)
4. What individual providers are *members of* a particular organizational provider

- 1105 • Through use of groupofNames (an LDAP standard object class)

In the current schema, it is not possible to attach any extra information to the DN value to show the business reason for the relationship. It is also important to note that an Individual provider cannot be an owner of the group as an Organizational Provider or an Individual Provider shall not have a “member of” relationship with an Individual Provider.

- 1110 Relationships in this transaction are represented by LDAP objects using the groupOfNames class. Owner attribute references the DN of an organization that owns the group, while member attribute references DN of an individual or an organization that is a member of the owner organization. A provider entry must exist in the directory before adding it to a groupofNames entry that this provider is a member of.

1115 **3.58.4.1.2.3 Status Code Values**

Table 3.58.4.1.2.3-1 defines the value sets for the different status attributes. Not all values are valid for each status attribute.

The first column lists the attribute. A “Y” in any other column in the row indicates that the value identified in the header of the row is valid for that attribute.

- 1120 Active – The information related to this attribute is currently true. An active Individual Provider is an Individual Provider who is currently a participant in the healthcare field as defined by the metadata about this Individual Provider

Inactive – The information related to this attribute was true at one time, but is currently not true. An inactive Individual Provider is an Individual Provider who once participated in the healthcare field as defined by the metadata about this Individual Provider

- 1125

Retired – The information related to this Individual Provider was true at one time. The Individual Provider is currently no longer working.

Deceased - The information related to this Individual Provider was true at one time. The Individual Provider is no longer living.

- 1130 Revoked – An action was taken against the provider (Individual or Organizational) to remove the information related to this attribute, which was true at one time, but is currently no longer valid. This implies an action taken by someone other than the provider.

Suspended – An action was taken against the provider (Individual or Organizational) to put on hold the information related to this attribute, which was true at one time.

- 1135 Primary – Most important, and still valid

Secondary – Valid, but not most important.

Table 3.58.4.1.2.3-1: Status Code Category Values

Status Attribute	Active	Inactive	Retired	Deceased	Revoked	Suspended	Primary	Secondary
Individual Provider	Y	Y	Y	Y				

Status Attribute	Active	Inactive	Retired	Deceased	Revoked	Suspended	Primary	Secondary
Organizational Provider	Y	Y						
Address		Y					Y	Y
Credential	Y	Y			Y	Y		
Identifier	Y	Y			Y	Y		

3.58.4.1.3 Expected Actions

1140 The Provider Information Directory actor shall search the directory for the provider information that meets the criteria in the Provider Information Query request.

3.58.4.2 Provider Information Query Response

1145 The Provider Information Directory responds to a Provider Information Query Request initiated by the Provider Information Consumer. The Provider Information Directory will provide the response set requested. The response set may have zero to many providers based on the search criteria. If no providers are found then an empty response set is returned. If one provider is found then one record is returned. If more than one provider meets the criteria specified then a list of providers is returned.

1150 The Provider Information Consumer shall make use of the returned information as appropriate for its use.

3.58.4.2.1 Trigger Events

This message is sent from a Provider Information Directory actor once the directory search resulting from a Provider Information Query request has been completed.

3.58.4.2.2 Message Semantics

1155 Provider Information Query Response uses SOAP based DSMLv2 batchResponse message of searchResponse element type to send response for searchRequest.

The Provider Information Query Response shall contain the requestID to associate the response to the Provider Information Query Request.

1160 The examples for Provider Information Query Response can be found online on the IHE FTP site, see ITI TF-2x: Appendix W

3.58.4.2.3 Expected Actions

There is no defined expected action to be taken by the Provider Information Consumer once the response has been received.

1165 The Provider Information Consumer processes the response in accordance with the functions of its application.

3.58.5 Security Considerations

No transaction specific security considerations.

3.58.6 Protocol Requirements

1170 The Provider Information Query request and response will be transmitted using Synchronous Web Services Exchange, according to the requirements specified in ITI TF-2x: Appendix V.

The following WSDL snippet describes the type for this message:

```

1175 <types>
<xsd:schema targetNamespace="urn:oasis:names:tc:DSML:2:0:core"
      xmlns:dsml="urn:oasis:names:tc:DSML:2:0:core">
  <xsd:include schemaLocation="../schema/DSML/DSMLv2.xsd "/>
</xsd:schema>
</types>
1180 <message name="ProviderInformationRequestMessage">
  <documentation>Provider Information Query/Feed Request
Message</documentation>
  <part name="body" element="dsml:batchRequest" />
</message>
1185 <message name="ProviderInformationResponseMessage">
  <documentation>Provider Information Query/Feed
ResponseMessage</documentation>
  <part name="body" element="dsml:batchResponse"/>
</message>

```

1190 The following WSDL snippets specify the Provider Information Query Port Type and Binding definitions, according to the requirements specified in ITI TF-2x: Appendix V.

```

1195 <portType name="ProviderInformationDirectory_PortType">
  <operation name="ProviderInformationQueryRequest">
    <input message="tns:ProviderInformationRequestMessage"
      wsaw:Action="urn:ihe:iti:2010:ProviderInformationQuery"/>
    <output message="tns:ProviderInformationResponseMessage"
      wsaw:Action="urn:ihe:iti:2010:ProviderInformationQueryResponse"/>
  </operation>
1200 </portType>

```

Informative WSDL for the Provider Information Directory is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

1205 3.59 Provider Information Feed

This section corresponds to transaction ITI-59 of the IHE IT Infrastructure Technical Framework. This transaction is used by the Provider Information Source and Provider Information Directory actors.

3.59.1 Scope

1210 The Provider Information Feed specifies one or more of the following actions:

- An “Add” to add new provider entries
- A “Delete” to delete any existing provider entries
- An “Update” to modify or update any existing provider entries


Two categories of healthcare providers are included in the Provider Information Feed:

- 1215
- Individual Provider – A person who provides healthcare services, such as a physician, nurse, or pharmacist.
 - Organizational Providers – Organizations that provide or support healthcare services, such as hospitals, Healthcare Information Exchanges (HIEs), Integrated Delivery Networks (IDNs), and Associations.

1220 The summary of the current minimal foundational attributes that are in scope for this transaction are defined in tables 3.58.4.1.2.2.2-1 and 3.58.4.1.2.2.3-1. A provider directory entry shall contain all required attributes and some or all of the optional attributes. A Provider Information Directory actor shall be able to act on all of the attributes. General definitions of the attributes can be found in ITI TF-1:28.3.2.2.

1225

3.59.2 Use Case Roles



Actor: Provider Information Source

1230 **Role:** Sends add, update, and delete of provider information to the Provider Information Directory. Receives acknowledgements from the Provider Information Directory that the Provider feed transaction has been received. The source only feeds the information that is meaningful for its purpose.

Actor: Provider Information Directory

Role: Receives add, update, and delete information from the Provider Information Source.
1235 Performs data management operations as per its policies and procedures. Informs the Provider Information Source that this information has been received.

3.59.3 Referenced Standards


1240 LDAP (Lightweight Directory Access Protocol), an open standard built on X.500 framework, is adopted by this profile as the minimal specifications for exchange standards of provider information. Furthermore, the International Organization for Standards (ISO) defined as ISO 21091 is referenced to define the attributes of health professionals and organizations to represent health care regulatory information, clinical credentials, multiple affiliations etc. By leveraging the ISO 21091 and underlying LDAP standard, this schema and associated transactions are
1245 designed for the interoperability communication. The usage of standard LDAP schema would make the adoption of HPD by the HIT vendors easier and extensible with their existing implementations.

1250 This transaction schema applies DSMLv2 to express LDAP requests and responses in SOAP bindings. DSMLv2 is a systematic translation of LDAP's ASN.1 grammar (defined by RFC 2251) into XML-Schema. DSMLv2 provides advantages in the adoption of this transaction for an interoperable electronic exchange. First, tools for marshaling XML into SOAP messages are readily available, making development much easier. Second, firewalls are often configured to allow HTTP and HTTPS protocols to pass. This make it possible for DSML, carried in the HTTP or HTTPs protocol, to become the method for carrying provider information on the internet in an interoperable manner.

1255 The Provider Information Feed transaction will conform to the following standard specifications:

- Health informatics — Directory services for health care providers, subjects of care, and other entities (ISO/TS 21091)
- IETF LDAP v3
- DSMLv2
- 1260 • SOAP 1.2

3.59.4 Interaction Diagram



3.59.4.1 Provider Information Feed Request

1265 The Provider Information Source initiates a Provider Information Feed Request message. The request includes Organizational Provider and/or Individual Provider information to be added, updated or deleted in a Provider Information Directory. Upon receiving the Provider Information Feed Request, the Provider Information Directory acknowledges to the source that the information has been received. The Provider Information Feed Request specifies one or more of the following actions:

- 1270
- An “Add” to add new entries
 - A “Delete” to delete any existing entries from directory
 - An “Update” to modify or update any existing entries

1275 The Provider Information Directory actor shall support the implementation of Add/Update/ and Delete operations. However, these data administration operations that include data maintenance, data reconciliation, data validation, and data integrity checks are considered back-end processes by this profile and are therefore governed by the policies and procedures of the organization managing the Provider Information Directory and not by this profile. It is for this reason that the Provider Information Source is not notified of the Add/Update/Delete status.

3.59.4.1.1 Trigger Events

1280 This message is sent from a Provider Information Source actor to a Provider Information Directory actor when a Provider (Organizational or Individual) is to be added to the Provider Information Directory, or when provider information expected to be on the Provider Information Directory is to be updated or deleted

3.59.4.1.2 Message Semantics

1285 The Provider Information Feed request uses the SOAP-based DSMLv2 batchRequest message to express a Provider Information Feed request through the following four LDAP operations:

1. An **add** operation allows for creating new provider entries in the Provider Information Directory as defined by **addRequest** element. As per the LDAP standard, new entry shall provide the distinguished name (DN) of the provider entry to be created and a set of attributes related to provider, including all required attributes.

1290

A new groupofNames object representing a “member of” relationship is added using addRequest element. A new group entry shall provide the DN for group and the DN for group owner, an organization that owns a relationship with its members. If the DN of group member (Individual or Organization) is known at the time of add, then the member DN shall be provided in the add operation. An organization entry must exist in the directory before adding a groupofNames entry that this organization owns.

1295

2. An **update** operation allows for updating an existing provider entry as defined by the **modifyRequest** element. To update an existing entry the distinguished name (DN) of the entry to be modified must be specified along with a set of modifications (add, delete, replace) to be applied. The *add* modification operation allows for adding a new attribute values for an existing provider entry; the *replace* modification operation replaces an existing attribute value with the new value; the *delete* modification operation deletes an attribute value from the directory.

1300

The **modifyRequest** command allows for adding a new member to an existing “member-of” group using an *add* modification operation. Feed must specify member (provider) DN and group DN to add a member to its group. A provider entry must exist in the directory before adding it to a groupofNames entry that this provider is a member of. The *delete* modification operation allows for deleting a member from its existing group. Any existing provider entry can be deactivated using this command and marking the status of provider as *Inactive*.

1305

3. An **update** operation allows for updating an existing provider entry or a group entry as defined by the **modDNRequest** command to rename the distinguished name of an existing entry. The rename entry must specify the distinguished name of the entry to be renamed and the new distinguished name for the entry.

1310

4. A **delete** operation for physically removing a provider entry or a groupofNames entry from the Provider Information Directory as defined by **delRequest** type. The deleted entry only provides the distinguished name of the entry to be deleted. Once deleted

1315

1320 from directory, the entry cannot be queried in the directory. Once an entry is deleted from HPD, it is removed permanently and cannot be queried. It is an implementer's choice to allow delete method for physically deleting a provider entry

The examples for Provider Information Feed Request can be found online on the IHE FTP site, see ITI TF-2x: Appendix W

3.59.4.1.3 Schema Structure

This schema uses the HPD schema defined in section 3.58.4.1.2.1.

1325 3.59.4.1.4 Expected Actions

Upon receiving the Provider Information Feed Request, the Provider Information Directory actor shall perform one or more of the following actions:

- An “Add” to add new entries
- A “Delete” to delete any existing entries from a directory
- 1330 • An “Update” to modify or update any existing entries

The data administration operations that include data maintenance, data reconciliation, data validation, and data integrity checks are considered back-end processes by this profile and shall be executed as defined by the policies and procedures of the organization managing the Provider Information Directory.

1335 The Provider Information Directory actor shall perform a requested operation of add/update/delete on the Provider Information Feed in all or in part, immediately or with delays, depending on the data administration policy or processing procedures of the Provider Information Directory. Although the Provider Information Directory is required to support the full HPD schema, it is up to a data administrator to populate a whole or sub-set of information
1340 received in the feed. The Provider Information Directory is not required to operate on ACID (atomicity, consistency, isolation, durability) properties for this transaction that guarantees that Provider Information Feed is processed reliably. Once the provider information is published on a Provider Information Directory, it implies that the information has been validated and can be provided in response to subsequent query requests. In order to assure that updates were done
1345 successfully the Provider Information Source would need to become a Provider Information Consumer and execute a Provider Information Query.

3.59.4.2 Provider Information Feed Response

1350 The Provider Information Directory responds to the Provider Information Feed Request by issuing a Provider Information Feed Response, which is a simple acknowledgement that the request has been received. The acknowledgement does not indicate to the Provider Information Source whether or not the Provider Information Feed Request was successful.

3.59.4.2.1 Trigger Events

1355 This message is sent by a Provider Information Directory actor to the Provider Information Source actor whenever the Provider Information Directory actor receives an Add/ Update / Delete Provider request, irrespective of whether the request was processed successfully or not. The Provider Information Directory actor maintenance activities to process the request are outside of the scope of this transaction.

3.59.4.2.2 Message Semantics

1360 Provider Information Feed response uses SOAP based DSMLv2 batchResponse message of LDAPResult element type to send acknowledgements for four LDAP operations: Add, Modify, Rename (modify DN) and Delete.

1365 The resultCode for an acknowledgement shall be reported as “0” to imply acknowledgement. The response shall not contain any errorMessage element as any processing errors are not in scope. Any errors that occur prior to the processing of the Provider Information Feed Request shall be communicated via a SOAP Fault.

```

1370 <xsd:complexType name="LDAPResult">
      <xsd:complexContent>
        <xsd:extension base="Dsm1Message">
          <xsd:sequence>
            <xsd:element name="resultCode" type="ResultCode"/>
            <xsd:element name="errorMessage" type="xsd:string"
1375 minOccurs="0"/>
            <xsd:element name="referral" type="xsd:anyURI"
minOccurs="0" maxOccurs="unbounded"/>
          </xsd:sequence>
        </xsd:extension>
      </xsd:complexContent>
    </xsd:complexType>
  
```

1380 Examples of the Provider Information Feed Response transaction can be found online on the IHE FTP site as referenced in the ITI TF-2x: Appendix W .

3.59.4.2.3 Expected Actions

There is no expected action to be taken by the Provider Information Source once the response has been received.

3.59.5 Security Considerations

1385 No transaction specific security considerations.

3.59.5.1 Security Audit Considerations

1390 The profile recommends but does not require auditing for the Patient Information Feed. The Provider Information Feed transaction does not require auditing of the returned result because the result contains only acknowledgement. Implementers are free to audit more extensively if it is desired.

If the actors choose to audit, the actors involved shall record audit events according to the following:

3.59.5.1.1 Provider Information Source audit message

	Field Name	Opt	Value Constraints
Event AuditMessage/ EventIdentification	EventID	M	EV(110106, DCM, "Export")
	EventActionCode	M	"R" (Read)
	<i>EventDateTime</i>	M	<i>not specialized</i>
	<i>EventOutcomeIndicator</i>	M	<i>not specialized</i>
	EventTypeCode	M	EV("ITI-59", "IHE Transactions", "Provider Information Feed")
Source (Provider Information Source) (1)			
Human Requestor (0..n)			
Destination (Provider Information Directory) (1)			
Audit Source (Provider Information Source) (1)			
Provider (1..n)			

1395

Where:

Source AuditMessage/ ActiveParticipant	UserID	M	the process ID as used within the local operating system in the local system logs.
	AlternativeUserID	U	<i>Not specialized</i>
	<i>UserName</i>	U	<i>not specialized</i>
	UserIsRequestor	M	"true"
	RoleIDCode	M	EV(110153, DCM, "Source")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address, as specified in RFC 3881.
Human Requestor (if known) AuditMessage/ ActiveParticipant	UserID	M	Identity of the human that initiated the transaction.
	<i>AlternativeUserID</i>	U	<i>not specialized</i>
	<i>UserName</i>	U	<i>not specialized</i>
	UserIsRequestor	M	"false"
	RoleIDCode	U	Access Control role(s) the user holds that allows this transaction.
	<i>NetworkAccessPointTypeCode</i>	NA	
	<i>NetworkAccessPointID</i>	NA	

Destination AuditMessage/ ActiveParticipant	UserID	M	SOAP endpoint URI.
	<i>AlternativeUserID</i>	U	<i>not specialized</i>
	<i>UserName</i>	U	<i>not specialized</i>
	UserIsRequestor	M	"false"
	RoleIDCode	M	EV(110152, DCM, "Destination")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address, as specified in RFC 3881.

Audit Source AuditMessage/ AuditSourceIdentification	<i>AuditSourceID</i>	U	<i>Not specialized.</i>
	<i>AuditEnterpriseSiteID</i>	U	<i>not specialized</i>
	<i>AuditSourceTypeCode</i>	U	<i>not specialized</i>

Provider (AuditMessage/ ParticipantObject Identification)	ParticipantObjectTypeCode	M	“1” (Person) or “3” (Organization)
	ParticipantObjectTypeCodeRole	M	“15” (Provider)
	ParticipantObjectDataLifeCycle	U	not specialized
	ParticipantObjectIDTypeCode	M	EV(99SupHPD-ISO21091, IHE, “ISO 21091 Identifier”)
	ParticipantObjectSensitivity	U	not specialized
	ParticipantObjectID	M	The provider ID in ISO 21091 format (Issuing Authority:Type:ID:Status)
	ParticipantObjectName	U	not specialized
	ParticipantObjectDetail	U	not specialized

1400

3.59.5.1.2 Provider Information Directory audit message

	Field Name	Opt	Value Constraints
Event AuditMessage/ EventIdentification	EventID	M	EV(110107, DCM, "Import")
	EventActionCode	M	“C” (Create) or “M”(Modify)
	<i>EventDateTime</i>	M	<i>not specialized</i>
	<i>EventOutcomeIndicator</i>	M	<i>not specialized</i>
	EventTypeCode	M	EV(“ITI-59”, “IHE Transactions”, “Provider Information Feed”)
Source (Provider Information Source) (1)			
Human Requestor (0..n)			
Destination (Provider Information Directory) (1)			
Audit Source (Provider Information Directory) (1)			
Provider (1..n)			

Where:

Source <i>AuditMessage/ ActiveParticipant</i>	UserID	M	<i>not specialized</i>
	AlternativeUserID	U	<i>not specialized</i>
	<i>UserName</i>	U	<i>not specialized</i>
	UserIsRequestor	M	“true”
	RoleIDCode	M	EV(110153, DCM, “Source”)
	NetworkAccessPointTypeCode	M	“1” for machine (DNS) name, “2” for IP address
	NetworkAccessPointID	M	The machine name or IP address, as specified in RFC 3881.
Human Requestor (if known) <i>AuditMessage/ ActiveParticipant</i>	UserID	M	Identity of the human that initiated the transaction.
	<i>AlternativeUserID</i>	U	<i>not specialized</i>
	<i>UserName</i>	U	<i>not specialized</i>
	UserIsRequestor	M	“false”
	RoleIDCode	U	Access Control role(s) the user holds that allows this transaction.
	<i>NetworkAccessPointTypeCode</i>	NA	
	<i>NetworkAccessPointID</i>	NA	

Destination <i>AuditMessage/ ActiveParticipant</i>	UserID	M	SOAP endpoint URI.
	<i>AlternativeUserID</i>	U	the process ID as used within the local operating system in the local system logs.
	<i>UserName</i>	U	<i>not specialized</i>
	UserIsRequestor	M	“false”
	RoleIDCode	M	EV(110152, DCM, “Destination”)
	NetworkAccessPointTypeCode	M	“1” for machine (DNS) name, “2” for IP address
	NetworkAccessPointID	M	The machine name or IP address, as specified in RFC 3881.

Audit Source <i>AuditMessage/ AuditSourceIdentification</i>	<i>AuditSourceID</i>	U	<i>Not specialized.</i>
	<i>AuditEnterpriseSiteID</i>	U	<i>not specialized</i>
	<i>AuditSourceTypeCode</i>	U	<i>not specialized</i>

1405

Provider (AuditMessage/ ParticipantObject Identification)	ParticipantObjectTypeCode	M	“1” (Person) or “3” (Organization)
	ParticipantObjectTypeCodeRole	M	“15” (Provider)
	ParticipantObjectDataLifeCycle	U	not specialized
	ParticipantObjectIDTypeCode	M	EV(99SupHPD-ISO21091, IHE, “ISO 21091 Identifier”)
	ParticipantObjectSensitivity	U	not specialized
	ParticipantObjectID	M	The provider ID in ISO 21091 format (Issuing Authority:Type:ID:Status)
	ParticipantObjectName	U	not specialized
	ParticipantObjectDetail	U	not specialized

3.59.6 Protocol Requirements

The Provider Information Feed request and response will be transmitted using Synchronous Web Services Exchange, according to the requirements specified in ITI TF-2x: Appendix V.

The following WSDL snippet describes the type for this message:

```

1410 <types>
      <xsd:schema targetNamespace="urn:oasis:names:tc:DSML:2:0:core"
1415         xmlns:dsml="urn:oasis:names:tc:DSML:2:0:core">
          <xsd:include schemaLocation="../schema/DSML/DSMLv2.xsd "/>
      </xsd:schema>
    </types>
    <message name="ProviderInformationRequestMessage">
      <documentation>Provider Information Query/Feed Request
1420 Message</documentation>
      <part name="body" element="dsml:batchRequest" />
    </message>
    <message name="ProviderInformationResponseMessage">
      <documentation>Provider Information Query/Feed
1425 ResponseMessage</documentation>
      <part name="body" element="dsml:batchResponse"/>
    </message>

```

The following WSDL snippets specify the Provider Information Feed Port Type and Binding definitions, according to the requirements specified in ITI TF-2x: Appendix V.

```

1430 <portType name="ProviderInformationDirectory_PortType">
      <operation name="ProviderInformationFeedRequest">
        <input message="tns:ProviderInformationRequestMessage"
1435         wsaw:Action="urn:ihe:iti:2010:ProviderInformationFeed"/>
        <output message="tns:ProviderInformationResponseMessage"
         wsaw:Action="urn:ihe:iti:2010:ProviderInformationFeedResponse"/>
      </operation>
    </portType>

```

1440 Informative WSDL for the Provider Information Feed is available online on the IHE FTP site, see ITI TF-2x: Appendix W.