



5

IHE Patient Care Coordination (PCC) Technical Framework Supplement

10

CDA Content Modules

15

Rev. 2.7 – Trial Implementation

Date: February 26, 2021
20 Author: IHE PCC Technical Committee
Email: pcc@ihe.net

25

Please verify you have the most recent version of this document. See [here](#) for Trial Implementation and Final Text versions and [here](#) for Public Comment versions.

Foreword

- This is a supplement to the IHE Patient Care Coordination Technical Framework. Each supplement undergoes a process of public comment and trial implementation before being incorporated into the volumes of the Technical Frameworks.
- This supplement is different than traditional IHE supplements. It serves as the trial implementation staging area for content modules. The content modules (section level, entry level) defined during trial implementation are gathered in this document to provide a central location for readers of supplements from PCC, QRPH and/or other domains that use the dictionary of content modules first defined by PCC. After individual modules are successfully tested and reviewed, they will be moved to final text. At that time, they are removed from this document. Thus, this supplement will continue to exist for some time as new content modules are defined and documented here. Likewise, content modules will be removed as they go to final text.



Note: For some profiles, the domain technical committee has elected to document the content modules in the specific profile supplement; therefore, they are not documented in the CDA Content Modules supplement.

- “Boxed” instructions like the sample below indicate to the Volume Editor how to integrate the relevant section(s) into the relevant Technical Framework volume.

Amend Section X.X by the following:

- Where the amendment adds text, make the added text **bold underline**. Where the amendment removes text, make the removed text **bold strikethrough**. When entire new sections are added, introduce with editor’s instructions to “add new text” or similar, which for readability are not bolded or underlined.

General information about IHE can be found at: www.ihe.net.

Information about the IHE PCC domain and the IHE QRPH domain can be found at:
http://www.ihe.net/IHE_Domains.

- Information about the organization of IHE Technical Frameworks and Supplements and the process used to create them can be found at: http://www.ihe.net/IHE_Process and <http://www.ihe.net/Profiles>.

The current version of the IHE PCC Technical Framework and the IHE QRPH Technical Framework can be found at: http://www.ihe.net/Technical_Frameworks.

60 CONTENTS

	Introduction.....	21																																											
	Profile Abstract	21																																											
	Open Issues and Questions	21																																											
65	Closed Issues.....	21																																											
	Volume 1 – Integration Profiles.....	22																																											
	Glossary	23																																											
	2.5 History of Annual Changes	23																																											
	Volume 2 – Transactions and Content Modules	26																																											
70	6.1 Conventions	26																																											
	6.2 Folder Content Modules.....	27																																											
	6.2.1 EDES Folder Specification	27																																											
	6.2.2 APR Folder Specification.....	27																																											
	6.2.3 LDR Folder Specification	27																																											
75	6.3 HL7 Version 3.0 Content Modules	27																																											
	6.3.1 CDA Document Content Modules	27																																											
	6.3.1.x History and Physical Specification 1.3.6.1.4.1.19376.1.5.3.1.1.16.1.4.....	27																																											
	6.3.1.x.1 Format Code	27																																											
	6.3.1.x.2 LOINC Code.....	27																																											
80	6.3.1.x.3 Standards.....	28																																											
	6.3.1.x.4 Specification	28																																											
	6.3.1.x.5 Conformance.....	28																																											
	6.3.2 CDA Header Content Modules	30																																											
	6.3.2.1 Language Communication 1.3.6.1.4.1.19376.1.5.3.1.2.1.....	30																																											
85		6.3.2.2 Employer and School Contacts 1.3.6.1.4.1.19376.1.5.3.1.2.2	30		6.3.2.3 Healthcare Providers and Pharmacies 1.3.6.1.4.1.19376.1.5.3.1.2.3	30		6.3.2.4 Patient Contacts 1.3.6.1.4.1.19376.1.5.3.1.2.4	30		6.3.2.5 Spouse 1.3.6.1.4.1.19376.1.5.3.1.2.4.1.....	30		6.3.2.5.1 Parent Template	31	90		6.3.2.5.2 Specification	31		6.3.2.5.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.1'>	31		6.3.2.5.4 <associatedEntity classCode='PRS'>	31		6.3.2.5.5 <code code='127848009 184142008' displayName='' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT'>	31		6.3.2.5.6 Completed Example.....	32	95		6.3.2.6 Natural Father of Fetus 1.3.6.1.4.1.19376.1.5.3.1.2.4.2	32		6.3.2.6.1 Parent Template	32		6.3.2.6.2 Specification	32	100		6.3.2.6.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.2'>	33
	6.3.2.2 Employer and School Contacts 1.3.6.1.4.1.19376.1.5.3.1.2.2	30																																											
	6.3.2.3 Healthcare Providers and Pharmacies 1.3.6.1.4.1.19376.1.5.3.1.2.3	30																																											
	6.3.2.4 Patient Contacts 1.3.6.1.4.1.19376.1.5.3.1.2.4	30																																											
	6.3.2.5 Spouse 1.3.6.1.4.1.19376.1.5.3.1.2.4.1.....	30																																											
	6.3.2.5.1 Parent Template	31																																											
90		6.3.2.5.2 Specification	31		6.3.2.5.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.1'>	31		6.3.2.5.4 <associatedEntity classCode='PRS'>	31		6.3.2.5.5 <code code='127848009 184142008' displayName='' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT'>	31		6.3.2.5.6 Completed Example.....	32	95		6.3.2.6 Natural Father of Fetus 1.3.6.1.4.1.19376.1.5.3.1.2.4.2	32		6.3.2.6.1 Parent Template	32		6.3.2.6.2 Specification	32	100		6.3.2.6.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.2'>	33																
	6.3.2.5.2 Specification	31																																											
	6.3.2.5.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.1'>	31																																											
	6.3.2.5.4 <associatedEntity classCode='PRS'>	31																																											
	6.3.2.5.5 <code code='127848009 184142008' displayName='' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT'>	31																																											
	6.3.2.5.6 Completed Example.....	32																																											
95		6.3.2.6 Natural Father of Fetus 1.3.6.1.4.1.19376.1.5.3.1.2.4.2	32		6.3.2.6.1 Parent Template	32		6.3.2.6.2 Specification	32	100		6.3.2.6.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.2'>	33																																
	6.3.2.6 Natural Father of Fetus 1.3.6.1.4.1.19376.1.5.3.1.2.4.2	32																																											
	6.3.2.6.1 Parent Template	32																																											
	6.3.2.6.2 Specification	32																																											
100		6.3.2.6.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.2'>	33																																										
	6.3.2.6.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.2'>	33																																											

	6.3.2.6.4 <associatedEntity classCode='PRS'>	33
105	6.3.2.6.5 <code code='xx-fatherofbaby' displayName=' '	
	codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED	
	CT/>	33
	6.3.2.6.6 Completed Example.....	33
	6.3.2.7 Authorization 1.3.6.1.4.1.19376.1.5.3.1.2.5.....	34
110	6.3.2.7.1 Parent Template	34
	6.3.2.7.2 Specification	34
	6.3.2.7.3 <authorization typeCode='AUTH'>	34
	6.3.2.7.4 <consent classCode='CONS' moodCode='EVN'>.....	34
	6.3.2.7.5 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.5'/>	34
115	6.3.2.7.6 <id root=' '/>	34
	6.3.2.7.7 <code code=' ' codeSystem=' ' codeSystemName=' ' displayName=' '/> ...	35
	6.3.3 CDA Section Content Modules.....	35
120	6.3.3.1 Reasons for Care.....	35
	6.3.3.1.1 Reason for Referral.....	35
	6.3.3.1.2 Coded Reason for Referral	35
	6.3.3.1.3 Chief Complaint.....	35
	6.3.3.1.4 Hospital Admission Diagnosis	35
125	6.3.3.1.5 Proposed Procedure Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.1	35
	6.3.3.1.6 EBS Estimated Blood Loss Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.2.....	36
	6.3.3.1.7 Proposed Anesthesia Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.3	37
	6.3.3.1.8 Reason for Procedure Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.4.....	38
	6.3.3.1.9 Reason for Visit Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1.1	39
	6.3.3.1.10 Injury Incident Description Section 1.3.6.1.4.1.19376.1.5.3.1.1.19.2.1 ...	39
	6.3.3.2 Other Condition Histories.....	40
130	6.3.3.2.1 History of Present Illness.....	40
	6.3.3.2.2 Hospital Course	40
	6.3.3.2.3 Active Problems.....	40
	6.3.3.2.4 Discharge Diagnosis	40
	6.3.3.2.5 History of Past Illness	40
135	6.3.3.2.6 Encounter Histories	40
	6.3.3.2.7 History of Outpatient Visits.....	40
	6.3.3.2.8 History of Inpatient Visits	40
	6.3.3.2.9 List of Surgeries.....	40
	6.3.3.2.10 Coded List of Surgeries	40
140	6.3.3.2.11 Allergies and Other Adverse Reactions.....	40
	6.3.3.2.12 Family medical History	41
	6.3.3.2.13 Coded Family Medical History	41
	6.3.3.2.14 Social History Section	41
	6.3.3.2.15 Functional Status	41
145	6.3.3.2.16 Review of Systems	41
	6.3.3.2.17 Hazardous Working Conditions	41
	6.3.3.2.18 Pregnancy History	41

	6.3.3.2.19 Medical Devices	41
	6.3.3.2.20 Foreign Travel	41
	6.3.3.2.21 Pre-procedure Family Medical History Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.5 (Deprecated).....	41
150	6.3.3.2.22 Coded Functional Status Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.1.....	42
	6.3.3.2.22.1 Standards.....	42
	6.3.3.2.22.2 Parent Template	42
155	6.3.3.2.23 Pain Scale Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.2.....	43
	6.3.3.2.24 Braden Score Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.3.....	44
	6.3.3.2.25 Geriatric Depression Scale Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.4 ...	45
	6.3.3.2.26 Physical Function Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5.....	45
	6.3.3.2.26.1 Constraints	46
160	6.3.3.2.27 Preprocedure Review of Systems Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.13	50
	6.3.3.2.28 Estimated Delivery Date Section 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.1....	51
	6.3.3.2.29 History of Tobacco Use Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.8	52
	6.3.3.2.30 Current Alcohol/Substance Abuse Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.10	53
165	6.3.3.2.31 History of Blood Transfusion Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.12 ..	53
	6.3.3.2.32 Anesthesia Risk Review of Systems Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.14.....	54
	6.3.3.2.33 Implanted Medical Device Review Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.46.....	55
170	6.3.3.2.34 Pregnancy Status Review Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.47	55
	6.3.3.2.35 History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.....	56
	6.3.3.2.36 Coded Social History Section 1.3.6.1.4.1.19376.1.5.3.1.3.16.1	56
	6.3.3.2.37 Coded History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1	58
175	6.3.3.2.38 Prenatal Events Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.2	58
	6.3.3.2.39 Labor and Delivery Events Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3 ...	59
	6.3.3.2.40 Newborn Delivery Information Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4	61
180	6.3.3.2.41 Postpartum Hospitalization Treatment Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.7.....	63
	6.3.3.2.42 Event Outcomes Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9	65
	6.3.3.2.43 Newborn Status at Maternal Discharge 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.8	65
185	6.3.3.2.44 History of Surgical Procedures Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2	66
	6.3.3.2.45 Operative Note Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.6	66
	6.3.3.2.46 Child Functional Status Assessment 1.3.6.1.4.1.19376.1.7.3.1.1.13.3....	67
	6.3.3.2.47 Psychomotor Development Section 1.3.6.1.4.1.19376.1.7.3.1.1.13.4.....	67

190	6.3.3.2.48 Eating and Sleeping Assessment Section 1.3.6.1.4.1.19376.1.7.3.1.1.13.5	68
	6.3.3.2.49 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7	69
	6.3.3.2.50 Intentionally blank	70
	6.3.3.2.51 Intentionally blank	70
195	6.3.3.2.52 Intentionally blank	70
	6.3.3.2.53 Notifications, Alerts, and Reminders Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1.x.....	70
	6.3.3.2.54 Pain Assessment Panel Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.4	71
	6.3.3.2.55 History of Cognitive Function Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.11	72
200	6.3.3.2.56 Isolation Status Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.8.....	72
	6.3.3.2.57 Restraints Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.10	73
	6.3.3.2.58 Risk Indicators for Hearing Loss	73
	6.3.3.2.59 Cancer Diagnosis Section 1.3.6.1.4.1.19376.1.7.3.1.3.14.1	74
205	6.3.3.3 Medications	75
	6.3.3.3.1 Medications Section.....	75
	6.3.3.3.2 Admission Medication History Section.....	75
	6.3.3.3.3 Medications Administered Section.....	75
	6.3.3.3.4 Hospital Discharge Medications Section.....	75
210	6.3.3.3.5 Immunizations Section	75
	6.3.3.4 Physical Exams.....	75
	6.3.3.4.30 Coded Detailed Physical Examination Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1.....	75
	6.3.3.4.31 Pelvis Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.10	77
215	6.3.3.4.32 Admission Physical Exam Section 1.3.6.1.4.1.19376.1.5.3.1.1.22.1.1.2.1	78
	6.3.3.4.33 Discharge Status 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.12	78
	6.3.3.5 Relevant Studies	79
	6.3.3.5.1 Results.....	79
220	6.3.3.5.2 Coded Results	79
	6.3.3.5.3 Hospital Studies Summary	79
	6.3.3.5.4 Coded Hospital Studies Summary	79
	6.3.3.5.5 Consultations 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.8	79
	6.3.3.5.6 Antenatal Testing and Surveillance Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5.....	80
225	6.3.3.5.7 Coded Antenatal Testing and Surveillance Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5.1.....	80
	6.3.3.5.8 Intentionally blank	81
	6.3.3.5.9 Intentionally blank	81
230	6.3.3.5.10 Intentionally blank	81
	6.3.3.5.11 Hearing Screening Coded Results	81
	6.3.3.5.11.1 Parent Template	82
	6.3.3.6 Plans of Care.....	83

	6.3.3.6.1 Care Plan.....	83
235	6.3.3.6.2 Assessment and Plan.....	83
	6.3.3.6.3 Discharge Disposition.....	83
	6.3.3.6.4 Discharge Diet	83
	6.3.3.6.5 Advance Directives.....	83
	6.3.3.6.6 Coded Advance Directives	83
240	6.3.3.6.7 Transport Mode	83
	6.3.3.6.8 Procedure Care Plan Status Report Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.45	83
	6.3.3.6.9 Health Maintenance Care Plan Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.50 ..	84
	6.3.3.6.10 Health Maintenance Care Plan Status Report Section	
245	1.3.6.1.4.1.19376.1.5.3.1.1.9.41.....	85
	6.3.3.6.11 Provider Orders Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1.....	85
	6.3.3.6.12 Birth Plan Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.1	86
	6.3.3.6.13 Immunization Recommendations 1.3.6.1.4.1.19376.1.5.3.1.1.18.3.1	87
	6.3.3.6.14 Patient Education Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.38	87
250	6.3.3.6.15 Coded Care Plan Section 1.3.6.1.4.1.19376.1.5.3.1.3.36	88
	6.3.3.6.16 Diet and Nutrition Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.2	89
	6.3.3.6.17 Intake and Output Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.3	90
	6.3.3.6.18 Intentionally blank	90
	6.3.3.6.19 Intentionally blank	90
255	6.3.3.6.20 Procedure Care Plan Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.40	91
	6.3.3.6.21 Protocols Used Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.5	92
	6.3.3.6.22 Invasive Airway Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.7	92
	6.3.3.6.23 Ventilator Usage Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.11	93
	6.3.3.7 Administrative and Other Information	93
260	6.3.3.7.1 Payers.....	93
	6.3.3.7.2 Referral Source	94
	6.3.3.7.3 Transport Mode	94
	6.3.3.7.4 ED Disposition.....	94
	6.3.3.7.5 Intentionally blank	94
265	6.3.3.7.6 Sending Facility Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.1	94
	6.3.3.7.7 Receiving Facility Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.2	95
	6.3.3.7.8 Mass Casualty Incident Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.3	95
	6.3.3.7.9 Unit Response Level Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.4	96
	6.3.3.7.10 Extra Attendants Information Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.6	96
	6.3.3.7.11 Provider Level Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.9	97
	6.3.3.8 Interventions	97
	6.3.3.8.3 Procedures and Interventions Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11	97
	6.3.3.8.4 Intravenous Fluids Administered Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.6	98
270	6.3.3.9 Impressions.....	99
	6.3.3.9.1 Pre-procedure Impressions Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.42 (Deprecated).....	99

	6.3.3.9.2 Pre-procedure Risk Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.44	99
280	6.3.3.9.3 Antepartum Visit Summary Flowsheet Section 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.2.....	100
	6.3.3.9.4 Progress Note Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.7	101
	6.3.3.9.5 ED Diagnosis Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.9	102
	6.3.3.9.6 Acuity Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.2.....	102
	6.3.3.9.7 Assessments Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.4.....	103
285	6.3.3.10 Section Content Modules-Non-categorized	104
	6.3.3.10.1 VRDR Death Report Section- Section Content Module (1.3.6.1.4.1.19376.1.7.3.1.3.23.2).....	104
	6.3.3.10.1.1 Pregnancy Status Entry Condition	106
	6.3.3.10.1.2 Autopsy Results Entry Condition	107
290	6.3.3.10.1.3 Death Certification Entry Condition	107
	6.3.3.10.1.4 Death Causal Information Entry Condition	107
	6.3.3.10.2 Coded Hospital Course Section 1.3.6.1.4.1.19376.1.7.3.1.3.23.1	107
	6.3.3.10.3 Resources to Support Goals Section 1.3.6.1.4.1.19376.1.7.3.1.3.24.1 ...	108
	6.3.3.10.4 Healthy Weight Care Plan Section 1.3.6.1.4.1.19376.1.7.3.1.3.24.2	109
295	6.3.3.10.5 Occupational Data for Health Section 1.3.6.1.4.1.19376.1.7.3.1.3.24.3	110
	6.3.3.10.5.1 Occupational Data for Health Section < 74166-0>	110
	6.3.4 CDA Entry Content Modules	112
	6.3.4.25 Family History Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.3	113
300	6.3.4.25.1 Standards.....	113
	6.3.4.25.2 Parent Template	113
	6.3.4.25.3 Specification	113
	6.3.4.25.4 <templateId root='2.16.840.1.113883.10.20.1.22'> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.3'>	113
305	6.3.4.25.5 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' '/>	113
	6.3.4.25.6 <value xsi:type='CD' code=' ' displayName=' ' codeSystem=' ' codeSystemName=' '/>	113
	6.3.4.26 Pregnancy History Organizer 1.3.6.1.4.1.19376.1.5.3.1.4.13.5.1	114
	6.3.4.27 EDD Observation 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1	114
310	6.3.4.27.1 Specification	115
	6.3.4.27.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1'>	115
	6.3.4.27.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13'>	116
	6.3.4.27.4 <code code='11778-8' codeSystem='2.16.840.1.113883.6.1'>	116
	6.3.4.27.5 <value xsi:type='TS' value=' '>	116
315	6.3.4.27.6 <author typeCode='AUT'><assignedAuthor><id root=' ' extension=' ' '></assignedAuthor></author>	116
	6.3.4.27.7 <author typeCode='AUT'><time value=' '/></author>	116
	6.3.4.27.8 <entryRelationship typeCode='SPRT'>	116
	6.3.4.27.9 <observation> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13'> : </observation> [1st nesting] 116	
320	6.3.4.27.10 <code code=' ' codeSystem='2.16.840.1.113883.6.1'> [1st nesting] ...	117

	6.3.4.27.11 <entryRelationship typeCode='DRIV'>.....	117
	6.3.4.27.12 <observation> <templateId root=' ' /> : </observation> [2st nesting]	117
325	6.3.4.27.13 <code code=' ' codeSystem='2.16.840.1.113883.6.1'> [2nd nesting]..	117
	6.3.4.27.14 <repeatNumber value=' '/><interpretationCode code=' ' codeSystem=' '/> <targetSiteCode code=' ' codeSystem=' '/>.....	118
	6.3.4.28 Antepartum Visit Summary Battery 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2	118
	6.3.4.28.1 Specification	118
330	6.3.4.28.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2' />	119
	6.3.4.28.3 <organizer classCode='BATTERY' moodCode='EVN'>	119
	6.3.4.28.4 <id root=' ' extension=' '/>	119
	6.3.4.28.5 <code code='(57061-4)' codeSystem='2.16.840.1.113883.6.1'>	119
	6.3.4.28.6 <author/><time/><assignedAuthor><id/></assignedAuthor></author>119	
335	6.3.4.28.7 <statusCode code='completed' />	119
	6.3.4.28.8 <component>	119
	6.3.4.29 Advance Directive Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.7	121
	6.3.4.29.1 Standards.....	122
	6.3.4.29.2 Specification	122
340	6.3.4.29.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' /> <templateId root='2.16.840.1.113883.10.20.1.17' /> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.7' /> 122	
	6.3.4.29.4 <code code=' ' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />.....	122
345	6.3.4.29.5 <value xsi:type='BL' value='true false' />.....	123
	6.3.4.29.6 <reference typeCode='REFR'> <templateId root='2.16.840.1.113883.10.20.1.36' /> <externalDocument classCode='DOC' moodCode='EVN'> <id root=' ' extension=' '/> <text><reference value=' '/></text>.....	123
350	6.3.4.30 Blood Type Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.6.....	123
	6.3.4.30.1 Standards.....	123
	6.3.4.30.2 Specification	123
	6.3.4.30.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' /> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.6' /> <templateId root='2.16.840.1.113883.10.20.1.31' /> 124	
355	6.3.4.30.4 <code code='882-1' displayName='ABO+RH GROUP' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' /> 124	
	6.3.4.30.5 <repeatNumber value=' '/>	124
360	6.3.4.30.6 <value xsi:type='CE' code=' ' displayName=' ' codeSystem=' ' codeSystemName=' '/> 124	
	6.3.4.30.7 <interpretationCode code=' ' codeSystem=' ' codeSystemName=' '/> <methodCode code=' ' codeSystem=' ' codeSystemName=' '/> <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' '/> 125	
365	6.3.4.31 Encounters 1.3.6.1.4.1.19376.1.5.3.1.4.14	125

	6.3.4.31.1 Standards.....	125
	6.3.4.31.2 Specification	125
	6.3.4.31.2.1 <encounter classCode='ENC' moodCode='APT ARQ EVN'>	126
370	6.3.4.31.2.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.14'>.....	126
	6.3.4.31.2.3 <id root=" extension="/">.....	126
	6.3.4.31.2.4 <code code=" codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActEncounterCode' />.....	126
	6.3.4.31.2.5 <text><reference value="#xxx'/'></text>.....	127
375	6.3.4.31.2.6 <effectiveTime><low value="/" /><high value="/" /></effectiveTime>	127
	6.3.4.31.2.7 <priorityCode code='CS' />	127
	6.3.4.31.2.8 <performer>	127
	6.3.4.31.2.9 <participant typeCode='LOC'> <participantRole classCode='SDLOC'>	127
380	6.3.4.31.2.10 <id/>	127
	6.3.4.31.2.11 <code/>	127
	6.3.4.31.2.12 <addr>...</addr>	127
	6.3.4.31.2.13 <telecom value=" use="/">	127
385	6.3.4.31.2.14 <playingEntity classCode='PLC'> <name>...</name> </playingEntity> 128	
	6.3.4.32 Update Entry 1.3.6.1.4.1.19376.1.5.3.1.4.16.....	128
	6.3.4.32.1 Specification	128
	6.3.4.32.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.16'>	128
390	6.3.4.32.3 <reference typeCode='RPLC'>	128
	6.3.4.32.4 <externalAct classCode='ACT' moodCode='EVN'>	128
	6.3.4.32.5 <id root=' ' extension=' '/>	129
	6.3.4.33 Procedure Entry 1.3.6.1.4.1.19376.1.5.3.1.4.19	129
	6.3.4.33.1 Standards.....	129
395	6.3.4.33.2 Specification	129
	6.3.4.33.2.1 <procedure classCode='PROC' moodCode='EVN INT'>	129
	6.3.4.33.2.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19'>	130
	6.3.4.33.2.3 <id root=" extension="/">	130
	6.3.4.33.2.4 <code code=" displayName=" codeSystem=" codeSystemName=" />	130
400	6.3.4.33.2.5 <text><reference value="#xxx'/'></text>.....	130
	6.3.4.33.2.6 <statusCode code='completed active aborted cancelled' />	130
	6.3.4.33.2.7 <effectiveTime><low value="/" /><high value="/" /></effectiveTime>	130
	6.3.4.33.2.8 <priorityCode code="/" />	130
405	6.3.4.33.2.9 <approachSiteCode code=" displayName=" codeSystem=" codeSystemName="/" />	130
	6.3.4.33.2.10 <targetSiteCode code=" displayName=" codeSystem=" codeSystemName="/" />	130
	6.3.4.33.2.11 <entryRelationship typeCode='COMP' inversionInd='true'>	131

410	6.3.4.33.2.12 <entryRelationship typeCode='RSON'>	131
	6.3.4.34 Transport 1.3.6.1.4.1.19376.1.5.3.1.1.10.4.1.....	131
	6.3.4.35 Encounter Disposition 1.3.6.1.4.1.19376.1.5.3.1.1.10.4.2	131
	6.3.4.35.1 Specification	132
	6.3.4.35.1.1 <act classCode='ACT' moodCode='INT EVN'>.....	132
415	6.3.4.35.1.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.2'/>.....	132
	6.3.4.35.1.3 <id root="" extension="/">.....	132
	6.3.4.35.1.4 <code code="" displayName="" codeSystem="" codeSystemName="" />	133
	6.3.4.35.1.5 <text><reference value="#xxx"/></text>.....	133
420	6.3.4.35.1.6 <effectiveTime><low value="/" /><high value="/" /><effectiveTime/>	133
	6.3.4.35.1.7 <performer typeCode='PRF'>	133
	6.3.4.35.1.8 <assignedEntity>	133
	6.3.4.35.1.9 <id root="" extension="/">	133
425	6.3.4.35.1.10 <addr></addr>	133
	6.3.4.35.1.11 <telecom value="" use="/">	133
	6.3.4.35.1.12 <assignedPerson><name/></assignedPerson>	134
	6.3.4.35.1.13 <participant typeCode='RCV'> <time value="/" /> <participantRole classCode='ROL'> <id root="" extension="/" /> <addr></addr> <telecom value="" use="/" /> <playingEntity><name/></playingEntity>	134
430	6.3.4.36 Reserved for Coverage Activity	134
	6.3.4.37 Reserved for Payer Entry.....	134
	6.3.4.38 Pain Score Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.1	134
	6.3.4.38.1 Parent Template	134
435	6.3.4.38.2 Specification	135
	6.3.4.38.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />	135
	6.3.4.38.4 <code code='38208 5' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'> <translation code='406127006' displayName='Pain intensity' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />	135
440	6.3.4.38.5 <value xsi:type='CO' value=' ' />	135
	6.3.4.38.6 <interpretationCode code='301379001 40196000 76948002 67849003' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />	136
	6.3.4.38.7 <methodCode code=' ' codeSystem=' ' codeSystemName=' '/>	136
	6.3.4.38.8 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' '/>	136
	6.3.4.39 Braden Score Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.2	137
	6.3.4.40 Braden Score Component 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.3	137
445	6.3.4.41 Geriatric Depression Score Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.4 ..	137
	6.3.4.42 Geriatric Depression Score Component 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.5 ..	137
	6.3.4.43 Survey Panel 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7	137
	6.3.4.43.1 Parent Template	137

	6.3.4.43.2 Uses.....	137
455	6.3.4.43.3 Specification	137
	6.3.4.43.3.1<organizer classCode='CLUSTER' moodCode='EVN'>	138
	6.3.4.43.3.2<templateId root='2.16.840.1.113883.10.20.1.32'> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7'>	138
460	6.3.4.43.3.3<id root=' ' extension=' '/>	138
	6.3.4.43.3.4<code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' '/>.....	138
	6.3.4.43.3.5<statusCode code='completed'>	138
	6.3.4.43.3.6<effectiveTime value=' '/>	138
	6.3.4.43.3.7<!-- one or more survey observations --> <component typeCode='COMP'>.....	138
465	6.3.4.44 Survey Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6	138
	6.3.4.44.1 Parent Template.....	139
	6.3.4.44.2 Uses.....	139
	6.3.4.44.3 Specification	139
470	6.3.4.44.3.1<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13'> <templateId root='2.16.840.1.113883.10.20.1.31'> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6'>	139
	6.3.4.44.3.2<code code=' ' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'>	139
475	6.3.4.44.3.3<value xsi:type='CO CD INT PQ' .../>	139
	6.3.4.44.3.4<interpretationCode code=' ' codeSystem=' ' codeSystemName=' '/> 139	
	6.3.4.44.3.5<methodCode code=' ' codeSystem=' ' codeSystemName=' '/> <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' '/> ...	140
480	6.3.4.45 Acuity 1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1	140
	6.3.4.45.1 Specification	140
	6.3.4.45.1.1 <observation classCode='OBS' moodCode='EVN'>	140
	6.3.4.45.1.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1'>	140
	6.3.4.45.1.3 <id root=" extension="/">.....	140
485	6.3.4.45.1.4 <code code="" displayName="" codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT'>	141
	6.3.4.45.1.5 <originalText><reference value='#xxx'><orginalText>	141
	6.3.4.45.1.6 <text><reference value='#text'></text>	141
	6.3.4.45.1.7 <effectiveTime>.....	141
490	6.3.4.45.1.8 <high value="/">	141
	6.3.4.46 Intravenous Fluids 1.3.6.1.4.1.19376.1.5.3.1.1.13.3.2	141
	6.3.4.46.1 Specification	142
	6.3.4.46.1.1 Medication Fields.....	143
495	6.3.4.46.1.2 <substanceAdministration classCode='SBADM' moodCode='INT EVN'>	143

	6.3.4.46.1.3 <templateId root='2.16.840.1.113883.10.20.1.24'> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7'> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1'>	143
500	6.3.4.46.1.4 <id root="" extension="/">	143
	6.3.4.46.1.5 <code code="" displayName="" codeSystem="" codeSystemName="">	144
	6.3.4.46.1.6 <text><reference value="/"></text>	144
	6.3.4.46.1.7 <statusCode code='completed active'>	144
	6.3.4.46.1.8 <effectiveTime xsi:type='IVL_TS'>	144
505	6.3.4.46.1.9 <low value="/"><high value="/">	144
	6.3.4.46.1.10 <approachSiteCode code="" codeSystem=""> originalText><reference value="/"></originalText> </approachSiteCode>	144
510	6.3.4.46.1.11 <doseQuantity><low value="" unit="/"><high value="" unit="/"> </doseQuantity>	145
	6.3.4.46.1.12 <low high value="/"> <translation> <originalText><reference value="/"></originalText> </translation></low high>	145
	6.3.4.46.1.13 <rateQuantity><low value="" unit="/"><high value="" unit="/"></rateQuantity>	145
515	6.3.4.46.1.14 <consumable>	145
	6.3.4.47 Nursing Assessments Battery 1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4	145
	6.3.4.47.1 Specification	146
	6.3.4.47.1.1 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4'>	146
	6.3.4.47.1.2 <organizer classCode='BATTERY' moodCode='EVN'>	146
520	6.3.4.47.1.3 <id root=' ' extension=' '/>	146
	6.3.4.47.1.4 <code code='X-ASSESS' codeSystem='2.16.840.1.113883.6.1'>	146
	6.3.4.47.1.5 <author/><time/><assignedAuthor><id/></assignedAuthor></author>	147
525	6.3.4.47.1.6 <statusCode code='completed'>	147
	6.3.4.47.1.7 <component>	147
	6.3.4.48 Antenatal Testing and Surveillance Battery 1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10	147
	6.3.4.48.1 Specification	148
530	6.3.4.48.1.1 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10'>	148
	6.3.4.48.1.2 <organizer classCode='BATTERY' moodCode='EVN'>	148
	6.3.4.48.1.3 <id root=' ' extension=' '/>	148
	6.3.4.48.1.4 <code code='XX- XX-ANTENATALTESTINGBATTERY' codeSystem='2.16.840.1.113883.6.1'>	148
535	6.3.4.48.1.5 <author/><time/><assignedAuthor><id/></assignedAuthor></author>	149
	6.3.4.48.1.6 <statusCode code='completed'>	149
	6.3.4.48.1.7 <component>	149

540	6.3.4.49 Immunization Recommendation	149
	6.3.4.50 Alert Entry	149
	6.3.4.51 Antigen Dose	150
	6.3.4.52 Intentionally blank	150
	6.3.4.53 Intentionally blank	150
545	6.3.4.54 Observation Request 1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1	150
	6.3.4.54.1 Uses	150
	6.3.4.54.2 Specification	150
	6.3.4.54.2.1 <observation classCode='OBS' moodCode='INT PRP GOL'>	151
	6.3.4.54.2.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1'>	151
550	6.3.4.54.2.3 <templateId root='2.16.840.1.113883.10.20.1.25'>	151
	6.3.4.54.2.4 <id root=' ' extension=' '/>	151
	6.3.4.54.2.5 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' ' />	151
	6.3.4.54.2.6 <text><reference value='#xxx'></text> -OR- <text>text</text> ..	151
555	6.3.4.54.2.7 <statusCode code='active'>	152
	6.3.4.54.2.8 <effectiveTime value=' '/>	152
	6.3.4.54.2.9 <value xsi:type=' ' .../>	152
	6.3.4.54.2.10 <methodCode code=' ' codeSystem=' ' codeSystemName=' ' />	152
560	6.3.4.54.2.11 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />	152
	6.3.4.54.2.12 <author><assignedAuthor	
	classCode='ASSIGNED'>...<assignedAuthor></author>	152
	6.3.4.55 Risk Indicators for Hearing Loss Entry 1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1	152
	6.3.4.55.1 Specification	153
565	6.3.4.55.2 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1'>	153
	6.3.4.55.3 <organizer classCode='BATTERY' moodCode='EVN'>	153
	6.3.4.55.4 <id root=' ' extension=' '/>	154
	6.3.4.55.5 <code code='58232-0' codeSystem='2.16.840.1.113883.6.1'>	154
	6.3.4.55.6 <author/><time/><assignedAuthor><id/></assignedAuthor></author>	154
570	6.3.4.55.7 <statusCode code='completed'>	154
	6.4.4.55.8 <component>	154
	6.3.4.56 Cancer Diagnosis Entry 1.3.6.1.4.1.19376.1.7.3.1.4.14.1	154
	6.3.4.56.1 Parent Template	154
	6.3.4.56.2 Specification	155
575	6.3.4.56.3 <act classCode='ACT' moodCode='EVN'>	157
	6.3.4.56.4 <templateId root='2.16.840.1.113883.10.20.1.27'><templateId	
	root='1.3.6.1.4.1.19376.1.5.3.1.4.5.2'>	157
	6.3.4.56.5 <!-- 1..* entry relationships identifying problems of concern -->	
	<entryRelationship type='SUBJ'><observation classCode='OBS'	
580	moodCode='EVN'><templateIDroot='1.3.6.1.4.1.19376.1.5.3.1.4.5'>...</	
	observation>	157
	6.3.4.56.6 <observation classCode="OBS" moodCode="EVN">	157
	6.3.4.56.7 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5'><templateId	
	root='1.3.6.1.4.1.19376.1.7.3.1.4.14.1'>	157

585	6.3.4.56.8 <code code="282291009" codeSystem=" 2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="Diagnosis"/> 158
	6.3.4.56.9 <statusCode code='completed' /> 158
	6.3.4.56.10 <effectiveTime value="xxx" /> 158
	6.3.4.56.11 <value xsi:type='CD' code=' ' codeSystem=' ' codeSystemName=' ' displayName=' '> 158
590	6.3.4.56.12 <qualifier><name code="31206-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName=" Behavior ICD-O-3 Cancer"/><value code="" codeSystem="" codeSystemName=" " displayName=" "/></qualifier> 158
	6.3.4.56.13 <qualifier><name code="21861-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Dx confirmed by Cancer"/><value xsi:type="CD" code="" codeSystem="" codeSystemName=" " displayName=" "/></qualifier> 158
595	6.3.4.56.14 <targetSiteCode code=" " codeSystem="" codeSystemName=" " displayName=" ">..... 159
600	6.3.4.56.15 <qualifier><name code="20228-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Anatomic part Laterality"/><value code="" codeSystem="" codeSystemName=" " displayName=" "/></qualifier> 159
	6.3.4.56.16 <entryRelationship typeCode="SUBJ" inversionInd="false" /> 159
605	6.3.4.56.17 <observation classCode="OBS" moodCode="EVN" > <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.14.2" /> [1 st nesting] 159
	6.3.4.56.18 <code code="75620-5" displayName="TNM Clinical Stage Information" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" /> [1 st nesting]..... 159
610	6.3.4.56.19 <statusCode code="completed" /> [1 st nesting] 159
	6.3.4.56.20 <value xsi:type="CD" code="" codeSystem="" codeSystemName="" displayName=" "> [1 st nesting]..... 159
615	6.3.4.56.21 <qualifier><name code="21909-7" displayName=" Descriptor.clinical Cancer" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" /><value xsi:type="CD" code="" codeSystem="" codeSystemName=" " displayName=" "/></qualifier> [1 st nesting]..... 160
	6.3.4.56.22 <qualifier><name code="21917-0" displayName="Version TNM Classification" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" /><value xsi:type="CD" code="" codeSystem="" codeSystemName=" " displayName=" "/></qualifier> [1 st nesting]..... 160
620	6.3.4.56.23 <participant typeCode="PPRF" > <participantRole> <code code="21910-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Stager.clinical Cancer" /><playingEntity nullFlavor="NA" > <code xsi:type="CE"
625	

	code="" codeSystem="" codeSystemName=" " displayName=" "/> [1 st nesting]	160
630	6.3.4.56.24 <!-- 0..3 entryRelationships identifying simple observations for TNM Clinic Tumor, TNM Clinical Nodes, and TNM Clinical Metastases--><entryRelationship typeCode="COMP" inversionInd="false"><observation classCode='OBS'moodCode='EVN'><templateId root='1.3.6.1.4.1.19376. 1.5.3.1.4.13'>...</observation>[2nd nesting]	160
635	6.3.4.56.25 <code code="" displayName=" " codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/> [2 nd nesting].....	161
	6.3.4.56.26 <value xsi:type="CD" code="" codeSystem="" codeSystemName=" " displayName=" "/>.....	161
640	6.3.4.57 Patient Transfer 1.3.6.1.4.1.19376.1.5.3.1.1.25.1.4.1	161
	6.3.4.57.1 Parent Template	162
	6.3.4.57.2 Specification	162
	6.3.4.57.3 <act classCode='ACT' moodCode='INT EVN'>	162
	6.3.4.57.4 <templateId root='TBD'>	162
	6.3.4.57.5 <id root=" extension="/">	162
645	6.3.4.57.6 <code code=" displayName=" codeSystem=" codeSystemName=" />...	162
	6.3.4.57.7 <text><reference value='#xxx'></text>	162
	6.3.4.57.8 statusCode.....	162
	6.3.4.57.9 <effectiveTime><low value="/"><high value="/"><effectiveTime/>	163
	6.3.4.57.10 participant	163
650	6.3.4.57.11 templateId	163
	6.3.4.57.12 participantRole.....	163
	6.3.4.57.13 <id root=" extension="/">	163
	6.3.4.57.14 <code>	163
	6.3.4.57.15 <addr></addr>	163
655	6.3.4.57.16 <telecom>	163
	6.3.4.57.17 playingEntity.....	163
	6.3.4.57.18 name.....	164
	6.3.4.58 Death Pronouncement Entry Content Module (1.3.6.1.4.1.19376.1.7.3.1.4.23.1)	164
660	6.3.4.59 Death Location Type Entry Content Module	165
	6.3.4.64 History of Employment Status Observation.....	167
	6.3.4.65 Usual Occupation Observation Entry	168
	6.3.4.66 Past or Present Occupation Observation Entry	171
	6.3.4.67 Work Schedule Observation Entry	174
665	6.3.4.68 Weekly Work Hours Observation Entry	176
	6.3.4.69 Usual Occupation Duration Entry	177
	6.3.4.71 Pregnancy Status Review Organizer (1.3.6.1.4.1.19376.1.5.3.1.4.22).....	178
	6.3.4.71.1 Specification	178
	6.3.4.71.2 <organizer classCode='CLUSTER' moodCode='EVN'>.....	178
670	6.3.4.71.3 <templateId root="/">	178

	6.3.4.71.4 <id root=' ' extension=' '/>	178
	6.3.4.71.5 <code code='118185001' displayName='Pregnancy Observations' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED-CT' />	179
675	6.3.4.71.6 <statusCode code='completed' />	179
	6.3.4.71.7 <effectiveTime value=' '/>	179
	6.3.4.71.8 <author typeCode='AUT'><assignedEntity1 typeCode='ASSIGNED'>...</assignedEntity1></author>	179
	6.3.4.71.9 <component typeCode='COMP' />	179
680	6.3.4.72 Pregnancy Status Review Observation (1.3.6.1.4.1.19376.1.5.3.1.4.22.1)	179
	6.3.4.72.1 Parent Template	179
	6.3.4.72.1.1 Uses	179
	6.3.4.72.2 Specification	180
	6.3.4.72.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.22.1' /> <templateId root=' '/>	180
685	6.3.4.72.4 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' '/>	180
	6.3.4.72.5 <repeatNumber value=' '/>	180
	6.3.4.72.6 <value xsi:type=' ' ... />	180
690	6.3.4.72.7 <interpretationCode code=' ' codeSystem=' ' codeSystemName=' '/> <methodCode code=' ' codeSystem=' ' codeSystemName=' '/> <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' '/>	180
	6.3.4.73 Performer	180
	6.3.4.73.1 <performer typeCode="PRF" />	181
695	6.3.4.73.2 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.24.3.5" />	181
	6.3.4.73.3 <assignedEntity classCode="ASSIGNED" />	181
	6.3.4.73.4 <id root="" extension="" />	181
	6.3.4.73.5 <addr></addr>	182
	6.3.4.73.6 <telecom></telecom>	182
700	6.3.4.73.7 <assignedPerson>	182
	6.3.4.73.8 <name></name>	182
	6.3.4.73.9 <representedOrganization>	182
	6.3.4.73.10 <id root='...' extension='...' />	182
	6.3.4.73.11 <name></name>	182
705	6.3.4.73.12 <addr></addr>	183
	6.3.4.73.13 <telecom></telecom>	183
	6.3.4.74 Weekly Work Days Observation Entry	183
	6.3.4.bb Date of Retirement Observation Entry	184
	6.3.4.cc Combat Zone Period Observation Entry	185
710	6.3.4.dd Job Duty Observation Entry	186
	6.3.4.ee Occupational Hazard Observation Entry	187
	6.3.4.ff Supervisory Level Observation Entry	188
	6.3.4.yy Past or Present Industry Observation Entry	189
	6.3.4.zz Work Classification Observation Entry	191

715	6.4 HL7 Version 2.0 Content Modules	192
	6.5 PCC Value Sets.....	192
	6.5.A Antepartum History of Past Illness Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.1..	192
	6.5.C Antepartum Family History and Genetic Screening Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.4	193
720	6.5.D Antepartum Review of Systems Menstrual History Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.5	194
	6.5.E Antepartum History of Infection Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.6	195
	6.5.F Antepartum Laboratory Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.7	195
	6.5.G Antepartum Education Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.8	198
725	6.5.H JCIH-EHDI Risk Indicators for Hearing Loss (LOINC®) Value Set.....	200
	6.5.H.1 Metadata	200
	6.5.H.2 JCIH-EHDI Risk Indicators for Hearing Loss (LOINC®) Value Set Value Set	201
	6.5.I JCIH-EHDI Risk Indicators for Hearing Loss Codes.....	203
730	6.5.I.1 Metadata	203
	6.5.I.2 JCIH-EHDI Risk Indicators for Hearing Loss Value Set	204
	6.5.I.3 Pending Codes for SNOMED-CT Findings/Situation to support Risk Indicators for Hearing Loss	204
	6.5.J JCIH-EHDI Risk Indicators for Hearing Loss - Procedures Codes	205
735	6.5.J.1 Metadata.....	205
	6.5.J.2 JCIH-EHDI Risk Indicators for Hearing Loss - Procedures Value	205
	6.5.K Newborn Hearing Procedure Codes	206
	6.5.K.1 Metadata	206
	6.5.K.2 JCIH-EHDI Newborn Hearing Procedure Value Set	207
740	6.5.L JCIH-EHDI Newborn Hearing Screening Method Codes.....	207
	6.5.L.1 Metadata.....	207
	6.5.L.2 JCIH-EHDI Newborn Hearing Screening Method Value Set	208
	6.5.M JCIH-EHDI Hearing Screen Right Codes– Right.....	208
	6.5.M.1 Metadata.....	208
	6.5.M.2 JCIH-EHDI Hearing Screen Right Value Set.....	209
745	6.5.N JCIH-EHDI Hearing Screen Left Codes	209
	6.5.N.1 Metadata	209
	6.5.N.2 JCIH-EHDI Hearing Screen Left Value Set.....	210
	6.5.O JCIH-EHDI Reason for no Hearing Loss Diagnosis or Screening Codes(SNOMED)	210
750	6.5.O.1 Metadata	210
	6.5.O.2 JCIH-EHDI Reason for no Hearing Loss Diagnosis or Screening Value Set	211
	6.5.P JCIH-EHDI Newborn Hearing Loss Referrals Codes	212
	6.5.P.1 Metadata	212
	6.5.P.2 JCIH-EHDI Newborn Hearing Loss Referrals Value Set.....	213
755	6.5.Q JCIH-EHDI Newborn Hearing Loss Reason for no Follow-up – Patient Reason Codes	213
	6.5.Q.1 Metadata	213

	6.5.Q2 JCIH-EHDI Newborn Hearing Loss Reason for no Follow-up – Patient Reason Value Set	214
760	6.5.R Joint Commission Medical Reason Codes	216
	6.5.R.1 Metadata.....	216
	6.5.R.2 Joint Commission Medical Reason Value Set.....	216
	6.5.S JCIH-EHDI Inpatient Screening Results not Performed Codes	217
765	6.5.S.1 Metadata	217
	6.5.S.2 JCIH-EHDI Inpatient Screening Results not Performed Value Set.....	218
	6.5.T JCIH-EHDI Evidence of Hearing Screening Performed Codes	218
	6.5.T.1 Metadata.....	218
	6.5.T.2 JCIH-EHDI Evidence of Hearing Screening Performed Value Set.....	219
770	6.5.U JCIH-EHDI Procedure Declined Value Set Codes	219
	6.5.U.1 Metadata	219
	6.5.U.2 JCIH-EHDI Procedure Declined Value Set Value Set	220
	6.5.V JCIH-EHDI Newborn Hearing Screening Abnormal Results Value Set Codes	220
	6.5.V.1 Metadata	220
775	6.5.V.2 JCIH-EHDI Newborn Hearing Screening Abnormal Results Value Set	221
	6.5.W Primary Site Value Set	222
	6.5.X Histologic Type Value Set	222
	6.5.Y Derived AJCC Descriptor (T,N,M) Value Set	222
	6.5.Z TNM Edition Value Set	222
780	6.5.AA TNM Stage Group Value Set	223
	6.5.BB TNM Stage Descriptor Value Set	224
	6.5.CC TNM Tumor Value Set	224
	6.5.DD TNM Node Value Set.....	225
	6.5.EE TNM Metastasis Value Set.....	226
785	6.5.FF QRPH VRDR Autopsy Procedure Performed Codes	226
	6.5.FF.1 Metadata.....	226
	6.5.FF.2 VRDR Autopsy Procedure Performed Value Set	227
	6.5.GG QRPH VRDR Autopsy Not Performed Codes	229
	6.5.GG.1 Metadata	229
790	6.5.GG.2 VRDR Autopsy Not Performed Value Set	230
	6.5.HH VRDR Discharge Death Codes	230
	6.5.HH.1 Metadata	230
	6.5.HH.2 VRDR Discharge DeathValue Set.....	231
	6.5.II VRDR Death Location Type Codes	231
795	6.5.II.1 Metadata.....	231
	6.5.II.2 VRDR Death Location Type Value Set.....	232
	6.5.JJ VRDR Death Certification Procedure Codes.....	233
	6.5.JJ.1 Metadata	233
	6.5.JJ.2 VRDR Death Certification Procedure Performed Value Set	234
800	6.5.KK VRDR Death Pronouncement Procedure Codes	234
	6.5.KK.1 Metadata	234
	6.5.KK.2 VRDR Death Pronouncement Procedure Performed Value Set.....	235

6.6 Concept Domains	235
---------------------------	-----

805 **Introduction**

This supplement is written for trial implementation. It is written as changes to the latest revision of the documents listed below. The reader should have already read and understood these documents:

1. [PCC Technical Framework Volume 1](#)
2. [PCC Technical Framework Volume 2](#)

810 This supplement also references other documents¹. The reader should have already read and

understood these documents:

1. [IT Infrastructure Technical Framework Volume 1](#)
2. [IT Infrastructure Technical Framework Volume 2](#)
3. [IT Infrastructure Technical Framework Volume 3](#)
4. HL7®² and other standards documents referenced in Volume 1 and Volume 2

This supplement defines a number of PCC and QRPH content modules that are shared between various content documents. These are provided for trial implementation and will be published in the same format for trial implementation. Upon completion, some content modules will be moved to final text; others may remain in trial implementation.

820

Profile Abstract

This supplement does not describe a profile.

Open Issues and Questions

None

825 **Closed Issues**

None

¹ The first three documents can be located on the IHE Website at http://ihe.net/Technical_Frameworks/#IT. The remaining document can be obtained from its respective publisher.

² HL7 is the registered trademark of Health Level Seven International.

Volume 1 – Integration Profiles

None

Glossary

830 *Add the following terms to the Glossary:*

None

2.5 History of Annual Changes

Add the following bullet to the end of the bullet list in Section 2.5

- 835 • Added a set of CDA[®]³ Content Modules shared across several Integration Profiles for the 2010-2011 documentation cycle.
- In the 2011-2012 documentation cycle, the following CDA Section Content Modules were added as well as various Entry Content Modules and Value Sets:
- PCC Transport Summary Profiles supplement
- 840
 - Sending Facility
 - Receiving Facility
 - Mass Causality Incident
 - Unit Response Level
 - Protocols Used
 - Extra Attendants Information
 - Invasive Airway
 - Isolation Status
 - Restraints
 - Ventilator Usage
 - Provider Level
- 845
 - QRPH EHCP Profile
 - Risk Indicators for Hearing Loss
 - Hearing Screening Coded Results
 - QRPH PRPH-Ca Profile
 - Cancer Diagnosis
- 850
 - QRPH EHCP Profile
 - Risk Indicators for Hearing Loss
 - Hearing Screening Coded Results
 - QRPH PRPH-Ca Profile
 - Cancer Diagnosis

³ CDA is the registered trademark of Health Level Seven International.

- In the 2012-2013 documentation cycle, edits were made based on CPs. In addition, the following content modules were added:
 - QRPH VRDR Section Content Modules
 - 6.3.3.10.1 VRDR Death Report Section
 - 6.3.3.10.2 Coded Hospital Course Section
 - QRPH VRDR Entry Content Modules were added
 - 6.3.3.4.58 Death Pronouncement Entry Content Module
 - 6.3.3.4.59 Death Location Type Entry Content Module
 - Some QRPH VRDR value sets were added
 - QRPH HW Section Content Modules
 - 6.3.3.10.3 Resources to Support Goals Section
 - 6.3.3.10.4 Healthy Weight Care Plan Section
 - 6.3.3.10.5 Occupational Data for Health Section
 - QRPH HW Entry Content Modules
 - 6.3.4.60 Occupational Data For Health Organizer
 - 6.3.4.61 Employment Status Organizer
 - 6.3.4.62 Usual Occupation and Industry Organizer
 - 6.3.4.63 History of Occupation Organizer
 - 6.3.4.64 Employment Status Observation
 - 6.3.4.65 Usual Occupation and Industry Observation Entry
 - 6.3.4.66 Occupation Observation Entry
 - 6.3.4.67 Work Schedule Observation Entry
 - 6.3.4.68 Weekly Work Hours Observation Entry
 - 6.3.4.69 Usual Occupation Duration Entry
 - 6.3.4.70 Usual Industry Duration Entry
- In the 2013-2014 documentation cycle, edits were made based on CPs.
- In the 2015-2016 documentation cycle, edits were made based on CPs. In addition, the following Volume 2 section was added to this document:
 - 6.6 Concept Domains

- 885
 - In the June 2020 publication, the Occupational Data for Health structures were updated to align with changes made in the Healthy Weight supplement (Rev. 2.3)
 - In the February of 2021 publication, updated per CP-QRPH-240, CP-QRPH-0241, CP-QRPH-242, and CP-QRPH-243

Volume 2 – Transactions and Content Modules

890

Please note that in December of 2012, a new supplement template was released. The new template separates *Transactions* (Volume 2) and *Content Modules* (Volume 3). As a result, in newer supplements you will find content module definitions in volume 3. The section numbering scheme; however, remains the same.

895

Add Section 6.1

6.1 Conventions

Various tables used in this section will further constrain the content. Within this volume, the follow conventions are used.

900 R

A "Required" data element is one that shall always be provided. If there is information available, the data element must be present. If there is no information available, or it cannot be transmitted, the data element must contain a value indicating the reason for omission of the data. (See PCC TF-2: 5.3.4.2 for a list of appropriate statements.)

905 R2

A "Required if data present" data element is one that shall be provided when a value exists. If the information cannot be transmitted, the data element shall contain a value indicating the reason for omission of the data. If no such information is available to the creator or if such information is not available in a well identified manner (e.g., buried in a free form narrative that contains additional information relevant to other sections) or if the creator requires that information be absent, the R2 section shall be entirely absent. (See PCC TF-2: 5.3.4.2 for a list of appropriate statements.)

O

915 An optional data element is one that may be provided, irrespective of whether the information is available or not. If the implementation elects to support this optional section, then its support shall meet the requirement set forth for the "Required if data present" or R2.

C

920 A conditional data element is one that is required, required if known, or optional depending upon other conditions. These will have further notes explaining when the data element is required, et cetera.

Note: The definitions of R, R2, and O differ slightly from other IHE profiles. This is due in part to the fact that local regulations and policies may in fact prohibit the transmission of certain information, and that a human decision to transmit the information may be required in many cases.

Add Section 6.2

925 **6.2 Folder Content Modules**

This section contains modules that describe the content requirements of Folders used with XDS, XDM or XDR. When workflows are completed normally, the folders will contain documents with the optionality specified in the tables shown below. Under certain circumstances, the folders will not meet the optionality requirements described below, for example, when the patient leaves
930 before treatment is completed.

6.2.1 EDES Folder Specification

This section intentionally left blank.

6.2.2 APR Folder Specification

This section intentionally left blank.

935 **6.2.3 LDR Folder Specification**

This section intentionally left blank.

6.3 HL7 Version 3.0 Content Modules

This section contains content modules based upon the HL7 CDA Release 3.0 Standard, and related standards and/or implementation guides.

940 **6.3.1 CDA Document Content Modules**

Add Section 6.3.1.x

6.3.1.x History and Physical Specification 1.3.6.1.4.1.19376.1.5.3.1.1.16.1.4

The History and Physical document content module is a Medical Summary and inherits all header constraints from Medical Summary (1.3.6.1.4.1.19376.1.5.3.1.1.2). The intention of this
945 document content module is to provide a base from which other document content modules may be derived. Future work may also result in a content profile for History and Physical.

6.3.1.x.1 Format Code

The XDSDocumentEntry format code for this content is **urn:ihe:pcc:hp:2008**

6.3.1.x.2 LOINC[®]4 Code

950 The LOINC code for this document is **34117-2 HISTORY AND PHYSICAL**

⁴ LOINC is registered United States trademark of Regenstrief Institute, Inc.

6.3.1.x.3 Standards

CDAR2	HL7 CDA Release 2.0
CDTHP	CDA for Common Document Types History and Physical Notes (DSTU)

6.3.1.x.4 Specification

This section references content modules using Template ID as the key identifier. Definitions of the modules are found in either:

955

- IHE Patient Care Coordination Volume 2: Final Text
- IHE PCC CDA Content Modules Supplement (this document, for Trial Implementation)

Table 6.3.1.x.4-1: History and Physical Data Elements

Data Element Name	Opt	Template ID
Chief Complaint	R	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1
History of Present Illness	R	1.3.6.1.4.1.19376.1.5.3.1.3.4
History of Past Illness	R	1.3.6.1.4.1.19376.1.5.3.1.3.8
Medications	R	1.3.6.1.4.1.19376.1.5.3.1.3.19
Allergies and Other Adverse Reactions Section	R	1.3.6.1.4.1.19376.1.5.3.1.3.13
Social History	R	1.3.6.1.4.1.19376.1.5.3.1.3.16
Family History	R	1.3.6.1.4.1.19376.1.5.3.1.3.14
Review of Systems	R	1.3.6.1.4.1.19376.1.5.3.1.3.18
Detailed Physical Examination This section SHALL include Vital Signs (1.3.6.1.4.1.19376.1.5.3.1.3.25) as a subsection.	R	1.3.6.1.4.1.19376.1.5.3.1.1.9.15
Results Diagnostic Findings; use this OR Coded Results	R	1.3.6.1.4.1.19376.1.5.3.1.3.27
Coded Results Diagnostic Findings; use this OR Results	R	1.3.6.1.4.1.19376.1.5.3.1.3.28
Assessment and Plan	R	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.5

6.3.1.x.5 Conformance

960

CDA Release 2.0 documents that conform to the requirements of this content module shall indicate their conformance by the inclusion of the appropriate <templateId> elements in the header of the document. This is shown in the sample document below. A CDA Document may conform to more than one template. This content module inherits from the [Medical Summaries](#) content module, and so must conform to the requirements of that template as well, thus all <templateId> elements shown in the example below shall be included.

965

```

<ClinicalDocument xmlns='urn:hl7-org:v3'>
  <typeId extension="POCD_HD000040" root="2.16.840.1.113883.1.3"/>
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.2'/>
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.1.4'/>
  <id root=' ' extension=' ' />
  <code code='34117-2' displayName='HISTORY AND PHYSICAL'
    codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
  <title>History and Physical</title>
  <effectiveTime value='20080601012005' />
  <confidentialityCode code='N' displayName='Normal'
    codeSystem='2.16.840.1.113883.5.25' codeSystemName='Confidentiality' />
  <languageCode code='en-US' />
  :
  <component><structuredBody>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1' />
        <!-- Required Chief Complaint Section content -->
      </section>
    </component>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.4' />
        <!-- Required History of Present Illness Section content -->
      </section>
    </component>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.8' />
        <!-- Required History of Past Illness Section content -->
      </section>
    </component>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.19' />
        <!-- Required Medications Section content -->
      </section>
    </component>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.13' />
        <!-- Required Allergies and Other Adverse Reactions Section content -->
      </section>
    </component>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.16' />
        <!-- Required Social History Section content -->
      </section>
    </component>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.14' />
        <!-- Required Family History Section content -->
      </section>
    </component>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.18' />
        <!-- Required Review of Systems Section content -->
      </section>
    </component>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.15' />
        <!-- Required Detailed Physical Examination Section content -->
      </section>
    </component>
  </structuredBody>
</component>

```

```

1035      </component>
<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.27' />
    <!-- Required Results Section content -->
  </section>
</component>
<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.28' />
    <!-- Required Coded Results Section content -->
  </section>
</component>
<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.5' />
    <!-- Required Assessment and Plan Section content -->
  </section>
</component>
</structuredBody></component>
</ClinicalDocument>

```

Figure 6.3.1.x.5-1: Sample History and Physical Document

1055 *Add Section 6.3.2*

6.3.2 CDA Header Content Modules

Add Section 6.3.2.1

6.3.2.1 Language Communication 1.3.6.1.4.1.19376.1.5.3.1.2.1

Add Section 6.3.2.2

1060 **6.3.2.2 Employer and School Contacts 1.3.6.1.4.1.19376.1.5.3.1.2.2**

Add Section 6.3.2.3

6.3.2.3 Healthcare Providers and Pharmacies 1.3.6.1.4.1.19376.1.5.3.1.2.3

Add Section 6.3.2.4

6.3.2.4 Patient Contacts 1.3.6.1.4.1.19376.1.5.3.1.2.4

1065 *Add Section 6.3.2.5*

6.3.2.5 Spouse 1.3.6.1.4.1.19376.1.5.3.1.2.4.1

The spouse header element records the spouse of a patient, and inherits other constraints from the [Patient Contacts](#) entry. Items in bold in the example below show the additional constraints on this element.

1070 This element SHALL be included as a participant in the header of the CDA document in the event of the pregnancy. If this does not apply to the patient this element SHALL use a null flavor.

6.3.2.5.1 Parent Template

The parent of this template is [Patient Contacts](#).

1075 **6.3.2.5.2 Specification**

```
<participant typeCode='IND'>
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4' />
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.1' />
  <time value='20070213' />
  <associatedEntity classCode='PRS'>
    <code code='xx-spouse|184142008' displayName=' ' codeSystem='2.16.840.1.113883.6.96'
      codeSystemName='SNOMED CT' />
    <addr></addr>
    <telecom value=' ' use=' ' />
    <assignedPerson><name></name></assignedPerson>
  </associatedEntity>
</participant>
```

6.3.2.5.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4' /><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.1' />

1090 The <templateId> element identifies this person as a spouse and must be recorded exactly as shown above.

```
<rule context='h17:templateId/@root="1.3.6.1.4.1.19376.1.5.3.1.2.4.1"]'>
  <assert test='h17:templateId/@root="1.3.6.1.4.1.19376.1.5.3.1.2.4"'>
    A participant using template 1.3.6.1.4.1.19376.1.5.3.1.2.4.1 must also use template
    1.3.6.1.4.1.19376.1.5.3.1.2.4.
  </assert>
</rule>
```

6.3.2.5.4 <associatedEntity classCode='PRS'>

The classCode attribute of the <associatedEntity> element shall be PRS.

1100

```
<rule context='h17:templateId/@root="1.3.6.1.4.1.19376.1.5.3.1.2.4.1"]'>
  <assert test='..../h17:associatedEntity/@classCode = "PRS"'>
    The classCode attribute of the associated entity shall be PRS.
  </assert>
</rule>
```

1105 **6.3.2.5.5 <code code='127848009|184142008' displayName=' ' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />**

This element SHALL use 127848009 to represent the patient's spouse or 184142008 to represent the patient's next of kin. The code system name is SNOMED CT.

6.3.2.5.6 Completed Example

```

1110 <!-- Husband/Domestic Partner -->
<participant typeCode="IND">
    <associatedEntity classCode="NOK">
        <code code="184142008" displayName="patient's next of kin"
            codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"/>
1115     <addr>
        <streetAddressLine>45 Chunn Dr.</streetAddressLine>
        <city>Spring Hill</city>
        <state>TN</state>
1120     <postalCode>37174</postalCode>
        <country>USA</country>
    </addr>
    <telecom value="tel: (999) 555-1212" use="WP"/>
    <associatedPerson>
        <name>
            <prefix>Mr.</prefix>
            <given>John</given>
            <family>Youngston</family>
        </name>
1125     </associatedPerson>
    </associatedEntity>
1130 </participant>

```

Add Section 6.3.2.6

6.3.2.6 Natural Father of Fetus 1.3.6.1.4.1.19376.1.5.3.1.2.4.2

1135 This header element records the natural father of the fetus, and inherits other constraints from the Patient Contacts (1.3.6.1.4.1.19376.1.5.3.1.2.4) entry. Items in bold in the example below show the additional constraints on this element.

1140 This element SHALL be included as a participant in the header of the CDA document in the event of the pregnancy. If the father of the baby is unknown this element SHALL use a null flavor.

6.3.2.6.1 Parent Template

The parent of this template is Patient Contacts (1.3.6.1.4.1.19376.1.5.3.1.2.4).

6.3.2.6.2 Specification

```

1145 <participant typeCode='IND'>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4' />
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.1' />
    <time value='20070213' />
    <associatedEntity classCode='PRS'>
        <code code='xx-fatherofbaby' displayName=' ' codeSystem='2.16.840.1.113883.6.96'
1150             codeSystemName='SNOMED CT' />
        <addr></addr>
        <telecom value=' ' use=' ' />
        <assignedPerson><name></name></assignedPerson>
    </associatedEntity>
1155 </participant>

```

6.3.2.6.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.2'>

1160 The <templateId> element identifies this person as the natural father and must be recorded exactly as shown above.

```
1160 <rule context='h17:templateId/@root="1.3.6.1.4.1.19376.1.5.3.1.2.4.2"]'>
    <assert test='h17:templateId/@root="1.3.6.1.4.1.19376.1.5.3.1.2.4"'>
        A participant using template 1.3.6.1.4.1.19376.1.5.3.1.2.4.2 must also use template
        1.3.6.1.4.1.19376.1.5.3.1.2.4.
    </assert>
</rule>
```

6.3.2.6.4 <associatedEntity classCode='PRS'>

The classCode attribute of the <associatedEntity> element SHALL be PRS.

1170 <rule context='h17:templateId/@root="1.3.6.1.4.1.19376.1.5.3.1.2.4.2"]'>
 <assert test='..../h17:associatedEntity/@classCode = "PRS"'>
 The classCode attribute of the associated entity shall be PRS.
 </assert>
</rule>

6.3.2.6.5 <code code='xx-fatherofbaby' displayName=' '

1175 **codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT'>**

For father of baby the code SHALL be xx-fatherofbaby (requested). The code system name is SNOMED CT.

6.3.2.6.6 Completed Example

```
1180 <!-- Father of baby -->
<participant typeCode="IND">
    <associatedEntity classCode="NOK">
        <code code="xx-fatherofbaby" displayName="Father of Baby"
            codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"/>
        <addr>
            <streetAddressLine>18 Oak Valley Dr.</streetAddressLine>
            <city>Monteagle</city>
            <state>TN</state>
            <postalCode>37205</postalCode>
            <country>USA</country>
        </addr>
        <telecom value="tel: (999) 555-1212" use="WP"/>
        <associatedPerson>
            <name>
                <prefix>Mr.</prefix>
                <given>Thomas</given>
                <family>Caster</family>
            </name>
        </associatedPerson>
    </associatedEntity>
</participant>
```

<i>Add Section 6.3.2.7</i>

6.3.2.7 Authorization 1.3.6.1.4.1.19376.1.5.3.1.2.5

- 1205 Each <authorization> element in the CDA Header represents an informed consent. When the document being shared represents the informed consent to a policy expressed by the XDS Affinity Domain within the document, it shall do so in an <authorization> element. More than one <authorization> element may be present. The consent to share information shall have a unique identifier contained in the <id> element, representing the patient consent to that policy.
- 1210 The policy being consented to shall be represented in the <code> element. Note that other <authorization> elements may be present representing other sorts of consents associated with the document.

6.3.2.7.1 Parent Template

None

6.3.2.7.2 Specification

- ```
1215 <authorization typeCode='AUTH'>
 <consent classCode='CONS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.5' />
 <id root=' />
 <code code='' codeSystem='' codeSystemName='' displayName=' '/>
 <statusCode code='completed' />
 </consent>
</authorization>
```

#### **1225 6.3.2.7.3 <authorization typeCode='AUTH'>**

At least one <authorization> element must be present in a consent medical document in documents shared by Document Source Actors that implement the privacy option. The typeCode attribute shall be present and be valued with AUTH, indicating that this is an authorization act related to the document.

#### **1230 6.3.2.7.4 <consent classCode='CONS' moodCode='EVN'>**

Each authorization element shall have one <consent> element. The classCode shall be present and be valued with CONS, indicating that the related act is an informed consent. The moodCode shall be EVN, indicating that this element represents an act that has occurred.

#### **6.3.2.7.5 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.5' />**

- 1235 The <templateId> element shall be recorded as shown above and identifies this consent as an authorization entry.

#### **6.3.2.7.6 <id root=' />**

The <consent> element shall have one identifier that is used to uniquely identify the consent act. This identifier shall contain a root attribute, and shall not contain an extension attribute.

1240 **6.3.2.7.7 <code code=' ' codeSystem=' ' codeSystemName=' ' displayName=' '/>**

The <consent> element shall have one <code> element that is used to identify the consent policy that was agreed to by the patient.

*Add Section 6.3.3*

### **6.3.3 CDA Section Content Modules**

1245 **Add Section 6.3.3.1**

#### **6.3.3.1 Reasons for Care**

*Add Section 6.3.3.1.1*

##### **6.3.3.1.1 Reason for Referral**

*Add Section 6.3.3.1.2*

1250 **6.3.3.1.2 Coded Reason for Referral**

*Add Section 6.3.3.1.3*

##### **6.3.3.1.3 Chief Complaint**

*Add Section 6.3.3.1.4*

##### **6.3.3.1.4 Hospital Admission Diagnosis**

1255 **Add Section 6.3.3.1.5**

#### **6.3.3.1.5 Proposed Procedure Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.1**

|                                 |                                                                                                                                                                                                                                                                                                                                        |                      |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>Template ID</b>              | 1.3.6.1.4.1.19376.1.5.3.1.1.9.1                                                                                                                                                                                                                                                                                                        |                      |
| <b>General Description</b>      | The proposed procedure section shall contain a description of the procedures for which a risk assessment is required including procedure names and codes, patient position, dates, and names of surgeons. It shall include entries for procedures as described in the Entry Content Modules and the required and optional subsections. |                      |
| <b>LOINC Code</b>               | <b>Opt</b>                                                                                                                                                                                                                                                                                                                             | <b>Description</b>   |
| 29554-3                         | R                                                                                                                                                                                                                                                                                                                                      | PROCEDURE            |
| <b>Entries</b>                  | <b>Opt</b>                                                                                                                                                                                                                                                                                                                             | <b>Description</b>   |
| 1.3.6.1.4.1.19376.1.5.3.1.4.19  | R                                                                                                                                                                                                                                                                                                                                      | Procedure Entry      |
| <b>Subsections</b>              | <b>Opt</b>                                                                                                                                                                                                                                                                                                                             | <b>Description</b>   |
| 1.3.6.1.4.1.19376.1.5.3.1.1.9.4 | R                                                                                                                                                                                                                                                                                                                                      | Reason for Procedure |
| 1.3.6.1.4.1.19376.1.5.3.1.1.9.3 | R                                                                                                                                                                                                                                                                                                                                      | Proposed Anesthesia  |
| 1.3.6.1.4.1.19376.1.5.3.1.1.9.2 | R                                                                                                                                                                                                                                                                                                                                      | Estimated Blood Loss |

|      |                                                                 |   |                     |
|------|-----------------------------------------------------------------|---|---------------------|
|      | 1.3.6.1.4.1.19376.1.5.3.1.1.9.40                                | R | Procedure Care Plan |
| 1260 | <component>                                                     |   |                     |
|      | <section>                                                       |   |                     |
|      | <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.1' />           |   |                     |
|      | <id root=' ' extension=' ' />                                   |   |                     |
|      | <code code='29554-3' displayName='PROCEDURE'                    |   |                     |
|      | codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />    |   |                     |
| 1265 | <text>                                                          |   |                     |
|      | Text as described above                                         |   |                     |
|      | </text>                                                         |   |                     |
|      | <entry>                                                         |   |                     |
|      | :                                                               |   |                     |
| 1270 | <!-- Required Procedure Entry element -->                       |   |                     |
|      | <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />            |   |                     |
|      | :                                                               |   |                     |
|      | </entry>                                                        |   |                     |
| 1275 | <component>                                                     |   |                     |
|      | <section>                                                       |   |                     |
|      | <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.4' />           |   |                     |
|      | <!-- Required Reason for Procedure Section content -->          |   |                     |
|      | </section>                                                      |   |                     |
| 1280 | </component>                                                    |   |                     |
|      | <component>                                                     |   |                     |
|      | <section>                                                       |   |                     |
|      | <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.3' />           |   |                     |
|      | <!-- Required Proposed Anesthesia Section content -->           |   |                     |
|      | </section>                                                      |   |                     |
| 1285 | </component>                                                    |   |                     |
|      | <component>                                                     |   |                     |
|      | <section>                                                       |   |                     |
|      | <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.2' />           |   |                     |
|      | <!-- Required if known Estimated Blood Loss Section content --> |   |                     |
| 1290 | </section>                                                      |   |                     |
|      | </component>                                                    |   |                     |
|      | <component>                                                     |   |                     |
|      | <section>                                                       |   |                     |
|      | <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.40' />          |   |                     |
|      | <!-- Required if known Procedure Care Plan Section content -->  |   |                     |
| 1295 | </section>                                                      |   |                     |
|      | </component>                                                    |   |                     |
|      | </section>                                                      |   |                     |
|      | </component>                                                    |   |                     |

**Figure 6.3.3.1.5-1: Specification for Proposed Procedure Section**

1300

|                       |
|-----------------------|
| Add Section 6.3.3.1.6 |
|-----------------------|

**6.3.3.1.6 EBS Estimated Blood Loss Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.2**

|                            |                                                                                                   |                                     |
|----------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------|
| <b>Template ID</b>         | 1.3.6.1.4.1.19376.1.5.3.1.1.9.2                                                                   |                                     |
| <b>General Description</b> | The estimated blood loss section shall contain a description of the blood loss for the procedure. |                                     |
| <b>LOINC Code</b>          | Opt                                                                                               | <b>Description</b>                  |
| 8717-1                     | R                                                                                                 | OPERATIVE NOTE ESTIMATED BLOOD LOSS |

| Entries                        | Opt | Description        |
|--------------------------------|-----|--------------------|
| 1.3.6.1.4.1.19376.1.5.3.1.4.13 | R   | Simple Observation |

```

1305 <component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.2' />
 <id root=' ' extension=' ' />
 <code code='8717-1' displayName='OPERATIVE NOTE ESTIMATED BLOOD LOSS'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <entry>
 :
 <!-- Required Simple Observation element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </entry>
 </section>
</component>

```

**Figure 6.3.3.1.6-1: EBS Specification for Estimated Blood Loss Section***Add Section 6.3.3.1.7***6.3.3.1.7 Proposed Anesthesia Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.3**

| Template ID                    | 1.3.6.1.4.1.19376.1.5.3.1.1.9.3                                                                                                                                                                                                 |                                                                |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| General Description            | The proposed anesthesia section shall contain a description of the anesthetic techniques for which a risk assessment is required. It shall include entries for anesthetic procedures as described in the Entry Content Modules. |                                                                |
| LOINC Code                     | Opt                                                                                                                                                                                                                             | Description                                                    |
| 10213-7                        | R                                                                                                                                                                                                                               | Surgical operation note anesthesia                             |
| Entries                        | Opt                                                                                                                                                                                                                             | Description                                                    |
| 1.3.6.1.4.1.19376.1.5.3.1.4.19 | R                                                                                                                                                                                                                               | Procedure Entry<br>The procedure entries shall be in INT mood. |

1325

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.3' />
 <id root=' ' extension=' ' />
 <code code='10213-7' displayName='Surgical operation note anesthesia'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <entry>
 :
 <!-- Required Procedure Entry element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />
 :
 </entry>
 </section>
</component>

```

**Figure 6.3.3.1.7-1: Specification for Anesthesia Administered Section***Add Section 6.3.3.1.8***6.3.3.1.8 Reason for Procedure Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.4**

|                               |                                                                                                                                                                                                           |                            |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| <b>Template ID</b>            | 1.3.6.1.4.1.19376.1.5.3.1.1.9.4                                                                                                                                                                           |                            |
| <b>General Description</b>    | The reason for procedure section shall contain a description of the reason that the patient is receiving the procedure. It shall include entries for conditions as described in the Entry Content Module. |                            |
| <b>LOINC Code</b>             | <b>Opt</b>                                                                                                                                                                                                | <b>Description</b>         |
| 10217-8                       | R                                                                                                                                                                                                         | OPERATIVE NOTE INDICATIONS |
| <b>Entries</b>                | <b>Opt</b>                                                                                                                                                                                                | <b>Description</b>         |
| 1.3.6.1.4.1.19376.1.5.3.1.4.5 | R2                                                                                                                                                                                                        | Problem Entry              |

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.4' />
 <id root=' ' extension=' ' />
 <code code='10217-8' displayName='OPERATIVE NOTE INDICATIONS'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <entry>
 :
 <!-- Required if known Problem Entry element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5' />
 :
 </entry>
 </section>
</component>

```

**Figure 6.3.3.1.8-1: Specification for Reason for Procedure Section**

1365

*Add Section 6.3.3.1.9*

**6.3.3.1.9 Reason for Visit Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1.1**

|                            |                                                                          |                    |
|----------------------------|--------------------------------------------------------------------------|--------------------|
| <b>Template ID</b>         | 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1.1                                     |                    |
| <b>General Description</b> | This contains a narrative description of the patient's reason for visit. |                    |
| <b>LOINC Code</b>          | <b>Opt</b>                                                               | <b>Description</b> |
| 29299-5                    | R                                                                        | REASON FOR VISIT   |

1370      <component>  
           <section>  
           <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1.1' />  
           <id root=' ' extension=' '/>  
           <code code='29299-5' displayName='REASON FOR VISIT'  
               codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />  
           <text>  
               Text as described above  
           </text>  
         </section>  
       </component>

1375

1380

**Figure 6.3.3.1.9-1: Specification for Reason for Visit Section***Add Section 6.3.3.1.10***6.3.3.1.10 Injury Incident Description Section 1.3.6.1.4.1.19376.1.5.3.1.1.19.2.1**

|                            |                                                                                                                                                                             |                             |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| <b>Template ID</b>         | 1.3.6.1.4.1.19376.1.5.3.1.1.19.2.1                                                                                                                                          |                             |
| <b>General Description</b> | This section shall include a description of the incident leading to the injury, including status of relevant safety equipment in use (e.g., safety belts, air bag, helmet). |                             |
| <b>LOINC Code</b>          | <b>Opt</b>                                                                                                                                                                  | <b>Description</b>          |
| 11374-6                    | R                                                                                                                                                                           | Injury incident description |

1385      <component>  
           <section>  
           <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.19.2.1' />  
           <id root=' ' extension=' '/>  
           <code code='11374-6' displayName='Injury incident description'  
               codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />  
           <text>  
               Text as described above  
           </text>  
         </section>  
       </component>

1390

1395

**Figure 6.3.3.1.10-1: Sample Injury Incident Description Section***Add Section 6.3.3.2*

**6.3.3.2 Other Condition Histories**

*Add Section 6.3.3.2.1*

**6.3.3.2.1 History of Present Illness**

*Add Section 6.3.3.2.2*

- 1405    **6.3.3.2.2 Hospital Course**

*Add Section 6.3.3.2.3*

**6.3.3.2.3 Active Problems**

*Add Section 6.3.3.2.4*

**6.3.3.2.4 Discharge Diagnosis**

- 1410    *Add Section 6.3.3.2.5*

**6.3.3.2.5 History of Past Illness**

*Add Section 6.3.3.2.6*

**6.3.3.2.6 Encounter Histories**

*Add Section 6.3.3.2.7*

- 1415    **6.3.3.2.7 History of Outpatient Visits**

*Add Section 6.3.3.2.8*

**6.3.3.2.8 History of Inpatient Visits**

*Add Section 6.3.3.2.9*

**6.3.3.2.9 List of Surgeries**

- 1420    *Add Section 6.3.3.2.10*

**6.3.3.2.10 Coded List of Surgeries**

*Add Section 6.3.3.2.11*

**6.3.3.2.11 Allergies and Other Adverse Reactions**

*Add Section 6.3.3.2.12*

1425 **6.3.3.2.12 Family medical History**

*Add Section 6.3.3.2.13*

**6.3.3.2.13 Coded Family Medical History**

*Add Section 6.3.3.2.14*

**6.3.3.2.14 Social History Section**

1430 *Add Section 6.3.3.2.15*

**6.3.3.2.15 Functional Status**

*Add Section 6.3.3.2.16*

**6.3.3.2.16 Review of Systems**

*Add Section 6.3.3.2.17*

1435 **6.3.3.2.17 Hazardous Working Conditions**

*Add Section 6.3.3.2.18*

**6.3.3.2.18 Pregnancy History**

*Add Section 6.3.3.2.19*

**6.3.3.2.19 Medical Devices**

1440 *Add Section 6.3.3.2.20*

**6.3.3.2.20 Foreign Travel**

*Add Section 6.3.3.2.21*

**6.3.3.2.21 Pre-procedure Family Medical History Section**

**1.3.6.1.4.1.19376.1.5.3.1.1.9.5 (Deprecated)**

1445 *Add Section 6.3.3.2.22*

### 6.3.3.2.22 Coded Functional Status Assessment Section

#### 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.1

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                            |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| <b>Template ID</b>                 | 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                            |
| <b>Parent Template</b>             | Functional Status (1.3.6.1.4.1.19376.1.5.3.1.3.17, see PCC TF-2: 6.3.3.2.15)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |
| <b>General Description</b>         | <p>The coded functional status assessment section provides a machine readable and narrative description of the patient's status of normal functioning at the time the document was created.</p> <p>Functional status includes information concerning:</p> <ul style="list-style-type: none"> <li>Ambulatory ability</li> <li>Mental status or competency</li> <li>Activities of Daily Living (ADL's) including bathing, dressing, feeding, grooming</li> <li>Home/living situation having an effect on the health status of the patient</li> <li>Ability to care for self</li> <li>Social activity, including issues with social cognition, participation with friends and acquaintances other than family members</li> <li>Occupation activity, including activities partly or directly related to working, housework or volunteering, family and home responsibilities or activities related to home and family</li> <li>Communication ability, including issues with speech, writing or cognition required for communication</li> <li>Perception, including sight, hearing, taste, skin sensation, kinesthetic sense, proprioception, or balance</li> </ul> |                                            |
| <b>LOINC Code</b>                  | <b>Opt</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>Description</b>                         |
| 47420-5                            | R                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Functional Status Assessment               |
| <b>Subsections</b>                 | <b>Opt</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>Description</b>                         |
| 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.2 | R                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <a href="#">Pain Scale Assessment</a>      |
| 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.3 | O Note 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <a href="#">Braden Score Assessment</a>    |
| 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.4 | O Note 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <a href="#">Geriatric Depression Scale</a> |
| 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5 | O Note 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <a href="#">Minimum Data Set</a>           |

Note 1: At least one of the above optional subsections shall be present

### 6.3.3.2.22.1 Standards

**CDAR2** [HL7 CDA Release 2.0](#)

**CRS** [HL7 Care Record Summary](#)

**CCD** [ASTM/HL7 Continuity of Care Document](#)

**LOINC** [Logical Observation Identifier Names and Codes](#)

**SNOMED** [Systematized Nomenclature of Medicine Clinical Terminology](#)

### 1450 6.3.3.2.22.2 Parent Template

The parent of this template is Functional Status (see PCC TF-2: 6.3.3.2.15).

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.17' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.1' />
 <id root=' ' extension=' ' />
 <code code='47420-5' displayName='Functional Status Assessment'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.2' />
 <!-- Required Pain Scale Assessment Section content -->
 </section>
 </component>

 <component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.3' />
 <!-- Optional Braden Score Assessment Section content -->
 </section>
 </component>

 <component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.4' />
 <!-- Optional Geriatric Depression Scale Section content -->
 </section>
 </component>

 <component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5' />
 <!-- Optional Minimum Data Set Section content -->
 </section>
 </component>
 </section>
</component>

```

**Figure 6.3.3.2.22.2-1: Specification for Coded Functional Status Assessment Section**

1495      Add Section 6.3.3.2.23

### **6.3.3.2.23 Pain Scale Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.2**

|                                    |                                                                                                                                     |                                        |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| <b>Template ID</b>                 | 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.2                                                                                                  |                                        |
| <b>General Description</b>         | The Pain Scale Assessment contains a coded observation reflecting the patient's reported intensity of pain on a scale from 0 to 10. |                                        |
| <b>LOINC Code</b>                  | <b>Opt</b>                                                                                                                          | <b>Description</b>                     |
| 38208-5                            | R                                                                                                                                   | Pain severity                          |
| <b>Entries</b>                     | <b>Opt</b>                                                                                                                          | <b>Description</b>                     |
| 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.1 | R                                                                                                                                   | <a href="#">Pain Score Observation</a> |

```

1500 <component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.2' />
<id root=' ' extension=' ' />
<code code='38208-5' displayName='Pain severity'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
<entry>
 :
 <!-- Required Pain Score Observation element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.1' />
 :
</entry>
</section>
</component>

```

**Figure 6.3.3.2.23-1: Specification for Pain Scale Assessment Section**

*Add Section 6.3.3.2.24*

**6.3.3.2.24 Braden Score Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.3**

|      |                                    |                                                                                                       |                                          |
|------|------------------------------------|-------------------------------------------------------------------------------------------------------|------------------------------------------|
| 1520 | <b>Template ID</b>                 | 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.3                                                                    |                                          |
|      | <b>General Description</b>         | This section reports the Braden score and its related assessments in machine and human readable form. |                                          |
|      | <b>LOINC Code</b>                  | <b>Opt</b>                                                                                            | <b>Description</b>                       |
|      | 38228-3                            | R                                                                                                     | BRADEN SCALE SKIN ASSESSMENT PANEL       |
|      | <b>Entries</b>                     | <b>Opt</b>                                                                                            | <b>Description</b>                       |
|      | 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.2 | R                                                                                                     | <a href="#">Braden Score Observation</a> |

```

1525 <component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.3' />
<id root=' ' extension=' ' />
<code code='38228-3' displayName='BRADEN SCALE SKIN ASSESSMENT PANEL'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
<entry>
 :
 <!-- Required Braden Score Observation element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.2' />
 :
</entry>
</section>
</component>

```

**Figure 6.3.3.2.24-1: Specification for Braden Score Section**

|                        |
|------------------------|
| Add Section 6.3.3.2.25 |
|------------------------|

### 6.3.3.2.25 Geriatric Depression Scale Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.4

|                                    |                                                                                                                           |                                                        |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| <b>Template ID</b>                 | 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.4                                                                                        |                                                        |
| <b>General Description</b>         | This section reports the Geriatric Depression Scale score and its related assessments in machine and human readable form. |                                                        |
| <b>LOINC Code</b>                  | <b>Opt</b>                                                                                                                | <b>Description</b>                                     |
| 48542-5                            | R                                                                                                                         | Geriatric Depression Scale (GDS) Panel                 |
| <b>Entries</b>                     | <b>Opt</b>                                                                                                                | <b>Description</b>                                     |
| 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.4 | R                                                                                                                         | <a href="#">Geriatric Depression Score Observation</a> |

1545

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.4' />
 <id root=' ' extension=' ' />
 <code code='48542-5' displayName='Geriatric Depression Scale (GDS) Panel'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <entry>
 :
 <!-- Required Geriatric Depression Score Observation element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.4' />
 :
 </entry>
 </section>
</component>

```

1550

1555

1560

**Figure 6.3.3.2.25-1: Specification for Geriatric Depression Scale Section**

1565

|                        |
|------------------------|
| Add Section 6.3.3.2.26 |
|------------------------|

### 6.3.3.2.26 Physical Function Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5

|                                    |                                                                     |                                                                                                   |
|------------------------------------|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Template ID</b>                 | 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5                                  |                                                                                                   |
| <b>General Description</b>         | This section reports scores from section G of the Minimum Data Set. |                                                                                                   |
| <b>LOINC Code</b>                  | <b>Opt</b>                                                          | <b>Description</b>                                                                                |
| 46006-3                            | R                                                                   | Physical functioning and structural problems                                                      |
| <b>Entries</b>                     | <b>Opt</b>                                                          | <b>Description</b>                                                                                |
| 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7 | O                                                                   | <a href="#">Survey Panel</a><br>At least one Survey Panel or Survey Observation shall be present. |

|                                    |   |                                                                                                                |
|------------------------------------|---|----------------------------------------------------------------------------------------------------------------|
| 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6 | O | <u><a href="#">Survey Observation</a></u><br>At least one Survey Panel or Survey Observation shall be present. |
|------------------------------------|---|----------------------------------------------------------------------------------------------------------------|

```

1570 <component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5' />
 <id root=' ' extension=' ' />
 <code code='46006-3' displayName='Physical functioning and structural problems'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <entry>
 :
 <!-- Optional Survey Panel element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7' />
 :
 </entry>
 <entry>
 :
 <!-- Optional Survey Observation element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6' />
 :
 </entry>
 </section>
 </component>

```

**Figure 6.3.3.2.26-1: Specification for Physical Function Section**

### 6.3.3.2.26.1 Constraints

1595 [Survey Panel](#) found in this section SHOULD be identified using the panel codes found in the table below, and SHOULD contain one or more survey observations from that panel.

1600 [Survey Observation](#) found in this section SHOULD use the LOINC codes from Table 6.3.3.2.26.1 to express the answer to one or more questions from the Minimum Data Set Section G. The Survey Observations shall not contain a <methodCode> or <targetSiteCode> element, as these are not appropriate to the MDS Survey instrument.

**Table 6.3.3.2.26.1-1: Panel Codes**

| Panel Code | Observation Code | Description                         | Data Type | Value Set                   |
|------------|------------------|-------------------------------------|-----------|-----------------------------|
| 46007-1    | Panel            | ADL self-performance or support     |           |                             |
|            | 45588-1          | Bed mobility - self-performance     | CO        | 2.16.840.1.113883.6.257.755 |
|            | 45589-9          | Bed mobility - support provided     | CO        | 2.16.840.1.113883.6.257.768 |
|            | 45590-7          | Transfer - self-performance         | CO        | 2.16.840.1.113883.6.257.755 |
|            | 45591-5          | Transfer - support provided         | CO        | 2.16.840.1.113883.6.257.768 |
|            | 45592-3          | Walk in room - self-performance     | CO        | 2.16.840.1.113883.6.257.755 |
|            | 45593-1          | Walk in room - support provided     | CO        | 2.16.840.1.113883.6.257.768 |
|            | 45594-9          | Walk in corridor - self-performance | CO        | 2.16.840.1.113883.6.257.755 |
|            | 45595-6          | Walk in corridor - support provided | CO        | 2.16.840.1.113883.6.257.768 |

| <b>Panel Code</b> | <b>Observation Code</b> | <b>Description</b>                       | <b>Data Type</b> | <b>Value Set</b>            |
|-------------------|-------------------------|------------------------------------------|------------------|-----------------------------|
|                   | 45596-4                 | Locomotion on unit - self-performance    | CO               | 2.16.840.1.113883.6.257.755 |
|                   | 45597-2                 | Locomotion on unit - support provided    | CO               | 2.16.840.1.113883.6.257.768 |
|                   | 45598-0                 | Locomotion off unit - self-performance   | CO               | 2.16.840.1.113883.6.257.755 |
|                   | 45599-8                 | Locomotion off unit - support provided   | CO               | 2.16.840.1.113883.6.257.768 |
|                   | 45600-4                 | Dressing - self-performance              | CO               | 2.16.840.1.113883.6.257.755 |
|                   | 45601-2                 | Dressing - support provided              | CO               | 2.16.840.1.113883.6.257.768 |
|                   | 45602-0                 | Eating - self-performance                | CO               | 2.16.840.1.113883.6.257.755 |
|                   | 45603-8                 | Eating - support provided                | CO               | 2.16.840.1.113883.6.257.768 |
|                   | 45604-6                 | Toilet use - self-performance            | CO               | 2.16.840.1.113883.6.257.755 |
|                   | 45605-3                 | Toilet use - support provided            | CO               | 2.16.840.1.113883.6.257.768 |
|                   | 45606-1                 | Personal hygiene - self-performance      | CO               | 2.16.840.1.113883.6.257.755 |
|                   | 45607-9                 | Personal hygiene - support provided      | CO               | 2.16.840.1.113883.6.257.768 |
| 46008-9           | Panel                   | Bathing                                  |                  |                             |
|                   | 45608-7                 | Bathing - self-performance               | CO               | 2.16.840.1.113883.6.257.860 |
|                   | 45609-5                 | Bathing - support provided               | CO               | 2.16.840.1.113883.6.257.768 |
| 46009-7           | Panel                   | Test for balance                         |                  |                             |
|                   | 45610-3                 | Balance while standing                   | CO               | 2.16.840.1.113883.6.257.876 |
|                   | 45523-8                 | Balance while sitting                    | CO               | 2.16.840.1.113883.6.257.876 |
| 46010-5           | Panel                   | Functional limitation in range of motion |                  |                             |
|                   | 45524-6                 | Range of motion^Neck                     | CO               | 2.16.840.1.113883.6.257.889 |
|                   | 45525-3                 | Voluntary movement^Neck                  | CO               | 2.16.840.1.113883.6.257.898 |
|                   | 45526-1                 | Range of motion^Upper Extremity          | CO               | 2.16.840.1.113883.6.257.889 |
|                   | 45527-9                 | Voluntary movement^Upper Extremity       | CO               | 2.16.840.1.113883.6.257.898 |
|                   | 45528-7                 | Range of motion^Hand                     | CO               | 2.16.840.1.113883.6.257.889 |
|                   | 45529-5                 | Voluntary movement^Hand                  | CO               | 2.16.840.1.113883.6.257.898 |
|                   | 45530-3                 | Range of motion^Lower Extremity          | CO               | 2.16.840.1.113883.6.257.889 |
|                   | 45531-1                 | Voluntary movement^Lower Extremity       | CO               | 2.16.840.1.113883.6.257.898 |
|                   | 45532-9                 | Range of motion^Foot                     | CO               | 2.16.840.1.113883.6.257.889 |
|                   | 45533-7                 | Voluntary movement^Foot                  | CO               | 2.16.840.1.113883.6.257.898 |
|                   | 45534-5                 | Other - range of motion                  | CO               | 2.16.840.1.113883.6.257.889 |
|                   | 45535-2                 | Other - voluntary movement               | CO               | 2.16.840.1.113883.6.257.898 |
| 46011-3           | Panel                   | Modes of locomotion                      |                  |                             |
|                   | 45536-0                 | Uses cane, walker or crutch              | CO               | 2.16.840.1.113883.6.257.117 |

| <b>Panel Code</b> | <b>Observation Code</b> | <b>Description</b>                                                  | <b>Data Type</b> | <b>Value Set</b>            |
|-------------------|-------------------------|---------------------------------------------------------------------|------------------|-----------------------------|
|                   | 45537-8                 | Wheeled self                                                        | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45538-6                 | Other person wheeled                                                | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45539-4                 | Uses wheelchair for primary locomotion                              | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45540-2                 | No modes of locomotion                                              | CO               | 2.16.840.1.113883.6.257.117 |
| 46012-1           | Panel                   | Modes of transfer                                                   |                  |                             |
|                   | 45541-0                 | Bedfast all or most of the time                                     | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45542-8                 | Bed rails for bed mobility or transfer                              | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45543-6                 | Lifted manually                                                     | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45544-4                 | Lifted mechanically                                                 | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45545-1                 | Transfer aid                                                        | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45546-9                 | No mode of transfer                                                 | CO               | 2.16.840.1.113883.6.257.117 |
| No Panel          | 45611-1                 | Task segmentation                                                   | CO               | 2.16.840.1.113883.6.257.117 |
| 46013-9           | Panel                   | ADL functional rehabilitation potential                             |                  |                             |
|                   | 45612-9                 | Resident sees increased independence capability                     | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45613-7                 | Staff sees increased independence capability                        | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45614-5                 | Resident slow performing tasks or activity                          | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45615-2                 | Difference in morning to evening activities of daily living         | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45616-0                 | Activities of daily living rehabilitation potential - none of above | CO               | 2.16.840.1.113883.6.257.117 |
|                   | 45617-8                 | Change in activities of daily living function                       | CO               | 2.16.840.1.113883.6.257.464 |

The coded original values used in the observations above are described in more detail in the table below.

1605

| <b>Explanation</b>                                                                                                                                                                                  | <b>Coded Value</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| 2.16.840.1.113883.6.257.755                                                                                                                                                                         |                    |
| INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days                                                                                                  | 0                  |
| SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last7 days -OR- Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days | 1                  |

| <b>Explanation</b>                                                                                                                                                                                                                     | <b>Coded Value</b> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight-bearing assistance 3 or more times - OR-More help provided only 1 or 2 times during last 7 days      | 2                  |
| EXTENSIVE ASSISTANCE-While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: - Weight-bearing support - Full staff performance during part (but not all) of last 7 days | 3                  |
| TOTAL DEPENDENCE-Full staff performance of activity during entire 7 days                                                                                                                                                               | 4                  |
| ACTIVITY DID NOT OCCUR during entire 7 days                                                                                                                                                                                            | 8                  |
| 2.16.840.1.113883.6.257.768                                                                                                                                                                                                            |                    |
| No setup or physical help from staff                                                                                                                                                                                                   | 0                  |
| Setup help only                                                                                                                                                                                                                        | 1                  |
| One person physical assist                                                                                                                                                                                                             | 2                  |
| ADL activity itself did not occur during entire 7 days                                                                                                                                                                                 | 8                  |
| 2.16.840.1.113883.6.257.860                                                                                                                                                                                                            |                    |
| Independent-No help provided                                                                                                                                                                                                           | 0                  |
| Supervision-Oversight help only                                                                                                                                                                                                        | 1                  |
| Physical help limited to transfer only                                                                                                                                                                                                 | 2                  |
| Physical help in part of bathing activity                                                                                                                                                                                              | 3                  |
| Total dependence                                                                                                                                                                                                                       | 4                  |
| Activity itself did not occur during entire 7 days                                                                                                                                                                                     | 8                  |
| 2.16.840.1.113883.6.257.876                                                                                                                                                                                                            |                    |
| Maintained position as required in test                                                                                                                                                                                                | 0                  |
| Unsteady, but able to rebalance self without physical support                                                                                                                                                                          | 1                  |
| Partial physical support during test; or stands (sits) but does not follow directions for test                                                                                                                                         | 2                  |
| Not able to attempt test without physical help                                                                                                                                                                                         | 3                  |
| 2.16.840.1.113883.6.257.889                                                                                                                                                                                                            |                    |
| No limitation                                                                                                                                                                                                                          | 0                  |
| Limitation on one side                                                                                                                                                                                                                 | 1                  |
| Limitation on both sides                                                                                                                                                                                                               | 2                  |
| 2.16.840.1.113883.6.257.898                                                                                                                                                                                                            |                    |
| No loss                                                                                                                                                                                                                                | 0                  |
| Partial loss                                                                                                                                                                                                                           | 1                  |
| Full loss                                                                                                                                                                                                                              | 2                  |
| 2.16.840.1.113883.6.257.117                                                                                                                                                                                                            |                    |
| No                                                                                                                                                                                                                                     | 0                  |
| Yes                                                                                                                                                                                                                                    | 1                  |
| UTD                                                                                                                                                                                                                                    | -                  |
| 2.16.840.1.113883.6.257.464                                                                                                                                                                                                            |                    |
| No change                                                                                                                                                                                                                              | 0                  |
| Improved                                                                                                                                                                                                                               | 1                  |

| <b>Explanation</b> | <b>Coded Value</b> |
|--------------------|--------------------|
| Deteriorated       | 2                  |

|                               |
|-------------------------------|
| <i>Add Section 6.3.3.2.27</i> |
|-------------------------------|

### **6.3.3.2.27 Preprocedure Review of Systems Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.13**

| <b>Template ID</b>               | 1.3.6.1.4.1.19376.1.5.3.1.1.9.13                                                                                                                                                                                                                                                 |                                   |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| <b>Parent Template</b>           | Review of Systems (1.3.6.1.4.1.19376.1.5.3.1.3.18)                                                                                                                                                                                                                               |                                   |
| <b>General Description</b>       | The pre-procedure review of systems section shall contain only required and optional subsections dealing with the responses the patient gave to a set of routine questions on body systems in general and specific risks of anesthesia not covered in general review of systems. |                                   |
| <b>LOINC Code</b>                | <b>Opt</b>                                                                                                                                                                                                                                                                       | <b>Description</b>                |
| 10187-3                          | R                                                                                                                                                                                                                                                                                | REVIEW OF SYSTEMS                 |
| <b>Subsections</b>               | <b>Opt</b>                                                                                                                                                                                                                                                                       | <b>Description</b>                |
| 1.3.6.1.4.1.19376.1.5.3.1.1.9.46 | R                                                                                                                                                                                                                                                                                | Implanted Medical Device Review   |
| 1.3.6.1.4.1.19376.1.5.3.1.1.9.47 | R2                                                                                                                                                                                                                                                                               | Pregnancy Status Review           |
| 1.3.6.1.4.1.19376.1.5.3.1.1.9.14 | R                                                                                                                                                                                                                                                                                | Anesthesia Risk Review of Systems |

```

1610 <component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.18' />
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.13' />
<id root=' ' extension=' ' />
<code code='10187-3' displayName='REVIEW OF SYSTEMS'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.46' />
 <!-- Required Implanted Medical Device Review Section content -->
 </section>
</component>
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.47' />
 <!-- Required if known Pregnancy Status Review Section content -->
 </section>
</component>
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.14' />
 <!-- Required Anesthesia Risk Review of Systems Section content -->
 </section>
</component>

1640 </section>
</component>

```

**Figure 6.3.3.2.27-1: Specification for Preprocedure Review of Systems Section***Add Section 6.3.3.2.28***1645 6.3.3.2.28 Estimated Delivery Date Section 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.1**

|                                      |                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Template ID</b>                   | 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.1                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>General Description</b>           | This section contains the physician's best estimate of the patient's due date. This is generally done both on an initial evaluation, and later confirmed at 18-20 weeks. The date is supported by evidence such as the patient's history of last menstrual period, a physical examination, or ultrasound measurements. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>LOINC Code</b>                    | <b>Opt</b>                                                                                                                                                                                                                                                                                                             | <b>Description</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 57060-6                              | R                                                                                                                                                                                                                                                                                                                      | Estimated date of delivery                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Entries</b>                       | <b>Opt</b>                                                                                                                                                                                                                                                                                                             | <b>Description</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1 | R                                                                                                                                                                                                                                                                                                                      | <p><a href="#">Estimated Delivery Date Observation</a></p> <p>This is a simple observation to represent the estimated due date with a supporting observation or observations that state the method used and date implied by that method. If one observation is present, then it is to be interpreted as the initial EDD. If the initial observation dates indicate the EDD is within the 18 to 20 weeks completed gestation, that observation will also populate the 18-20 week update. If the initial observation indicates an EDD of more than 20 weeks EGA, then no value will be placed in the 18-20 week update field.</p> |

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.1' />
 <id root=' ' extension=' ' />
 <code code='57060-6' displayName='Estimated date of delivery'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <entry>
 :
 <!-- Required Estimated Due Date Observation element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1' />
 :
 </entry>
 </section>
</component>

```

**Figure 6.3.3.2.28-1: Specification for Estimated Delivery Dates Section**

1665

|                               |
|-------------------------------|
| <i>Add Section 6.3.3.2.29</i> |
|-------------------------------|

**6.3.3.2.29 History of Tobacco Use Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.8**

|                            |                                                                                                                                                               |                        |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>Template ID</b>         | 1.3.6.1.4.1.19376.1.5.3.1.1.9.8                                                                                                                               |                        |
| <b>General Description</b> | The history of tobacco use section shall contain a description of the responses the patient gave to a set of routine questions on the history of tobacco use. |                        |
| <b>LOINC Code</b>          | <b>Opt</b>                                                                                                                                                    | <b>Description</b>     |
| 11366-2                    | R                                                                                                                                                             | HISTORY OF TOBACCO USE |

1670

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.8' />
 <id root=' ' extension=' ' />
 <code code='11366-2' displayName='HISTORY OF TOBACCO USE'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>

```

**Figure 6.3.3.2.29-1: Specification for History of Tobacco Use Section**

1685

|                               |
|-------------------------------|
| <i>Add Section 6.3.3.2.30</i> |
|-------------------------------|

### 6.3.3.2.30 Current Alcohol/Substance Abuse Section

#### 1.3.6.1.4.1.19376.1.5.3.1.1.9.10

|                            |                                                                                                                                                                                                 |                                                   |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| <b>Template ID</b>         | 1.3.6.1.4.1.19376.1.5.3.1.1.9.10                                                                                                                                                                |                                                   |
| <b>General Description</b> | The history of alcohol/substance abuse section shall contain a description of the responses the patient gave to a set of routine questions on the current abuse of alcohol or other substances. |                                                   |
| <b>LOINC Code</b>          | <b>Opt</b>                                                                                                                                                                                      | <b>Description</b>                                |
| 18663-5                    | R                                                                                                                                                                                               | HISTORY OF PRESENT ALCOHOL AND/OR SUBSTANCE ABUSE |

1690

```
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.10' />
 <id root=' ' extension=' ' />
 <code code='18663-5' displayName='HISTORY OF PRESENT ALCOHOL AND/OR SUBSTANCE ABUSE'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

1695

1700

**Figure 6.3.3.2.30-1: Specification for Current Alcohol/Substance Abuse Section**

1705

Add Section 6.3.3.2.31
------------------------

### 6.3.3.2.31 History of Blood Transfusion Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.12

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.12	
<b>General Description</b>	The History of Blood Transfusion section shall contain a narrative description of the blood products the patient has received in the past, including any reactions to blood products.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
56836-0	R	History of blood transfusion

```

1710 <component>
1715 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.12' />
 <id root=' ' extension=' ' />
 <code code='56836-0' displayName='History of blood transfusion'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>

```

**Figure 6.3.3.2.31-1: Specification for History of Blood Transfusion Section**

1725 *Add Section 6.3.3.2.32*

**6.3.3.2.32 Anesthesia Risk Review of Systems Section****1.3.6.1.4.1.19376.1.5.3.1.1.9.14**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.14	
<b>Parent Template</b>	1.3.6.1.4.1.19376.1.5.3.1.3.18	
<b>General Description</b>	The anesthesia review of systems section shall contain a description of the responses the patient gave to a set of routine questions on specific risks of anesthesia not covered in general review of systems such as broken teeth, airway limitations, positioning limitations, recent infections, and history of personal anesthesia problems..	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
57081-2	R	Anesthesia Risk Review of Systems

```

1730 <component>
1735 <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.18' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.14' />
 <id root=' ' extension=' ' />
 <code code='57081-2' displayName='Anesthesia Risk Review of Systems'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>

```

**Figure 6.3.3.2.32-1: Specification for Anesthesia Risk Review of Systems Section**

*Add Section 6.3.3.2.33*

**6.3.3.2.33 Implanted Medical Device Review Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.46**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.46	
<b>General Description</b>	The implanted medical device review section shall contain a description of the medical devices that are inserted into the patient, whether internal or partially external.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
57080-4	R	Implanted medical device

1750

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.46' />
 <id root=' ' extension=' '/>
 <code code='57080-4' displayName='Implanted medical device'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>

```

1755

1760

1765

**Figure 6.3.3.2.33-1: Specification for Implanted Medical Device Review Section***Add Section 6.3.3.2.34*

1770

**6.3.3.2.34 Pregnancy Status Review Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.47**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.47	
<b>General Description</b>	The pregnancy status review section shall contain a description of the responses the patient gave to a set of routine questions regarding potential pregnancy in females of child-bearing-age. It shall include a Pregnancy Status Organizer.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
11449-6	R	Pregnancy Status-Reported

  

<b>Entries</b>	<b>Opt</b>	<b>Description</b>
TBD	O	Pregnancy Status Review Organizer

1775

```
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.47' />
 <id root=' ' extension=' '/>
 <code code='11449-6' displayName='Pregnancy Status-Reported'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

1780

**Figure 6.3.3.2.34-1: Specification for Pregnancy Status Review Section**

*Add Section 6.3.3.2.35*

**6.3.3.2.35 History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1	
<b>General Description</b>	The History of Infection section shall contain a narrative description of any infections the patient may have contracted prior to the patient's current visit or admission.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
56838-6	R	History of infectious disease

1790

1795

```
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1' />
 <id root=' ' extension=' '/>
 <code code='56838-6' displayName='History of infectious disease'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

1800

**Figure 6.3.3.2.35-1: Specification for History of Infection Section**

1805

*Add Section 6.3.3.2.36*

**6.3.3.2.36 Coded Social History Section 1.3.6.1.4.1.19376.1.5.3.1.3.16.1**

**Table 6.3.3.2.36-1: Coded Social History Section**

<b>Template Name</b>		Coded Social History Section			
<b>Template ID</b>		1.3.6.1.4.1.19376.1.5.3.1.3.16.1			
<b>Parent Template</b>		IHE Social History Section 1.3.6.1.4.1.19376.1.5.3.1.3.16			
<b>General Description</b>		The social history section shall contain a narrative description of the person's beliefs, home life, community life, work life, hobbies, and risky habits. It shall include Social History Observations.			
<b>Section Code</b>		29762-2, LOINC, "Social History"			
<b>Author</b>		If not the author from the encompassing context, include author. Role and entity must be specified if not inherited.			
<b>Informant</b>		If not the informant from the encompassing context, include informant. Role and entity must be specified if not inherited.			
<b>Subject</b>		If not the subject from the encompassing context, include subject. Role and entity must be specified if not inherited.			
Opt and Card	Condition	<b>Data Element or Section Name</b>	<b>Template ID</b>	<b>Specification Document</b>	<b>Vocabulary Constraint</b>
<b>Subsections</b>					
O [0..1]		Occupational Data for Health Section	1.3.6.1.4.1.19376.1.7.3.1.3.24.3		
Entries					
R [1..* ]	PCC TF-2 6.3.4.24	Social History Observation	1.3.6.1.4.1.19376.1.5.3.1.4.13.4		

1810

```

<component>
 <section>
 <templateId root='11.3.6.1.4.1.19376.1.5.3.1.3.16' />
 <templateId root='11.3.6.1.4.1.19376.1.5.3.1.3.16.1' />
 <id root=' ' extension=' '/>
 <code code='29762-2' displayName='SOCIAL HISTORY'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

1815

1820

**Figure 6.3.3.2.36-1: Specification for Coded Social History Section**

Add Section 6.3.3.2.37

1825 **6.3.3.2.37 Coded History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1	
<b>Parent Template</b>	History of Infection (1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1)	
<b>General Description</b>	The History of Infection section shall contain a narrative description of any infections the patient may have contracted prior to the patient's current condition. It shall include entries for problems as described in the Entry Content Modules.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
56838-6	R	History of infectious disease
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.4.5.2	R	<a href="#">Problem Concern Entry</a>

1830      <component>  
           <section>  
           <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1' />  
           <id root=' ' extension=' '/>  
           <code code='56838-6' displayName='History of infectious disease'  
             codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />  
           <text>  
             Text as described above  
           </text>  
         </section>  
       </component>

1835

**Figure 6.3.3.2.37-1: Specification for Coded History of Infection Section**

1840

*Add Section 6.3.3.2.38***6.3.3.2.38 Prenatal Events Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.2**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3..1.1.21.2.2	
<b>General Description</b>	The Prenatal Events Section shall include narrative text describing pertinent prenatal information that has a direct impact on the process of labor and delivery. It shall also include subsections if known.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
57073-9	R	Prenatal events
<b>Subsections</b>	<b>Opt</b>	<b>Description</b>
<b>Coded Results</b> This section SHOULD contain laboratory results and procedures as pertaining to the pregnancy , e.g., amniocentesis, cordocentesis, chorionic villus sampling.	R2	1.3.6.1.4.1.19376.1.5.3.1.3.28
<b>Procedures and Interventions</b> This section SHOULD contain procedures that took place during the prenatal period (i.e., prenatal care, prenatal complications, prenatal surgeries)	R2	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11

<b>Event Outcomes</b>	R2	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9
-----------------------	----	------------------------------------

1845	<component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.2' /> <id root=' ' extension=' ' /> <code code='57073-9' displayName='Prenatal events' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' /> <text> Text as described above </text>
1850	</component> <component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.28' /> <!-- Required if known Coded Results Section --&gt;     </section>
1855	</component> <component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11' /> <!-- Required if known Procedures and Interventions Section --&gt;     </section>
1860	</component> <component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9' /> <!-- Required if known Event Outcomes Section --&gt;     </section>
1865	</component> <component> <section>
1870	<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9' /> <!-- Required if known Event Outcomes Section --&gt;   </section>

**Figure 6.3.3.2.38-1: Specification for Prenatal Events Section**

1875	Add Section 6.3.3.2.39
------	------------------------

**6.3.3.2.39 Labor and Delivery Events Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3	
<b>Parent Template</b>		
<b>General Description</b>	The Labor and Delivery Events Section SHALL include a narrative text containing relevant information collected during the labor and delivery process.	
<b>LOINC Code</b>	Opt	<b>Description</b>
57074-7	R	Labor and delivery process

Subsections	Opt	Description
<b>Procedures and Interventions</b> The subsection SHALL contain procedures and interventions specific to labor and delivery events. These may include induction, the delivery type (e.g., vaginal, vaginal birth after cesarean section or cesarean section along with incision type), electronic fetal monitoring, etc.	R2	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11
<b>Coded Event Outcomes</b> This section SHOULD contain outcomes related to the labor and delivery process such as live birth or stillborn.  The subsection shall include coded event outcomes such as live birth or stillborn and also including maternal death with date/time. Furthermore, Coded Event Outcomes section shall contain a simple Observation using LOINC Code 11636-8 that reports the number of births live or dead that occurred during the delivery event.	R2	1.3.6.1.4.1.19376.1.7.3.1.1.13.7

```

1880 <component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3'/>
 <id root=' ' extension=' '/>
 <code code='57074-7' displayName='Labor and delivery process'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11' />
 <!-- Required if known Procedures and Interventions Section -->
 </section>
 </component>
 <component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.13.7' />
 <!-- Required if known Coded Event Outcomes Section -->
 </section>
 </component>
</component>

```

**Figure 6.3.3.2.39-1: Specification for Labor and Delivery Process Section***Add Section 6.3.3.2.40*

**6.3.3.2.40 Newborn Delivery Information Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4	
<b>General Description</b>	The Newborn Delivery Information Section SHALL include a narrative text containing information collected at the birth and up to the transfer of the infant from the birthing room to a post-natal unit.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
57075-4	R	Newborn delivery information from newborn
<b>Subsections</b>	<b>Opt</b>	<b>Description</b>
<b>Coded Detailed Physical Examination Section</b>  This section SHALL include information about the newborn genitalia; weight; length; head circumference, size (AGA, SGA or LGA); Apgar score assessment ; vital signs, physical exam findings	R	1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1
<b>Active Problems</b>  This section SHALL describe problems that the newborn might have had during or immediately prior to delivery.	R2	1.3.6.1.4.1.19376.1.5.3.1.3.6
<b>Procedures and Interventions</b>  This section SHALL include the procedures and interventions received by the newborn such as suction or resuscitation.	R2	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11
<b>Medications Administered</b>  This section SHALL include the medication that was administered to the newborn while in the birthing suite such as: Vitamin K (Aquamephyton) injection; erythromycin eye ointment; and resuscitation medications (if any) including date, time, and route of administration.	R2	1.3.6.1.4.1.19376.1.5.3.1.3.21
<b>Event Outcomes</b>  This section SHALL include the outcomes of the procedures and interventions such as a resuscitation event.	R2	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9
<b>Coded Event Outcomes</b>	C	1.3.6.1.4.1.19376.1.7.3.1.1.13.7
<b>Coded Results</b>	C	1.3.6.1.4.1.19376.1.5.3.1.3.28
<b>Intake and Output</b>  This section SHALL include any intake and output while the newborn is in the delivery suite (excluding estimated blood loss) such as: first urine/void; stool; gastric output	C	1.3.6.1.4.1.19376.1.5.3.1.1.20.2.3

1905	<component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4' /> <id root=' ' extension=' ' /> <code code='57075-4' displayName='Newborn delivery information from newborn' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' /> <text> Text as described above </text>
1910	<component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1' /> <!-- Required Coded Detailed Physical Examination Section --&gt;     </section>
1915	</component>
1920	<component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.6' /> <!-- Required if known Active Problems Section --&gt;     </section>
1925	</component>
1930	<component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11' /> <!-- Required if known Procedures and Interventions Section --&gt;     </section>
1935	</component>
1940	<component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9' /> <!-- Required if known Event Outcomes Section --&gt;     </section>
1945	</component>

**Figure 6.3.3.2.40-1: Specification for Newborn Delivery Information Section**

Add Section 6.3.3.2.41
------------------------

### 6.3.3.2.41 Postpartum Hospitalization Treatment Section

1950 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.7

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.7	
<b>Parent Template</b>		
<b>General Description</b>	The Postpartum Treatment Section shall include a narrative description of the treatment delivered to the mother subsequent to the delivery.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
57076-2	R	Postpartum hospitalization TREATMENT
<b>Subsections</b>	<b>Opt</b>	<b>Description</b>
<b>Immunizations</b> This section SHOULD contain the immunization given to the mother prior to the discharge from the birthing facility.	O	1.3.6.1.4.1.19376.1.5.3.1.4.12
<b>Medications Administered</b> This SHOULD include commonly prescribed maternal medications including contraceptive medication.	R2	1.3.6.1.4.1.19376.1.5.3.1.3.21
<b>Procedures and Interventions</b> This section SHALL include the procedures and interventions received by the mother during the immediate post-partum period e.g., transfusion or curettage.	R	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11
<b>Coded Results</b> This section SHOULD contain laboratory results and procedures as pertaining to the mother while discharged such as the hemoglobin or the hematocrit level.	R2	1.3.6.1.4.1.19376.1.5.3.1.3.28
<b>Care plan</b> This section SHOULD include the plan of care for the mother upon her discharge such as the feeding method or the contraceptive plan	O	1.3.6.1.4.1.19376.1.5.3.1.3.31
<b>Discharge Diet</b> This section SHALL include the diet that the mother was recommended upon her discharge.	R	1.3.6.1.4.1.19376.1.5.3.1.3.33

1955	<component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.7' /> <id root=' ' extension=' ' /> <code code='57076-2' displayName='POST PARTUM HOSPITALIZATION TREATMENT' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
1960	<text> Text as described above </text>
1965	<component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.6' /> <!-- Required Active Problems Section --&gt;</td>
1970	</section> </component> <component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.12' /> <!-- Optional Immunizations Section --&gt;</td>
1975	</section> </component> <component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.22' /> <!-- Required if known Hospital Discharge Medication Section --&gt;</td>
1980	</section> </component> <component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11' /> <!-- Required Procedures and Interventions Section --&gt;</td>
1985	</section> </component> <component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.28' /> <!-- Required if known Coded Results Section --&gt;</td>
1990	</section> </component> <component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.31' /> <!-- Optional Care Plan Section --&gt;</td>
1995	</section> </component> <component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.33' /> <!-- Required Discharge Diet Section --&gt;</td>
2000	</section> </component> <component>
2005	</section> </component>

**Figure 6.3.3.2.41-1: Specification for Postpartum Treatment Section**

Add Section 6.3.3.2.42
------------------------

### 6.3.3.2.42 Event Outcomes Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9	
<b>Parent Template</b>		
<b>General Description</b>	The Event Outcome Section shall include a narrative description of the outcomes following a procedure, an intervention or a problem.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
42545-4	R	EVENT OUTCOME

2010

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9' />
 <id root=' ' extension=' ' />
 <code code='42545-4' displayName='EVENT OUTCOME'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </component>

```

2015

2020

**Figure 6.3.3.2.42-1: Specification for Event Outcomes Section**

Add Section 6.3.3.2.43
------------------------

### 6.3.3.2.43 Newborn Status at Maternal Discharge 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.8

2025

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.8	
<b>Parent Template</b>		
<b>General Description</b>	The Newborn Status and Maternal Discharge section shall contain a narrative description of the status and disposition of the newborn at the time of maternal discharge.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
57077-0	R	Newborn status at maternal discharge from newborn

2030

2035

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.8' />
 <id root=' ' extension=' ' />
 <code code='57077-0' displayName='Newborn status at maternal discharge from newborn'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </component>

```

**Figure 6.3.3.2.43-1: Specification for Newborn Status at Maternal Discharge Section**

Add Section 6.3.3.2.44

### 6.3.3.2.44 History of Surgical Procedures Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2

2040

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2	
<b>Parent Template</b>		
<b>General Description</b>	The History of Surgical Procedures Section shall contain a narrative description of the surgical procedures performed on the patient.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
10167-5	R	History of surgical procedures

2045

```
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2' />
 <id root=' ' extension=' ' />
 <code code='10167-5' displayName='History of surgical procedures'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

2050

**Figure 6.3.3.2.44-1: Specification for History of Surgical Procedures Section**

Add Section 6.3.3.2.45

2055

### 6.3.3.2.45 Operative Note Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.6

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.6	
<b>Parent Template</b>		
<b>General Description</b>	The Operative Note Section shall contain a narrative description of the current operation or surgical procedure in detail.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
10223-6	R	Surgical operation note surgical procedure

2060

```
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.6' />
 <id root=' ' extension=' ' />
 <code code='10223-6' displayName='Surgical operation note surgical procedure'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

2065

**Figure 6.3.3.2.45-1: Specification for Operative Note Section**

2070

*Add Section 6.3.3.2.46***6.3.3.2.46 Child Functional Status Assessment 1.3.6.1.4.1.19376.1.7.3.1.1.13.3**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.1.13.3	
<b>General Description</b>	This section provides a description of the child's status of normal functioning at the time the document was created. This section includes the psychomotor and the eating and sleeping assessments. This section shall include the Psychomotor Test Observation entry.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
47420-5	R	Functional Status Assessment
<b>Subsections</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.7.3.1.1.13.4	O	Psychomotor Development
1.3.6.1.4.1.19376.1.7.3.1.1.13.5	O	Eating and sleeping assessment

2075

**Example**

```

<component>
 <section>
 <templateId root="1.3.6.1.4.1.19376.1.7.3.1.1.13.3"/>
 <id root="16696797-f854-443d-8819-231ee09cad71"/>
 <code code="47420-5" displayName="Functional Status Assessment"
 codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
 <title/>
 <text/>
 <component>
 <section>
 <!-- Optional Psychomotor Development section -->
 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.13.4'>
 :
 </section>
 </component>
 <component>
 <section>
 <!-- Eating and sleeping assessment section -->
 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.13.5'>
 :
 </section>
 </component>
 </section>
</component>
```

2090

2095

2100

*Add Section 6.3.3.2.47***6.3.3.2.47 Psychomotor Development Section 1.3.6.1.4.1.19376.1.7.3.1.1.13.4**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.1.13.4	
<b>General Description</b>	This section describes a test battery in order to evaluate the psychomotricity of the newborn.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
xx-MCH-PsychoMDev	R	Psychomotor development
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
Simple Observation	R	1.3.6.1.4.1.19376.1.5.3.1.4.13

2105	<component> <section> <!-- Psychomotor Development section templateId --> <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.13.4' /> <id root=' ' extension=' '/> <code code='47420-5' displayName=' Functional Status Assessment ' codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" /> <text> : </text> <entry> : <!--Required simple Observation element --> <templateId root=1.3.6.1.4.1.19376.1.5.3.1.4.13> : </entry> </section> </component>
2110	
2115	
2120	

Add Section 6.3.3.2.48
------------------------

2125 **6.3.3.2.48 Eating and Sleeping Assessment Section 1.3.6.1.4.1.19376.1.7.3.1.1.13.5**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.1.13.5	
<b>General Description</b>	This section describes a test battery in order to evaluate the psychomotricity of the newborn.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
47420-5	R	Functional Status Assessment
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
Simple Observation	R	1.3.6.1.4.1.19376.1.5.3.1.4.13

```

2130 <component>
 <section>
 <!--Eating and Sleeping assessment section templateId -->
 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.13.5' />
 <id root=' ' extension=' '/>
 <code code='47420-5' displayName=' Functional Status Assessment ' codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" />
 <text>
 :
 </text>
 <entry>
 :
 <!-- Required Simple Observation element -->
 <templateId root=1.3.6.1.4.1.19376.1.5.3.1.4.13/>
 :
 </entry>
 </section>
</component>

```

*Add Section 6.3.3.2.49*

### 6.3.3.2.49 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7

<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.1.13.7	
<b>Parent Template</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9	
<b>General Description</b>	The Coded Event Outcome Section shall include a narrative description of the outcomes following a procedure, an intervention or a problem, and outcomes related to the labor and delivery process such as live birth or stillborn. It shall include entries for observation as described in the Simple Observation entry, or optionally as Problem Entry observations.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
42545-4	R	EVENT OUTCOME
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.4.13	R	Simple Observation
1.3.6.1.4.1.19376.1.5.3.1.1.25.1.4.1	R2	Patient Transfer
1.3.6.1.4.1.19376.1.5.3.1.4.5	O	Problem Entry

2150

```
2155 <component>
 <section>
 <!--Coded Event Outcomes assessment section templateId -->
 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.13.7' />
 <id root=' ' extension=' '/>
 <code code='42545-4' displayName='Event Outcome'
 codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" />
 <text>
 :
 </text>
 <entry>
 :
 <!-- Required Simple Observation element -->
 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13"/>
 :
 </entry>
 <entry>
 :
 <!-- Required if known Patient Transfer element -->
 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.25.1.4.1"/>
 :
 </entry>

 <entry>
 :
 <!-- Optional Problem Entry element -->
 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5"/>
 :
 </entry>
 </section>
</component>
```

*Add Section 6.3.3.2.50 (Occupational History - removed 2011-09 at the request of QRPH)*

2185 **6.3.3.2.50 Intentionally blank**

*Add Section 6.3.3.2.51 (Patient Status - removed 2011-09 at the request of QRPH)*

**6.3.3.2.51 Intentionally blank**

*Add Section 6.3.3.2.52 Cancer Control - removed 2011-09 at the request of QRPH)*

**6.3.3.2.52 Intentionally blank**

2190 *Add Section 6.3.3.2.53*

**6.3.3.2.53 Notifications, Alerts, and Reminders Section**

**1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1.x**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1.x	
<b>General Description</b>	The Notifications, Reminders and Alerts section highlights areas of care plan non-conformance and directs the need for follow-up communications.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
XXX	R	Notifications, Alerts, and Reminders
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.4.7	C	<u>Medications</u> Medications entries shall appear for all pending medications when present. These entries shall be in intent mood.
1.3.6.1.4.1.19376.1.5.3.1.4.19	C	<u>Procedure</u> Procedure entries shall appear for all pending procedures when present. These entries shall be in intent mood.
1.3.6.1.4.1.19376.1.5.3.1.4.14	C	<u>Encounter</u> Encounter entries should appear for all pending follow-up encounters. These entries shall be in promise or appointment request mood.
1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1	C	<u>Observation Request</u> Observation request entries should appear for all pending follow-up observations. These entries shall appear in intent mood.

2195

*Add Section 6.3.3.2.54*

### 6.3.3.2.54 Pain Assessment Panel Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.4

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.20.2.4	
<b>General Description</b>	This contains a narrative description of the patient's pain, including such items as severity, quality, location, time of onset, radiation, etc.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
38212-7	R	Pain Assessment Panel

2200

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.2.4' />
 <id root=' ' extension=' '/>
 <code code='38212-7' displayName='Pain Assessment Panel'
 codeSystem='12.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>

```

2205

2210

**Figure 6.3.2.54-1: Specification for Pain Assessment Panel Section**

*Add Section 6.3.3.2.55*

**6.3.3.2.55 History of Cognitive Function Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.11**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.11	
<b>General Description</b>	This contains a narrative description of a patient's mental status.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
11332-4	R	History of Cognitive Function

2215

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.11' />
 <id root=' ' extension=' ' />
 <code code='11332-4' displayName='History of Cognitive Function'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

2220

2225

**Figure 6.3.2.55-1: Specification for History of Cognitive Function Section**

2230

Add Section 6.3.3.2.56 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)

**6.3.3.2.56 Isolation Status Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.8**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.8	
<b>General Description</b>	The Isolation Status section describes a patient with an active infectious disease requiring additional personal protective equipment for healthcare providers.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
55017-8	R	ISOLATION OR QUARANTINE FOR ACTIVE INFECTIOUS DISEASE

2235

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.8' />
 <id root=' ' extension=' ' />
 <code code='55017-8' displayName=' ISOLATION OR QUARANTINE FOR ACTIVE INFECTIOUS DISEASE '
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

2240

**Figure 6.3.3.2.56-1: Sample Isolation Status Section**

2245

*Add Section 6.3.3.2.57 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)*

### 6.3.3.2.57 Restraints Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.10

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.10	
<b>General Description</b>	The Restraints section describes the type of restraints currently in use on the patient to be transported.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
46067-5	R	DEVICES AND RESTRAINTS SET

2250

```
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.10'>
 <id root=' ' extension=' ' />
 <code code='46067-5' displayName='DEVICES AND RESTRAINTS SET'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
 </component>
```

2255

2260

**Figure 6.3.3.2.57-1: Sample Restraints Section**

*Add Section 6.3.3.2.58. Added 2011-09 from QRPH EHCP Profile*

### 6.3.3.2.58 Risk Indicators for Hearing Loss

<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.1.15.3.1	
<b>General Description</b>	This section SHALL include at least one entry describing hearing risk indicators for the subject	
<b>LOINC® Code</b>	<b>Opt</b>	<b>Description</b>
58232-0	R	HEARING LOSS RISK INDICATOR

  

<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1	R	Risk Indicators for Hearing Loss Entry

2265

```

2270 <component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.15.3.1' />
<id root=' ' extension=' ' />
<code code='58232-0' displayName='HEARING LOSS RISK INDICATOR '
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
<entry>
 :
 <!-- Required Risk Indicators for Hearing Loss Entry element -->
 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1' />
 :
</entry>
</section>
</component>

```

**Figure 6.3.3.2.58-1: Sample Coded Risk Indicators for Hearing Loss Section**

2285 *Add Section 6.3.3.2.59. Added 2011-09 from QRPH PRPH-Ca Profile*

**6.3.3.2.59 Cancer Diagnosis Section 1.3.6.1.4.1.19376.1.7.3.1.3.14.1**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.3.14.1	
<b>Parent ID</b>	PCC Active Problem Section 1.3.6.1.4.1.19376.1.5.3.1.3.6 CCD 3.5 2.16.840.1.113883.10.20.1.11	
<b>General Description</b>	This section contains specific detailed information about cancer diagnosis(es) that are currently being monitored for the patient. A separate entry for each cancer diagnosis SHALL be provided.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
72135-7	R	Cancer Diagnosis
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.7.3.1.4.14.1	R	Cancer Diagnosis Entry

```

2290 <component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.7.3.1.3.14.1' />
<id root=' ' extension=' ' />
<code code='72135-7' displayName='Cancer Diagnosis'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
<entry>
 :
 <!-- Required Cancer Diagnosis Entry element -->
 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.4.14.1' />
 :
</entry>
</section>
</component>

```

**Figure 6.3.3.2.59-1: Specification for Cancer Diagnosis Section**

2305

*Add Section 6.3.3.3***6.3.3.3 Medications***Add Section 6.3.3.3.1***6.3.3.3.1 Medications Section**

2310

*Add Section 6.3.3.3.2***6.3.3.3.2 Admission Medication History Section***Add Section 6.3.3.3.3***6.3.3.3.3 Medications Administered Section***Add Section 6.3.3.3.4*

2315

**6.3.3.3.4 Hospital Discharge Medications Section***Add Section 6.3.3.3.5***6.3.3.3.5 Immunizations Section***Add Section 6.3.3.4***6.3.3.4 Physical Exams**

2320

**Note:** Sections 6.3.3.4.1 through 6.3.3.4.29 reside in IHE PCC TF-2:6.3.3.4*Add Section 6.3.3.4.30***6.3.3.4.30 Coded Detailed Physical Examination Section****1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1	
<b>Parent Template</b>	Detailed Physical Examination (1.3.6.1.4.1.19376.1.5.3.1.1.9.15)	
<b>General Description</b>	The Coded Detailed Physical Examination section shall contain a narrative description of the patient's physical findings. It shall include subsections, if known, for the exams that are performed.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
29545-1	R	PHYSICAL EXAMINATION
<b>Subsections</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2	R2	Coded Vital Signs

		Vital signs may be a subsection of the physical examination or they may stand alone
1.3.6.1.4.1.19376.1.5.3.1.1.9.16	R2	General Appearance
1.3.6.1.4.1.19376.1.5.3.1.1.9.48	R2	Visible Implanted Medical Devices
1.3.6.1.4.1.19376.1.5.3.1.1.9.17	R2	Integumentary System
1.3.6.1.4.1.19376.1.5.3.1.1.9.18	R2	Head
1.3.6.1.4.1.19376.1.5.3.1.1.9.19	R2	Eyes
1.3.6.1.4.1.19376.1.5.3.1.1.9.20	R2	Ears, Nose, Mouth and Throat
1.3.6.1.4.1.19376.1.5.3.1.1.9.21	R2	Ears
1.3.6.1.4.1.19376.1.5.3.1.1.9.22	R2	Nose
1.3.6.1.4.1.19376.1.5.3.1.1.9.23	R2	Mouth, Throat, and Teeth
1.3.6.1.4.1.19376.1.5.3.1.1.9.24	R2	Neck
1.3.6.1.4.1.19376.1.5.3.1.1.9.25	R2	Endocrine System
1.3.6.1.4.1.19376.1.5.3.1.1.9.26	R2	Thorax and Lungs
1.3.6.1.4.1.19376.1.5.3.1.1.9.27	R2	Chest Wall
1.3.6.1.4.1.19376.1.5.3.1.1.9.28	R2	Breasts
1.3.6.1.4.1.19376.1.5.3.1.1.9.29	R2	Heart
1.3.6.1.4.1.19376.1.5.3.1.1.9.30	R2	Respiratory System
1.3.6.1.4.1.19376.1.5.3.1.1.9.31	R2	Abdomen
1.3.6.1.4.1.19376.1.5.3.1.1.9.32	R2	Lymphatic System
1.3.6.1.4.1.19376.1.5.3.1.1.9.33	R2	Vessels
1.3.6.1.4.1.19376.1.5.3.1.1.9.34	R2	Musculoskeletal System
1.3.6.1.4.1.19376.1.5.3.1.1.9.35	R2	Neurologic System
1.3.6.1.4.1.19376.1.5.3.1.1.9.36	R2	Genitalia
1.3.6.1.4.1.19376.1.5.3.1.1.9.37	R2	Rectum
1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1	R2	Extremities
1.3.6.1.4.1.19376.1.5.3.1.1.21.2.10	R2	Pelvis

2325

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.15' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1' />
 <id root=' ' extension=' ' />
 <code code='29545-1' displayName='PHYSICAL EXAMINATION'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.25' />
 <!-- Optional Vital Signs Section content -->
 </section>
 </component>
 </section>
</component>

```

2345 **Figure 6.3.3.4.30-1: Coded Detailed Physical Examination Section**

Add Section 6.3.3.4.31

### 6.3.3.4.31 Pelvis Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.10

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.10	
<b>General Description</b>	The Pelvis section shall include a narrative description of any type of exam of the reproductive organs.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
10204-6	R	PELVIS
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.4.5	O	Problem Entry

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.10' />
 <id root=' ' extension=' ' />
 <code code='10204-6' displayName='PELVIS'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <entry>
 :
 <!-- Optional Problem Entry element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5' />
 :
 </entry>
 </section>
</component>

```

2350 **Figure 6.3.3.4.31-1: Pelvis Section**

Add Section 6.3.3.4.32

2370 **6.3.3.4.32 Admission Physical Exam Section 1.3.6.1.4.1.19376.1.5.3.1.1.22.1.1.2.1**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.22.1.1.2.1	
<b>General Description</b>	The Admission physical exam section shall include a narrative description of the physical exams given during the admission to a hospital or similar type of facility.	
<b>LOINC Code</b>	Opt	<b>Description</b>
XX-AdmissionPhysicalExam	R	Admission physical exam

2375  

```
<component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.22.1.1.2.1'>
<id root=' ' extension=' '/>
<code code='XX-AdmissionPhysicalExam' displayName='Admission physical exam'
codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
Text as described above
</text>
</section>
</component>
```

2380

**Figure 6.3.3.4.32-1: Admission Physical Exam Section**

2385 Add Section 6.3.3.4.33

**6.3.3.4.33 Discharge Status 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.12**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.12	
<b>Parent Template</b>		
<b>General Description</b>	Discharge status should contain a narrative description of the status/condition of the patient at the time of discharge, such as stable, critical, etc.	
<b>LOINC Code</b>	Opt	<b>Description</b>
52523-8	R2	Discharge Status

2390  

```
<component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.12'>
<id root=' ' extension=' '/>
<code code='52523-8' displayName=Discharge status'
codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
Text as described above
</text>
</component>
```

2395

**Figure 6.3.3.4.33-1: Discharge Status Section**

2400

**6.3.3.5 Relevant Studies***Add Section 6.3.3.5.1***6.3.3.5.1 Results***Add Section 6.3.3.5.2*

2405

**6.3.3.5.2 Coded Results***Add Section 6.3.3.5.3***6.3.3.5.3 Hospital Studies Summary***Add Section 6.3.3.5.4***6.3.3.5.4 Coded Hospital Studies Summary**

2410

*Add Section 6.3.3.5.5***6.3.3.5.5 Consultations 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.8**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.8	
<b>General Description</b>	<b>The ED Consultations section shall contain a narrative description of the consultations obtained during an encounter of care.</b>	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
18693-2	R	ED CONSULTANT PRACTITIONER

2415

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.8' />
 <id root=' ' extension=' ' />
 <code code='18693-2' displayName='ED CONSULTANT PRACTITIONER'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>

```

2420

**Figure 6.3.3.5.5-1: Specification for ED Consultations Section**

2425

*Add Section 6.3.3.5.6*

### 6.3.3.5.6 Antenatal Testing and Surveillance Section

#### 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5	
<b>Parent Template</b>		
<b>General Description</b>	The Antenatal Testing and Surveillance section shall contain a narrative description of reports and data from tests and surveillance performed during the pregnancy (e.g., Ultrasound, Biophysical Profile, Non-Stress Test, Contraction Stress Test)	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
57078-8	R	Antenatal testing and surveillance

2430

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5' />
 <id root=' ' extension=' ' />
 <code code='57078-8' displayName='ANTENATAL TESTING AND SURVEILLANCE'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </component>

```

2435

2440

**Figure 6.3.3.5.6-1: Specification for and Surveillance Section**

Add Section 6.3.3.5.7

### 6.3.3.5.7 Coded Antenatal Testing and Surveillance Section

#### 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5.1

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5.1	
<b>Parent Template</b>	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5	
<b>General Description</b>	The Antenatal Testing and Surveillance section shall contain a narrative and coded description of reports and data from tests and surveillance performed during the pregnancy (e.g., Ultrasound, Biophysical Profile, Non-Stress Test, Contraction Stress Test). It shall contain an Antenatal Testing and Surveillance Battery.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
57078-8	R	ANTENATAL TESTING AND SURVEILLANCE
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10	R	Antenatal Testing and Surveillance Battery

2445

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5.1' />
 <id root=' ' extension=' ' />
 <code code='57078-8' displayName='ANTENATAL TESTING AND SURVEILLANCE'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <entry>
 :
 <!-- Required Antenatal Testing and Surveillance Battery -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10' />
 :
 </entry>
 </component>

```

**Figure 6.3.3.5.7-1: Specification for Coded Antenatal Testing and Surveillance Section**

2465     *Add Section 6.3.3.5.8 (Diagnosis - Removed 2011-09 at the request of QRPH)*

**6.3.3.5.8 Intentionally blank**

*Add Section 6.3.3.5.9 (TNM Stage – removed 2011-09 at the request of QRPH)*

**6.3.3.5.9 Intentionally blank**

2470

*Add Section 6.3.3.5.10 (Cancer Supporting Documentation - removed 2011-09 at the request of QRPH)*

**6.3.3.5.10 Intentionally blank**

2475

*Add Section 6.3.3.5.11. (Added 2011-09 from QRPH EHCP Profile)*

**6.3.3.5.11 Hearing Screening Coded Results**

The Hearing Screening Coded Results section SHALL contain the hearing screening results of pass or refer for the right ear and pass or refer for the left ear, expressed as LOINC® codes as well as the coded methodology to complete the screening. Coded methodology includes (LOINC 54106-0) Automated Auditory Brainstem Response, Auditory Brainstem Response, Otoacoustic Emissions, Transient Otoacoustic Emissions, and Distortion Product Otoacoustic Emissions. If the methodology is unknown, the coded result of unknown method SHALL be used. Where the screening results are not available, the reason the results are not available SHALL be present. This could include unsuccessful, technical fail; not performed, not performed, medical exclusion.

2480     The Hearing Screening Coded Results section is required.

2485

<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.1.15.3.2	
<b>Parent Template</b>	Coded Results (1.3.6.1.4.1.19376.1.5.3.1.3.28)	
<b>General Description</b>	The Hearing Screening Code Results section SHALL include at least one observation entry describing the hearing screening results as described in the Entry Content Module. Where there are no hearing screening results performed, then the reason SHALL be indicated	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
30954-2	R	Relevant diagnostic tests/laboratory data
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.4.19	R	Procedure Entry
1.3.6.1.4.1.19376.1.5.3.1.4.4	R2	References Entry
1.3.6.1.4.1.19376.1.5.3.1.4.13	R	Simple Observation

### 6.3.3.5.11.1 Parent Template

The parent of this template is Coded Results.

```

2490 <component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.28' />
 <id root=' ' extension=' ' />
 <code code='30954-2' displayName='Relevant diagnostic tests/laboratory data'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <entry>
 :
 <!-- Required Procedure Entry element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />
 :
 </entry>
 <entry>
 :
 <!-- Required if known References Entry element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.4' />
 :
 </entry>
 <entry>
 :
 <!-- Optional Simple Observation element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </entry>
 </section>

```

**Figure 6.3.3.5.11-1: Hearing Screening Coded Results Section**

2520

Add Section 6.3.3.6
---------------------

### **6.3.3.6 Plans of Care**

*Add Section 6.3.3.6.1*

#### **6.3.3.6.1 Care Plan**

2525

*Add Section 6.3.3.6.2*

#### **6.3.3.6.2 Assessment and Plan**

*Add Section 6.3.3.6.3*

#### **6.3.3.6.3 Discharge Disposition**

*Add Section 6.3.3.6.4*

2530

#### **6.3.3.6.4 Discharge Diet**

*Add Section 6.3.3.6.5*

#### **6.3.3.6.5 Advance Directives**

*Add Section 6.3.3.6.6*

#### **6.3.3.6.6 Coded Advance Directives**

2535

*Add Section 6.3.3.6.7*

#### **6.3.3.6.7 Transport Mode**

*Add Section 6.3.3.6.8*

#### **6.3.3.6.8 Procedure Care Plan Status Report Section**

##### **1.3.6.1.4.1.19376.1.5.3.1.1.9.45**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.45	
<b>Parent Template</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.40	
<b>General Description</b>	The procedure care plan status report section shall contain a description of the progress towards completing expectations for care including actions completed in fulfillment of proposals, goals, and order requests for monitoring, tracking, or improving the condition of the patient prior to the procedure.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
18776-5	R	TREATMENT PLAN

2540

### Sample Procedure Care Plan Status Report Section

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.40' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.45' />
 <id root=' ' extension=' ' />
 <code code='18776-5' displayName='TREATMENT PLAN'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>

```

*Add Section 6.3.3.6.9*

#### 6.3.3.6.9 Health Maintenance Care Plan Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.50

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.50	
<b>Parent Template</b>	1.3.6.1.4.1.19376.1.5.3.1.3.31	
<b>General Description</b>	The health maintenance care plan section shall contain a description of the expectations for wellness care including proposals, goals, and order requests for monitoring, tracking, or improving the lifetime condition of the patient with goals of educating the patient on how to reduce the modifiable risks of the patient's genetic, behavioral, and environmental pre-conditions and otherwise optimizing lifetime outcomes.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
18776-5	R	TREATMENT PLAN

### Sample Health Maintenance Care Plan Section

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.31' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.50' />
 <id root=' ' extension=' ' />
 <code code='18776-5' displayName='TREATMENT PLAN'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>

```

*Add Section 6.3.3.6.10*

### 6.3.3.6.10 Health Maintenance Care Plan Status Report Section

#### 1.3.6.1.4.1.19376.1.5.3.1.1.9.41

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.41	
<b>Parent Template</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.50	
<b>General Description</b>	The health maintenance status report section shall contain a description of the progress towards completing expectations for care including actions completed in fulfillment of proposals, goals, and order requests for monitoring, tracking, or improving the condition of the patient.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
18776-5	R	TREATMENT PLAN

2580

#### Sample Health Maintenance Care Plan Status Report Section

2585

```
<component>
<section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.50' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.41' />
 <id root=' ' extension=' '/>
 <code code='18776-5' displayName='TREATMENT PLAN'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
</section>
</component>
```

2590

2595

Add Section 6.3.3.6.11

### 6.3.3.6.11 Provider Orders Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1	
<b>General Description</b>	The provider orders shall contain a list of all pertinent orders from healthcare providers.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
46209-3	R	PROVIDER ORDERS
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.4.7	C	<u>Medications</u> Medications entries shall appear for all ordered medications when present. These entries shall be in intent mood.
1.3.6.1.4.1.19376.1.5.3.1.4.19	C	<u>Procedure</u> Procedure entries shall appear for all ordered procedures when present. These entries shall be in intent mood.
1.3.6.1.4.1.19376.1.5.3.1.4.14	O	<u>Encounter</u> Encounter entries should appear for all ordered encounters. These entries shall be in promise or appointment request mood.

1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1	O	<b><a href="#">Observation Requests</a></b> Observation request entries should appear for all ordered observations. These entries shall appear in intent mood.
------------------------------------	---	----------------------------------------------------------------------------------------------------------------------------------------------------------------------

2600

**Sample Provider Orders Section**

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1' />
 <id root=' ' extension=' ' />
 <code code='46209-3' displayName='PROVIDER ORDERS'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <entry>
 :
 <!-- Required if known Medications element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7' />
 :
 </entry>
 <entry>
 :
 <!-- Required if known Procedure element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />
 :
 </entry>
 <entry>
 :
 <!-- Optional Encounter element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.14' />
 :
 </entry>
 <entry>
 :
 <!-- Optional Observation Requests element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1' />
 :
 </entry>
 </section>
</component>

```

*Add Section 6.3.3.6.12***6.3.3.6.12 Birth Plan Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.1**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.1	
Parent Template		
General Description	The Birth Plan section shall contain a narrative description of the patient's requests and expectations with respect to care she is expecting during the labor and delivery process.	
LOINC Code	Opt	Description
57079-6	R	Birth plan

2640

2645

```
<component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.1' />
<id root=' ' extension=' ' />
<code code='57079-6' displayName='Birth plan'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
</component>
```

2650

**Figure 6.3.3.6.12-1: Specification for Birth Plan Section***Add Section 6.3.3.6.13***6.3.3.6.13 Immunization Recommendations 1.3.6.1.4.1.19376.1.5.3.1.1.18.3.1**

2655

*Add Section 6.3.3.6.14***6.3.3.6.14 Patient Education Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.38**

<b>Template Id</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.38	
<b>General Description</b>	The patient education section shall contain a description of the patient education the patient received as well as the results of the education.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
34895-3	R	EDUCATION NOTE
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.4.12.2	R	Immunization Recommendation Entry At least one Immunization Plan Entry shall be present in Proposal mood to indicate what the proposed care is for the patient. Other Immunization Plan entries may appear in intent mood to indicate the current plan.

2660

```
<component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.38' />
<id root=' ' extension=' ' />
<code code='34895-3' displayName='EDUCATION NOTE'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
</section>
</component>
```

2665

2670

**Figure 6.3.3.6.14-1: Specification for Patient Education and Consents Section***Add Section 6.3.3.6.15*

**6.3.3.6.15 Coded Care Plan Section 1.3.6.1.4.1.19376.1.5.3.1.3.36**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.3.31	
<b>Parent Template</b>	2.16.840.1.113883.10.20.1.10	
<b>General Description</b>	The care plan section shall contain a narrative description of the expectations for care including proposals, goals, and order requests for monitoring, tracking, or improving the condition of the patient.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
18776-5	R	TREATMENT PLAN
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1	O	<p><u><a href="#">Observation Requests</a></u>            The care plan may include observation requests in intent, goal or proposal mood to identify intended observations that are part of the care plan, goals of the plan, or proposed observations (e.g., from clinical decision support).</p>
1.3.6.1.4.1.19376.1.5.3.1.4.7	O	<p><u><a href="#">Medication</a></u>            The care plan may include medication entries to identify those medications that are or are proposed to be part of the care plan.</p>
1.3.6.1.4.1.19376.1.5.3.1.4.12	O	<p><u><a href="#">Immunization</a></u>            The care plan may include immunization entries to identify those immunizations that are or are proposed to be part of the care plan.</p>
1.3.6.1.4.1.19376.1.5.3.1.4.19	O	<p><u><a href="#">Procedure</a></u>            The care plan may include procedure entries to identify those procedures that are or are proposed to be part of the care plan.</p>
1.3.6.1.4.1.19376.1.5.3.1.4.14	O	<p><u><a href="#">Encounter</a></u>            The care plan may include encounter entries in to identify those encounters that are or are proposed to be part of the care plan.</p>

```

2675 <component>
<section>
<templateId root='2.16.840.1.113883.10.20.1.10' />
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.36' />
<id root=' ' extension=' ' />
<code code='18776-5' displayName='TREATMENT PLAN'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
<entry>
 :
 <!-- Optional Observation Requests element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1' />
 :
</entry>
<entry>
 :
 <!-- Optional Medication element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7' />
 :
</entry>
<entry>
 :
 <!-- Optional Immunization element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.12' />
 :
</entry>
<entry>
 :
 <!-- Optional Procedure element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />
 :
</entry>
<entry>
 :
 <!-- Optional Encounter element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.14' />
 :
</entry>
</section>
</component>

```

**Figure 6.3.3.6.15-1: Specification for Care Plan Section****2720 6.3.3.6.16 Diet and Nutrition Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.2**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.20.2.2	
<b>General Description</b>	This shall contain a narrative description of the diet restrictions necessary due to disease.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
XX-DietAndNutrition	R	Diet and nutrition

2725

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.2.2' />
 <id root=' ' extension=' ' />
 <code code='XXDiet-Restrictions' displayName='Diet and nutrition'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

2730

**Figure 6.3.3.6.16-1: Specification for Diet Restrictions Section****6.3.3.6.17 Intake and Output Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.3**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.20.2.3	
<b>General Description</b>	This section shall contain a narrative description of specific fluid inputs or fluid outputs for the patient.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
XX-IntakeAndOutput	R	Intake and output

2735

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.2.3' />
 <id root=' ' extension=' ' />
 <code code='XX-FluidManagement' displayName='Intake and output'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

2740

2745

**Figure 6.3.3.6.17-1: Specification for Fluid Management Section**

2750

Add Section 6.3.3.6.18 (Cancer Course of Treatment – removed 2011-09 at the request of QRPH)

**6.3.3.6.18 Intentionally blank**

Add Section 6.3.3.6.19 (Cancer Treatment Plan – removed 2011-09 at the request of QRPH)

**6.3.3.6.19 Intentionally blank**

2755

Add section 6.3.3.6.20

**6.3.3.6.20 Procedure Care Plan Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.40**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.40	
<b>Parent Template</b>	1.3.6.1.4.1.19376.1.5.3.1.3.31 (1.3.6.1.4.1.19376.1.5.3.1.3.31)	
<b>General Description</b>	The procedure care plan section shall contain a description of the expectations for care including proposals, goals, and order requests for monitoring, tracking, or improving the condition of the patient prior, during and after a procedure with goals of educating the patient, reducing the modifiable risks of the procedure and anesthesia and otherwise optimizing the outcomes. The care plan will often be updated immediately following the addition of new impressions during the course of pre-procedure evaluation.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
18776-5	R	TREATMENT PLAN
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1	O	<u>Observation Requests</u> The care plan may include observation requests in intent, goal or proposal mood to identify intended observations that are part of the care plan, goals of the plan, or proposed observations (e.g., from clinical decision support).
1.3.6.1.4.1.19376.1.5.3.1.4.7	O	<u>Medication</u> The care plan may include medication entries to identify those medications that are or are proposed to be part of the care plan.
1.3.6.1.4.1.19376.1.5.3.1.4.12	O	<u>Immunization</u> The care plan may include immunization entries to identify those immunizations that are or are proposed to be part of the care plan.
1.3.6.1.4.1.19376.1.5.3.1.4.19	O	<u>Procedure</u> The care plan may include procedure entries to identify those procedures that are or are proposed to be part of the care plan.
1.3.6.1.4.1.19376.1.5.3.1.4.14	O	<u>Encounter</u> The care plan may include encounter entries in to identify those encounters that are or are proposed to be part of the care plan.

2760

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.31' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.40' />
 <id root=' ' extension=' '/>
 <code code='18776-5' displayName='TREATMENT PLAN'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>

```

2765

2770

2775

**Figure 6.3.3.6.20-1: Sample Care Plan Section**

*Add section 6.3.3.6.21 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)*

### 6.3.3.6.21 Protocols Used Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.5

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.5	
<b>General Description</b>	The Protocols Used section describes the protocol used by EMS personnel to direct the clinical care of the patient.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
52019-7	R	DESCRIPTION OF SERVICES PERFORMED TO SUPPORT LEVEL OF SERVICE

2780

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.5' />
 <id root=' ' extension=' ' />
 <code code='52019-7' displayName='DESCRIPTION OF SERVICES PERFORMED TO SUPPORT LEVEL OF SERVICE'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>

```

2785

2790

**Figure 6.3.3.6.21-1: Sample Protocols Used Section**

2795

*Add section 6.3.3.6.22 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)*

*Modified by CP PCC 0205*

### 6.3.3.6.22 Invasive Airway Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.7

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.7	
<b>General Description</b>	The Invasive Airway section describes if, and what type, of advanced airway used. The Invasive Airway section is derived from DEEDS LL1832-6 NEMESIS_45_protocol used / Airway/Airway-failed/Airway-obstruction/foreign body/Airway-paralytic (RSI), Airway-Rapid Sequence Induction (RSI-Paralytic)/Airway-sedation assisted (nonparalytic)/Cardiac arrest- asystole, etc. PROTOCOLS USED	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
67537-1	R	PROTOCOLS USED NEMESIS

2800

2805           <component>  
           <section>  
             <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.7' />  
             <id root=' ' extension=' ' />  
             <code code='67537-1' displayName='PROTOCOLS USED NEMESIS'  
               codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />  
             <text>  
               Text as described above  
             </text>  
           </section>  
   </component>

2810

**Figure 6.3.3.6.22-1: Sample Invasive Airway Section**

2815           Add section 6.3.3.6.23 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)

**6.3.3.6.23 Ventilator Usage Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.11**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.11	
<b>General Description</b>	The Ventilator Usage section describes	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
20124-4	R	VENTILATION MODE

2820           <component>  
           <section>  
             <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.11' />  
             <id root=' ' extension=' ' />  
             <code code='2012404' displayName='VENTILATION MODE'  
               codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />  
             <text>  
               Text as described above  
             </text>  
           </section>  
   </component>

2825

**Figure 6.3.3.6.23-1: Sample Ventilator Usage Section**

Add Section 6.3.3.7

**6.3.3.7 Administrative and Other Information**

Add Section 6.3.3.7.1

**2835   6.3.3.7.1 Payers**

Add Section 6.3.3.7.2

### 6.3.3.7.2 Referral Source

*Add Section 6.3.3.7.3*

### 6.3.3.7.3 Transport Mode

2840

*Add Section 6.3.3.7.4*

### 6.3.3.7.4 ED Disposition

*Add Section 6.3.3.7.5 (Cancer Payers – Removed 2011-09 at the request of QRPH)*

### 6.3.3.7.5 Intentionally blank

2845

*Add Section 6.3.3.7.6 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)*

### 6.3.3.7.6 Sending Facility Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.1

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.1	
<b>General Description</b>	The Sending Facility section contains the name and address of the healthcare facility that is sending the patient for transport.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
52023-9	R	ORIGINATION SITE NAME AND ADDRESS

2850

```
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.1' />
 <id root=' ' extension=' ' />
 <code code='52023-9' displayName='ORIGINATION SITE NAME AND ADDRESS'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

2855

2860

**Figure 6.3.3.7.6-1: Sample Sending Facility Section**

*Add Section 6.3.3.7.7 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)*

2865 **6.3.3.7.7 Receiving Facility Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.2**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.2	
<b>General Description</b>	The Receiving Facility section contains the name and address of the healthcare facility that is receiving the transported patient.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
52026-2	R	DESTINATION SITE NAME & ADDRESS

2870     
 

```
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.2' />
 <id root=' ' extension=' ' />
 <code code='52026-2' displayName='DESTINATION SITE NAME & ADDRESS'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

2875

**Figure 6.3.3.7.7-1: Sample Receiving Facility Section**

2880 *Add Section 6.3.3.7.8 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)*

*Modified by CP PCC 0205*

**6.3.3.7.8 Mass Casualty Incident Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.3**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.3	
<b>General Description</b>	The Mass Casualty Incident Section indicates if this event would be considered a mass casualty incident overwhelming existing EMS and ED resources.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
67490-3	R2	Mass casualty incident NEMSIS

2885     
 

```
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.3' />
 <id root=' ' extension=' ' />
 <code code='67490-3' displayName=' Mass casualty incident NEMSIS '
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

2890

2895

**Figure 6.3.3.7.8-1: Sample Mass Casualty Incident Section**

2900

*Add Section 6.3.3.7.9 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)*

### 6.3.3.7.9 Unit Response Level Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.4

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.4	
<b>General Description</b>	The Unit Response Level section describes the level of service provided for this transport.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
51995-9	R	RATIONALE FOR TYPE OF TRANSPORT

2905

```
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.4' />
 <id root=' ' extension=' '/>
 <code code='51995-9' displayName='RATIONALE FOR TYPE OF TRANSPORT'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

2910

**Figure 6.3.3.7.9-1: Sample Unit Response Level Section**

2915

*Add Section 6.3.3.7.10 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)*

### 6.3.3.7.10 Extra Attendants Information Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.6

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.6	
<b>General Description</b>	The Protocols Used section describes the protocol used by EMS personnel to direct the clinical care of the patient.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
52074-2	R2	EXTRA ATTENDANTS INFORMATION

2920

```
<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.6' />
 <id root=' ' extension=' '/>
 <code code='52074-2' displayName='EXTRA ATTENDANTS INFORMATION'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>
```

2925

2930

**Figure 6.3.3.7.10-1: Sample Extra Attendants Information Section**

2935      Add Section 6.3.3.7.11 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)

Modified by CP PCC 0205

### 6.3.3.7.11 Provider Level Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.9

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.9	
<b>General Description</b>	The Provider Level section describes the certification or licensure level of the healthcare provider.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
71580-5	R	Crew member level NEMSIS

2940      <component>  
           <section>  
           <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.9'>  
           <id root=' ' extension=' '/>  
           <code code='71580-5' displayName=' Crew member level NEMSIS '  
               codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />  
           <text>  
             Text as described above  
           </text>  
           </section>  
       </component>

**Figure 6.3.3.7.11-1: Sample Provider Level Section**

2950      Add Section 6.3.3.8

### 6.3.3.8 Interventions

This section contains section content modules that describe interventions, procedures, therapeutic treatments, et cetera, performed on the patient.

2955      Add Section 6.3.3.8.3

### 6.3.3.8.3 Procedures and Interventions Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11	
<b>General Description</b>	The Procedures and Interventions section shall contain a narrative description of the actions performed by a clinician.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
29554-3	R	PROCEDURE

Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.19	R	Procedure This entry provides coded values for procedures performed during the encounter.

2960	<component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11'> <id root=' ' extension=' ' /> <code code='X-PROC 29554-3' displayName='PROCEDURES PERFORMED' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' /> <text> Text as described above </text> <entry> : <!-- Required Procedure element --> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19'> : </entry> </section> </component>
2965	
2970	
2975	

**Figure 6.3.3.8.3-1: Specification for Procedures and Interventions Section**

2980	Add Section 6.3.3.8.4 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)
------	-------------------------------------------------------------------------------------------------

**6.3.3.8.4 Intravenous Fluids Administered Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.6**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.6	
<b>General Description</b>	The intravenous fluids administered section shall contain a narrative description of fluids administered to a patient during the course of an encounter. It may include entries for IV fluid administration as described in the Entry Content Module.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
57072-1	R	Intravenous fluids administered
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.1.13.3.2	R	<a href="#">Intravenous Fluids</a>

```

2985 <component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.6' />
<id root=' ' extension=' ' />
<code code='57072-1' displayName='Intravenous fluids administered'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
<entry>
 :
 <!-- Required Intravenous Fluids element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.2' />
 :
</entry>
3000 </section>
</component>

```

**Figure 6.3.3.8.4-1: Specification for Intravenous Fluids Administered Section****Add Section 6.3.3.9****6.3.3.9 Impressions**

- 3005 This section contains section content modules that describe assessments, impressions, diagnoses, or other reporting of clinical opinions or judgment.

**Add Section 6.3.3.9.1****6.3.3.9.1 Pre-procedure Impressions Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.42  
(Deprecated)****Add Section 6.3.3.9.2****6.3.3.9.2 Pre-procedure Risk Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.44**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.9.44	
<b>General Description</b>	The pre-procedure risk section shall contain a description of the risks the patient faces because of the planned procedure and associated anesthesia, especially in the context of modifiable risks identified by patient findings. It shall include entries for patient risks as described in the Entry Content Module.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
11450-4	R	PROBLEM LIST
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.4.5	R	Problem Entry

- 3015 The parent of this template is 1.3.6.1.4.1.19376.1.5.3.1.3.6

```

<component>
 <section>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.6' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.44' />
 <id root=' ' extension=' ' />
 <code code='11450-4' displayName='PROBLEM LIST'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 <entry>
 :
 <!-- Required Problem Entry element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5' />
 :
 </entry>
 </section>
</component>

```

**Figure 6.3.3.9.2-1: Specification for Pre-procedure Risk Assessment Section**

*Add Section 6.3.3.9.3*

### 6.3.3.9.3 Antepartum Visit Summary Flowsheet Section

#### 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.2

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.2	
<b>General Description</b>	This section is a running history of the most important elements noted for a pregnant woman.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
57059-8	R	Pregnancy visit summary
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.4.13	R	<u><a href="#">Simple Observation</a></u> The flowsheet contains one simple observation to represent the Prepregnancy Weight. This observation SHALL be valued with the LOINC code 8348-5, BODY WEIGHT^PRE PREGNANCY-MASS-PT-QN-MEASURED. The value SHALL be of type PQ. The units may be either "lb_av" or "kg".
1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2	R	<u><a href="#">Antepartum Flowsheet Panel</a></u> Other entries on the flowsheet are "batteries" which represent a single visit.

```

3045 <component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.2' />
<id root=' ' extension=' ' />
<code code='57059-8' displayName='Pregnancy visit summary'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
<entry>
 :
<!-- Required Simple Observation element -->
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
</entry>
<entry>
 :
<!-- Required Antepartum Flowsheet Panel element -->
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2' />
 :
</entry>
</section>
</component>

```

**Figure 6.3.3.9.3-1: Specification for Antepartum Visit Summary Flowsheet Section**

3070 *Add Section 6.3.3.9.4*

**6.3.3.9.4 Progress Note Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.7**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.7	
<b>General Description</b>	The Progress Note section shall contain a narrative description of the sequence of events from initial assessment to discharge for an encounter.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
18733-6	R	SUBSEQUENT EVALUATION NOTE (ATTENDING PHYSICIAN)

```

3075 <component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.7' />
<id root=' ' extension=' ' />
<code code='18733-6' displayName='SUBSEQUENT EVALUATION NOTE (ATTENDING PHYSICIAN)'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
</section>
</component>

```

**Figure 6.3.3.9.4-1: Specification for Progress Note Section**

*Add Section 6.3.3.9.5*

**6.3.3.9.5 ED Diagnosis Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.9**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.9	
<b>General Description</b>	The ED diagnosis section shall contain a narrative description of the conditions that were diagnosed or addressed during the ED course, as well as those active conditions that modify the complexity of the patient encounter. It should include entries for patient conditions as described in the Entry Content Module.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
11301-9	R	ED DIAGNOSIS
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.4.5	R	<a href="#">Problem Entry</a>

3090      <component>  
           <section>  
           <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.9' />  
           <id root=' ' extension=' ' />  
           <code code='11301-9' displayName='ED DIAGNOSIS'  
               codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />  
           <text>  
               Text as described above  
           </text>  
           <entry>  
               :  
               <!-- Required Problem Entry element -->  
               <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5' />  
               :  
           </entry>  
           </section>  
       </component>

**Figure 6.3.3.9.5-1: Specification for ED Diagnosis Section**

3110      Add Section 6.3.3.9.6

**6.3.3.9.6 Acuity Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.2**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.2	
<b>General Description</b>	The Acuity Assessment section contains a description of the acuity of the patient upon presentation to the Emergency department.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
11283-9	R	ACUITY ASSESSMENT
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1	R	<a href="#">Acuity</a> This entry provides coded values giving the triage acuity.

```

3115 <component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.2' />
<id root=' ' extension=' ' />
<code code='11283-9' displayName='ACUITY ASSESSMENT'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
<entry>
 :
 <!-- Required Acuity element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1' />
 :
</entry>

</section>
</component>

```

3130 **Figure 6.3.3.9.6-1: Specification for Acuity Assessment Section**

Add Section 6.3.3.9.7

### 6.3.3.9.7 Assessments Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.4

<b>Template ID</b>	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.4	
<b>General Description</b>	The assessments section contains narrative assessments of the patient status.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
51848-0	R	ASSESSMENT
<b>Entries</b>	<b>Opt</b>	<b>Description</b>
1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4	O	<a href="#">Nursing Assessments Battery</a>

```

3135 <component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.4' />
<id root=' ' extension=' ' />
<code code='51848-0' displayName='ASSESSMENT'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
<entry>
 :
 <!-- Optional Nursing Assessments Battery element -->
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4' />
 :
</entry>

</section>
</component>

```

3150 **Figure 6.3.3.9.7-1: Specification for Assessments Section**

3155

*Add section 6.3.3.10*

### 6.3.3.10 Section Content Modules-Non-categorized

**Please note:** As of 2013, section content modules are no longer being categorized into one of the nine existing categories (6.3.3.1 through 6.3.3.9). Instead, going forward, all section content modules will be placed under the 6.3.3.10 heading.

3160

*Add section 6.3.3.10.1. Added 2013-09 from QRPH VRDR supplement.*

#### 6.3.3.10.1 VRDR Death Report Section- Section Content Module (1.3.6.1.4.1.19376.1.7.3.1.3.23.2)

3165

The sections and clinical statements which have additional implementation guidance further constrained are listed here showing their new IHE template ID.

**Table 6.3.3.10.1-1: VRDR Death Report Section**

<b>Template Name</b>		VRDR Death Report Section			
<b>Template ID</b>		1.3.6.1.4.1.19376.1.7.3.1.3.23.2			
<b>Parent Template</b>		Death Report Document Body (2.16.840.1.113883.10.20.24.1.2)			
<b>General Description</b>		The VRDR Death Report section shall contain a coded entries describing the decedent's death			
<b>Section Code</b>		64297-5, LOINC, "Death Certificate"			
Opt and Card	Condition	<b>Data Element or Section Name</b>	<b>Template ID</b>	<b>Specification Document</b>	<b>Vocabulary Constraint</b>
<b>Entries</b>					
R[0..1]		Time of Death	2.16.840.1.113883.10.20.24.1.3	HL7 VRDR CDA CH4	
R[1..1]		Location of Death	2.16.840.1.113883.10.20.24.1.4	HL7 VRDR CDA CH4	
O[0..1]	QRPH 3:6.3.3.10.S1 .3	Death Certification	2.16.840.1.113883.10.20.24.1.5	HL7 VRDR CDA CH4	
R[1..1]		Manner of Death	2.16.840.1.113883.10.20.24.1.7	HL7 VRDR CDA CH4	
C[0..1]	QRPH 3: 6.3.3.10.S1.1	Pregnancy Status	2.16.840.1.113883.10.20.24.1.8	HL7 VRDR CDA CH4	
R2[0..1]		Tobacco Use	2.16.840.1.113883.10.20.24.1.9	HL7 VRDR CDA CH4	
R2[0..1]		Injury	2.16.840.1.113883.10.20.24.1.10	HL7 VRDR CDA CH4	
R[1..1]	QRPH 3: 6.3.3.10.S1.4	Death Causal Information	2.16.840.1.113883.10.20.24.1.6	HL7 VRDR CDA CH4	

R[1..1]		Autopsy Performance	2.16.840.1.113883.10.20.24.1. 11	HL7 VRDR CDA CH4	
C[0..1]	QRPH 3: 6.3.3.10.S1.2	Autopsy Results	2.16.840.1.113883.10.20.24.1. 13	HL7 VRDR CDA CH4	
O[0..1]		Coroner Referral	2.16.840.1.113883.10.20.24.1. 14	HL7 VRDR CDA CH4	
R[1..1]		Coroner Case Transfer	2.16.840.1.113883.10.20.24.1. 12	HL7 VRDR CDA CH4	
R[1..1]		Death Location Type	1.3.6.1.4.1.19376.1.7.3.1.4.23. 2	QRPH 3: 6.3.4.E2	
R[1..1]		Death Pronouncement	1.3.6.1.4.1.19376.1.7.3.1.4.23. 1	QRPH 3: 6.3.4.E1	

3170           <component>  
             <section>  
                 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.5' />  
                 <id root=' ' extension=' ' />  
                 <code code='64297-5/displayName='Death certificate'  
                   codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />  
                 <text>  
                   Text as described above  
                 </text>  
                 <entry>  
                   :  
                   <!-- Required Time of Death -->  
                   <templateId root='2.16.840.1.113883.10.20.24.1.3' />  
                   :  
                 </entry>  
                 <entry>  
                   :  
                   <!-- Required Location of Death -->  
                   <templateId root='2.16.840.1.113883.10.20.24.1.4' />  
                   :  
                 </entry>  
                 <entry>  
                   :  
                   <!--Optional Death Certification -->  
                   <templateId root='2.16.840.1.113883.10.20.24.1.5' />  
                   :  
                 </entry>  
                 <entry>  
                   :  
                   <!--Required Manner of Death -->  
                   <templateId root='2.16.840.1.113883.10.20.24.1.7' />  
                   :  
                 </entry>  
                 <entry>  
                   :  
                   <!--Conditional Pregnancy Status -->  
                   <templateId root='2.16.840.1.113883.10.20.24.1.8' />  
                   :  
                 </entry>  
                 <entry>  
                   :  
                   <!--Required if known Tobacco Use -->  
                   <templateId root='2.16.840.1.113883.10.20.24.1.9' />  
                   :  
                 </entry>  
                 <entry>  
                   :

```

3215 <!--Required if known Injury -->
3216 <templateId root='2.16.840.1.113883.10.20.24.1.10' />
3217 :
3218 </entry>
3219 <entry>
3220 :
3221 <!--Required Death Causal Information -->
3222 <templateId root='2.16.840.1.113883.10.20.24.1.6' />
3223 :
3224 </entry>
3225 <entry>
3226 :
3227 <!--Required Autopsy Performance -->
3228 <templateId root='2.16.840.1.113883.10.20.24.1.11' />
3229 :
3230 </entry>
3231 <entry>
3232 :
3233 <!--Conditional Autopsy Results -->
3234 <templateId root='2.16.840.1.113883.10.20.24.1.13' />
3235 :
3236 </entry>
3237 <entry>
3238 :
3239 <!--Optional Coroner Referral -->
3240 <templateId root='2.16.840.1.113883.10.20.24.1.14' />
3241 :
3242 </entry>
3243 <entry>
3244 :
3245 <!--Required Coroner Case Transfer -->
3246 <templateId root='2.16.840.1.113883.10.20.24.1.12' />
3247 :
3248 </entry>
3249 <entry>
3250 :
3251 <!--Required Death Location Type -->
3252 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.4.23.2' />
3253 :
3254 </entry>
3255 <entry>
3256 :
3257 <!--Required Death Pronouncement-->
3258 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.4.23.1' />
3259 :
3260 </entry>

3261 </section>
3262 </component>

```

**Figure 6.3.3.10.1-1: Sample VRDR Death Report Section**

### **6.3.3.10.1.1 Pregnancy Status Entry Condition**

The Pregnancy Status clinical statement SHALL be Required if the person is female and in the age range 5 to 75 years.

### 6.3.3.10.1.2 Autopsy Results Entry Condition

The Autopsy Results clinical statement SHALL be Required if autopsy performed.

### 6.3.3.10.1.3 Death Certification Entry Condition

3275 The License Number of Person Certifying Death SHALL be reflected in Performer/assigned person.

### 6.3.3.10.1.4 Death Causal Information Entry Condition

The Name of person completing COD SHALL be reflected in author/assignedAuthor/name.

*Add section 6.3.3.10.2 (added 2013-09 from QRPH VRDR supplement).*

3280

## 6.3.3.10.2 Coded Hospital Course Section 1.3.6.1.4.1.19376.1.7.3.1.3.23.1

**Table 6.3.3.10.2-1: Coded Hospital Course Section**

<b>Template Name</b>		Coded Hospital Course Section			
<b>Template ID</b>		1.3.6.1.4.1.19376.1.7.3.1.3.23.1			
<b>Parent Template</b>		Hospital Course Section (1.3.6.1.4.1.19376.1.5.3.1.3.5)			
<b>General Description</b>		The hospital course section shall contain a narrative description and coded entries describing the sequence of events from admission to discharge in a hospital facility.			
<b>Section Code</b>		8648-8, LOINC, HOSPITAL COURSE			
Opt and Card	Condition	<b>Data Element or Section Name</b>	<b>Template ID</b>	<b>Specification Document</b>	<b>Vocabulary Constraint</b>
<b>Entries</b>					
R2[0..1]	HL7	Time of Death	2.16.840.1.113883.10.20.24.1. 3		

```

3285 <component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.7.3.1.3.23.1' />
<id root=' ' extension=' ' />
<code code='8648-8' displayName='HOSPITAL COURSE'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
<entry>
 :
 <!-- Required if known Time of Death element -->
 <templateId root='2.16.840.1.113883.10.20.24.1.3' />
 :
</entry>
3290 </section>
</component>
3295
3300

```

**Figure 6.3.3.10.2-1: Sample Coded Hospital Course Section***Add section 6.3.3.10.3 (added 2013-09 from the QRPH HW supplement).*

3305

**6.3.3.10.3 Resources to Support Goals Section 1.3.6.1.4.1.19376.1.7.3.1.3.24.1****Table 6.3.3.10.3-1: Resources to Support Goals Section**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.3.24.1	
<b>General Description</b>	The Resources to Support Goals Section shall contain a narrative description of the community, health, and wellness resources available or provided to the patient to support their care plan goals.	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
46802-5	R	Communication with community resources.knowledge

```

3310 <component>
<section>
<templateId root='1.3.6.1.4.1.19376.1.7.3.1.3.24.1' />
<id root=' ' extension=' ' />
<code code='46802-5' displayName='Communication with community resources.knowledge'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text>
 Text as described above
</text>
3315
3320 </section>
</component>

```

**Figure 6.3.3.10.3-1: Sample Resources to Support Goals Section***Add section 6.3.3.10.4 (added 2013-09 from the QRPH HW supplement).*

### 6.3.3.10.4 Healthy Weight Care Plan Section 1.3.6.1.4.1.19376.1.7.3.1.3.24.2

**Table 6.3.3.10.4-1: Healthy Weight Care Plan Section**

<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.3.24.2	
<b>Parent Template</b>	1.3.6.1.4.1.19376.1.5.3.1.3.31	
<b>General Description</b>	<p>The healthy weight care plan section shall contain a narrative description of the expectations for care for healthy weight management including proposals, goals, and order requests for monitoring, tracking, or improving the condition of the patient. The Healthy Weight care plan includes the following Goal Setting documentation:</p> <ul style="list-style-type: none"> <li>Identification of goals for behavior change (increasing healthy behaviors and/or decreasing unhealthy behaviors) that are appropriate for the patient based on discussion during the visit and patient-reported readiness to change.</li> <li>Messaging related to an ideal (targeted) level for the behavior</li> <li>Goal selection may be selected from structured lists or selected in an open-ended manner</li> <li>Documentation of barriers and supports to attaining selected goals, may be selected from structured lists or selected in an open-ended manner</li> <li>Monitoring of progress against goals set during previous visits</li> </ul>	
<b>LOINC Code</b>	<b>Opt</b>	<b>Description</b>
18776-5	R	PATIENT PLAN OF CARE

3325

```

<component>
 <section>
 <templateId root='2.16.840.1.113883.10.20.1.10' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.31' />
 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.3.24.2' />
 <id root=' ' extension=' ' />
 <code code='18776-5' displayName='PATIENT PLAN OF CARE'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 </section>
</component>

```

3330

3335

3340

**Figure 6.3.3.10.4-1: Sample Healthy Weight Care Plan Section**

*Replace the following section 6.3.3.10.5:*

### 6.3.3.10.5 Occupational Data for Health Section 1.3.6.1.4.1.19376.1.7.3.1.3.24.3

**Table 6.3.3.10.5-1: Occupational Data for Health Section**

<b>Template Name</b>	Occupational Data for Health				
<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.3.24.3				
<b>Parent Template</b>					
<b>General Description</b>	<p>The Occupational Data for Health section shall contain a narrative description of the person's employment status, retirement status, combat zone work, and usual occupation, as well as the person's history of employment. Employment information includes occupation and industry, supervisory level, and the employer's name and location. It should also include compensation and sector employment type and work schedule with hours per day and days per week, and may include job duties, occupational hazards information.</p> <p>When represented in a document containing a Social History section, the Occupational Data for Health section shall be encoded as a sub-section of the Social History section</p>				
<b>Section Code</b>	74166-0, LOINC, "Occupational Data for Health"				
<b>Author</b>	If not the author from the encompassing context, include author. Role and entity must be specified if not inherited.				
<b>Informant</b>	If not the informant from the encompassing context, include informant. Role and entity must be specified if not inherited.				
<b>Subject</b>	If not the subject from the encompassing context, include subject. Role and entity must be specified if not inherited.				
Opt and Card	Condition	Data Element or Section Name	Template ID	Specification Document	Vocabulary Constraint
<b>Entries</b>					
R2 [0..*]		History of Employment Status Observation	1.3.6.1.4.1.19376.1.7.3.1.4.24. 18	CDA Content Module: 6.3.4.64	
R2 [0..1]		Usual Occupation Observation	1.3.6.1.4.1.19376.1.7.3.1.4.24. 20	CDA Content Module: 6.3.4.69	
R2 [0..*]		Past or Present Occupation Observation	1.3.6.1.4.1.19376.1.7.3.1.4.24. 19	CDA Content Module: 6.3.4.66	
R2 [0..*]		Date of Retirement Observation	1.3.6.1.4.1.19376.1.7.3.1.4.24. 21	CDA Content Module: 6.3.4.bb	
R2 [0..*]		Combat Zone Period Observation	1.3.6.1.4.1.19376.1.7.3.1.4.24. 22	CDA Content Module: 6.3.4.cc	

3345

### 6.3.3.10.5.1 Occupational Data for Health Section < 74166-0>

[section: templateId 1.3.6.1.4.1.19376.1.7.3.1.3.24.3 (open) ]

3350

The Occupational Data for Health section describes all aspects of the subject's employment history. It may contain the history of employment status, the usual occupation (longest held occupation) and related observations, the self-identified date of retirement, any time periods spent working in a combat zone, and the job history.

1. **SHALL** contain exactly one [1..1] **templateId** such that it
  - a. **SHALL** contain exactly one [1..1]  
`@root="1.3.6.1.4.1.19376.1.7.3.1.3.24.3".`
- 3355 2. **SHALL** contain exactly one [1..1] **code/@code="74166-0"** Occupational Data (CodeSystem: LOINC 2.16.840.1.113883.6.1).
3. **SHALL** contain exactly one [1..1] **title**.
4. **SHALL** contain exactly one [1..1] **text**.
- 3360 5. **SHOULD** contain zero or more [0..\*] History of Employment Status Observation (1.3.6.1.4.1.19376.1.7.3.1.4.24.18) **entry**
6. **SHOULD** contain at least one [1..1] Usual Occupation Observation (1.3.6.1.4.1.19376.1.7.3.1.4.24.20) **entry**
7. **SHOULD** contain at least one [1..\*] Past or Present Occupation Observation (1.3.6.1.4.1.19376.1.7.3.1.4.24.19) **entry**
- 3365 8. **SHOULD** contain zero or one [0..\*] Date of Retirement Observation (1.3.6.1.4.1.19376.1.7.3.1.4.24.21) **entry**
9. **SHOULD** contain zero or more [0..\*] Combat Zone Period Observation (1.3.6.1.4.1.19376.1.7.3.1.4.24.22)

```

3370 <section>
...
3375 <!-- Sub section for Occupational Data For Health -->
<component>
 <section>
 <templateId root="2.16.840.1.113883.10.20.22.2.17"/>
 <!-- ODH SECTION TEMPLATE ID-->
 <templateId root="1.3.6.1.4.1.19376.1.7.3.1.3.24.3"/>
 <code code="74166-0" codeSystem="2.16.840.1.113883.6.1"
codeSystemVersion="0" codeSystemName="LOINC" displayName="Occupational
3380 Data for Health"/>
 <text>...</text>
 <entry>
 :
3385 <!--HISTORY OF EMPLOYMENT STATUS OBSERVATION ENTRY TEMPLATE
ID-->
 <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.24.18"/>
 :
3390 <!-- USUAL OCCUPATION OBSERVATION ENTRY TEMPLATE ID-->
 <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.24.20"/>
 :
 <!--PAST OR PRESENT OCCUPATION OBSERVATION ENTRY TEMPLATE
ID-->
3395 <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.24.19"/>
 :
 <!--DATE OF RETIREMENT OBSERVATION ENTRY TEMPLATE ID-->
 <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.24.21"/>
 :
 <!--COMBAT ZONE PERIOD OBSERVATION ENTRY TEMPLATE ID-->
 <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.24.22"/>
 :
 </entry>
 </section>
</component>
...
</section>

```

**Figure 6.3.3.10.5-1: Occupational Data for Health Section example****3410 6.3.4 CDA Entry Content Modules****Please note:** Sections 6.3.4.1 through 6.3.4.24 are defined in IHE PCC TF-2: 6.3.4.*Add Section 6.3.4.25*

### 6.3.4.25 Family History Observation 1.3.6.1.4.19376.1.5.3.1.4.13.3

3415 A family history observation is a [Simple Observation](#) that uses a specific vocabulary, and inherits constraints from CCD<sup>®</sup><sup>5</sup>. Family history observations are found inside [Family History Organizers](#).

#### 6.3.4.25.1 Standards

CCD [ASTM/HL7 Continuity of Care Document](#)

#### 6.3.4.25.2 Parent Template

3420 The parent of this template is [Simple Observation](#). This template is compatible with the ASTM/HL7 Continuity of Care Document template: 2.16.840.1.113883.10.20.1.22

#### 6.3.4.25.3 Specification

```
<observation typeCode='OBS' moodCode='EVN'>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.3'>
<templateId root='2.16.840.1.113883.10.20.1.22'>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.3'>
<id root=' ' extension=' '/>
<code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' ' />
<text><reference value="#xxx"/></text>
<statusCode code='completed'/>
<effectiveTime value=' '/>
<repeatNumber value=' '/>
<value xsi:type='CD' .../>
<interpretationCode code=' ' codeSystem=' ' codeSystemName=' ' />
<methodCode code=' ' codeSystem=' ' codeSystemName=' ' />
<targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />
</observation>
```

Figure 6.3.4.25.3-1: Family History Specification

#### 6.3.4.25.4 <templateId root='2.16.840.1.113883.10.20.1.22'> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.3'>

3440 The <templateId> elements identify this observation as a family history observation, and shall be present as shown above.

#### 6.3.4.25.5 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' ' />

3445 The <code> indicates the type of observation made (e.g., Diagnosis, et cetera). See the code element in the Problem Entry for suggested values.

#### 6.3.4.25.6 <value xsi:type='CD' code=' ' displayName=' ' codeSystem=' ' codeSystemName=' ' />

The <value> element indicates the information (e.g., diagnosis) of the family member. See the value element in the Problem Entry for suggested values.

<sup>5</sup> CCD is the registered trademark of Health Level Seven International.

3450

*Add Section 6.3.4.26*

**6.3.4.26 Pregnancy History Organizer 1.3.6.1.4.1.19376.1.5.3.1.4.13.5.1**

Defined in IHE PCC TF-2.

3455

*Add Section 6.3.4.27*

**6.3.4.27 EDD Observation 1.3.6.1.4.1.19376.1.5.3.1.11.2.3.1**

3460

The EDD observation reflects the clinician's best judgment about the estimated delivery date of the patient. It can be supported by patient history (e.g., last menses or quickening), physical examination findings (uterine size), or Ultrasound. The observation is a Simple Observation with a supporting entryRelation of another Observation. The supporting observation may in turn have an entryRelation that gives the original observation as a gestational age or date from which the estimated due date is calculated.

### 6.3.4.27.1 Specification

```

3465 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1' />
 <statusCode code='completed' />
 <effectiveTime value=' ' />
 <author typeCode='AUT'>
 <time value=' ' />
 <assignedAuthor>
 <id root=' ' extension=' ' />
 </assignedAuthor>
 </author>
 <id root=' ' extension=' ' />
 <code code='11778-8' displayName='DELIVERY DATE-TMSTP-PT-^PATIENT-QN-CLINICAL-ESTIMATED' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text><reference value='id-foo' /></text>
3480 <value xsi:type='TS' value=' ' />
 <entryRelationship typeCode='SPRT'>
 <observation classCode='OBS' moodCode='EVN'>
 <id root=' ' extension=' ' />
 <statusCode code='completed' />
 <effectiveTime value=' ' />
 <author typeCode='AUT'>
 <time value=' ' />
 <assignedAuthor classCode=' ' />
 <id root=' ' extension=' ' />
 </assignedAuthor>
 </author>
 <code code='[11779-6] (xx-EDD-by-PE) | 11781-2 | (xx-EDD-by-Qck) | (xx-EDD-by-Fund)' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <value type='TS' value=' ' />
 <entryRelationship typeCode='DRIV'>
 <observation classCode='OBS' moodCode='EVN'>
 <id root=' ' extension=' ' />
 <statusCode code='completed' />
 <effectiveTime value=' ' />
 <author typeCode='AUT'>
 <time value=' ' />
 <assignedAuthor>
 <id root=' ' extension=' ' />
 </assignedAuthor>
 </author>
 <informant typeCode='INF'>
 <relatedEntity classCode=' ' />
 <id root=' ' extension=' ' />
 </relatedEntity>
 </informant>
 <code code='[8655-2] (xx-ga-by-pe) | 11888-5 | (xx-date-of-qck) | (xx-date-of-fund-umb)' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <value type='[PQ|TS]' value=' ' units='week' />
 </observation>
 </entryRelationship>
 </observation>
 </entryRelationship>
</observation>

```

### 3520 6.3.4.27.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1' />

The <templateId> identifies the observation as a type of Estimated Delivery Date Observation. The root attribute SHALL be valued with '1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1'.

**6.3.4.27.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13'>**

3525 EDD observation SHALL comply with the restrictions of the Simple Observation entry. The observation SHALL NOT include repeatNumber, interpretationCode, methodCode, or targetSiteCode as listed below.

**6.3.4.27.4 <code code='11778-8' codeSystem='2.16.840.1.113883.6.1'>**

3530 The <code> element indicates that this is a "clinically estimated" estimated delivery date (for example, this code is used to represent the field on the last line of the EDD section of the ACOG form). This code SHALL be the LOINC code 11778-8. It is good style to include the displayName and codeSystemName to help debugging.

**6.3.4.27.5 <value xsi:type='TS' value=' ' >**

The value of the EDD SHALL be represented as a point in time.

**6.3.4.27.6 <author typeCode='AUT'><assignedAuthor><id root=' ' extension=' /></assignedAuthor></author>**

3535 There may be multiple clinicians following the patient and authoring the overall document, however the EDD observation has an individual author. For CDA based content, this author SHALL be listed in the CDA header and referenced from the entry by including the id element of the assignedAuthor. For HL7 Version 3 Messages based content, the author SHALL be included in full through this element.

3540

**6.3.4.27.7 <author typeCode='AUT'><time value=' '/></author>**

The author.time is used to record the time that the author recorded the observation. It SHALL be included.

**6.3.4.27.8 <entryRelationship typeCode='SPRT'>**

3545 The <entryRelationship> element binds the clinicians estimated EDD to supporting observations by different methods. Supporting observations SHOULD be included. If included, the typeCode SHALL be 'SPRT'. For HL7 Version 3 Messages based content, the element name is <sourceOf> rather than <entryRelationship>, however the semantics, typeCode, and nested elements remain unchanged.

3550

**6.3.4.27.9 <observation>**

**<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13'>**

:

**</observation> [1st nesting]**

3555

Observations that support the clinical observation SHALL be included if known. These observations are the supporting calculated dates from various methods such as ultrasound dates or dates calculated from LMP (i.e., the left column of fields on the ACOG form). Supporting observations SHALL also conform to the simple observation template. Supporting observations MAY include a different effectiveTime, author, or informant. Supporting observations SHALL

- 3560 NOT include repeatNumber, interpretationCode, methodCode, or targetSiteCode. (Method is implied by the LOINC code). The templateId SHALL be valued as  
‘1.3.6.1.4.1.19376.1.5.3.1.4.13’

#### **6.3.4.27.10 <code code=' ' codeSystem='2.16.840.1.113883.6.1'> [1st nesting]**

Supporting observations SHALL include one of following LOINC values to indicate the method used to calculate the EDD.

Code	Description
11779-6	Delivery date Estimated from last menstrual period
(xx-EDD-by-PE)	DELIVERY DATE-TMSTP-PT-^PATIENT-QN-ESTIMATED FROM CLINICIANS PHYSICAL EXAM
11781-2	Delivery date composite estimate
57063-0	Delivery date Estimated from quickening date
57064-8	Delivery date Estimated from date fundal height reaches umb

3565

#### **6.3.4.27.11 <entryRelationship typeCode='DRIV'>**

Observations of supporting EDD should provide observations from which they were derived such as the patient’s last menses, or gestational age value at a point in time.

- 3570 For HL7 Version 3 Messages based content, the element name is <sourceOf> rather than <entryRelationship>, however the semantics, typeCode, and nested elements remain unchanged.

#### **6.3.4.27.12 <observation>     <templateId root=' '/>     :     </observation> [2st nesting]**

- 3575 Observations that support the calculation of supporting observation SHALL be included if known. These observations are the supporting dates or ages from various methods such as ultrasound gestational age or the date of last Menses (for example, the right column of fields on the ACOG form). Supporting observations SHALL also conform to the simple observation template. Supporting observations MAY include a different effectiveTime, author, or informant.  
3580 Supporting observations SHALL NOT include repeatNumber, interpretationCode, methodCode, or targetSiteCode. (Method is implied by the LOINC code)

#### **6.3.4.27.13 <code code=' ' codeSystem='2.16.840.1.113883.6.1'> [2nd nesting]**

- This code is used to represent the either the relevant date, or the gestational age observation from which the EDD is derived. The following table lists the relevant LOINC codes for methods used.  
3585 For observations that record the gestational age the value is recorded as a physical quantity (PQ) with the units of weeks and the activity time should be recorded to indicate the date at which the gestational age was observed. For observations that simply record a date (e.g., LMP) the observation value is recorded as a point in time (TS).

Code	Description	Type
8655-2	DATE LAST MENSTRUAL PERIOD-TMSTP-PT-^PATIENT-QN-REPORTED	TS
11884-4	GESTATIONAL AGE-TIME-PT-^FETUS-QN-ESTIMATED FROM CLINICIANS PHYSICAL EXAM M	PQ
11888-5	Gestational age composite estimate	PQ
57065-5	Quickening date	TS
57066-3	Date fundal height reaches umbilicus	TS

3590 **6.3.4.27.14 <repeatNumber value=' '/> <interpretationCode code=' ' codeSystem=' '/> <targetSiteCode code=' ' codeSystem=' '/>**

The <repeatNumber> <interpretationCode>, and <targetSiteCode> elements should not be present in an EDD observation.

3595 *Add Section 6.3.4.28*

### **6.3.4.28 Antepartum Visit Summary Battery 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2**

This entry describes a single row in the Antepartum Visit Summary Flowsheet. The single observation date and provider is applied to all other observations.

#### **6.3.4.28.1 Specification**

```

3600 <entry>
 <organizer classCode='BATTERY' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2' />
 <id root=' ' extension=' ' />
 <code code='57061-4' displayName='Antepartum flowsheet panel'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <statusCode code='completed' />
 <author>
 <time value=' ' />
 <assignedAuthor>
 <id root=' ' extension=' ' />
 </assignedAuthor>
 </author>
 <component>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 <component>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 :
 </organizer>
</entry>

```

**6.3.4.28.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2'>**

- 3630 The <templateId> element specifies that this organizer entry conforms to the APS Profile Antepartum Visit Summary Flowsheet battery. The root attribute SHALL contain the value "1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2"

**6.3.4.28.3 <organizer classCode='BATTERY' moodCode='EVN'>**

- 3635 Each row in the visit Summary flowsheet of the Antepartum Summary SHALL be represented by an organizer with the classCode of 'BATTERY' and the moodCode of 'EVN'

**6.3.4.28.4 <id root=' ' extension=' '/>**

Each battery SHALL have a globally unique identifier.

**6.3.4.28.5 <code code='(57061-4)' codeSystem='2.16.840.1.113883.6.1'>**

- 3640 The <code> element specifies the LOINC code that represents the content of the battery. The codeSystem attribute SHALL contain the value '2.16.840.1.113883.6.1'. The code attribute SHALL contain the value='(57061-4)'. It is good practice to include displayName and codeSystemName for clarity and debugging. The corresponding values are 'ACOG VISIT SUMMARY BATTERY--PT--' and 'LOINC' respectively.

**6.3.4.28.6 <author/><time/><assignedAuthor><id/></assignedAuthor></author>**

- 3645 The <author> relation element points at the author that records the visit battery. This assignedAuthor may be different than the author of the document. The time element is used to record when the assigned author recorded the battery.

**6.3.4.28.7 <statusCode code='completed'>**

The status code for all batteries SHALL be 'completed'

**3650 6.3.4.28.8 <component>**

The battery is made of several component simple observations. The following table lists the allowable LOINC codes, displayNames, and observation types, and unit of measures for these observations.

<b>LOINC Code</b>	<b>displayName</b>	<b>xsi:type</b>	<b>units</b>	<b>value set</b>
11884-4	Gestational age Clinical.estimate	PQ	week	
57067-1 or 11727-5 (by US)	Fetal Body weight Estimated by palpation or Fetal weight estimated by US	PQ	g, kg, lb_av, or oz_av	
11881-0	Uterus Fundal height Tape measure	PQ	cm	

<b>LOINC Code</b>	<b>displayName</b>	<b>xsi:type</b>	<b>units</b>	<b>value set</b>
11876-0 (by PE) or 11877-8 (by US)	Fetal presentation by palpitation or Fetal presentation US	CD		SNOMED CT Vertex (70028003) Breech (6096002) Transverse (73161006) Oblique (63750008) Compound (124736009) Brow (8014007) Face (21882006)
11948-7 or 57068-9	Fetal Heart rate US or Fetal Heart rate Auscultation	PQ	/min	
57088-7	Fetal Movement - Reported	CO		SNOMED CT fetal movement activity (finding) CID 364755008 baby kicks a lot (finding) CID 276368003 baby not moving (finding) CID 276370007 reduced fetal movement (finding) CID 276369006 fetal movements present (finding) CID 289431008 fetal movements felt (finding) CID 268470003 fetal movements seen (finding) CID 169731002
57069-7	Preterm labor symptoms	BL		
11709-7 or 11785-3	DILATION-LEN-PT- CERVICAL CANAL.external os -QN-PALPATION or DILATION-LEN-PT- CERVICAL CANAL.external os-QN-US	PQ	cm	
11867-9	Effacement Cervix by palpitation	PQ	percent	
11961-0	Cervix [Length] US	PQ	cm	
8480-6	Systolic blood pressure	PQ	mmHg	
8462-4	Diastolic blood pressure	PQ	mmHg	
3141-9	Body weight Measured	PQ	g, kg, lb_av, or oz_av	
1753-3	Albumin [Presence] in Urine	CO		SNOMED CT Negative (finding) CID 167273002 Trace (finding) CID 167274008 1+ (finding) CID 167275009

<b>LOINC Code</b>	<b>displayName</b>	<b>xsi:type</b>	<b>units</b>	<b>value set</b>
				2+ (finding) CID 167276005 3+ (finding) CID 167277001 4+ (finding) CID 167278006
2349-9 or 25428-4(test strip)	Glucose [Presence] in Urine or Glucose [Presence] in Urine by Test strip	CO		SNOMED CT Negative (finding) CID 167261002 Trace (finding) CID 167262009 1+ (finding) CID 167264005 2+ (finding) CID 167265006 3+ (finding) CID 167266007 4+ (finding) CID 167267003
44966-0	Edema	CO		SNOMED CT Trace 44996-0 1+ pitting edema 420829009 2+ pitting edema 421605005 3+ pitting edema 421346005 4+ pitting edema 421129002
38208-5	Pain severity - Reported	CO		0 (no pain) : 10 (worst possible pain) Note: This observation should correspond to the functional status <a href="#">pain score observation</a>
57070-5	Date next clinic visit	PQ	day,week,mo	
48767-8	Annotation comment	ED		

3655

Add Section 6.3.4.29

**6.3.4.29 Advance Directive Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.7**

An advance directive observation is a simple observation that uses a specific vocabulary, and inherits constraints from CCD.

3660

### 6.3.4.29.1 Standards

**CCD** [ASTM/HL7 Continuity of Care Document](#)

#### 6.3.4.29.2 Specification

```
<observation typeCode='OBS' moodCode='EVN'>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
<templateId root='2.16.840.1.113883.10.20.1.17' />
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.7' />
<id root=' ' extension=' '/>
<code code=' ' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />
<text><reference value='#xxx' /></text>
<statusCode code='completed' />
<effectiveTime value=' ' />
<value xsi:type='BL' value='true|false' />
<reference typeCode='REFR'>
<templateId root='2.16.840.1.113883.10.20.1.36' />
<externalDocument classCode='DOC' moodCode='EVN'>
<id root=' ' extension=' '/>
<text><reference value=' ' /></text>
</externalDocument>
</reference>
</observation>
```

3665

3670

3675

3680

An advanced directive <observation> shall be represented as shown above. They shall not contain any <repeatNumber>, <interpretationCode>, <methodCode> or <targetSiteCode> elements.

#### 6.3.4.29.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />

3685

<templateId root='2.16.840.1.113883.10.20.1.17' />

<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.7' />

The <templateId> elements shown above shall be present, and indicated that this is an Advance Directive entry.

3690

#### 6.3.4.29.4 <code code=' ' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />

The <code> element records the type of advance directive. It should use one of the following SNOMED codes in the table below.

Code	Description	Data Type
304251008	Resuscitation	BL
52765003	Intubation	
225204009	IV Fluid and Support	
89666000	CPR	
281789004	Antibiotics	
78823007	Life Support	
61420007	Tube Feedings	

Code	Description	Data Type
116859006	Transfusion of blood product	
71388002	Other Directive	<value> not permitted

3695    **6.3.4.29.5 <value xsi:type='BL' value='true|false'>**

The advance directive observation may include a <value> element using the Boolean (xsi:type='BL') data type to indicate simply whether the procedure described is permitted. Absence of the <value> element indicates that an advance directive of the specified type has been recorded, and must be examined to determine what type of treatment should be performed.

3700    The value element is not permitted when the <code> element describes an Other directive.

**6.3.4.29.6 <reference typeCode='REFR'>**

```

<templateId root='2.16.840.1.113883.10.20.1.36'>
<externalDocument classCode='DOC' moodCode='EVN'>
<id root=' ' extension=' '/>
<text><reference value=' '/></text>

```

3705    The advanced directive observation may contain a single reference to an external document. That reference shall be recorded as shown above. The <id> element shall contain the appropriate root and extension attributes to identify the document. The <text> element may be present to provide a URL link to the document in the value attribute of the <reference> element. If the <reference> element is present, the Advance Directive in the narrative shall contain a <linkHTML> element to the same URL found in the value attribute.

*Add Section 6.3.4.30*

**6.3.4.30 Blood Type Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.6**

3715    The blood type observation is a Simple Observation of the patient's blood type. It conforms to the CCD Result observation template.

**6.3.4.30.1 Standards**

CCD [ASTM/HL7 Continuity of Care Document](#)

**6.3.4.30.2 Specification**

```

3720 <observation typeCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.6' />
 <templateId root='2.16.840.1.113883.10.20.1.31' />
 <id root=' ' extension=' '/>
 <code code='882-1' displayName='ABO+RH GROUP'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text><reference value='#xxx' /></text>
 <statusCode code='completed' />
 <effectiveTime value=' ' />
 <repeatNumber value=' ' />
 <value xsi:type='CE' code=' ' displayName=' ' codeSystem=' ' codeSystemName=' ' />
 <interpretationCode code=' ' codeSystem=' ' codeSystemName=' ' />
 <methodCode code=' ' codeSystem=' ' codeSystemName=' ' />
 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />
<observation>

```

**6.3.4.30.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />**  
**<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.6' />**  
**<templateId root='2.16.840.1.113883.10.20.1.31' />**

3740 These <templateId> elements identify this as a blood type observation. They shall be present in the <observation> element as shown above.

**6.3.4.30.4 <code code='882-1' displayName='ABO+RH GROUP'**  
**codeSystem='2.16.840.1.113883.6.1'**  
**codeSystemName='LOINC' />**

3745 The <code> element shall be present to represent this as a finding of the patient's composite blood type. It shall use the code and codeSystem attributes shown above.

**6.3.4.30.5 <repeatNumber value=' ' />**

The <repeatNumber> element should not be present in a blood type observation.

**6.3.4.30.6 <value xsi:type='CE' code=' ' displayName=' '**  
**codeSystem=' ' codeSystemName=' ' />**

3750 The <value> element shall be present and shall use the CE data type. The code attribute should be valued using a vocabulary that supports encoding of blood types. The table below shows some coding systems that may be used to encode blood type.

Coding System	OID
ISBT 128	2.16.840.1.113883.6.18
SNOMED CT	2.16.840.1.113883.6.96

3755

**6.3.4.30.7 <interpretationCode code=' ' codeSystem=' ' codeSystemName=' '/>  
                  <methodCode code=' ' codeSystem=' '  
                  codeSystemName=' '/>                  <targetSiteCode code=' '  
                  codeSystem=' ' codeSystemName=' '/>**

3760

The <interpretationCode>, <methodCode>, and <targetSiteCode> should not be present in a blood type observation.

*Add Section 6.3.4.31*

3765    **6.3.4.31 Encounters 1.3.6.1.4.1.19376.1.5.3.1.4.14**

An Encounter is an interaction between a patient and care provider(s) for the purpose of providing healthcare-related service(s). Healthcare services include health assessment.

3770    Examples: outpatient visit to multiple departments, home health support (including physical therapy), inpatient hospital stay, emergency room visit, field visit (e.g., traffic accident), office visit, occupational therapy, or telephone call.

**6.3.4.31.1 Standards**

CCD [ASTM/HL7 Continuity of Care Document](#)

**6.3.4.31.2 Specification**

```

3775 <encounter classCode='ENC' moodCode='PRMS|ARQ|EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.14' />
 <templateId root='2.16.840.1.113883.10.20.1.21' />
 <templateId root='2.16.840.1.113883.10.20.1.25' />
 <id root='' extension=''/>
 <code code='' codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActEncounterCode' />
 <text><reference value="#xxx"/></text>
 <effectiveTime>
 <low value=''/>
 <high value=''/>
 </effectiveTime>
 <priorityCode code=''/>
 <performer typeCode='PRF'>
 <time><low value=''/><high value=''/></time>
 <assignedEntity>...</assignedEntity>
 </performer>
 <author />
 <informant />
 <participant typeCode='LOC'>
 <participantRole classCode='SDLOC'>
 <id/>
 <code/>
 <addr>...</addr>
 <telecom value='' use=''/>
 <playingEntity classCode='PLC' determinerCode='INST'>
 <name></name>
 </playingEntity>
 </participantRole>
 </participant>
</encounter>

```

#### **6.3.4.31.2.1 <encounter classCode='ENC' moodCode='APT|ARQ|EVN'>**

3805 This element is an encounter. The classCode shall be 'ENC'. The moodCode may be PRMS to indicate a scheduled appointment, ARQ to describe a request for an appointment that has been made but not yet scheduled by a provider, or EVN, to describe an encounter that has already occurred.

#### **6.3.4.31.2.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.14'>**

3810 The templateId indicates that this <encounter> entry conforms to the constraints of this content module. NOTE: When the encounter is in event mood (moodCode='EVN'), this entry conforms to the CCD template 2.16.840.1.113883.10.20.1.21, and when in other moods, this entry conforms to the CCD template 2.16.840.1.113883.10.20.1.25.

#### **6.3.4.31.2.3 <id root=" extension="/">**

3815 This required element shall contain an identifier for the encounter. More than one encounter identifier may be present.

#### **6.3.4.31.2.4 <code code="" codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActEncounterCode' />**

3820 This required element should contain a code from the HL7 ActEncounterCode vocabulary describing the type of encounter (e.g., inpatient, ambulatory, emergency, et cetera). Developers should take care to check that rational combinations of encounter.code and encounter.moodCode are used, but this Technical Framework does not restrict any combination.

**6.3.4.31.2.5 <text><reference value="#xxx"/></text>**

The <text> element shall contain a reference to the narrative text describing the encounter.

**3825 6.3.4.31.2.6 <effectiveTime><low value="/"><high value="/"></effectiveTime>**

This element records the time over which the encounter occurred (in EVN mood), or the desired time of the encounter in ARQ or APT mood. In EVN or APT mood, the effectiveTime element should be present. In ARQ mood, the effectiveTime element may be present, and if not, the priorityCode may be present to indicate that a callback is required to schedule the appointment.

**3830 6.3.4.31.2.7 <priorityCode code='CS'>**

This element may be present in ARQ mood to indicate a callback is requested to schedule the appointment.

**6.3.4.31.2.8 <performer>**

For encounters in EVN mood, at least one performer should be present that identifies the provider of the service given during the encounter. More than one performer may be present. The <time> element should be used to indicate the duration of the participation of the performer when it is substantially different from that of the effectiveTime of the encounter. In ARQ mood, the performer may be present to indicate a preference for a specific provider. In APT mood, the performer may be present to indicate which provider is scheduled to perform the service.

**3840 6.3.4.31.2.9 <participant typeCode='LOC'>  
<participantRole classCode='SDLOC'>**

A <participant> element with typeCode='LOC' may be present to provide information about the location where the encounter is to be or was performed. This element shall have a <participantRole> element with classCode='SDLOC' that describes the service delivery location.

**3845 6.3.4.31.2.10 <id/>**

The <id> element may be present to identify the service delivery location.

**6.3.4.31.2.11 <code/>**

The <code> element may be present to classify the service delivery location.

**6.3.4.31.2.12 <addr>...</addr>**

3850 The <addr> element should be present, and gives the address of the location.

**6.3.4.31.2.13 <telecom value="" use="">**

The <telecom> element should be present, and gives the telephone number of the location.

**6.3.4.31.2.14 <playingEntity classCode='PLC'>**

3855      **<name>...</name>**  
**</playingEntity>**

The <playingEntity> shall be present, and gives the name of the location in the required <name> element.

*Add Section 6.3.4.32*

3860      **6.3.4.32 Update Entry 1.3.6.1.4.1.19376.1.5.3.1.4.16**

The update entry shall contain references to the entries or sections which are being replaced or updated. This reference shall not be present when the update entry is adding a new entries or sections.

3865      Entries and sections can be added, updated, or removed from a PHR. An update entry indicates the entry in the original PHR Extract that should be replaced or updated with new information contained within the entry. Only one organizer of this type is allowed in a section, and if present, it must be the first entry in the section.

**6.3.4.32.1 Specification**

3870      **<entry>**  
 3871          **<organizer classCode='BATTERY' moodCode='EVN'>**  
 3872          **<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.16' />**  
 3873          **<reference typeCode='RPLC'>**  
 3874            **<externalAct classCode='ACT' moodCode='EVN'>**  
 3875             **<id root='' extension=''/>**  
 3876            **</externalAct>**  
 3877            **</reference>**  
 3878          **</organizer>**  
 3879      **</entry>**

**6.3.4.32.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.16'>**

This templateId indicates that the organizer is used to update a PHR Extract.

**6.3.4.32.3 <reference typeCode='RPLC'>**

3885      A reference element shall be present with typeCode RPLC. The reference element lists the acts that are affected by the update. It indicates that any referenced act is being replaced with new information. This element must be present, and may be repeated to replace more than one act at a time.

**6.3.4.32.4 <externalAct classCode='ACT' moodCode='EVN'>**

3890      This element must appear as shown above. It indicates that the reference is to an external act (a section or entry contained in the parent document).

**6.3.4.32.5 <id root=' ' extension=' '/>**

This element identifies the information being replaced or updated. The identifier is of the entry or section being replaced. If the identifier is to a section being replaced, only one reference element is permitted.

Add Section 6.3.4.33

**6.3.4.33 Procedure Entry 1.3.6.1.4.1.19376.1.5.3.1.4.19**

The procedure entry is used to record procedures that have occurred, or which are planned for in the future.

**6.3.4.33.1 Standards**CCD [ASTM/HL7 Continuity of Care Document](#)**6.3.4.33.2 Specification**

```

<procedure classCode='PROC' moodCode='EVN|INT'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />
 <templateId root='2.16.840.1.113883.10.20.1.29' /><!-- see text of section 0 -->
 <templateId root='2.16.840.1.113883.10.20.1.25' /><!-- see text of section 0 -->
 <id root=' ' extension=' '/>
 <code code='' codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActCode' />
 <text><reference value='#xxx' /></text>
 <statusCode code='completed|active|aborted|cancelled' />
 <effectiveTime>
 <low value=' '/>
 <high value=' '/>
 </effectiveTime>
 <priorityCode code=' '/>
 <approachSiteCode code='' displayName='' codeSystem='' codeSystemName='' />
 <targetSiteCode code='' displayName='' codeSystem='' codeSystemName='' />
 <author />
 <informant />
 <entryRelationship typeCode='COMP' inversionInd='true'>
 <act classCode='ACT' moodCode=''>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.4.1' />
 <id root=' ' extension=' '/>
 </act>
 </entryRelationship>
 <entryRelationship typeCode='RSON'>
 <act classCode='ACT' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.4.1' />
 <id root=' ' extension=' '/>
 </act>
 </entryRelationship>
</procedure>

```

**6.3.4.33.2.1 <procedure classCode='PROC' moodCode='EVN|INT'>**

This element is a procedure. The classCode shall be 'PROC'. The moodCode may be INT to indicate a planned procedure or EVN, to describe a procedure that has already occurred.

**6.3.4.33.2.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19'>**

3940 The templateId indicates that this <procedure> entry conforms to the constraints of this content module. NOTE: When the procedure is in event mood (moodCode='EVN'), this entry conforms to the CCD template 2.16.840.1.113883.10.20.1.29, and when in intent mood, this entry conforms to the CCD template 2.16.840.1.113883.10.20.1.25.

**6.3.4.33.2.3 <id root=" extension="/>**

This required element shall contain an identifier for the procedure. More than one procedure identifier may be present.

3945 **6.3.4.33.2.4 <code code="" displayName="" codeSystem="" codeSystemName="" />**

This element shall be present, and should contain a code describing the type of procedure.

**6.3.4.33.2.5 <text><reference value="#xxx"/></text>**

The <text> element shall contain a reference to the narrative text describing the procedure.

**6.3.4.33.2.6 <statusCode code='completed|active|aborted|cancelled' />**

3950 The <statusCode> element shall be present when used to describe a procedure event. It shall have the value 'completed' for procedures that have been completed, and 'active' for procedures that are still in progress. Procedures that were stopped prior to completion shall use the value 'aborted', and procedures that were cancelled before being started shall use the value 'cancelled'.

**6.3.4.33.2.7 <effectiveTime><low value="/"><high value="/"></effectiveTime>**

3955 This element should be present, and records the time at which the procedure occurred (in EVN mood), or the desired time of the procedure in INT mood.

**6.3.4.33.2.8 <priorityCode code="/" />**

This element shall be present in INT mood when effectiveTime is not provided, it may be present in other moods. It indicates the priority of the procedure.

3960 **6.3.4.33.2.9 <approachSiteCode code="" displayName="" codeSystem="" codeSystemName="" />**

This element may be present to indicate the procedure approach.

**6.3.4.33.2.10 <targetSiteCode code="" displayName="" codeSystem="" codeSystemName="" />**

3965 This element may be present to indicate the target site of the procedure.

#### **6.3.4.33.2.11 <entryRelationship typeCode='COMP' inversionInd='true'>**

This element may be present to point the encounter in which the procedure was performed, and shall contain an internal reference to the encounter. See PCC TF-2: 6.3.4.10 Internal References for more details.

3970    **6.3.4.33.2.12 <entryRelationship typeCode='RSON'>**

A <procedure> act may indicate one or more reasons for the procedure. These reasons identify the concern that was the reason for the procedure via an Internal Reference (see PCC TF-2: 6.3.4.10 Internal References) to the concern. The extension and root of each observation present must match the identifier of a concern entry contained elsewhere within the CDA document.

3975

*Add Section 6.3.4.34*

#### **6.3.4.34 Transport 1.3.6.1.4.1.19376.1.5.3.1.1.10.4.1**

Defined in IHE PCC TF-2:6.3.4.34

3980

*Add Section 6.3.4.35*

#### **6.3.4.35 Encounter Disposition 1.3.6.1.4.1.19376.1.5.3.1.1.10.4.2**

This element records the intended or actual disposition for the patient (e.g., admit, discharge home after treatment, et cetera).

### 6.3.4.35.1 Specification

```

3985 <act classCode='ACT' moodCode='INT|EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.2' />
 <id root='' extension=''/>
 <code code='' displayName='' codeSystem='' codeSystemName='' />
3990 <text><reference value='#xxx' /></text>
 <statusCode code='normal|completed' />
 <effectiveTime value=''/>
 <performer typeCode='PRF'>
 <assignedEntity>
 <id root='' extension=''/>
 <addr></addr>
 <telecom value='' use=''/>
 <assignedPerson>
 <name></name>
 </assignedPerson>
4000 </assignedEntity>
 </performer>
 <participant typeCode='RCV'>
 <time value=''/>
4005 <participantRole classCode='ROL'>
 <id root='' extension=''/>
 <addr></addr>
 <telecom value='' use=''/>
 <playingEntity>
 <name></name>
 </playingEntity>
4010 </participantRole>
 </participant>
 <entryRelationship typeCode='COMP'>
 <act classCode='ACT'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.1' />
4015 :
 </act>
 </entryRelationship>
</act>

```

#### 4020 6.3.4.35.1.1 <act classCode='ACT' moodCode='INT|EVN'>

The disposition is recorded in an act element, to describe the disposition action taken during the encounter<sup>1</sup>. In intent mood (moodCode='INT'), this records the expected disposition of the patient. In event mood (moodCode='EVN'), this records the actual disposition.

<sup>1</sup> The HL7 RIM allows this portion of the encounter to be recorded in the dischargeDispositionCode RIM Attribute of the Encounter class, but the Encounter class is constrained within CDA. To record the disposition act therefore requires the use of the Act class.

#### 4025 6.3.4.35.1.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.2' />

The templateId indicates that this <encounter> entry conforms to the constraints of this content module.

#### 6.3.4.35.1.3 <id root=" extension=" />

This required element shall contain an identifier.

- 4030 **6.3.4.35.1.4 <code code="" displayName="" codeSystem="" codeSystemName="" />**  
This required element indicates the disposition of the patient. The code shall come from a coding system that is able to record common patient dispositions (e.g., Discharged, Transferred, Admitted). The "Administrative Procedure" concept (14734007) of SNOMED CT contains several code values that cover a wide variety of dispositions routinely recorded. Other vocabularies that are commonly in use to describe discharge disposition codes are DEEDS (see section 8.02), and in the US, the Uniform National Billing Code.
- 4035

- 6.3.4.35.1.5 <text><reference value="#xxx"/></text>**  
The <text> element shall contain a reference to the narrative text describing the disposition of the patient. <statusCode code='normal|completed' /> When the disposition act has occurred (moodCode='EVN'), the statusCode element shall be present, and shall contain the value 'completed'. When the disposition act is intended (moodCode='EVN') the statusCode element shall contain the value 'normal'.

- 4040 **6.3.4.35.1.6 <effectiveTime><low value="/" /><high value="/" /><effectiveTime/>**  
When the disposition has occurred, this element shall be sent, and indicates the effective time for the disposition process. This element may be sent to record when the disposition act is intended to occur. The <low> element records the time at which the disposition process was started. The <high> value records the time at which the disposition process was completed.

- 4045 **6.3.4.35.1.7 <performer typeCode='PRF' />**  
The <performer> element provides information about the person that performs the disposition, admission or transfer of the patient. When the disposition is in intent mood, this element describes any expectations with respect to the performer, and is optional. When the disposition is in event mood, this element is required.

- 6.3.4.35.1.8 <assignedEntity>**  
The <assignedEntity> element identifies the performer of the disposition.
- 4055 **6.3.4.35.1.9 <id root=" extension="/" />**  
The <id> element shall be sent when the disposition has occurred, and identifies the performer of the act.

- 6.3.4.35.1.10 <addr></addr>**  
The <addr> element may be sent to provide a contact postal address for the performer of the disposition.

- 6.3.4.35.1.11 <telecom value=" use="/" />**  
The <telecom> element may be sent to provide a contact postal address for the performer of the disposition.

#### **6.3.4.35.1.12 <assignedPerson><name/></assignedPerson>**

4065 The <assignedPerson> element shall be sent to identify the person who performed the disposition of the patient.

#### **6.3.4.35.1.13 <participant typeCode='RCV'>**

```
<time value="/" />
<participantRole classCode='ROL'>
<id root=" extension="/" />
<addr></addr>
<telecom value=" use="/" />
<playingEntity><name/></playingEntity>
```

4070

This element identifies the person or organization that is receiving the patient. =====

4075

```
<entryRelationship typeCode='COMP' />
<act classCode='ACT'>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.1' /> If the disposition of the patient requires transport to another location, this information shall be recorded in a subordinate act that conforms to the Transport template described above.
```

4080

*Add Section 6.3.4.36*

#### **6.3.4.36 Reserved for Coverage Activity**

Not yet defined in IHE PCC TF-2: 6.3.4

4085

*Add Section 6.3.4.37*

#### **6.3.4.37 Reserved for Payer Entry**

Not yet defined in IHE PCC TF-2: 6.3.4

*Add Section 6.3.4.38*

4090

*Section 6.3.4.38.4 updated by CP PCC 0209*

#### **6.3.4.38 Pain Score Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.1**

The pain score observation is a [Simple Observation](#) that records the patient's assessment of their pain on a scale from 0 to 10.

##### **6.3.4.38.1 Parent Template**

4095

The parent of this template is [Simple Observation](#).

### 6.3.4.38.2 Specification

```

<observation typeCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 <id root=' ' extension=' ' />
 <code code='38208-5|38221-8|38214-3' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'>
 <translation code='406127006' displayName='Pain intensity'
 codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />
 </code>
 <text><reference value='#xxx' /></text>
 <statusCode code='completed' />
 <effectiveTime value=' ' />
 <repeatNumber value=' ' />
 <value xsi:type='CO|REAL' />
 <interpretationCode code= codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />
 <methodCode code=' ' codeSystem=' ' codeSystemName=' ' />
 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />
</observation>

```

4100

4105

4110

4115

### 6.3.4.38.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />

The <templateId> identifies this as a Pain Score Observation, and shall be present as shown above.

4120

### 6.3.4.38.4 <code code='38208 5' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'>

<translation code='406127006' displayName='Pain intensity' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />

4125

The <code> element indicates what kind of pain observation was made. It shall contain the code and codeSystem attribute values shown above. The <translation> element may be present, and provides a mapping to SNOMED CT of the observation. If present, shall have the code and codeSystem attribute values shown above. 38208-5 is used for example purposes. Any of the following codes can be used 38208-5|38221-8|38214-3

Code	Data Type	Description
38208-5	CO	A Pain Score made using the Numerical Rating Scale (NRS), where pain is assessed on a scale from 0 to 10. -->>The code system to use for this observation<<--

4130

### 6.3.4.38.5 <value xsi:type='CO' value=' ' />

The <value> element records the assessed pain score. If using the NRS the pain is assessed using coded ordinal values that range from 0 to 10. The use of the coded ordinal type is required because while pain assessments are ordered values, and can be compared, the differences between two pain assessment values cannot be compared, and so these values are not really numbers.

4135 Null flavors may be used when clinical values are not present or available. The applicable null flavors SHALL be from the following subset of the HL7 v3 value set:

- UNK – Unknown
- NI – No Information
- NA – Not applicable

4140

- OTH – Other
- NASK – Not asked
- ASKU – asked but unknown
- MSK – Masked
- NAV - Temp unavailable

4145 **6.3.4.38.6 <interpretationCode**  
**code='301379001|40196000|76948002|67849003'**  
**codeSystem='2.16.840.1.113883.6.96'**  
**codeSystemName='SNOMED CT'>**

4150 The <interpretationCode> element should be present to provide an interpretation of the pain scale assessment using SNOMED CT. When the <interpretationCode> element is present, the <translation> element described above shall be present. These interpretations are provided to assist decision support systems that are making secondary use of the assessment information, and are not intended to replace the score values.

Pain Score Range	Code	Description
0	301379001	No Present Pain
1-3	40196000	Mild Pain
4-6	50415004	Moderate Pain
7-9	76948002	Severe Pain
10	67849003	Excruciating Pain

4155

#### **6.3.4.38.7 <methodCode code=' ' codeSystem=' ' codeSystemName=' '/>**

The <methodCode> should not be present in a Pain Score Observation, as the method is implied by the <code> element.

#### **6.3.4.38.8 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' '/>**

4160 The <targetSiteCode> element should be present, and shall indicate the location of the pain being assessed.

<i>Add Section 6.3.4.39</i>
-----------------------------

### **6.3.4.39 Braden Score Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.2**

4165

*Add Section 6.3.4.40*

### **6.3.4.40 Braden Score Component 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.3**

*Add Section 6.3.4.41*

### **6.3.4.41 Geriatric Depression Score Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.4**

4170

*Add Section 6.3.4.42*

### **6.3.4.42 Geriatric Depression Score Component 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.5**

*Add Section 6.3.4.43*

4175

### **6.3.4.43 Survey Panel 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7**

A survey panel collects related survey observations.

#### **6.3.4.43.1 Parent Template**

This template is compatible with the ASTM/HL7 Continuity of Care Document template:  
2.16.840.1.113883.10.20.1.32

4180

#### **6.3.4.43.2 Uses**

See Templates using [Survey Panel](#).

#### **6.3.4.43.3 Specification**

```
<organizer classCode='CLUSTER' moodCode='EVN'>
 <templateId root='2.16.840.1.113883.10.20.1.32' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7' />
 <id root='' extension=''/>
 <code code=' ' displayName=' '
 codeSystem=' ' codeSystemName=' ' />
 <statusCode code='completed' />
 <effectiveTime value=''/>
 <!-- one or more survey observations -->
 <component typeCode='COMP'>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6' />
 :
 </observation>
 </component>
</organizer>
```

```
</observation>
</component>
</organizer>
```

4185 **6.3.4.43.3.1 <organizer classCode='CLUSTER' moodCode='EVN'>**

The survey panel is a cluster of related survey observations.

**6.3.4.43.3.2 <templateId root='2.16.840.1.113883.10.20.1.32'>**  
**<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7'>**

4190 The survey panel shall have the &lt;templateId&gt; elements shown above to indicate that it inherits constraints from the ASTM/HL7 CCD Specification for results organizers, and the constraints of this specification.

**6.3.4.43.3.3 <id root=' ' extension=' '/>**

The organizer shall have an <id> element.

**6.3.4.43.3.4 <code code=' ' displayName=' '
codeSystem=' '
codeSystemName=' '/>**

4195

The <code> element shall be present, and identifies the survey panel.

**6.3.4.43.3.5 <statusCode code='completed'>**

The observations have all been completed.

4200

**6.3.4.43.3.6 <effectiveTime value=' '/>**

The effective time element shall be present to indicate when the survey panel was taken.

**6.3.4.43.3.7 <!-- one or more survey observations -->**  
**<component typeCode='COMP'>**

4205

The organizer shall have one or more <component> elements that are <observation> elements using the [Survey Observation](#) template.

---

```
Add Section 6.3.4.44
```

**6.3.4.44 Survey Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6**

4210

Survey observations are used to record responses to assessment instruments. They are simple observations conforming to the CCD Result template. The vocabulary and data type constraints on survey observations is specified elsewhere, either in the specializations of the survey observation template, or by the template that makes use of it.

#### 6.3.4.44.1 Parent Template

- 4215 The parent of this template is [Simple Observation](#). This template is compatible with the ASTM/HL7 Continuity of Care Document template: 2.16.840.1.113883.10.20.1.31

#### 6.3.4.44.2 Uses

See [Templates using Survey Observation](#).

#### 6.3.4.44.3 Specification

```
<observation classCode='OBS' moodCode='EVN'>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
<templateId root='2.16.840.1.113883.10.20.1.31' />
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6' />
<id root=' ' extension=' ' />
<code code=' ' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
<text><reference value='#xxx' /></text>
<statusCode code='completed' />
<effectiveTime value=' ' />
<repeatNumber value=' ' />
<value xsi:type='CO|CD|INT|PQ' />
<interpretationCode code=' ' codeSystem=' ' codeSystemName=' ' />
<methodCode code=' ' codeSystem=' ' codeSystemName=' ' />
<targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />
</observation>
```

- 4220 **6.3.4.44.3.1 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />**  
**<templateId root='2.16.840.1.113883.10.20.1.31' />**  
**<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6' />**

A survey observation shall have the <templateId> elements shown above to indicate that it inherits constraints from the ASTM/HL7 CCD Specification for results, and the constraints of this specification.

- 4225 **6.3.4.44.3.2 <code code=' ' codeSystem='2.16.840.1.113883.6.1'**  
**codeSystemName='LOINC' />**

A survey observation entry shall contain a code identifying the observation made.

- 6.3.4.44.3.3 <value xsi:type='CO|CD|INT|PQ' .../>**
- 4230 The <value> element shall be present, and shall be of the appropriate data type specified for the observation.

- 6.3.4.44.3.4 <interpretationCode code=' ' codeSystem=' ' codeSystemName=' ' />**
- An interpretation code may be present to provide an interpretation of the observation.

4235      **6.3.4.44.3.5 <methodCode code=' ' codeSystem=' ' codeSystemName=' '/>**  
**<targetSiteCode code=' ' codeSystem=' ' codeSystemName=' '/>**

The <methodCode> and <targetSiteCode> element shall not be present, as these are not relevant to survey responses.

*Add Section 6.3.4.45*

4240      **6.3.4.45 Acuity 1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1**

An acuity entry indicates the triage acuity entry and the triage time of the patient.

**6.3.4.45.1 Specification**

```

<entry>
 <!-- Acuity Event -->
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1' />
 <id root='' extensions='' />
 <code code='' displayName='' />
 <code code='273887006' displayName='Triage index' />
 <codeSystem='2.16.840.1.113883.6.96' />
 <codeSystemName='SNOMED CT' /> <!-- Triage index (assessment scale) FullySpecifiedName -->
 ->
 <originalText><reference value='#(ID of text coded)' /></originalText>
 </code>
 <text><reference value='#text' /></text>
 <!-- effectiveTime -->
 <effectiveTime>
 <low value='' /> <!-- start of triage, may be sent -->
 <high value='' /> <!-- end of triage should be sent -->
 </effectiveTime>
 </observation>
</entry>

```

**6.3.4.45.1.1 <observation classCode='OBS' moodCode='EVN'>**

This element indicates that the entry is an observation regarding the event of triage assessment.  
 4265      This entry records the observation and the time of the observation.

**6.3.4.45.1.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1' />**

The <templateId> element identifies this <act> as about Acuity Assessment of the patient. The templateId must have root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1'.

**6.3.4.45.1.3 <id root=" extension=" />**

4270      The entry must have an identifier.

**6.3.4.45.1.4 <code code="" displayName=""  
codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT'>**

4275 The code describes the triage acuity scale. IHE recommends the use the Emergency Severity Index (ESI). However, the vocabulary used within an affinity domain may be determined by a policy agreement within the domain.

**6.3.4.45.1.5 <originalText><reference value='#xxx' /><originalText>**

This is a reference to the narrative text within the section that describes the acuity description.

**6.3.4.45.1.6 <text><reference value="#text"/></text>**

This is a reference to the narrative text corresponding to the Observation act.

**4280 6.3.4.45.1.7 <effectiveTime>**

The effectiveTime element shall be sent. It records the interval of time over which triage occurs. The use case for this information requires that the ending time of triage be recorded. However, the <low value=""> element may be sent by systems that capture the beginning and end of the triage process.

**4285 6.3.4.45.1.8 <high value="/">**

This element records the time of completion of triage, and is required. If unknown, it must be recorded using a flavor of null. This element may be sent using the TS data type, as shown above. If there is uncertainty about the time of completion of triage, the sender may record the time using the IVL\_TS data type, as shown below.

4290

```
<high xsi:type='IVL_TS'>
 <low value=''/>
 <high value=''/>
</high>
```

4295

<i>Add Section 6.3.4.46</i>
-----------------------------

**6.3.4.46 Intravenous Fluids 1.3.6.1.4.1.19376.1.5.3.1.1.13.3.2**

4300 This content module describes the general structure for intravenous fluids. All intravenous fluid administration acts should be derived from this content module.

### 6.3.4.46.1 Specification

```

<substanceAdministration classCode='SBADM' moodCode='INT|EVN'>
 <templateId root='2.16.840.1.113883.10.20.1.24' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.2' />
 <id root='' extension='' />
 <code code='' codeSystem='' displayName='' codeSystemName='' />
 <text><reference value='#med-1' /></text>
 <statusCode code='completed|active' />
 <effectiveTime xsi:type='IVL_TS'>
 <low value='' />
 <high value='' />
 </effectiveTime>
 <effectiveTime operator='A' xsi:type='TS|PIVL_TS|EIVL_TS|PIVL_PPD_TS|SXPR_TS'>
 :
 </effectiveTime>
 <routeCode code='' codeSystem='' displayName='' codeSystemName='' />
 <doseQuantity value='' unit='' />
 <approachSiteCode code='' codeSystem='' displayName='' codeSystemName='' />
 <rateQuantity value='' unit='' />
 <consumable>
 :
 .
 </consumable>
 <!-- 0..* entries describing the components -->
 <entryRelationship typeCode='COMP' >
 <sequenceNumber value='' />
 </entryRelationship>
 <!-- An optional entry relationship that indicates the reason for use -->
 <entryRelationship typeCode='RSON'>
 <act classCode='ACT' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.4.1' />
 <id root='' extension='' />
 </act>
 </entryRelationship>
 <!-- An optional entry relationship that provides prescription activity -->
 <entryRelationship typeCode='REFR'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7.3' />
 :
 .
 </entryRelationship>
 <precondition>
 <criterion>
 <text><reference value='' /></text>
 </criterion>
 </precondition>
</substanceAdministration>

```

- 4350 This content module is derived from the Medication content module to specifically and more easily describe the necessary details of intravenous fluid administration. For the purpose of EDER and other profiles employing this content module, the table below identifies and describes the fields and constraints on whether or not they are required to be sent. The fields are listed in the order that they appear in the CDA XML content.
- 4355

### 6.3.4.46.1.1 Medication Fields

Field	Opt.	CDA Tag	Description
Start and Stop Date	R2	<effectiveTime>	The date and time when the fluid regimen began and is expected to finish. The first component of the <effectiveTime> encodes the lower and upper bounds over which the <substanceAdministration> occurs, and the start time is determined from the lower bound. If the fluid has been known to be stopped, the high value must be present, but expressed as a flavor of null (e.g., Unknown).
Dose	R2	<doseQuantity>	The amount of fluid given. This should be in some known and measurable fluid unit, such as milliliters, or may be measured in "administration" units (such "units" of blood or "packs" of platelets).
Site	O	<approachSiteCode>	The site where the fluid is administered (i.e., "Left Antecubital", or "Central Line").
Rate	R2	<rateQuantity>	The rate is a measurement of how fast the fluid is given to the patient over time (e.g., .5 liter / 1 hr).
Product	R	<consumable> <name> </consumable>	The name of the substance or product. This should be sufficient for a provider to identify the type of fluid. It may be a trade name (Plasmalyte®) or a generic name. This information is required in all fluid entries. The name should not include packaging, strength or dosing information.
Code	R2	<consumable> <code/> </consumable>	A code describing the product from a controlled vocabulary, such as RxNorm, First DataBank, et cetera.

### 6.3.4.46.1.2 <substanceAdministration classCode='SBADM' moodCode='INT|EVN'>

4360

The general model is to record each fluid administered in a <substanceAdministration> intent (moodCode='INT'). Fluids that have been started but not completely administered should be recorded in a <substanceAdministration> intent (moodCode='INT'). Fluids that have been completed should be recorded as an event (moodCode='EVN').

4365

### 6.3.4.46.1.3 <templateId root='2.16.840.1.113883.10.20.1.24'> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7'> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1' />

All intravenous fluid entries use the <templateId> elements specified above to indicate that they are IV fluid administration acts. This element is required.

4370

### 6.3.4.46.1.4 <id root=" extension="/">

The <substanceAdministration> element must be uniquely identified. If there is no explicit identifier for this observation in the source EMR system, a GUID may be used for the root attribute, and the extension may be omitted. Although HL7 allows for multiple identifiers, this Technical Framework profile requires that one and only one be used.

**4375 6.3.4.46.1.5 <code code="" displayName="" codeSystem="" codeSystemName="">**

The <code> element is required, and is used to supply a code that describes the act of fluid administration, not the fluid being administered. This may be a procedure code, such as those found in CPT-4 (and often used for billing), or may describe the method of administration, such as by intravenous injection.

**4380 6.3.4.46.1.6 <text><reference value="/" /></text>**

The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the fluid administration.

**6.3.4.46.1.7 <statusCode code='completed|active' />**

4385 The status of all <substanceAdministration> elements must be "completed" or "active". If "completed", then the administration has occurred, or the request or order has been placed. If "active", then at the time recorded, the fluid was still being administered.

**6.3.4.46.8 <effectiveTime xsi:type='IVL\_TS' />**

4390 The first <effectiveTime> element encodes the start and stop time of the administration. This is an interval of time (xsi:type='IVL\_TS'), and must be specified as shown. This is an additional constraint placed upon CDA Release 2.0 by this Technical Framework profile, and simplifies the exchange of start/stop and frequency information between EMR systems.

**6.3.4.46.1.9 <low value="/" /><high value="/" />**

4395 The <low> and <high> values of the first <effectiveTime> element represent the start and stop times for the fluid administration. The <low> value represents the start time, and the <high> value represents the stop time. If either the <low> or the <high> value is unknown, this shall be recorded by setting the nullFlavor attribute to UNK. The <high> value records the end of the fluid administration according to the information provided in the initial fluid order or RN documentation. For example, if the fluid order is for one liter, and the fluid is to be delivered at 250 mL/hr, then the high value should contain a datetime that is 4 hours later than the <low> value. The rationale is that a provider, seeing a discontinued fluid could normally assume that the fluid has been stopped, even if the intent of the treatment plan is to continue the fluid continuously.

4400

**6.3.4.46.1.10 <approachSiteCode code="" codeSystem="" originalText><reference value="/" /></originalText></approachSiteCode>**

The <approachSiteCode> element contains a URI in the value attribute of the <reference> that points to the text in the narrative identifying the site. It may be coded to a controlled vocabulary that lists such sites (e.g., SNOMED-CT).

4410 **6.3.4.46.1.11 <doseQuantity><low value="" unit="/"><high value="" unit="/"></doseQuantity>**

The dose is specified if the <doseQuantity> element. If a dose range is given (e.g., 125-250 mL/hr [i.e., to replace fluid losses]), then the <low> and <high> bounds are specified in their respective elements, otherwise both <low> and <high> have the same value. The unit attribute should be derived from the HL7 UnitsOfMeasureCaseSensitive vocabulary .

4415 **6.3.4.46.1.12 <low|high value=""> <translation> <originalText><reference value=""></originalText> </translation></low|high >**

Any <low> and <high> elements used for <doseQuantity> or <rateQuantity> should contain a <translation> element that provides a <reference> to the <originalText> found in the narrative body of the document .

4420 **6.3.4.46.1.13 <rateQuantity><low value="" unit="/"><high value="" unit="/"></rateQuantity>**

The rate is specified in the <rateQuantity> element. The rate is given in units that have measure over time. In this case, the units should be specified as a string made up of a unit of measure (see doseQuantity above), followed by a slash (/), followed by a time unit (s, min, h or d) (i.e., mL/hr).

4425

Again, if a range is given, then the <low> and <high> elements contain the lower and upper bound of the range, otherwise, they contain the same value.

**6.3.4.46.1.14 <consumable>**

4430 The <consumable> element shall be present, and shall contain a <manufacturedProduct> entry conforming to the Product Entry template (see PCC TF-2: 6.3.4.19).

*Add Section 6.3.4.47*

**6.3.4.47 Nursing Assessments Battery 1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4**

4435 This entry describes a single row in the Nursing Assessment flowsheet. The single observation date/time and provider is applied to all other observations.

4440

### 6.3.4.47.1 Specification

```

4445 <entry>
 <organizer classCode='BATTERY' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4' />
 <id root=' ' extension=' ' />
 <code code='XX-ASSESS' displayName='Nursing Assessments Battery'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <statusCode code='completed' />
 <author>
 <time value=' ' />
 <assignedAuthor>
 <id root=' ' extension=' ' />
 </assignedAuthor>
 </author>
 <component>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 <component>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 :
 </organizer>
 </entry>

```

#### 6.3.4.47.1.1 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4' />

The <templateId> element specifies that this organizer entry conforms to the Nursing Interventions battery. The root attribute SHALL contain the value "1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4"

4475 **6.3.4.47.1.2 <organizer classCode='BATTERY' moodCode='EVN'>**

Each row in the Nursing Interventions battery SHALL be represented by an organizer with the classCode of 'BATTERY' and the moodCode of 'EVN'

#### 6.3.4.47.1.3 <id root=' ' extension=' ' />

Each battery SHALL have a globally unique identifier.

4480 **6.3.4.47.1.4 <code code='X-ASSESS' codeSystem='2.16.840.1.113883.6.1' />**

The <code> element specifies the LOINC code that represents the content of the battery. The codeSystem attribute SHALL contain the value '2.16.840.1.113883.6.1'. The code attribute SHALL contain the value='X-ASSESS'. It is good practice to include displayName and codeSystemName for clarity and debugging. The corresponding values are 'Nursing Assessments battery' and 'LOINC' respectively.

**6.3.4.47.1.5 <author><time><assignedAuthor><id></assignedAuthor></author>**

The <author> relation element points at the author that records the visit battery. This assignedAuthor may be different than the author of the document. The time element is used to record when the assigned author recorded the battery.

4490 **6.3.4.47.1.6 <statusCode code='completed'>**

The status code for all batteries SHALL be 'completed'

**6.3.4.47.1.7 <component>**

The battery is made of several component Simple Observations (see PCC TF-2: 6.3.4.20). The following table lists the allowable LOINC codes, displayNames, and observation types, and unit of measures for these observations.

<b>LOINC Code</b>	<b>displayName</b>	<b>xsi:type</b>	<b>value set</b>
9269-2	GLASGOW COMA CORE.TOTAL	CO	3..15
9268-4	GLASGOW COMA SCORE.MOTOR	CO	1..6
11454-6	LEVEL OF RESPONSIVENESS	CO	ALERT VERBAL RESPONSE PAINFUL RESPONSE UNRESPONSIVE
38208-5	PAIN SEVERITY	CO	0-10
48767-8	(COMMENT FIELD)	ED	

Add Section 6.3.4.48

**6.3.4.48 Antenatal Testing and Surveillance Battery**4500 **1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10**

This entry describes a single row in the Antenatal Testing and Surveillance Section. The single observation date/time and provider is applied to all other observations.

### 6.3.4.48.1 Specification

```

4505 <entry>
 <organizer classCode='BATTERY' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10' />
 <id root=' ' extension=' ' />
 <code code='XX-ANTENATALTESTINGBATTERY' displayName='ANTENATAL TESTING AND SURVEILLANCE
4510 BATTERY'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <statusCode code='completed' />
 <author>
 <time value=' ' />
 <assignedAuthor>
 <id root=' ' extension=' ' />
 </assignedAuthor>
 </author>
4515 <component>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 <component>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 :
 </organizer>
 </entry>

```

#### 6.3.4.48.1.1 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10' />

4535 The <templateId> element specifies that this organizer entry conforms to the Antenatal Testing and Surveillance Battery. The root attribute SHALL contain the value "1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10"

#### 6.3.4.48.1.2 <organizer classCode='BATTERY' moodCode='EVN' />

4540 Each row in the Antenatal Testing and Surveillance Battery SHALL be represented by an organizer with the classCode of 'BATTERY' and the moodCode of 'EVN'

#### 6.3.4.48.1.3 <id root=' ' extension=' ' />

Each battery SHALL have a globally unique identifier.

#### 6.3.4.48.1.4 <code code='XX- XX-ANTENATALTESTINGBATTERY' codeSystem='2.16.840.1.113883.6.1' />

4545 The <code> element specifies the LOINC code that represents the content of the battery. The codeSystem attribute SHALL contain the value '2.16.840.1.113883.6.1'. The code attribute SHALL contain the value='XX-ANTENATALTESTINGBATTERY'. It is good practice to include displayName and codeSystemName for clarity and debugging. The corresponding values are 'ANTENATAL TESTING AND SURVEILLANCE BATTERY' and 'LOINC' respectively.

4550 **6.3.4.48.1.5 <author><time><assignedAuthor><id></assignedAuthor></author>**

The <author> relation element points at the author that records the visit battery. This assignedAuthor may be different than the author of the document. The time element is used to record when the assigned author recorded the battery.

**6.3.4.48.1.6 <statusCode code='completed'>**

4555 The status code for all batteries SHALL be 'completed'

**6.3.4.48.1.7 <component>**

The battery is made of several component Simple Observations (see PCC TF-2: 6.3.4.20). The following table lists the allowable LOINC codes, displayNames, and observation types, and unit of measures for these observations.

4560

LOINC Code	displayName	xsi:type
11630-1	Biophysical profile.amniotic fluid volume	ED
11631-9	Biophysical profile.body movement	ED
11632-7	Biophysical profile.breathing movement	ED
11633-5	Biophysical profile.heart rate reactivity	ED
11635-0	Biophysical profile.tone	ED
11634-3	Biophysical profile.sum	ED
<b>35096-7</b>	<b>Ultrasound morphologic</b>	<b>ED</b>
<b>49086-2</b>	<b>Nuchal translucency screening</b>	<b>ED</b>
<b>51659-1</b>	<b>Hbs1 Antigen</b>	<b>ED</b>

*Add Section 6.3.4.49*

**6.3.4.49 Immunization Recommendation**

Defined in IHE PCC TF-2:6.3.4

4565

*Add Section 6.3.4.50*

**6.3.4.50 Alert Entry**

Defined in IHE PCC TF-2:6.3.4

4570

*Add Section 6.3.4.51*

### 6.3.4.51 Antigen Dose

Defined in IHE PCC TF-2:6.3.4

*Add Section 6.3.4.52 (Occupation Observation – removed 2011-09 at the request of QRPH)*

4575 **6.3.4.52 Intentionally blank**

*Add Section 6.3.4.53 (Industry Observation removed 2011-09 at the request of QRPH)*

### 6.3.4.53 Intentionally blank

4580 *Add Section 6.3.4.54*

### 6.3.4.54 Observation Request 1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1

The observation request entry is used to record goals, plans or intention for an observation to be performed (e.g., assessment, laboratory test, imaging study, et cetera).

4585 **6.3.4.54.1 Uses**

See Templates using Observation Request.

### 6.3.4.54.2 Specification

```
4590 <observation classCode='OBS' moodCode='INT|PRP|GOL'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1' />
 <templateId root='2.16.840.1.113883.10.20.1.25' />
 <id root='' extension='' />
 <code code='' displayName='' codeSystem='' codeSystemName='' />
 <!-- for CDA -->
 <text><reference value="#xxx"/></text>
 <!-- For HL7 Version 3 Messages
 <text>text</text>
 -->
 <statusCode code='active' />
 <effectiveTime value='' />
 <repeatNumber value='' />
 <value xsi:type='' .../>
 <interpretationCode code='' codeSystem='' codeSystemName='' />
 <methodCode code='' codeSystem='' codeSystemName='' />
 <targetSiteCode code='' codeSystem='' codeSystemName='' />
 <author typeCode='AUT'>
 <assignedAuthor typeCode='ASSIGNED'><id ... /></assignedAuthor> <!-- for CDA --
 >
```

```

4610 <!-- For HL7 Version 3 Messages
 <assignedEntity typeCode='ASSIGNED'>
 <Person classCode='PSN'>
 <determinerCode root=''>
 <name>...</name>
 </Person>
 <assignedEntity>
 -->
 </author>
 </observation>

```

**Figure 6.3.4.54.2-1: Observation Request Example**

4620

**6.3.4.54.2.1 <observation classCode='OBS' moodCode='INT|PRP|GOL'>**

These acts are observations that form the care plan or which can be used in decision support. In intent mood (moodCode='INT') these are what is intended to be performed as part of the care plan. In proposal mood (moodCode='PRP'), these observations are being proposed, for example, as the output of a clinical decision support system. In goal mood (moodCode='GOL'), these observations described the intended goal of a treatment plan.

**6.3.4.54.2.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1'>**

The <templateId> element identifies this <observation> as an observation request, allowing for validation of the content. The templateId must appear as shown above.

**6.3.4.54.2.3 <templateId root=2.16.840.1.113883.10.20.1.25'>**

The IHE Observation Request template conforms to the Plan of care activity defined by the HL7 Continuity of Care Document. This template id must be present to indicate conformance.

**6.3.4.54.2.4 <id root=' ' extension=' '>**

Each observation shall have an identifier.

**6.3.4.54.2.5 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' '>**

Observations shall have a code describing what is to be measured. The code system used is determined by the vocabulary constraints on the types of measurements that might be recorded in a section. Modules that are derived from this one may restrict the code system and code values used for the observation.

**6.3.4.54.2.6 <text><reference value="#xxx"/></text> -OR- <text>text</text>**

Each observation request entry may contain a <text> element providing the free text that provides the same information as the observation within the narrative portion of the document with a <text> element. For CDA based uses of Observation Requests, this element SHALL be present, and SHALL contain a <reference> element that points to the related string in the

4645 narrative portion of the document. For HL7 Version 3 based uses, the <text> element MAY be included.

#### **6.3.4.54.2.7 <statusCode code='active' />**

The <statusCode> element shall be present and shall describe the current state of the observation. Goals, intents and proposals that are available for action shall have an 'active' status, but other status values are permitted.

#### **6.3.4.54.2.8 <effectiveTime value=' '/>**

The <effectiveTime> element shall be present in observation requests to indicate the date and time when the measurement should be taken.

#### **6.3.4.54.2.9 <value xsi:type=' ' .../>**

4655 The value of the observation may be recorded using a data type appropriate to the observation to indicate the desired value (e.g., in GOL or PRP mood).

#### **6.3.4.54.2.10 <methodCode code=' ' codeSystem=' ' codeSystemName=' '/>**

The methodCode element may be used to record the specific method used to make an observation when this information is not already pre-coordinated with the observation code.

#### **6.3.4.54.2.11 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' '/>**

The targetSiteCode may be used to record the target site where the observation should be made when this information is not already pre-coordinated with the observation code.

#### **6.3.4.54.2.12 <author><assignedAuthor classCode='ASSIGNED'>...<assignedAuthor></author>**

4665 In CDA uses, the observation request is assumed to be authored by the same author as the document through context conduction. However, observation requests would often be used to record orders, and in these cases, the author of the order shall be recorded in the author element.

For HL7 Version 3 purposes, the <author> element SHOULD be present unless it can be determined by conduction from organizers or higher level structures. When used for HL7

4670 Version 3 the role element name is <assignedEntity> and the author is represented as <assignedPerson> element.

<i>Add Section 6.3.4.55 (Added 2011-09 from QRPH EHCP Profile)</i>
--------------------------------------------------------------------

#### **6.3.4.55 Risk Indicators for Hearing Loss Entry 1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1**

4675 This entry describes the Risk Indicators for Hearing Loss.

### 6.3.4.55.1 Specification

```
<entry>
 <organizer classCode='BATTERY' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1' />
 <id root=' ' extension=' ' />
 <code code='58232-0' displayName='Hearing Loss Risk Indicators'
 codeSystem='2.16.840.1.113883.6.1'
 codeSystemName='LOINC' />
 <statusCode code='completed' />
 <author>
 <time value=' ' />
 <assignedAuthor>
 <id root=' ' extension=' ' />
 </assignedAuthor>
 </author>
 <component>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 <component>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 :
 </organizer>
</entry>
```

**Figure 6.3.4.55.1-1: Sample Risk Indicators for Hearing Loss Entry**

4680

#### 6.3.4.55.2 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1' />

The <templateId> element specifies that this organizer entry conforms to the Nursing Interventions battery. The root attribute SHALL contain the value "1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1"

4685

#### 6.3.4.55.3 <organizer classCode='BATTERY' moodCode='EVN' />

Each row in the Nursing Interventions battery SHALL be represented by an organizer with the classCode of 'BATTERY' and the moodCode of 'EVN'

**6.3.4.55.4 <id root=' ' extension=' '/>**

Each battery SHALL have a globally unique identifier.

4690 **6.3.4.55.5 <code code='58232-0' codeSystem='2.16.840.1.113883.6.1'>**

The <code> element specifies the LOINC® code that represents the content of the battery. The codeSystem attribute SHALL contain the value '2.16.840.1.113883.6.1'. The code attribute SHALL contain the value='58232-0'. It is good practice to include displayName and codeSystemName for clarity and debugging. The corresponding values are 'Hearing Loss Risk Indicators' and 'LOINC®' respectively.

4695

**6.3.4.55.6 <author/><time/><assignedAuthor><id/></assignedAuthor></author>**

The <author> relation element points at the author that records the visit battery. This assignedAuthor MAY be different than the author of the document. The time element is used to record when the assigned author recorded the battery.

4700

**6.3.4.55.7 <statusCode code='completed'>**

The status code for all batteries SHALL be 'completed'

**6.4.4.55.8 <component>**

4705

The battery is made of several component Simple Observations. The observation values SHALL be constrained to those coded values and descriptions described by the JCIH-EHDI Risk Indicators for Hearing Loss (LOINC®) Value Set (1.3.6.1.4.1.19376.1.7.3.1.1.15.2.24).

*Add Section 6.3.4.56. (Added 2011-09 from QRPH PRPH-Ca Profile.)*

**6.3.4.56 Cancer Diagnosis Entry 1.3.6.1.4.1.19376.1.7.3.1.4.14.1**

4710

A Cancer Diagnosis entry collects details of the patient's cancer diagnosis, including histology, behavior, primary site, laterality, diagnosis date, TNM Stage, and Best Method of Confirmation.

**6.3.4.56.1 Parent Template**

The parent of this template is Problem Concern Entry (1.3.6.1.4.1.19376.1.5.3.1.4.5.2).

### 6.3.4.56.2 Specification

```

4715 <section>
 <templateId root="2.16.840.1.113883.10.20.1.11"/>
 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.6"/>
 <templateId root="1.3.6.1.4.1.19376.1.7.3.1.3.14.1"/>
 <title>"Cancer Diagnosis"</title>
 <text>"Malignant melanoma of the left leg, Stage 1"</text>
4720 <entry>
 <act classCode='ACT' moodCode='EVN'>
 <templateId root='2.16.840.1.113883.10.20.1.27' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5.2' />
 <code nullFlavor='NA' />
 <statusCode code='active' />
 <effectiveTime>
 <low value='20110101' />
 <high nullFlavor="NA" />
 </effectiveTime>
 <entryRelationship typeCode="SUBJ" inversionInd="false" >
 <observation classCode='OBS' moodCode='EVN' negationInd="false">
 <templateId root='2.16.840.1.113883.10.20.1.28' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5' />
 <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.14.1" />
 <code code="282291009" codeSystem="2.16.840.1.113883.6.96"
4725 codeSystemName="SNOMED CT" displayName="Diagnosis"/>
 <text><reference value="" ></reference></text>
 <statusCode code="completed" />
 <effectiveTime>
 <low value="20110101" />
 <high nullFlavor="NI" />
 </effectiveTime>
4730 <!--The <value> is the condition that was found.-->
 <value xsi:type="CD" code="8742" codeSystem="2.16.840.1.113883.3.520.3.2" />
4735 <!--NAACCR Histologic Type-->
 <!--Behavior Qualifier-->
 <qualifier>
 <name code="31206-6" codeSystem="2.16.840.1.113883.6.1" />
4740 <!--LOINC Behavior ICD-O-3-->
 <value code="2" codeSystem="2.16.840.1.113883.3.520.3.14" />
4745 <!--NAACCR Behavior Code-->
 <name code="21861-0" codeSystem="2.16.840.1.113883.6.1" />
4750 <!--LOINC Diagnostic Confirmation-->
 <value xsi:type="CD" code="2" codeSystem="2.16.840.1.113883.3.520.3.3" />
4755 <!--NAACCR Diagnostic Confirmation-->
 <!--Best Method of Diagnosis Qualifier-->
 <name code="20228-3" codeSystem="2.16.840.1.113883.6.1" />
4760 <!--LOINC Anatomic part Laterality-->
 <value code="1" codeSystem="2.16.840.1.113883.3.520.3.1" />
4765 <!--NAACCR Laterality at Diagnosis-->
 <!--Primary Site -->
 <targetSiteCode code="C447" codeSystem="2.16.840.1.113883.6.43.1" />
4770 <!--ICD-O-3 (Topography Section)-->
 <name code="21861-0" codeSystem="2.16.840.1.113883.6.1" />
4775 <!--LOINC origin of primary: right-->
 <value code="2" codeSystem="2.16.840.1.113883.3.520.3.1" />
 <!--NAACCR origin of primary: right-->
 <!--TNM Stage Information-->

```

```

4780 <observation classCode="OBS" moodCode="EVN">
 <templateId
root="1.3.6.1.4.1.19376.1.7.3.1.4.14.2"/>
 <code code="21908-9" displayName="TNM Clinical Stage
Group" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
<!-- Narrative TNM Clinical Stage -->
4785 <text> Stage 0 TisNOM0 </text>
 <statusCode code="completed"/>
 <value xsi:type="CD" code="0"
codeSystem="2.16.840.1.113883.3.520.3.9" codeSystemName="NAACCR TNM Clinical Stage Group"
displayName="In Situ">
 <qualifier>
 <!--TNM Clinical Stage Descriptor Observation -->
 <name code="21909-7" displayName="TNM
Clinical Stage Descriptor" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
 <value xsi:type="CD" code="0"
codeSystem="2.16.840.1.113883.3.520.3.10" codeSystemName="NAACCR TNM Clinical Stage Descriptor"
displayName="None"/>
 </qualifier>
4790 <!--AJCC TNM Edition Number.-->
 <qualifier>
 <name code="21917-0" displayName="TNM
Edition Number" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
 <value xsi:type="CD" code="7"
codeSystem="2.16.840.1.113883.3.520.3.5" codeSystemName="NAACCR TNM Edition Number"
displayName="7th Edition"/>
 </qualifier>
 </value>
 <participant typeCode="PPRF">
 <participantRole>
 <code code="21910-5"
codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Stager.clinical Cancer"/>
 <playingEntity nullFlavor="NA">
 <code xsi:type="CE" code="1"
codeSystem="2.16.840.1.113883.3.520.3.4" codeSystemName="TNM Clinical Staged By"
displayName="Managing Physician"/>
 </playingEntity>
 </participantRole>
 </participant>
 <entryRelationship typeCode="COMP">
4800 <!-- 6.3.4.62 TNM Clinical Tumor Observation-->
 <observation classCode="OBS" moodCode="EVN">
 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13"/>
 <code code="21905-5" displayName="TNM Clinical T"
codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
 <statusCode code="completed"/>
 <value xsi:type="CD" code="Tis"
codeSystem="2.16.840.1.113883.3.520.3.6" codeSystemName="NAACCR TNM Clinical Tumor"
displayName="In Situ"/>
 </observation>
 </entryRelationship>
4810 <!--6.3.4.63 TNM Clinical Nodes Observation -->
 <entryRelationship typeCode="COMP">
 <observation classCode="OBS" moodCode="EVN">
 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13"/>
 <code code="21906-3" displayName="TNM Clinical N"
codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
 <statusCode code="completed"/>
 <value xsi:type="CD" code="N0"
codeSystem="2.16.840.1.113883.3.520.3.7" codeSystemName="NAACCR TNM Clinical Nodes"
displayName="None"/>
 </observation>
 </entryRelationship>
4815
4820
4825
4830
4835
4840
4845

```

```

<!--6.3.4.64 TNM Clinical Metastases Observation-->
 <entryRelationship typeCode="COMP">
 <observation classCode="OBS" moodCode="EVN">
 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13"/>
 <code code="21907-1" displayName="TNM Clinical M"
codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
 <statusCode code="completed"/>
 <value xsi:type="CD"
codeSystem="2.16.840.1.113883.3.520.3.8" codeSystemName="NAACCR TNM Clinical Metastases"
code="M0" displayName="None"/>
 </observation>
 </entryRelationship>
 </observation>
</entryRelationship>
</observation>
</entry>
</act>
</entry>
</section>

```

4865 **Figure 6.3.4.56.2-1: Sample Cancer Diagnosis Entry**

### **6.3.4.56.3 <act classCode='ACT' moodCode='EVN'>**

All concerns reflect the act of recording (<act classCode='ACT'>) the event (moodCode='EVN') of being concerned about a problem, allergy or other issue about the patient condition.

4870 **6.3.4.56.4 <templateId root='2.16.840.1.113883.10.20.1.27'> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5.2'>**

These template identifiers indicates this entry conforms to the concern content module. This content module inherits constraints from the HL7 CCD Template for problem acts, and so also includes that template identifier.

4875 **6.3.4.56.5 <!-- 1..\* entry relationships identifying problems of concern --><entryRelationship type='SUBJ'><observation classCode='OBS' moodCode='EVN'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5'>...</observation>**

4880 This entry shall contain one or more problem entries that conform to the Problem Entry template 1.3.6.1.4.1.19376.1.5.3.1.4.5. The typeCode SHALL be “SUBJ” and inversionInd SHALL be “false”.

### **6.3.4.56.6 <observation classCode="OBS" moodCode="EVN">**

The <observation> classCode and moodCode SHALL be recorded as shown above.

4885 **6.3.4.56.7 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5'> <templateId root='1.3.6.1.4.1.19376.1.7.3.1.4.14.1'>**

These <templateId> elements identify this <entry> as a cancer diagnosis entry and its parent, Problem Entry, allowing for validation of the content. The <templateId> elements shall be recorded as shown above.

4890    **6.3.4.56.8 <code code="282291009" codeSystem=" 2.16.840.1.113883.6.96"  
codeSystemName="SNOMED CT" displayName="Diagnosis"/>**

The <code> element indicates that this is the Diagnosis information. This code SHALL be the SNOMED CT code “282291009” for “Diagnosis”. It is good style to include the displayName and codeSystemName to help debugging.

**6.3.4.56.9 <statusCode code='completed' />**

4895    The status code for all Cancer Diagnosis Entries SHALL be ‘completed’.

**6.3.4.56.10 <effectiveTime value="xxx"/>**

This element records the date of initial diagnosis by a recognized medical practitioner for the cancer being reported.

4900    **6.3.4.56.11 <value xsi:type='CD' code=' ' codeSystem=' ' codeSystemName=' '  
displayName=' '>**

The <value> records the Histologic Type, which is the cell type of the tumor/cancer (e.g., carcinoma, melanoma, sarcoma, lymphoma, leukemia). This element is required. It is always represented using the CD datatype (xsi:type='CD'), even though the value may be a coded or uncoded string. If coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca Profile found at <http://www.ihe.net>.)

**6.3.4.56.12 <qualifier><name code="31206-6"  
codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName=" "  
Behavior ICD-O-3 Cancer"/><value code="" codeSystem="" codeSystemName=" "  
displayName=" "/> </qualifier>**

4910    This <qualifier> provides Behavior information, indicating whether the tumor is benign, in situ, malignant or metastatic. The code and codeSystem attributes SHALL be recorded exactly as shown above. If coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca Profile found at <http://www.ihe.net>.)

**6.3.4.56.13 <qualifier><name code="21861-0"  
codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"  
displayName="Dx confirmed by Cancer"/><value xsi:type="CD" code=""  
codeSystem="" codeSystemName=" " displayName=" "/></qualifier>**

4920    This <qualifier> provides Best Method of Diagnosis information, indicating the best method used to confirm the presence of the cancer being reported. The code and codeSystem attributes SHALL be recorded exactly as shown above. The <value> records the best method of diagnosis, and if coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca Profile found at <http://www.ihe.net>.)

**6.3.4.56.14 <targetSiteCode code="" codeSystem="" codeSystemName="" displayName="">**

- 4925 The <targetSiteCode> element SHALL be present and shall indicate the anatomic location where the primary tumor originated. Vocabulary used SHALL follow the appropriate realm constraints. (See Volume 4 in the QRPH PRPH-Ca Profile found at <http://www.ihe.net>.)

**6.3.4.56.15 <qualifier><name code="20228-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Anatomic part Laterality"/> <value code="" codeSystem="" codeSystemName="" displayName="" /></qualifier>**

- 4930 This <qualifier> provides the laterality, which indicates the side of a paired organ or side of the body on which the reportable tumor originated. The code and codeSystem attributes SHALL be recorded exactly as shown above. The <value> records the laterality, if coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca Profile found at <http://www.ihe.net>.)

**6.3.4.56.16 <entryRelationship typeCode="SUBJ" inversionInd="false">**

- 4935 One <entryRelationship> element should be present providing information on the TNM Clinical Stage.

- 4940 When present, this <entryRelationship> element SHALL contain an observation conforming to the TNM Stage Information (1.3.6.1.4.1.19376.1.7.3.1.4.14.2) template. The typeCode SHALL be “SUBJ” and inversionInd SHALL be “false”.

**6.3.4.56.17 <observation classCode="OBS" moodCode="EVN"> <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.14.2"/> [1<sup>st</sup> nesting]**

- 4945 Observations that describe the TNM Stage Information SHALL be included if known.

**6.3.4.56.18 <code code="75620-5" displayName="TNM Clinical Stage Information" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/> [1<sup>st</sup> nesting]**

- 4950 The <code> element indicates that this observation is the TNM Clinical Stage Information. This code SHALL be the LOINC code 75620-5. It is good style to include the displayName and codeSystemName to help debugging.

**6.3.4.56.19 <statusCode code="completed"/> [1<sup>st</sup> nesting]**

The status code for all TNM Clinical Stage Information observations SHALL be ‘completed’.

**6.3.4.56.20 <value xsi:type="CD" code="" codeSystem="" codeSystemName="" displayName="" /> [1<sup>st</sup> nesting]**

- 4955 The <value> records the TNM Clinical Stage Group, which is a detailed site-specific code for the clinical stage group as defined by AJCC and recorded by the physician. This element is required. It is always represented using the CD datatype (xsi:type='CD'), even though the value

may be a coded or uncoded string. If coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca Profile found at <http://www.ihe.net>.)

- 4960   **6.3.4.56.21 <qualifier><name code="21909-7" displayName="Descriptor.clinical Cancer" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/><value xsi:type="CD" code="" codeSystem="" codeSystemName=" " displayName=" "/></qualifier> [1<sup>st</sup> nesting]**

This <qualifier> provides TNM Clinical Stage Descriptor information, indicating The AJCC clinical stage prefix/suffix recorded by the physician. AJCC stage descriptors identify special cases that require separate analysis. The code and codeSystem attributes SHALL be recorded exactly as shown above. The <value> records the TNM Clinical Stage Descriptor, and if coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca Profile found at <http://www.ihe.net>.)

- 4970   **6.3.4.56.22 <qualifier><name code="21917-0" displayName="Version TNM Classification" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/><value xsi:type="CD" code="" codeSystem="" codeSystemName=" " displayName=" "/></qualifier> [1<sup>st</sup> nesting]**

4975   This <qualifier> provides TNM Edition Number information, indicating the edition number of the AJCC Staging Manual. The code and codeSystem attributes of <name> SHALL be recorded exactly as shown above. If coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca Profile found at <http://www.ihe.net>.)

- 4980   **6.3.4.56.23 <participant typeCode="PPRF"> <participantRole> <code code="21910-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Stager.clinical Cancer"/><playingEntity nullFlavor="NA"> <code xsi:type="CE" code="" codeSystem="" codeSystemName=" " displayName=" "/> [1<sup>st</sup> nesting]**

4985   This <participant> element should specify the person who recorded the AJCC staging elements and stage group in the patient's medical record. The code and codeSystem attributes for <participantRole> SHALL be recorded exactly as shown above. The <code> attribute of <playingEntity> identifies the person who recorded the staging elements, and SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca Profile found at <http://www.ihe.net>.)

- 4990   **6.3.4.56.24 <!-- 0..3 entryRelationships identifying simple observations for TNM Clinic Tumor, TNM Clinical Nodes, and TNM Clinical Metastases--><entryRelationship typeCode="COMP" inversionInd="false"><observation classCode='OBS'moodCode='EVN'><templateIDroot='1.3.6.1.4.1.19376.1.5.3.1.4.13 '/>...</observation>[2nd nesting]**

4995   Each <entryRelationship> element should contain a simple observation that specifies the TNM Clinic Tumor, TNM Clinical Nodes, and TNM Clinical Metastases, each of which is a component of the TNM Stage Group. Simple observations that describe the TNM Clinic Tumor,

TNM Clinical Nodes, and TNM Clinical Metastases SHALL be included if known and inversionInd SHALL be “false”.

5000 **6.3.4.56.25 <code code="" displayName=" " codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/> [2<sup>nd</sup> nesting]**

Observations SHALL include one of following LOINC values to indicate the component of TNM Stage Group represented in the Observation.

LOINC Code	Display Name	Description
21905-5	TNM Clinical T	A detailed site-specific code for the clinical tumor (T) as defined by AJCC and recorded by the physician.
21906-3	TNM Clinical N	A detailed site-specific code for the clinical nodes (N) as defined by AJCC and recorded by the physician.
21907-1	TNM Clinical M	A detailed site-specific staging code for the clinical metastases (M) as defined by AJCC and recorded by the physician.

5005 **6.3.4.56.26 <value xsi:type="CD" code="" codeSystem="" codeSystemName=" " displayName=" "/>**

The <value> of the observation SHALL be recorded using the vocabulary appropriate to the coded observation according to the table above and SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca Profile found at <http://www.ihe.net>.)

5010 **6.3.4.57 Patient Transfer 1.3.6.1.4.1.19376.1.5.3.1.1.25.1.4.1**

The Patient Transfer entry shall record the transfer of the patient to an internal department or external entity such as a different hospital or skilled nursing facility.

### 6.3.4.57.1 Parent Template

### 6.3.4.57.2 Specification

5015	<act classCode='ACT' moodCode='EVN'>
	<templateId root='PatientTransferAct' />
	<id/>
	<!-- code is fixed -->
5020	<code code='107724000' displayName='patient transfer' codeSystem='2.16.840.1.113883.6.96' />
	<effectiveTime value='' />
	<participant typeCode='DST'>
	<templateId root='destinationLocation' />
5025	<participantRole classCode='SDLOC'>
	<id/>
	<code/>
	<addr/>
	<telecom/>
5030	<playingEntity classCode='ENT'>
	<name/>
	</playingEntity>
	</participantRole>
	</participant>
	</act>

**Figure 6.3.4.57.2-1: Sample Cancer Diagnosis Entry**

5035 **6.3.4.57.3 <act classCode='ACT' moodCode='INT|EVN'>**

The transfer is recorded in an act element, to describe a patient transfer. In intent mood (moodCode='INT'), this records the expected transfer of the patient. In event mood (moodCode='EVN'), this records the actual transfer.

**6.3.4.57.4 <templateId root='TBD' />**

5040 The templateId indicates that this transfer entry conforms to the constraints of this content module.

**6.3.4.57.5 <id root=" extension="/" />**

This required element shall contain an identifier.

**6.3.4.57.6 <code code="" displayName="" codeSystem="" codeSystemName="" />**

5045 The code shall be code='107724000' displayName='patient transfer' codeSystem='2.16.840.1.113883.6.96' />

**6.3.4.57.7 <text><reference value="#xxx"/></text>**

The <text> element shall contain a reference to the narrative text describing the transfer of the patient.

5050 **6.3.4.57.8 statusCode**

<statusCode code='normal|completed' /> When the transfer act has occurred (moodCode='EVN'), the statusCode element shall be present, and shall contain the value 'completed'. When the

transfer act is intended (moodCode='EVN') the statusCode element shall contain the value 'normal'.

5055 **6.3.4.57.9 <effectiveTime><low value="/"><high value="/"><effectiveTime/>**

When the transfer has occurred, this element shall be sent, and indicates the effective time for the transfer. This element may be sent to record when the transfer act is intended to occur. The <low> element records the time at which the transfer process was started. The <high> value records the time at which the transfer was completed.

5060 **6.3.4.57.10 participant**

The <participant> element encodes the destination with a typeCode of DST

<participant typeCode='DST'>

**6.3.4.57.11 templateId**

The template id identifies the facility or department which is the transfer destination.

5065 <templateId root='destinationLocation' />

**6.3.4.57.12 participantRole**

The participant role is fixed to <participantRole classCode='SDLOC'>

**6.3.4.57.13 <id root=" extension="/">**

The <id> element shall be sent when the transfer has occurred, and identifies the performer of the act.

**6.3.4.57.14 <code>**

The code shall indicate the type of healthcare service location for the transfer destination.

**6.3.4.57.15 <addr></addr>**

5075 The <addr> element may be sent to provide a contact postal address for the performer of the disposition.

**6.3.4.57.16 <telecom>**

The <telecom> element may be sent to provide a contact postal address for the performer of the disposition.

**6.3.4.57.17 playingEntity**

5080 The playing entity classCode shall be ENT <playingEntity classCode='ENT'>

### 6.3.4.57.18 name

The name element of the playing entity shall record the name of the facility or departmental destination.

*Add section 6.3.4.58 (added 2013-09 from the QRPH VRDR supplement.)*

5085    **6.3.4.58 Death Pronouncement Entry Content Module  
(1.3.6.1.4.1.19376.1.7.3.1.4.23.1)**

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.23.1]

The template contains information on the pronouncement of death on the death certificate.

1. **SHALL** contain exactly one [1..1] **@classCode**
2. **SHALL** contain exactly one [1..1] **@moodCode**
3. **SHALL** contain exactly one [1..1] **templateId** (CONF:7136) such that it
  - a. **SHALL** contain exactly one [1..1]  
**@root**="2.16.840.1.113883.10.20.22.4.2" (CONF:9138)  
SHALL contain exactly one [1..1] code/@code="58325-2" Provider witnessed decedent's death (CodeSystem: 2.16.840.1.113883.6.1 LOINC).
4. **SHALL** contain zero or one [1..1] **effectiveTime**

Provide the date and time at which the decedent was pronounced dead. The first id represents this specific globally unique result observation.

5. **SHALL** contain exactly one [1..1] **performer**
  - a. This performer **SHALL** contain exactly one [1..1] **@typeCode**="PRF"
  - b. This performer **SHALL** contain exactly one [1..1] **assignedEntity**
  - c. This assignedEntity **SHALL** contain exactly one [1..1] **@classCode**="ASSIGNED"
  - d. This assignedEntity **SHALL** contain exactly one [1..1] **addr**

5105    *The postal address used to locate the clinician or pronouncing the death at the time of death certification.*

6. This assignedEntity **SHALL** contain exactly one [1..1] **assignedPerson**
  - a. This assignedPerson **SHALL** contain exactly one [1..1] **@classCode**="PSN"
  - b. This assignedPerson **SHALL** contain exactly one [1..1] **determinerCode**="INSTANCE"
  - c. This assignedPerson **SHALL** contain exactly one [1..1] **ID**  
*This field shall contain the License Number of Person Pronouncing Death*
- d. This assignedPerson **SHALL** contain exactly one [1..1] **name**

5115    *This field is valued with the person who pronounced the death. The full name of the pronouncer is required.*

```

5120 <entry>
 <observation classCode="OBS" moodCode="EVN">
 <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.23.1"/>
 <id root="" />
 <code code="58325-2" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC" displayName=" Provider witnessed decedent's death "/>
 <effectiveTime>
 <low value="201311141201"/>
 <high value="201311141201"/>
 </effectiveTime>
 </observation>
 </entry>

```

**Figure 6.3.4.58-1: Death Pronouncement Entry Content Module Example***Add section 6.3.4.59 (added 2013-09 from the QRPH VRDR supplement.)***5135 6.3.4.59 Death Location Type Entry Content Module**

[Observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.23.2]

This template makes it possible to record the type of location (e.g., hospital inpatient room) at which the person died.

1. **SHALL** contain exactly one [1..1] **@classCode="OBS"** Observation (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass)
2. **SHALL** contain exactly one [1..1] **@moodCode="EVN"** Event (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood)
3. **SHALL** contain exactly one [1..1] **code/@code=" 58332-8"** (CodeSystem: 2.16.840.1.113883.6.1 LOINC)
4. **SHALL** contain exactly one [1..1] **value**, which **SHALL** be selected from ValueSet
5. Death Location Type Codes (1.3.6.1.4.1.19376.1.7.3.1.13.8.4) STATIC, where its data type is CE
6. A code value to indicate the type of location where the patient died.

5150

5155

5160

```
<observation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns="urn:hl7-org:v3" xsi:schemaLocation="urn:hl7-org:v3 CDA.xsd"
 classCode="OBS" moodCode="EVN">
 <id root="1536492804"/>
 <code code="58332-8" codeSystem="2.16.840.1.113883.6.1"
 codeSystemName="LOINC"/>
 <effectiveTime>
 <low value="2012"/>
 <high value="2012"/>
 </effectiveTime>
 <value xsi:type="CE" code="Value"/>
</observation>
```

5165

**Figure 6.3.4.59-1: Death Location Type Entry Content Module Example**

5170

*Delete the following section 6.3.4.61 Employment Status Organizer:*

*Delete the following section 6.3.4.62 Usual Occupation and Industry Organizer:*

*Delete the following section 6.3.4.63 History of Occupation Organizer:*

5175

*Replace the following section 6.3.4.64 Employment Status Observation*

### 6.3.4.64 History of Employment Status Observation

**Table 6.3.4.64-1: History of Employment Status Observation Entry**

**1.3.6.1.4.1.19376.1.7.3.1.4.24.18**

5180

<b>Template Name</b>	History of Employment Status Observation Entry				
<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.4.24.18				
<b>Parent Template</b>					
<b>General Description</b>	A History of Employment Status Observation entry is a clinical statement about a person's state of being employed at the point in time the statement is recorded. Awareness of the subject's History of Employment Status can assist in understanding the subject's resources, access to benefits, and demands at home and work. Generally, employment status refers to whether or not a person currently has a job. In a healthcare setting employment status may be used to determine appropriate probing questions for occupational hazards and occupational history. For example, someone who is unemployed or has chosen not to work may be prompted to provide information about previous jobs. History of Employment status is not the same as compensation and sector employment type described in the Work Classification Observation Entry.				
Class/Mood	<b>Code</b>		<b>Data Type</b>	<b>Value</b>	
ClassCode= "OBS" MoodCode= "EVN"	Code = 74165-2 Display Name = History of Employment Status CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC		Observation	Value xsi:type = "CD" from concept domain CD_EmploymentStatus defined in Table 6.6-1	
Opt and Card	<b>entryRelationship</b>	<b>Description</b>	<b>Template ID</b>		<b>Vocabulary Constraint</b>

[observation: templateId 1.3.6.1.4.1.19376.1.5.3.1.4.20.4 (open) ]

An Employment Status Entry is a clinical statement about the subject's employment status at the point in time the statement is recorded.

5185

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).

5190

3. **SHALL** contain exactly one [1..1] **templateId** such that it
  - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.5.3.1.4.20.4".
4. **SHALL** contain at least one [1..\*] **id**.
5. **SHALL** contain exactly one [1..1] **code**.
  - a. **SHALL** be 74165-2 (History of Employment Status) from LOINC (codeSystem 2.16.840.1.113883.6.1).

5195

- a. **SHALL** be 74165-2 (History of Employment Status) from LOINC (codeSystem 2.16.840.1.113883.6.1).

6. **SHALL** contain exactly one [1..1] **statusCode**="completed" (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
7. **SHALL** contain exactly one [1..1] **effectiveTime**.
- 5200      a. This effectiveTime **SHOULD** contain zero or one [0..1] **low**.  
               i. Note: The effectiveTime/low asserts when the employment status began.
- 5205      b. This effectiveTime **SHOULD** contain zero or one [0..1] **high**  
               i. Note: The effectiveTime/high asserts when the employment status ended. If employment status is current, effectiveTime/high should be omitted. Note: The ending time <high> element SHALL not be greater than the time the observation is made.  
               ii. Note: If the effectiveTime/high is unknown, use @nullFlavor="UNK" (2.16.840.1.113883.5.1008 (HL7NullFlavor) = UNK)
- 5210      8. **SHALL** contain exactly one [1..1] **value** with @xsi:type="CD"  
               a. This value **SHOULD** contain zero or one [0..1] @code  
               b. This value **SHALL** be selected from Concept Domain CD\_EmploymentStatus

*Replace the following section 6.3.4.65:Usual Occupation and Industry Observation*

5215

### 6.3.4.65 Usual Occupation Observation Entry

**Table 6.3.4.65-1: Usual Occupation Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.20**

<b>Template Name</b>	Usual Occupation Observation Entry		
<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.4.24.20		
<b>Parent Template</b>			
<b>General Description</b>	A Usual Occupation Observation Entry contains information about the occupation which the subject has held for the longest duration through his or her working history, at the point in time the statement is recorded. A history of this observation is not retained. Longest-held occupations can be associated with conditions that develop slowly over time or even after the person is no longer performing that type of work, e.g., some respiratory conditions and cancers. It optionally includes a total duration observation because a person can be in and out of a given occupation over time. In addition, knowing when the person began working in this occupation can provide information about potential exposures and allows the clinician to assess whether sufficient time has elapsed for a chronic condition to appear, i.e., the latency period. This guides appropriate use of screening tests to detect early disease.		
<b>Class/Mood</b>	<b>Code</b>	<b>Data Type</b>	<b>Value</b>
ClassCode="OBS" MoodCode=	Code = 21843-8 Display Name = Usual Occupation CodeSystem = 2.16.840.1.113883.6.1	Observation	Value xsi:type = "CD" from concept domain CD_OccupationCode defined in Table 6.6-1

“EVN”	CodeSystemName=LOINC				
Opt and Card	entryRelationship	Description	Template ID	Specification Document	Vocabulary Constraint

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.20 (open) ]

- 5220 A Usual Occupation Observation Entry contains information about the occupation which the subject has held for the longest duration through his or her working history, at the point in time the statement is recorded
1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
  2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
  3. **SHALL** contain exactly one [1..1] templateId such that it
    - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.20".
  4. **SHALL** contain at least one [1..\*] id.
  5. **SHALL** contain exactly one [1..1] code.
    - a. **SHALL** be 21843-8 (Usual Occupation) from LOINC (codeSystem 2.16.840.1.113883.6.1).
  6. **SHALL** contain exactly one [1..1] statusCode="completed" (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
  7. **SHALL** contain exactly one [1..1] effectiveTime.
    - a. This effectiveTime **SHALL** contain exactly one [1..1] low.

Note: The effectiveTime/low asserts when the usual occupation began.

Note: If the effectiveTime/low is unknown, use @nullFlavor="UNK" (2.16.840.1.113883.5.1008 (HL7NullFlavor) = UNK)

    - b. This effectiveTime MAY contain zero or one [0..1] high.

Note: The effectiveTime/high asserts when the usual occupation ended. If usual occupation is current, effectiveTime/high should be omitted.

Note: If the effectiveTime/low is unknown, use @nullFlavor="UNK" (2.16.840.1.113883.5.1008 (HL7NullFlavor) = UNK).
  8. **SHALL** contain exactly one [1..1] value with @xsi:type="CD"
    - a. This value **SHALL** be selected from Concept Domain CD\_OccupationCode.
  9. **MAY** contain zero or one [0..1] subject
    - a. The subject, if present, **SHALL** contain exactly one [1..1] relatedSubject
      - i. This relatedSubject **SHALL** contain exactly one [1..1] @classCode="PRS" (CodeSystem: HL7EntityClass urn:oid:2.16.840.1.113883.5.41)
      - ii. This relatedSubject **SHALL** contain exactly one [1..1] code

5255

1. This code **SHALL** contain exactly one [1..1] **@code** (ValueSet: Family Member Value Set urn:oid:2.16.840.1.113883.1.11.19579 **DYNAMIC**)

10. **SHALL** contain at least one [1..\*] **author**

- a. Such authors **SHALL** contain exactly one [1..1] time

Note: The author/time asserts when the usual occupation was authored or last updated in the patient's chart.

5260

11. **SHOULD** contain zero or one [0..1] **entryRelationship** such that it

- a. **SHALL** contain exactly one [1..1] **@typeCode="REFR"** (CodeSystem: HL7ActRelationshipType 2.16.840.1.113883.5.1002 **STATIC**).

5265

- b. **SHALL** contain exactly one [1..1] Usual Occupation Duration Observation Entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.25)

12. **SHOULD** contain zero or one [0..1] **entryRelationship**

- a. The entryRelationship, if present, **SHALL** contain exactly one [1..1] **@typeCode="REFR"** (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002)

5270

- b. The entryRelationship, if present, **SHALL** contain exactly one [1..1] usual Industry Observation (identifier: urn:oid: 1.3.6.1.4.1.19376.1.7.3.1.4.24.26)

*Replace the following section 6.3.4.66 Occupation Observation*

5275

### 6.3.4.66 Past or Present Occupation Observation Entry

**Table 6.3.4.66-1: Past or Present Occupation Observation Entry**  
**1.3.6.1.4.1.19376.1.7.3.1.4.24.19**

<b>Template Name</b>	Past or Present Occupation Observation Entry				
<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.4.24.19				
<b>Parent Template</b>					
<b>General Description</b>	<p>A Past or Present Occupation Observation entry is a clinical statement about a job or jobs which the subject currently holds or has held in the past. It includes related observations about the occupation (type of work), the type of business (industry) in which that occupation is performed, supervisory level (including military pay grade), and the employer's name and location. It should also include observations about the job's work classification (e.g., self-employed, volunteer) and work schedule, and may also contain observations for job duties and occupational hazards. For a given job, updates to Industry, Occupation, Employer, or Supervisory Level would constitute a new 'job'. The type of work a person performs (occupation) and their industry (type of business in which they work) are critical data elements for patient care, population health, and public health, with the current information being the most important. In the health care encounter, current occupation and industry are important because they provide information regarding the exposures a person may have to substances/environments/hazards that may cause illness/injury or may impact the treatment plan. The combination of occupation and industry serves as a key indicator of the patient's work environment. The entry is designed to ensure that these data remain associated with one-another in perpetuity, even if multiple jobs are included. Note that occupation and industry also describe self-reported service in the armed forces.</p>				
Class/Mood	<b>Code</b>		<b>Data Type</b>	<b>Value</b>	
ClassCode= "OBS" MoodCode= "EVN"	Code = 11341-5 Display Name = History of Occupation CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC		Observation	Value xsi:type = "CD" from concept domain CD_OccupationCode defined in Table 6.6-1	
Opt and Card	<b>entryRelationship</b>	<b>Description</b>	<b>Template ID</b>		<b>Specification Document</b>
					<b>Vocabulary Constraint</b>

5280

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.19 (open) ]

A Past or Present Occupation Observation Entry is a clinical statement about a job which the subject currently holds or has held in the past. Multiple Past or Present Occupation Observation Entries may be needed to reflect a person's current jobs, since many people hold more than one job at a time. Over time, a history of jobs is to be built since past jobs can be related to latent health effects.

5285

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) .

- 5290
2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
  3. **SHALL** contain exactly one [1..1] **templateId** such that it
    - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.19".
  4. **SHALL** contain at least one [1..\*] **id**.
- 5295
5. **SHALL** contain exactly one [1..1] **code**.
    - a. **SHALL** be 11341-5 (History of Occupation) from LOINC (codeSystem 2.16.840.1.113883.6.1).
  6. **SHALL** contain exactly one [1..1] **statusCode**= (CodeSystem: ActStatus 2.16.840.1.113883.5.14) .
    - a. Note: Indicate current job as 'active'. Indicate historical jobs as 'completed'
- 5300
7. **SHALL** contain exactly one [1..1] **effectiveTime**.
    - a. This effectiveTime **SHALL** contain exactly zero or one [1..1] **low**.
      - i. Note: The effectiveTime/low asserts when the past or present occupation began.
      - ii. Note: If the effectiveTime/low is unknown, use @nullFlavor="UNK" (2.16.840.1.113883.5.1008 (HL7NullFlavor) = UNK)
    - b. This effectiveTime **MAY** contain exactly zero or one [0..1] **high**.
      - i. The ending time <high> element **SHALL** not be greater than the time the observation is made.
      - ii. Note: The effectiveTime/high asserts when the past or present occupation ended. If occupation is current, effectiveTime/high should be omitted.
      - iii. Note: If the effectiveTime/high is unknown, use @nullFlavor="UNK"
- 5305
8. **SHALL** contain exactly one [1..1] **value** with @xsi:type="CD"
    - a. This value **SHALL** be selected from Concept Domain CD\_OccupationCode.
  9. **MAY** contain zero or one [0..1] **subject**
    - a. The subject, if present, **SHALL** contain exactly one [1..1] **relatedSubject**
      - i. This relatedSubject **SHALL** contain exactly one [1..1] @classCode="PRS" (CodeSystem: HL7EntityClass urn:oid:2.16.840.1.113883.5.41)
      - ii. This relatedSubject **SHALL** contain exactly one [1..1] **code**
        1. This code **SHALL** contain exactly one [1..1] @code (ValueSet: Family Member Value Set urn:oid:2.16.840.1.113883.1.11.19579 **DYNAMIC**)
- 5310
- 5315
- 5320
- 5325
- Note: This represents the Family Relationship of the person holding this occupation.
  10. **SHALL** contain exactly one [1..1] **participant** such that it
    - a. **SHALL** contain exactly one [1..1] @typeCode="IND"
    - b. **SHALL** contain exactly one [1..1] **participantRole**

- 5330                    i. Which **MAY** contain exactly one [1..1] **@classCode="ROL"** (CodeSystem: RoleCode 2.16.840.1.113883.5.111 **STATIC**).  
                      ii. Which **SHOULD** contain exactly zero or one [0..1] **id**  
                          1. Such that the id SHALL reference the id of an AssociatedEntity in the header which SHALL contain exactly one [1..1] templateId such that it  
                            a. SHALL contain exactly one [1..1] **@root="1.3.6.1.4.1.19376.1.5.3.1.2.2"** (IHE Employer and School Contacts template)  
                            b. SHALL contain exactly one [1..1] **@extension="2016-11-30"**.  
                      2. The AssociatedEntity SHOULD contain zero or one [0..1] name.  
                      3. The AssociatedEntity SHOULD contain zero or one [0..1] addr  
                      iii. This participantRole **SHOULD** contain zero or one [0..1] **addr**  
                         Note: Contains the address of the employer  
                      iv. This participantRole **MAY** contain zero or one [0..1] **playingEntity**  
                          1. The playingEntity, if present, **SHOULD** contain zero or one [0..1] **name**
- 5335                   Note: Contains the name of the employer
- 5340                    11. **SHALL** contain exactly one [1..1] **entryRelationship** such that it  
                          a. **SHALL** contain exactly one [1..1] **@typeCode="REFR"** (CodeSystem: HL7ActRelationshipType uri:oid:2.16.840.1.113883.5.1002 **STATIC**).  
                      b. **SHALL** contain exactly one [1..1] Past or Present Industry Observation Entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.3)
- 5345                    12. **SHOULD** contain zero or one [0..1] **entryRelationship** such that it  
                          a. **SHALL** contain exactly one [1..1] **@typeCode="REFR"** (CodeSystem: HL7ActRelationshipType uri:oid:2.16.840.1.113883.5.1002 **STATIC**).  
                      b. **SHALL** contain exactly one [1..1] Work Classification Observation Entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.4)
- 5350                    13. **SHOULD** contain zero or one [0..1] **entryRelationship** such that it  
                          a. **SHALL** contain exactly one [1..1] **@typeCode="REFR"** (CodeSystem: HL7ActRelationshipType 2.16.840.1.113883.5.1002 **STATIC**).  
                      b. **SHALL** contain exactly one [1..1] Work Schedule Observation (1.3.6.1.4.1.19376.1.7.3.1.4.24.24).
- 5355                    14. **SHOULD** contain zero or one [0..1] **entryRelationship**.  
                          a. The entryRelationship, if present, **SHALL** contain exactly one [1..1] **@typeCode="REFR"**

- 5370            b. The entryRelationship, if present, **SHALL** contain exactly one [1..1] [Supervisory Level](#) (identifier: urn:oid: 1.3.6.1.4.1.19376.1.7.3.1.4.24.16)
15. **MAY** contain zero or one [0..\*] **entryRelationship**
- 5375            a. The entryRelationship, if present, **SHALL** contain exactly one [1..1] @typeCode="REFR"
- b. The entryRelationship, if present, **SHALL** contain exactly one [1..1] [Job Duty Observation](#) (identifier: urn:oid: 1.3.6.1.4.1.19376.1.7.3.1.4.24.14)
16. **MAY** contain zero or one [0..\*] **entryRelationship**.
- 5380            a. The entryRelationship, if present, **SHALL** contain exactly one [1..1] @typeCode="REFR"
- The entryRelationship, if present, **SHALL** contain exactly one [1..1] [Occupational Hazard Observation](#) (identifier: urn:oid: 1.3.6.1.4.1.19376.1.7.3.1.4.24.27)

5385

*Replace the following section 6.3.4.67 Work Shift Observation – renamed to Work Schedule*

### 6.3.4.67 Work Schedule Observation Entry

**Table 6.3.4.67-1: Work Schedule Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.5**

<b>Template Name</b>	Work Schedule Observation Entry		
<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.4.24.5		
<b>Parent Template</b>			
<b>General Description</b>	A clinical statement about the schedule, “shift”, or typical time within a work-day in which a person is scheduled to perform their duties. It includes observations of the hours and days worked per week. Full-time and part-time designations are not defined consistently and would not reflect compressed schedules, long work hours, or overtime work. Use cases include care for a patient with diabetes who is on a rotating shift and needs different counseling on diet and medication management than someone working a regular day shift; a patient on a rotating shift who has fatigue interfering with activities at work and home; a patient with obesity working long hours.		
<b>Class/Mood</b>	<b>Code</b>	<b>Data Type</b>	<b>Value</b>
ClassCode=“OBS” MoodCode=“EVN”	Code = 74159-5 Display Name = Work Schedule CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC	Observation	Value xsi:type = “CD” from concept domain CD_WorkSchedule defined in Table 6.6-1

Opt and Card	entryRelationship	Description	Template ID	Specification Document	Vocabulary Constraint

5390

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.5 (open) ]

A clinical statement about the schedule, “shift”, or typical time within a work-day in which a person is scheduled to perform their duties.

5395

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
3. **SHALL** contain exactly one [1..1] templateId such that it

5400

- a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.5".
4. **SHALL** contain at least one [1..\*] id.
5. **SHALL** contain exactly one [1..1] code.

5405

- a. **SHALL** be 74159-5 (Workshift) from LOINC.
6. **SHALL** contain exactly one [1..1] statusCode="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
7. **SHALL** contain exactly one [1..1] value with @xsi:type="CD".
  - a. This value **SHALL** contain exactly one [1..1] @code, which **SHALL** be selected from Concept Domain CD\_EmploymentStatus

5410

8. **MAY** contain zero or one [0..1] entryRelationship such that it
  - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" (CodeSystem: HL7ActRelationshipType uri:oid:2.16.840.1.113883.5.1002 STATIC).
  - b. **SHALL** contain exactly one [1..1] Weekly Work Hours Observation Entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.6)
9. **MAY** contain zero or one [0..1] entryRelationship such that it

5415

- a. **SHALL** contain exactly one [1..1] @typeCode="REFR" (CodeSystem: HL7ActRelationshipType uri:oid:2.16.840.1.113883.5.1002 STATIC).
- b. **SHALL** contain exactly one [1..1] Weekly Work Days Observation Entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.7)

5420

*Replace the following section 6.3.4.68 Weekly Work Hours Observation*

### 6.3.4.68 Weekly Work Hours Observation Entry

**Table 6.3.4.68-1: Weekly Work Hours Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.6**

<b>Template Name</b>		Weekly Work Hours Observation Entry			
<b>Template ID</b>		1.3.6.1.4.1.19376.1.7.3.1.4.24.6			
<b>Parent Template</b>					
<b>General Description</b>		A clinical statement about the typical number of hours per week that a person spends performing their duties for work. This information is most useful coupled with weekly work days and helps to reveal compressed schedules, long work hours, and overtime.			
Class/Mood	Code	Data Type	Value		
ClassCode= "OBS" MoodCode= "EVN"	Code = 74161-1 Display Name = Weekly Work Hours CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC	Observation	value with @xsi:type="INT"		
Opt and Card	entryRelationship	Description	Template ID	Specification Document	Vocabulary Constraint

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.6 (open) ]

5425 A clinical statement about the typical number of hours per week that a person spends performing their duties for work.

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).

5430 2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).

3. **SHALL** contain exactly one [1..1] templateId such that it
  - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.6".

4. **SHALL** contain at least one [1..\*] id.

5435 5. **SHALL** contain exactly one [1..1] code.

- a. **SHALL** be 74161-1 (Weekly Work Hours) from LOINC.

6. **SHALL** contain exactly one [1..1] statusCode="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).

7. **SHALL** contain exactly one [1..1] value with @xsi:type="INT".

5440 a. This value **SHALL** contain exactly one [1..1] @value, which represents the number of hours in a week that a person usually works.

*Replace the following section 6.3.4.69 Usual Occupation Duration*

### 6.3.4.69 Usual Occupation Duration Entry

5445

**Table 6.3.4.69-1: Usual Occupation Duration Entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.10)**

<b>Template Name</b>		Usual Occupation Duration Entry			
<b>Template ID</b>		1.3.6.1.4.1.19376.1.7.3.1.4.24.10			
<b>Parent Template</b>					
<b>General Description</b>		A Usual Occupation Duration Entry is a clinical statement about the total quantity of time a person spent in the occupation they held the longest over the course of their life. Start date alone can be insufficient, because a person may have been in and out of the occupation over time. The length of time a person performed a type of work can assist in assessing the extent of potential exposure to a health hazard.			
Class/Mood	<b>Code</b>		<b>Data Type</b>	<b>Value</b>	
ClassCode= "OBS" MoodCode= "EVN"	Code = 74163-7 Display Name = Usual Occupation Duration CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC		Observation	Value xsi:type=PQ representing the number of years of months. Units shall be expressed in UCUM.	
Opt and Card	<b>entryRelationship</b>	<b>Description</b>	<b>Template ID</b>		<b>Specification Document</b>

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.10 (open) ]

A Usual Occupation Duration Entry is a clinical statement about the quantity of time a person spent in the occupation they held the longest over the course of their life.

5450

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).

5455

3. **SHALL** contain exactly one [1..1] templateId such that it

- a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.10".

5460

4. **SHALL** contain at least one [1..\*] id.
5. **SHALL** contain exactly one [1..1] code.
  - a. **SHALL** be 74163-7 (Usual Occupation Duration) from LOINC.
6. **SHALL** contain exactly one [1..1] statusCode="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).

- 5465      7. **SHALL** contain exactly one [1..1] **value** with @xsi:type="PQ".  
           a. This value **SHALL** contain exactly one [1..1] **@unit**, which **SHALL** include duration-related units from value set UCUM 2.16.840.1.113883.1.11.12839.

*Delete the following section 6.3.4.70 Usual Industry Duration*

#### 6.3.4.71 Pregnancy Status Review Organizer (1.3.6.1.4.1.19376.1.5.3.1.4.22)

- 5470      The pregnancy status review organizer collects observations of the responses the patient gave to a set of routine questions regarding potential pregnancy in females of child-bearing-age.

##### 6.3.4.71.1 Specification

```
<organizer classCode='CLUSTER' moodCode='EVN'>
 <templateId root=''/>
 <id root='' extension=''/>
 <code code='' displayName=''
 codeSystem='',
 codeSystemName=''/>
 <statusCode code='completed' />
 <effectiveTime value=''/>
 <!-- For HL7 Version 3 Messages
 <author classCode='AUT'>
 <assignedEntity1 typeCode='ASSIGNED'>
 :
 <assignedEntity1>
 </author>
 -->
 <!-- One or more components -->
 <component typeCode='COMP'>
 <!-- Or a pregnancy status observation -->
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root=''/>
 :
 </observation>
 </component>
 </organizer>
```

##### 6.3.4.71.2 <organizer classCode='CLUSTER' moodCode='EVN'>

The pregnancy status review organizer is a cluster of pregnancy status review observations.

##### 6.3.4.71.3 <templateId root="/">

- 5500      The pregnancy status review organizer shall have the <templateId> element shown above to indicate that it conforms to this specification.

##### 6.3.4.71.4 <id root=' ' extension=' '/>

The organizer shall have an <id> element.

5505      **6.3.4.71.5    <code code='118185001' displayName='Pregnancy Observations'  
codeSystem='2.16.840.1.113883.6.96'  
codeSystemName='SNOMED-CT' />**

The organizer shall contain a code describing the observations present. The recommended code is shown above.

**6.3.4.71.6    <statusCode code='completed' />**

5510      The observations have all been completed.

**6.3.4.71.7    <effectiveTime value=' '/>**

The effective time element shall be present to indicate the interval of the pregnancy status review.

5515      **6.3.4.71.8    <author typeCode='AUT'><assignedEntity1  
typeCode='ASSIGNED'>...</assignedEntity1></author>**

For use with HL7 Version 3, pregnancy status review organizers MAY contain an <author> element to represent the person or device.

**6.3.4.71.9    <component typeCode='COMP' />**

5520      The organizer shall have one or more <component> elements that are instances of pregnancy status review observations.

**6.3.4.72 Pregnancy Status Review Observation (1.3.6.1.4.1.19376.1.5.3.1.4.22.1)**

A pregnancy Status Review observation is a Simple Observation that uses a specific vocabulary to record observations about a patient's current pregnancy status.

**6.3.4.72.1 Parent Template**

5525      The parent of this template is [Simple Observation](#).

**6.3.4.72.1.1 Uses**

See [Templates using Pregnancy Status Review Observation](#)

### 6.3.4.72.2 Specification

```

5530 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.22.1' />
 <templateId root='' />
 <id root=' ' extension=' ' />
 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' ' />
 <text><reference value='#xxx' /></text>
 <statusCode code='completed' />
 <effectiveTime value=' ' />
 <repeatNumber value=' ' />
 <value xsi:type=' ' ... />
 <interpretationCode code=' ' codeSystem=' ' codeSystemName=' ' />
 <methodCode code=' ' codeSystem=' ' codeSystemName=' ' />
 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />
</observation>

```

**Figure 6.3.4.72.2-1: Pregnancy Status Review Observation Example**

### 6.3.4.72.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.22.1' />

5545 <templateId root=" "/>

These <templateId> elements identify this <observation> as a pregnancy status review observation, allowing for validation of the content. The <templateId> elements shall be recorded as shown above.

### 6.3.4.72.4 <code code=' ' displayName=' '

5550 <codeSystem=" " codeSystemName=' '/>

A pregnancy status observation shall have a code describing what facet of patient's pregnancy status is being recorded.

### 6.3.4.72.5 <repeatNumber value=' ' />

5555 The <repeatNumber> element should not be present in a pregnancy status review observation.

### 6.3.4.72.6 <value xsi:type=' ' ... />

The value of the observation shall be recording using a data type appropriate to the coded observation according to the table above.

### 6.3.4.72.7 <interpretationCode code=' ' codeSystem=' ' codeSystemName=' ' />

5560 <methodCode code=' ' codeSystem=' ' codeSystemName=' ' />
 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />

The <interpretationCode>, <methodCode>, and <targetSiteCode> should not be present in a pregnancy status review observation.

### 6.3.4.73 Performer

5565 The performer template is used to identify the healthcare provider who was the primary performer of an act. The provider name, address, contact information and identifier are provided

to ensure that the performer of the act can be contacted in case there are any questions about the act.

```

5570 <performer typeCode="PRF">
 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.24.3.5"/>
 <assignedEntity classCode="ASSIGNED">
 <id root="" extension="" />
 <addr></addr>
 <telecom></telecom>
 <assignedPerson>
 <name></name>
 </assignedPerson>
 <representedOrganization>
 <name></name>
 <addr></addr>
 <telecom></telecom>
 </representedOrganization>
 </assignedEntity>
 </performer>

```

#### 5585 **6.3.4.73.1 <performer typeCode="PRF">**

The `performer` element identifies a healthcare provider that performed any activity. A performer is distinct from an author, as the performer is the one who does the work, whereas the author is the person who documented or created it.

1. This template SHALL be used only in `performer` elements inside any CDA (V3) act.
2. The `@typeCode` attribute of the `performer` element SHALL use the value **PRF**.

#### **6.3.4.73.2 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.24.3.5"/>**

The `performer` element asserts conformance to the Performer template.

1. The `performer` SHALL contain a `templateId/@root` attribute containing the value **1.3.6.1.4.1.19376.1.5.3.1.1.24.3.5** to assert conformance to this template.

#### **6.3.4.73.3 <assignedEntity classCode="ASSIGNED">**

An `assignedEntity` element appears to identify the performer.

1. The `performer` SHALL contain only one **[1..1]** `assignedEntity` element.
2. The `assignedEntity/@classCode` value in the `performer` element SHALL be **ASSIGNED**.

#### **6.3.4.73.4 <id root="" extension="" />**

The identifier of the healthcare provider performing the act should be present.

1. The `performer` element SHALL contain at least one **[1..\*]** `id` element.
2. The `id` element MAY use the `@nullFlavor` attribute when the information is unknown. (clarify that there SHOULD be an `id/@root`).

#### **6.3.4.73.5 <addr></addr>**

The mailing address of the healthcare provider performing the act should be present to enable the provider to be contacted.

1. The performer element SHALL contain at least one [1..\*] addr element.

5610      2. The addr element MAY use @nullFlavor if the information is unknown.

#### **6.3.4.73.6 <telecom></telecom>**

The provider telephone number should be provided to enable the performer of the reconciliation to be contacted.

1. The performer element SHALL contain at least one [1..1] telecom element.

5615      2. The telecom element MAY use @nullFlavor to indicate that information is unknown.

#### **6.3.4.73.7 <assignedPerson>**

1. The performer element SHALL contain only one [1..1] assignedPerson elements further identifying the person.

5620      **6.3.4.73.8 <name></name>**

The name of the provider performing the act should be provided.

1. The performer SHALL contain at least one [1..\*] assignedPerson/name element.
2. The name element MAY use @nullFlavor to indicate that the information is unknown.

#### **6.3.4.73.9 <representedOrganization>**

5625      The name and identifier of the organization represented by the performer should be provided.

1. The performer SHALL contain only one [1..1] representedOrganization element.

#### **6.3.4.73.10 <id root='...' extension='...'/>**

The identifier of the organization represented must appear.

5630      1. The representedOrganization element SHALL contain at least one [1..\*] representedOrganization/id element.

2. The id element MAY use @nullFlavor to indicate that the identifier is unknown.

#### **6.3.4.73.11 <name></name>**

The name of the organization represented must appear.

- 5635     1. The representedOrganization element SHALL contain at least one [1..\*] representedOrganization/name element.
2. The name element SHALL NOT use @nullFlavor to indicate that information is unknown.

#### **6.3.4.73.12 <addr></addr>**

- 5640   The mailing address of the represented organization should be present to allow the organization to be contacted when the performer is not available.
1. The performer element shall contain at least one [1..\*] representedOrganization/addr element.
2. The addr element MAY use @nullFlavor attribute to indicate that information is unknown.
- 5645

#### **6.3.4.73.13 <telecom></telecom>**

The telephone number of the represented organization should be present to allow the organization to be contacted when the performer is not available.

1. The performer element SHALL contain at least one [1..\*] telecom element.
- 5650   2. The telecom element MAY use @nullFlavor to indicate that the information is unknown.

*Add the following section 6.3.4.74 Weekly Work Days Observation*

- 5655   **6.3.4.74 Weekly Work Days Observation Entry**

**Table 6.3.4.71-1: Weekly Work Days Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.7**

<b>Template Name</b>	Weekly Work Days Observation Entry		
<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.4.24.7		
<b>Parent Template</b>			
<b>General Description</b>	The typical days per week that a person spends working.		
<b>Class/Mood</b>	<b>Code</b>	<b>Data Type</b>	<b>Value</b>
ClassCode= "OBS" MoodCode= "EVN"	Code = 74160-3 Display Name = Weekly Work Days CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC	Observation	<b>value</b> with @xsi:type="INT"

Opt and Card	entryRelationship	Description	Template ID	Specification Document	Vocabulary Constraint

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.7 (open) ]

A clinical statement about the typical number of days per week that a person spends performing their duties for work.

5660

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).

5665

3. **SHALL** contain exactly one [1..1] templateId such that it
  - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.7".
4. **SHALL** contain at least one [1..\*] id.
5. **SHALL** contain exactly one [1..1] code.
  - a. **SHALL** be 74160-3 (Weekly Work Days) from LOINC.

5670

6. **SHALL** contain exactly one [1..1] statusCode="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
7. **SHALL** contain exactly one [1..1] value with @xsi:type="INT".
  - a. This value **SHALL** contain exactly one [1..1] @value, which represents the number of days in a week that a person usually works.

5675

Add Section 6.3.4.bb Date of Retirement Observation Entry
-----------------------------------------------------------

### 6.3.4.bb Date of Retirement Observation Entry

Template Name	Date of Retirement Observation Entry		
Template ID	1.3.6.1.4.1.19376.1.7.3.1.4.24.21		
Parent Template			
General Description	A Date of Retirement Observation Entry is a self-identified statement about whether an individual considers themselves ‘retired’ at the point in time the statement is recorded		
Class/Mood	Code	Data Type	Value
ClassCode= “OBS” MoodCode= “EVN”	Code = 87510-4 Display Name = Retirement Status Date CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC	Observation	Value xsi:type = “CD” from value set Yes No Unknown (YNU)

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.21 (open) ]

5680

A Date of Retirement Observation Entry is a self-identified statement about whether an individual considers themselves ‘retired’ at the point in time the statement is recorded.

- 5685 1. **SHALL** contain exactly one [1..1] **@classCode="OBS"** (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
2. **SHALL** contain exactly one [1..1] **@moodCode="EVN"** Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
3. **SHALL** contain exactly one [1..1] **templateID** such that it
- SHALL** contain exactly one [1..1] **@root=" 1.3.6.1.4.1.19376.1.7.3.1.4.24.21 "**.
4. **SHALL** contain at least one [1..\*] **id**.
5. **SHALL** contain exactly one [1..1] **code**.
- SHALL** be 87510-4 (Retirement Status Date) from LOINC.
- 5690 6. **SHALL** contain exactly one [1..1] **statusCode="completed"** Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
7. **SHALL** contain exactly one [1..1] **value** with @xsi:type="TS"
8. **SHALL** contain exactly one [1..1] **participant**
- This participant **SHALL** contain exactly one [1..1] **@typeCode="IND"**
  - This participant **SHALL** contain exactly one [1..1] **participantRole**
    - This participantRole **MAY** contain zero or one [0..1] **@classCode="ROL"** (CONF:3349-288).
    - This participantRole **SHOULD** contain zero or one [0..1] **id**
    - This participantRole **SHOULD** contain zero or one [0..1] **addr**
    - This participantRole **SHOULD** contain zero or one [0..1] **playingEntity**
      - The playingEntity, if present, **SHALL** contain zero or one [0..1] **name**
- 5695
- 5700

Add Section 6.3.4.cc Combat Zone Period Observation Entry

5705 **6.3.4.cc Combat Zone Period Observation Entry**

**Table 6.3.4.cc-1: Combat Zone Period Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.22**

<b>Template Name</b>	Combat Zone Period Observation Entry		
<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.4.24.22		
<b>Parent Template</b>			
<b>General Description</b>	Combat Zone Period Observation Entry identifies date range(s) an individual has worked in what is considered a combat or hazardous duty zone; both civilian and military.		
<b>Class/Mood</b>	<b>Code</b>	<b>Data Type</b>	<b>Value</b>
ClassCode= "OBS" MoodCode= "EVN"	Code = 87511-2 Display Name = Combat Zone or Hazardous Duty Work Dates CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC	Observation	NA

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.22 (open) ]

Combat Zone Period Observation Entry identifies date range(s) an individual has worked in what is considered a combat or hazardous duty zone; both civilian and military.

- 5710 1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
3. **SHALL** contain exactly one [1..1] templateId such that it
- 5715 a. **SHALL** contain exactly one [1..1] @root=" 1.3.6.1.4.1.19376.1.7.3.1.4.24.22".
4. **SHALL** contain at least one [1..\*] id.
5. **SHALL** contain exactly one [1..1] code.
- a. **SHALL** be 87511-2 (Combat Zone or Hazardous Duty Work Dates) from LOINC.
- 5720 6. **SHALL** contain exactly one [1..1] statusCode="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
7. **SHALL** contain exactly one [1..1] value with @xsi:type="IVL\_TS"
- a. This value **SHALL** contain exactly one [1..1] low
- Note: The value/low asserts when the combat zone work duty began
- b. This value **MAY** contain zero or one [0..1] high
- 5725 Note: The value/high asserts when the combat zone work duty ended. If combat zone work duty is current, value/high should be omitted. Note: If the value/high is unknown, use @nullFlavor="UNK" (2.16.840.1.113883.5.1008 (HL7NullFlavor) = UNK)

5730 *Add Section 6.3.4.dd Job Duty Observation Entry*

### 6.3.4.dd Job Duty Observation Entry

**Table 6.3.4.dd-1: Job Duty Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.14**

<b>Template Name</b>	Job Duty Observation Entry		
<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.4.24.14		
<b>Parent Template</b>			
<b>General Description</b>	A Job Duty Observation Entry is a clinical statement about regular actions performed at work. A person may have the occupation of “construction laborer” and his specific job duties are to carry construction supplies. Specific job information is important in the healthcare setting because it provides information regarding hazards to which a person may have been exposed, which is pertinent to treatment and prevention.		
<b>Class/Mood</b>	<b>Code</b>	<b>Data Type</b>	<b>Value</b>
ClassCode=“OBS” MoodCode=	Code = 63761-1 Display Name = Job Duties CodeSystem = 2.16.840.1.113883.6.1	Observation	Value xsi:type = “ST”

“EVN”	CodeSystemName=LOINC		
-------	----------------------	--	--

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.14 (open) ]

A Job Duty Observation Entry is a clinical statement about regular actions performed at work.

- 5735 1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).

2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).

3. **SHALL** contain exactly one [1..1] templateId such that it

- 5740 a. **SHALL** contain exactly one [1..1] @root=" 1.3.6.1.4.1.19376.1.7.3.1.4.24.14".

4. **SHALL** contain at least one [1..\*] id.

5. **SHALL** contain exactly one [1..1] code.

- a. **SHALL** be 63761-1 (Job Duties) from LOINC.

6. **SHALL** contain exactly one [1..1] statusCode="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).

7. **SHALL** contain exactly one [1..1] value with @xsi:type="ST"

Note: This text lists the regular actions performed at work

Add Section 6.3.4.ee ExposuresOccupational Hazard Observation Entry

5750 **6.3.4.ee Occupational Hazard Observation Entry**

**Table 6.3.4.ee-1: Occupational Hazard Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.27**

<b>Template Name</b>	Occupational Hazard Observation Entry		
<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.4.24.27		
<b>Parent Template</b>			
<b>General Description</b>	An Occupational Hazard Entry is a clinical statement about actual contact or interaction with a specific hazard that increases an individual's risk of a detrimental physical or mental health outcome (e.g., ingestion or inhalation of a toxic chemical). Information on an exposure may include the measurement of duration/intensity of contact or interaction with the specific hazard. In a healthcare setting, information on exposures assists in the diagnosis of specific illnesses or injuries associated with a specific hazard. An example of using exposure information would be a health care provider examining a farm worker that presents with flu-like symptoms that developed after spraying chemicals on a field; the provider may be able to determine if the symptoms are consistent with exposure to the specific pesticide that was applied by the worker.”		
<b>Class/Mood</b>	<b>Code</b>	<b>Data Type</b>	<b>Value</b>
ClassCode="OBS" MoodCode="EVN"	Code = 87729-0 Display Name = History of Occupational Hazard CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC	Observation	Value xsi:type = “ST”

--	--	--

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.27 (open) ]

- 5755 An Occupational Hazard Entry is a clinical statement about actual contact or interaction with a specific hazard that increases an individual's risk of a detrimental physical or mental health outcome (e.g., ingestion or inhalation of a toxic chemical). Information on an exposure may include the measurement of duration/intensity of contact or interaction with the specific hazard. In a healthcare setting, information on exposures assists in the diagnosis of specific illnesses or injuries associated with a specific hazard. An example of using exposure information would be a health care provider examining a farm worker that presents with flu-like symptoms that developed after spraying chemicals on a field; the provider may be able to determine if the symptoms are consistent with exposure to the specific pesticide that was applied by the worker."
- 5760 1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
- 5765 2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
3. **SHALL** contain exactly one [1..1] templateId such that it
  - SHALL** contain exactly one [1..1] @root=" 1.3.6.1.4.1.19376.1.7.3.1.4.24.27".
4. **SHALL** contain at least one [1..\*] id.
5. **SHALL** contain exactly one [1..1] code.
  - SHALL** be 87729-0 (History of Occupational Hazard) from LOINC.
6. **SHALL** contain exactly one [1..1] statusCode="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
7. **SHALL** contain exactly one [1..1] value with @xsi:type="ST"

Note: This text lists the occupational hazard.

5775

Add Section 6.3.4.ff Supervisory Level Observation Entry
----------------------------------------------------------

### 6.3.4.ff Supervisory Level Observation Entry

**Table 6.3.4.ff-1: Supervisory Level Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.16**

<b>Template Name</b>	Supervisory Level Observation Entry		
<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.4.24.16		
<b>Parent Template</b>			
<b>General Description</b>	A Supervisory Level Entry is a clinical statement about the supervisory or management responsibilities for an individual's job. For military jobs, this is pay grade.		
<b>Class/Mood</b>	<b>Code</b>	<b>Data Type</b>	<b>Value</b>
ClassCode="OBS" MoodCode=	Code = 87707-6 Display Name = Job Supervisory Level or Pay Grade	Observation	Value xsi:type = "CD" from value set Supervisory Level (TBD)

“EVN”	CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC		
-------	------------------------------------------------------------	--	--

5780 [observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.16 (open)]

A Supervisory Level Entry is a clinical statement about the supervisory or management responsibilities for an individual's job. For military jobs, this is pay grade.

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
3. **SHALL** contain exactly one [1..1] templateId such that it
  - a. **SHALL** contain exactly one [1..1] @root=" 1.3.6.1.4.1.19376.1.7.3.1.4.24.16".

5785 4. **SHALL** contain at least one [1..\*] id.

5790 5. **SHALL** contain exactly one [1..1] code.
 

- a. **SHALL** be 87707-6 (Job Supervisory Level or Pay Grade) from LOINC.

6. **SHALL** contain exactly one [1..1] statusCode="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
7. **SHALL** contain exactly one [1..1] value with @xsi:type="CD".

5795 a. This value **SHALL** contain exactly one [1..1] @code, which **SHALL** be selected from Concept Domain CD\_SupervisoryLevel

Add Section 6.3.4.yy

### 6.3.4.yy Past or Present Industry Observation Entry

5800 **Table 6.3.4.yy-1: Past or Present Industry Observation Entry**  
**1.3.6.1.4.1.19376.1.7.3.1.4.24.3**

<b>Template Name</b>	Past or Present Industry Observation Entry		
<b>Template ID</b>	1.3.6.1.4.1.19376.1.7.3.1.4.24.3		
<b>Parent Template</b>			
<b>General Description</b>	A Past or Present Industry Observation Entry is a clinical statement about the type of business (industry) in which the subject currently holds or has held a job in the past. Industry is a key data element for understanding health risks. Similar occupations performed in different industries can have very different health risks; e.g., a nurse in an acute healthcare setting vs. a nurse in an elementary school, or a plumber in housing construction vs a plumber in shipbuilding. Each Past or Present Industry Observation is therefore linked to a specific Past or Present Occupation Observation Entry.		
<b>Class/Mood</b>	<b>Code</b>	<b>Data Type</b>	<b>Value</b>
ClassCode="OBS" MoodCode="	Code = 86188-0 Display Name = Occupation Industry CodeSystem = 2.16.840.1.113883.6.1	Observation	Value xsi:type = “CD” from concept domain CD_IndustryCode defined in Table 6.6-1

“EVN”	CodeSystemName=LOINC			Value[@code/translation/code = “CD” from concept domain CD_IndustryCodeDetail defined in Table 6.6-1]	
Opt and Card	entryRelationship	Description	Template ID	Specification Document	Vocabulary Constraint

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.3 (open) ]

5805 A Past or Present Industry Observation Entry is a clinical statement about the type of business (industry) in which the subject currently holds or has held a job in the past.

- 1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
- 2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
- 3. **SHALL** contain exactly one [1..1] templateId such that it
  - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.3".
- 4. **SHALL** contain at least one [1..\*] id.
- 5. **SHALL** contain exactly one [1..1] code.
  - a. **SHALL** be 86188-0 (Occupation Industry) from LOINC (codeSystem 2.16.840.1.113883.6.1).
- 6. **SHALL** contain exactly one [1..1] statusCode="completed" (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
- 7. **SHALL** contain exactly one [1..1] value with @xsi:type="CD" where the code **SHALL** be selected from Concept Domain CD\_IndustryCode
 

Note: If there is no coded value available for the Industry, the narrative description **SHALL** be expressed using originalText.

  - a. This value **SHOULD** contain zero or one [0..1] translation, which **SHALL** be selected from Concept Domain CD\_IndustryCodeDetail.

Add Section 6.3.4.zz
----------------------

### 6.3.4.zz Work Classification Observation Entry

**Table 6.3.4.zz-1: Work Classification Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.4**

<b>Template Name</b>		Work Classification Observation Entry			
<b>Template ID</b>		1.3.6.1.4.1.19376.1.7.3.1.4.24.4			
<b>Parent Template</b>					
<b>General Description</b>		A Work Classification Observation Entry is a clinical statement about employment attributes for a given job. This entry adds information about the worker's job, such as self-employed or unpaid, and is similar to the U.S. Bureau of Labor Statistics 'class of worker' and the International Labor Organization 'classification of status in employment'. Knowing a patient is self-employed, for example, can assist in discussing return-to-work options.			
Class/Mood	Code	Data Type	Value		
ClassCode=	Code = 85104-8	Observation	Value xsi:type = "CD" from ValueSet Work Classification urn:oid:2.16.840.1.113883.1.11.20560 DYNAMIC <a href="https://www.hl7.org/fhir/v3/WorkClassificationODH/vs.html">https://www.hl7.org/fhir/v3/WorkClassificationODH/vs.html</a>		
"OBS"	Display Name = Compensation and Sector Employment Type CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC				
Opt and Card	entryRelationship	Description	Template ID	Specification Document	Vocabulary Constraint

5830

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.4 (open) ]

A Work Classification Observation Entry is a clinical statement about employment attributes for a given job.

1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
3. **SHALL** contain exactly one [1..1] templateId such that it
  - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.4".
4. **SHALL** contain at least one [1..\*] id.
5. **SHALL** contain exactly one [1..1] code.
  - a. **SHALL** be 85104-8 (Compensation and Sector Employment Type) from LOINC.
6. **SHALL** contain exactly one [1..1] statusCode="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
7. **SHALL** contain exactly one [1..1] value with @xsi:type="CD".
8. This value **SHALL** contain exactly one [1..1] @code, which **SHALL** be selected from ValueSet Work Classification urn:oid:2.16.840.1.113883.1.11.20560 DYNAMIC

*Add Section 6.4*

## 6.4 HL7 Version 2.0 Content Modules

- 5850 This section contains content modules based upon the HL7 Version 2 Standard, and related standards and/or implementation guides.

*Add Section 6.5*

## 6.5 PCC Value Sets

- 5855 This section contains value sets used by Content Modules. The value sets listed here may be used by other domains (e.g., QRPH) in addition to the PCC domain.

Note: Although some tables in this section include a column for “Units”, units may not be applicable to all table entries and the cell will remain blank.

*Add Section 6.5.A*

- 5860 **6.5.A Antepartum History of Past Illness Value Set**

### 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.1

Name	Opt	Type	Units	SNOMED CT
Diabetes	R2	CD		73211009
Hypertension	R2	CD		38341003
Heart Disease	R2	CD		56265001
Autoimmune Disorder	R2	CD		85828009
Kidney Disease	R2	CD		90708001
UTI	R2	CD		68566005
Neurologic	R2	CD		118940003
Epilepsy	R2	CD		84757009
Psychiatric	R2	CD		74732009
Depression	R2	CD		41006004
Postpartum Depression	R2	CD		58703003
Hepatitis	R2	CD		128241005
Liver Disease	R2	CD		235856003
Varicosities	R2	CD		276504003
Phlebitis	R2	CD		61599003
Thyroid Dysfunction	R2	CD		14304000
Trauma	R2	CD		417746004
Violence	R2	CD		225818009
History of Blood Transfusion	R2	CD		116859006
D(Rh) Sensitized	R2	CD		3885002
Pulmonary	R2	CD		19829001

Name	Opt	Type	Units	SNOMED CT
Seasonal Allergies	R2	CD		367498001
Drug Allergy	R2	CD		416098002
Latex Allergy	R2	CD		300916003
Food Allergy	R2	CD		414285001
Breast	R2	CD		79604008
Hospitalizations	R2	CD		32485007
Anesthetic Complications	R2	CD		33211000
History of Abnormal Pap	R2	CD		274688009
Uterine Anomaly/DES	R2	CD		37849005
DES Exposure	R2	CD		413340008 of fetus
Infertility	R2	CD		8619003
Artificial Reproductive Therapy (ART) Treatment	R2	CD		63487001
History of Gestational Diabetes	R2	CD		
History of Incompetent Cervix	R2	CD		17382005 Code is for incompetent cervix rather than history of. Given this condition this should be okay.
History of Infant with Intrauterine Growth Restriction	R2	CD		Need Code for history of.
History of Infant with Macrosomia	R2	CD		Need Code for history of.
History of Pregnancy Induced Hypertension	R2	CD		Need code for history of.
History of Placenta Previa/Abruption	R2	CD		Need Code for history of.
History of Preterm labor	R2	CD		441493008
History of Premature Rupture of Membranes	R2	CD		Need Code for history of.
Previous Cesarean Section	R2	CD		161805006
History of Stillbirth	R2	CD		161743003
History of Neonatal Death	R2	CD		Need code for history of.
History of Postpartum Hemorrhage	R2	CD		161809000

Add Section 6.5.C

**6.5.C Antepartum Family History and Genetic Screening Value Set****1.3.6.1.4.1.19376.1.5.3.1.1.16.5.4**

5865

Name	Opt	Type	Units	SNOMED CT	LOINC
Autism	R2	CD		408856003	
Blood Disorders	R2	CD		414022008	

Name	Opt	Type	Units	SNOMED CT	LOINC
Canavan Disease	R2	CD		80544005	
Chromosomal Disorder Includes any inherited genetic or chromosomal disorders	R2	CD		409709004	
Congenital Heart Defect	R2	CD		13213009	
Cystic Fibrosis	R2	CD		190905008	
Dysmorphism (Birth Defect) Patient or baby's father has a child with birth defects	R2	CD		276720006	
Down Syndrome	R2	CD		41040004	
Familial Dysautonomia	R2	CD		29159009	
Hemophilia	R2	CD		90935002	
Huntington's Chorea	R2	CD		58756001	
Maternal Metabolic Disorder	R2	CD		75934005	
Mental Retardation	R2	CD		91138005	
Muscular Dystrophy	R2	CD		73297009	
Neural Tube Defect	R2	CD		253098009	
Recurrent pregnancy loss/stillbirth	R2	CD		102878001	
Sickle Cell Disease	R2	CD		417357006	
Sickle Cell Trait	R2	CD		16402000	
Tay-Sachs	R2	CD		111385000	
Thalassemia	R2	CD		40108008	

Add Section 6.5.D

**6.5.D Antepartum Review of Systems Menstrual History Value Set****1.3.6.1.4.1.19376.1.5.3.1.1.16.5.5**

Name	Opt	Type	Units	SNOMED CT	LOINC
Date of Last Menstrual Period	R	TS		21840007	
Menses Monthly	R	BL		364307006	
Prior Menses Date	R	TS		21840007	
Duration of Menstrual Flow	R	PQ	days	364306002	
Frequency of Menstrual Cycles	R	PQ	days	289887006	
On Birth Control Pills at conception	R	BL		10036567	
Menarche	R	PQ		398700009	
hCG+	R	TS		250423000	

5870

*Add Section 6.5.E***6.5.E Antepartum History of Infection Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.6**

Name	Opt	Type	Units	SNOMED CT	LOINC
Live with someone with TB or exposed to TB	R2	CD		170464005	
History of Genital Herpes	R2	CD		402888002	
Exposed to Genital Herpes	R2	CD		240480009	
Rash since LMP	R2	CD		49882001	
Viral illness since LMP	R2	CD		34014006	
Rash or viral illness since LMP	R2	CD		49882001	
Hepatitis B	R2	CD		235871004	
Hepatitis C	R2	CD		235872006	
History of STD	R2	CD		8098009	
History of Gonorrhea	R2	CD		15628003	
History of Chlamydia	R2	CD		312099009	
History of HPV	R2	CD		302812006	
History of HIV	R2	CD		165816005	
History of Syphilis	R2	CD		76272004	

5875

*Add Section 6.5.F***6.5.F Antepartum Laboratory Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.7**

Lab	LOINC Code	Comments
Antibody Screen (AB)	890-4 Ab Screen	
Blood Type (ABO Group)	883-9 ABO Group	
Rh	10331-7 Rh	
Hepatitis B virus (HBV) surface Antigen (Ag)	5196-1 HBV surface Ag (EIA) 5195-3 HBV surface Ag 5197-9 HBV surface Ag (RIA) 7905-3 HBV surface Ag (Neut)	
Hemoglobin (Hgb)/Hematocrit (Hct)	718-7 Hgb	

<b>Lab</b>	<b>LOINC Code</b>	<b>Comments</b>
	4544-3 Het (Automated count) 30350-3 Hgb	
Hemoglobin (Hgb) Electrophoresis	13514-5 Hemoglobin pattern [interpretation] in Blood by Electrophoresis Narrative	Appropriate code appears to be 13514-5
Aneuploidy Screening (Ultrasound)	XX-ASU Aneuploidy Screening (Ultrasound)	XX-ASU: A LOINC profile code will be requested
Pap Test/Human papilloma virus (HPV)	21440-3 HPV I/H Risk DNA Cervix (Probe) 21441-1 HPV Low Risk DNA Cervix (Probe) 10524-7 Cytology Cervix 18500-9 Thin Prep Cervix 19765-7 Cytology Cervix/Vaginal (Nominal) 19766-5 Cytology Cervix/Vaginal (Narrative)	
Rubella Virus (RUBV) Antibody (Ab)	5334-8 RUBV Ab IgG (EIA) 20458-6 RUBV Ab IgG 40667-8 RUBV Ab IgG (EIA) 8014-3 RUBV Ab IgG	
Urine Culture Screen	630-4 Bacteria Urine Culture	
Purified protein derivative (PPD)	1647-7 Purified protein derivative skin test	
Chlamydia	6347-9 Chlamydia Ag 14510-2 Chlamydia trachomatis Ag (Vaginal) 14474-1 Chlamydia trachomatis Ag (Urine) 6349-5 Chlamydia trachomatis (Unspecified specimen)	
Gonorrhea	691-6 Neisseria Gonorrhoeae (genital specimen) 9568-7 Neisseria Gonorrhoeaea Ab	
Chlamydia Trachomatis/ Neisseria Gonorrhoeae	45067-6 Chlamydia Trachomatis Neisseria Gonorrhoeae (Cervix) 45074-2 Chlamydia Trachomatis Neisseria Gonorrhoeae (Urine)	
Ultrasound	35096-7 OB Ultrasound Panel	
Alpha-Feto Protein (Maternal) (Profile)	30525-0 Age 29463-7 Body Weight	

<b>Lab</b>	<b>LOINC Code</b>	<b>Comments</b>
	18185-9 Gestational Age 20450-3 Alpha-1-Fetoprotein 48803-1 Neural Tube Defect Risk	
Chorionic Villus Sampling (CVS)	33774-1 Karotype	
Amniotic Fluid (Karotype)	33773-3 Karyotype (Amino Fluid)	
Amniotic Fluid (AFP)	41273-4 Alpha-1-Fetoprotein, Amniotic Fluid Semi-Quantitative 1832-5 Alpha-1-Fetoprotein [Multiple of the median] in Amniotic Fluid 29595-6 Alpha-1-Fetoprotein [Mass/volume] in Amniotic Fluid	
Diabetes Screen	1557-8 Fasting Blood Glucose-Venous Fasting Blood Glucose-Capillary 14770-2	
Glucose Tolerance Test (GTT)	1507-3 Glucose 1HR post 75 g glucose 14995-5 Glucose 2HR post 75 g glucose 20437-0 Glucose 3HR post 75 g glucose	
Rapid Plasma Reagin (RPR)	31147-2 Reagin Ab 20508-8 Reagin Ab by RPR	
Venereal Disease Research Laboratory (VDRL)	5292-8 Reagin Ab by VDRL	
Group B Strep	48683-7 Beta Strep Group B (PCR) 11267-2 Strep Group B	
Beta Human Chorionic Gonadotropin (HCG)	21198-7 Beta HCG	
Varicella zoster virus Ab.IgG	15410-4 Varicella zoster virus Ab.IgG (EIA) 17763-4 Varicella zoster virus Ab.IgG (IF)	
Maternal Serum Triple Screen	30525-0 Age, Patient Quantitative 20450-3 Alpha-1-Fetoprotein Multiple of the Median, Serum Quantitative Calculated 20465-1 Choriogonadotropin/Choriogonatotropin, Control Serum Quantitative 20466-9 Estriol/Estriol, Control Serum Quantitative	
Urinalysis (Urine Screen)	20406-5 Glucose 20505-4 Bilirubin	

Lab	LOINC Code	Comments
	5797-6 Ketones 5811-5 Specific Gravity 5803-2 pH 5804-0 Protein 20405-7 Urobilinogen 20407-3 Nitrite 5794-3 Hemoglobin 5799-2 Leukocyte esterase 5767-9 Appearance 5778-6 Color 9842-6 Casts 5787-7 Epithelial cells 13945-1 Erythrocytes 5769-5 Bacteria	
First Trimester Maternal Serum Screening with Nuchal Translucency	49588-7 First trimester maternal screen with nuchal translucency [interpretation] Narrative	
Thyroid Stimulating Hormone (TSH)	11580-8 Thyrotropin (3rd generation) 3016-3 TSH 5385-0 Thyrotropin Receptor Ab 27975-2 TSH (serum)	
Triiodothyronine (T3)	3051-0 T3 Free 3052-8 T3 Reverse 3054-4 T3 True 3050-2 T3 Resin Uptake	

Add Section 6.5.G

5880 **6.5.G Antepartum Education Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.8**

Name	Opt	Type	units	SNOMED CT	LOINC
<b>First Trimester</b>					
Risk factors identified by prenatal history	R2	CD		440047008	
Anticipated course of prenatal care	R2	CD		17629007	
Special Diet	R2	CD		171054004	

Name	Opt	Type	units	SNOMED CT	LOINC
Nutrition and weight gain counseling	R2	CD		171054004	
Toxoplasmosis precautions (cats/raw meat)	R2	CD		439733009	
Sexual activity	R2	CD		162169002	
Exercise	R2	CD		171056002	
Influenza vaccine	R2	CD		xx-edu-influenza need code closest is vaccine education 171044003	
Smoking/tobacco counseling	R2	CD		171055003	
Environmental/work hazards	R2	CD		385872009	
Travel	R2	CD		439816006	
Alcohol	R2	CD		171057006	
Illicit/recreational drugs	R2	CD		425014005	
Use of any medications	R2	CD		171058001	
Indications for ultrasound	R2	CD		440227005	
Domestic violence	R2	CD		413457006	
Seatbelt use	R2	CD		440638004	
Childbirth classes/hospital facilities	R2	CD		66961001	
<b>Second Trimester</b>					
Childbirth classes/hospital facilities	R2	CD		66961001	
Signs and symptoms of preterm labor	R2	CD		440669000	
Abnormal Lab Values	R2	CD		410299006	
Influenza vaccine	R2	CD		xx-edu-fluvaccine need code. Closest is vaccine education 171044003	
Selecting a newborn care provider	R2	CD		439908001	
Postpartum family planning	R2	CD		54070000	
Tubal sterilization	R2	CD		243064009	
<b>Third Trimester</b>					
Anesthesia/analgesia plans	R2	CD		243062008	
Intended Facility for Delivery plan				310585007	
Fetal movement monitoring	R2	CD		440309009	
Labor signs	R2	CD		440671000	

Name	Opt	Type	units	SNOMED CT	LOINC
VBAC counseling	R2	CD		440073003	
Signs & Symptoms of Pregnancy-induced hypertension	R2	CD		xx-edu-sspreclampsia need to request code	
Postterm counseling	R2	CD		xx-edu-postterm need to request code	
Circumcision	R2	CD		184002001	
Bottle feeding	R2	CD		169644004	
Breast feeding	R2	CD		169643005	
Postpartum depression	R2	CD		439366005	
Newborn education (Newborn screening, jaundice, SIDS, car seat)	R2	CD		75461000	
Family medical leave or disability forms	R2	CD		40791000	
Tubal sterilization consent signed	R2	CD		408835000	

Add section 6.5.H. (Added 2011-09 from QRPH EHCP Profile)

- 5885 The value subsets provided in this section are used both to constrain the CDA content, and to assert measure logic. These MAY be supported by the Value Set Repository for value set management as defined by the IHE ITI TF Sharing of Value Sets (SVS) Profile.

## 6.5.H JCIH-EHDI Risk Indicators for Hearing Loss (LOINC®) Value Set

### 6.5.H.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.24
Name	name of the value set	JCIH-EHDI Risk Indicators for Hearing Loss (LOINC®) Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the Risk Indicators for Hearing Loss associated with hearing loss using LOINC® concepts

Metadata Element	Description	Mandatory
Definition	A text definition describing how concepts in the value set were selected	<b>Extensional definition:</b> The value set was constructed by enumerating the codes from LOINC®
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://loinc.org">http://loinc.org</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

5890

## 6.5.H.2 JCIH-EHDI Risk Indicators for Hearing Loss (LOINC®) Value Set Value Set

### LOINC® 58232-0 Hearing Loss Risk Indicator

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.24</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>
Sequence	LOINC® Code	Description
1	LA137-2	None
2	LA12667-4	Caregiver concern about hearing
3	LA12668-2	Family Hx of hearing loss
4	LA12669-0	NICU stay > 5 days
5	LA12670-8	ECMO
6	LA12671-6	Assisted ventilation
7	LA12672-4	Ototoxic medication use
8	LA12673-2	Exchange transfusion for Hyperbilirubinemia
9	LA12674-0	In utero infection(s)
10	LA12675-7	Craniofacial anomalies
11	LA12681-5	Physical findings of syndromes that include hearing loss
12	LA12676-5	Syndromes associated with hearing loss
13	LA12677-3	Neurodegenerative disorders
14	LA12678-1	Postnatal infections

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.24</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>
<b>Sequence</b>	<b>LOINC® Code</b>	<b>Description</b>
15	LA12679-9	Head trauma
16	LA6172-6	Chemotherapy

<i>Add section 6.5.I. (Added 2011-09 from QRPH EHCP Profile)</i>
------------------------------------------------------------------

5895

## 6.5.I JCIH-EHDI Risk Indicators for Hearing Loss Codes

### 6.5.I.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.11
Name	name of the value set	JCIH-EHDI Risk Indicators for Hearing Loss Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the risk indicators for hearing loss associated with hearing loss using SNOMED-CT Finding/Situation concepts
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

5900

### 6.5.I.2 JCIH-EHDI Risk Indicators for Hearing Loss Value Set

*SNOMED-CT Risk Indicators for Hearing Loss Value Set*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.11</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>Sequence</b>	<b>SNOMED-CT Code</b>	<b>Description</b>
1	439750006	Family history of hearing loss (situation)
2	441899004	History of therapy with ototoxic medication (situation)
3	276687002	Conjugated hyperbilirubinemia in infancy (disorder)
4	281610001	Neonatal hyperbilirubinemia (disorder)
5	281612009	Neonatal conjugated hyperbilirubinemia (disorder)
6	281611002	Neonatal unconjugated hyperbilirubinemia (disorder)
7	206363004	Intra-amniotic fetal infection (disorder) (Deprecated, replaced by 11618000)
8	206331005	Infections specific to perinatal period (disorder)
9	206005002	Fetus or neonate affected by maternal infection (disorder)
10	80690008	Degenerative disease of the central nervous system (disorder)
11	178280004	Postnatal infection (disorder)
12	312972009	Neonatal extracranial head trauma (disorder)
13	161653008	History of - chemotherapy (situation)
14	11618000	Intra-amniotic infection of fetus (disorder) (Replaces 206363004)

### 6.5.I.3 Pending Codes for SNOMED-CT Findings/Situation to support Risk Indicators for Hearing Loss

5905

Note that additional specificity for this value set is under way and will result in an update to this value set. Further coded values are sought to represent the following:

None
Caregiver concern about hearing
Craniofacial anomalies
Physical findings of syndromes that include hearing loss
Syndromes associated with hearing loss

*Add section 6.5.J. (Added 2011-09 from QRPH EHCP Profile)*

5910 **6.5.J JCIH-EHDI Risk Indicators for Hearing Loss - Procedures Codes****6.5.J.1 Metadata**

<b>Metadata Element</b>	<b>Description</b>	<b>Mandatory</b>
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.12
Name	name of the value set	JCIH-EHDI Risk Indicators for Hearing Loss - Procedures Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the risk indicators for hearing loss Procedures associated with hearing loss using SNOMED-CT
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

**6.5.J.2 JCIH-EHDI Risk Indicators for Hearing Loss - Procedures Value***Risk Indicators for Hearing Loss - Procedures Set*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.12</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>Sequence</b>	<b>SNOMED-CT Code</b>	<b>Description</b>
1	266700009	Assisted breathing (procedure)
2	233573008	Extracorporeal membrane oxygenation (procedure)

5915

*Add section 6.5.K. (Added 2011-09 from QRPH EHCP Profile)*

## 6.5.K Newborn Hearing Procedure Codes

### 6.5.K.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.17
Name	name of the value set	JCIH-EHDI Newborn Hearing Procedure Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the type of newborn hearing procedure identified using SNOMED-CT Procedure codes (includes both screening and other tests and examinations)
Definition	A text definition describing how concepts in the value set were selected	<b>Extensional definition:</b> The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

5920

## 6.5.K.2 JCIH-EHDI Newborn Hearing Procedure Value Set

*Newborn Hearing Procedure Value Set:*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.17</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>Sequence</b>	<b>SNOMED-CT Code</b>	<b>Description</b>
3	417491009	Neonatal hearing test (procedure)

5925

Add section 6.5.L. (Added 2011-09 from QRPH EHCP Profile)
-----------------------------------------------------------

## 6.5.L JCIH-EHDI Newborn Hearing Screening Method Codes

### 6.5.L.1 Metadata

<b>Metadata Element</b>	<b>Description</b>	<b>Mandatory</b>
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.4
Name	name of the value set	JCIH-EHDI Newborn Hearing Screening Method Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the type of newborn hearing screening procedure identified using LOINC® answer codes
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC®
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://loinc.org">http://loinc.org</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

5930

## 6.5.L.2 JCIH-EHDI Newborn Hearing Screening Method Value Set

*Newborn Hearing Screening Method Value Set:*

*LOINC® 54106-0*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.4</b>	
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>	
<b>Sequence</b>	<b>LOINC® Code</b>	<b>Answer Code</b>	<b>Description</b>
1	LA10387-1	AABR	Automated auditory brainstem response
2	LA10388-9	ABR	Auditory brain stem response
3	LA10389-7	OAE	Otoacoustic emissions
4	LA10390-5	DPOAE	Distortion product otoacoustic emissions
5	LA10391-3	TOAE	Transient otoacoustic emissions
6	LA12406-7		Methodology unknown

*Add section 6.5.M. (Added 2011-09 from QRPH EHCP Profile)*

5935

## 6.5.M JCIH-EHDI Hearing Screen Right Codes– Right

### 6.5.M.1 Metadata

<b>Metadata Element</b>	<b>Description</b>	<b>Mandatory</b>
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.9
Name	name of the value set	JCIH-EHDI Hearing Screen Right Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the right ear EHDI screening using LOINC® in result type
Definition	A text definition describing how concepts in the value set were selected	<b>Extensional definition:</b> The value set was constructed by enumerating the codes from LOINC®
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://loinc.org">http://loinc.org</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active

Metadata Element	Description	Mandatory
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

## 5940 6.5.M.2 JCIH-EHDI Hearing Screen Right Value Set

*NB hearing scn -R:Result Type*

*Hearing Screen Right Value Set*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.9</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>
<b>Sequence</b>	<b>LOINC® Code</b>	<b>Description</b>
1	53109-4	Newborn Hearing Screen Right

*Add section 6.5.N. (Added 2011-09 from QRPH EHCP Profile)*

## 5945 6.5.N JCIH-EHDI Hearing Screen Left Codes

### 6.5.N.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.8
Name	name of the value set	JCIH-EHDI Hearing Screen Left Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the left ear EHDI hearing screening result type using LOINC®
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC®
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://loinc.org">http://loinc.org</a>

Metadata Element	Description	Mandatory
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

### 6.5.N.2 JCIH-EHDI Hearing Screen Left Value Set

5950 *Hearing Screen Left Value Set*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.8</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>
<b>Sequence</b>	<b>LOINC® Code</b>	<b>Description</b>
1	53108-6	Newborn Hearing Screen Left

*Add section 6.5.O. (Added 2011-09 from QRPH EHCP Profile)*

### 6.5.O JCIH-EHDI Reason for no Hearing Loss Diagnosis or Screening Codes(SNOMED)

5955 **6.5.O.1 Metadata**

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.15
Name	name of the value set	JCIH-EHDI Reason for no Hearing Loss Diagnosis or Screening Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect Reason for no hearing loss diagnosis coded with SNOMED-CT.

Metadata Element	Description	Mandatory
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

## 6.5.O.2 JCIH-EHDI Reason for no Hearing Loss Diagnosis or Screening Value Set

### *Reason for no Hearing Loss Diagnosis*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.15</b>	
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>	
Sequence	<b>SNOMED Code</b>	<b>Description</b>	<b>EHDI Concept</b>
1	397709008	Patient died (finding)	No screening or diagnosis: Infant died
2	360885002	Change of residence status (finding)	No diagnosis: Moved or gone elsewhere
3	184112005	Patient address unknown (finding)	No diagnosis: Unable to Contact Family
4	184118009	Patient telephone number unknown (finding)	No diagnosis: Unable to Contact Family
5	183638004	Follow-up refused	No screening diagnosis: Parents Declined Services - Follow-up refused
6	183946001	Procedure refused-uncooperative	No diagnosis: Parents Declined Services -Procedure refused - uncooperative
7	413319007	Persistent non-attender	No diagnosis: Unresponsive - Persistent non-attender
8	399307001	Loss to follow-up	No diagnosis: Unknown - Loss to follow-up

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.15</b>	
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>	
<b>Sequence</b>	<b>SNOMED Code</b>	<b>Description</b>	<b>EHDI Concept</b>
9	419984006	Inconclusive (qualifier value)	No diagnosis: Audiologic Diagnosis in Process
10	185332005	Appointment cancelled by patient (finding)	No diagnosis: Audiologic Diagnosis in Process - Rescheduled appointment
11	185333000	Appointment cancelled by doctor (finding)	No diagnosis: Audiologic Diagnosis in Process - Rescheduled appointment
12	281399006	Did not attend	No diagnosis: Audiologic Diagnosis in Process - Did not attend

5960

Add section 6.5.P. (Added 2011-09 from QRPH EHCP Profile)

## 6.5.P JCIH-EHDI Newborn Hearing Loss Referrals Codes

### 6.5.P.1 Metadata

5965

<b>Metadata Element</b>	<b>Description</b>	<b>Mandatory</b>
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.16
Name	name of the value set	JCIH-EHDI Newborn Hearing Loss Referrals Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect EHDI referrals coded with SNOMED-CT and as a response to care plan recommendations (entered on a list of referrals in a medical summary)
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010

Metadata Element	Description	Mandatory
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

## 6.5.P.2 JCIH-EHDI Newborn Hearing Loss Referrals Value Set

*EHDI Newborn Hearing Loss Referrals Value Set*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.16</b>	
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>	
Sequence	SNOMED Code	Description	EHDI Concept
1	306210008	Referral to pediatric diagnostic audiology service (procedure)	Referral to audiologist
2	415271004	Referral to education service (procedure)	Referral to Early Intervention (Part C/non Part C)

5970

Add section 6.5.Q. (Added 2011-09 from QRPH EHCP Profile)

## 6.5.Q JCIH-EHDI Newborn Hearing Loss Reason for no Follow-up – Patient Reason Codes

### 6.5.Q.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.7
Name	name of the value set	JCIH-EHDI Newborn Hearing Loss Reason for no Follow-up – Patient Reason Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the reason that no follow-up is conducted in the case of hearing loss using SNOMED-CT reflected in negation of intent to order the referral.

Metadata Element	Description	Mandatory
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

5975

## 6.5.Q2 JCIH-EHDI Newborn Hearing Loss Reason for no Follow-up – Patient Reason Value Set

*EHDI Newborn Hearing Loss Reason for no Follow-up Value Set*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.7</b>	
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>	
Sequence	SNOMED Code	Description	EHDI Concept
1	397709008	Patient died (finding)	Incomplete outpatient screen: Infant died
2	360885002	Change of residence status (finding)	Incomplete outpatient screen: Moved or gone elsewhere
3	184112005	Patient address unknown (finding)	Incomplete outpatient screen: Unable to contact family
4	184118009	Patient telephone number unknown (finding)	Incomplete outpatient screen: Unable to contact family
5	183638004	Follow-up refused	Incomplete outpatient screen: Follow-up refused
6	183946001	Procedure refused-uncooperative	Incomplete outpatient screen: Procedure refused-uncooperative
7	413319007	Persistent non-attender	Incomplete outpatient screen: Persistent non-attender
8	399307001	Loss to follow-up	Incomplete outpatient screen: Loss to follow-up

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.7</b>	
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>	
<b>Sequence</b>	<b>SNOMED Code</b>	<b>Description</b>	<b>EHDI Concept</b>
9	185332005	Appointment cancelled by patient (finding)	Incomplete outpatient screen: Rescheduled appointment
10	185333000	Appointment cancelled by doctor (finding)	Incomplete outpatient screen: Rescheduled appointment
11	281399006	Did not attend	Incomplete outpatient screen: Did not attend

5980

*Add section 6.5.R. (Added 2011-09 from QRPH EHCP Profile)*

## 6.5.R Joint Commission Medical Reason Codes

### 6.5.R.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.33895.1.3.0.75
Name	name of the value set	Joint Commission Medical Reason Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	The Joint Commission value set is used to reflect medical reason why a test was not performed
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

5985

### 6.5.R.2 Joint Commission Medical Reason Value Set

EHDI specifies the re-use of the existing Medical Reason Value Set used by the Joint Commission measures.

5990

	<b>Value Set :</b>	<b>1.3.6.1.4.1.33895.1.3.0.75</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>Sequence</b>	<b>SNOMED-CT Code</b>	<b>Description</b>
1	397745006	Medical contraindication (finding)
2	397773008	Surgical contraindication (finding)

Add section 6.5.S. (Added 2011-09 from QRPH EHCP Profile)

5995 **6.5.S JCIH-EHDI Inpatient Screening Results not Performed Codes****6.5.S.1 Metadata**

<b>Metadata Element</b>	<b>Description</b>	<b>Mandatory</b>
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.10
Name	name of the value set	JCIH-EHDI Inpatient Screening Results not Performed Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the right ear EHDI results reported using LOINC® answer lists
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC®
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://loinc.org">http://loinc.org</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

## 6.5.S.2 JCIH-EHDI Inpatient Screening Results not Performed Value Set

6000

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1. 1.15.2.10</b>		
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>		
<b>Sequence</b>	<b>LOINC® Code</b>	<b>Description</b>	<b>Global ID</b>	<b>Global ID Code System</b>
1	LA12408-3	Attempted, but unsuccessful - technical fail	103709008	SN
2	LA7304-4	Not performed	262008008	SN
3	LA12409-1	Not performed, medical exclusion - not indicated	410534003	SN

Add section 6.5.T. (Added 2011-09 from QRPH EHCP Profile)

## 6.5.T JCIH-EHDI Evidence of Hearing Screening Performed Codes

### 6.5.T.1 Metadata

6005

<b>Metadata Element</b>	<b>Description</b>	<b>Mandatory</b>
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.18
Name	name of the value set	JCIH-EHDI Evidence of Hearing Screening Performed Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect Evidence of Hearing Screening Performed through the result values of pass-Left, pass-Right, or Refer. This excludes unsuccessful results.
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC®
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://loinc.org">http://loinc.org</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010

Metadata Element	Description	Mandatory
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

### 6.5.T.2 JCIH-EHDI Evidence of Hearing Screening Performed Value Set

*Evidence of Hearing Screening Performed Value Set*

		<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.18</b>		
		<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>		
Sequence	LOINC® Code	Answer Code	Description	Global ID	Global ID Code System
1	LA10392-1	164059009	Pass		
2	LA10393-9	183924009	Refer		

6010

Add section 6.5.U. (Added 2011-09 from QRPH EHCP Profile)
-----------------------------------------------------------

### 6.5.U JCIH-EHDI Procedure Declined Value Set Codes

#### 6.5.U.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.20
Name	name of the value set	JCIH-EHDI Procedure Declined Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect that the hearing screening procedure was not performed due to the patient/parent declining the procedure

Metadata Element	Description	Mandatory
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

## 6015 6.5.U.2 JCIH-EHDI Procedure Declined Value Set Value Set

*JCIH-EHDI Procedure Declined Value Set:*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.20</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
Sequence	<b>SNOMED-CT Code</b>	<b>Description</b>
1	183949008	Assessment examination refused (situation)
2	183945002	Procedure refused - religion (situation)
3	183948000	Refused procedure - parent's wish (situation)
4	397709008	Patient died (finding)

<i>Add section 6.5.V. (Added 2011-09 from QRPH EHCP Profile)</i>
------------------------------------------------------------------

## 6.5.V JCIH-EHDI Newborn Hearing Screening Abnormal Results Value Set Codes

## 6020 6.5.V.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.23

Metadata Element	Description	Mandatory
Name	name of the value set	JCIH-EHDI Newborn Hearing Screening Abnormal Results Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect abnormal results from the hearing screening procedure
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

### 6.5.V.2 JCIH-EHDI Newborn Hearing Screening Abnormal Results Value Set

*JCIH-EHDI Newborn Hearing Screening Abnormal Results Value Set:*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.23</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>Sequence</b>	<b>SNOMED-CT Code</b>	<b>Description</b>
1	313203003	Hearing test abnormal (finding)
2	308409008	Child hearing screening failure (finding)
3	185577006	Child hearing screening first failure (finding)
4	185579009	Child hearing screening second failure (finding)
5	185580007	Child hearing screening failure referred to specialist (finding)

## 6.5.W Primary Site Value Set

LOINC = 22035-0	
Code System: ICD-O-3 2.16.840.1.113883.6.43.1	
Code	Meaning
	A code from ICD-O-3 (Topography Section)

Add section 6.5.X (Added 2011-09 from QRPH PRPH-Ca Profile)

## 6.5.X Histologic Type Value Set

LOINC = 31205-8	
Code System: ICD-O-3 2.16.840.1.113883.6.43.1	
Code	Meaning
	An ICD-O-3 code (Morphology Section)

6030

Add section 6.5.Y (Added 2011-09 from QRPH PRPH-Ca Profile)

## 6.5.Y Derived AJCC Descriptor (T,N,M) Value Set

LOINC = 21908-9	
Code System: 2.16.840.1.113883.15.6	
Code	Meaning
c	clinical
p	pathologic
a	Autopsy classification
yc or yp	Posttherapy classification “y” prefix to utilize with “c” or “p” for denoting extent of cancer after neoadjuvant or primary systemic and/or radiation therapy
r	Retreatment Classification

Add section 6.5.Z (Added 2011-09 from QRPH PRPH-Ca Profile)

6035

## 6.5.Z TNM Edition Value Set

LOINC = 21917-0	
Code System: 2.16.840.1.113883.15.6	
Code	Meaning
5	AJCC Staging Manual, 5 <sup>th</sup> Edition
6	AJCC Staging Manual, 6 <sup>th</sup> Edition
7	AJCC Staging Manual, 7 <sup>th</sup> Edition

<i>Add section 6.5.AA (Added 2011-09 from QRPH PRPH-Ca Profile)</i>
---------------------------------------------------------------------

## 6.5.AA TNM Stage Group Value Set

6040

Note: The AJCC Staging Manual TNM system is propriety and its definitions cannot be included in other documents without permission.

LOINC = 21908-9	
Code System: TNM 5. Edition: 2.16.840.1.113883.15.8 - tnm5	
TNM 6. Edition: 2.16.840.1.113883.15.7 - tnm6	
TNM 7. Edition: 2.16.840.1.113883.15.6 - tnm7	
Code	Description: Site specific descriptions prevent listing of text equivalents.
0	Site specific descriptions prevent listing of text equivalents.
0a	“
0is	“
I	“
IA	“
IA1	“
IA2	“
IB	“
IB1	“
IB2	“
IC	“
II	“
IIA	“
IIA1	“
IIA2	“
IIB	“
IIC	“
III	“
IIIA	“
IIIB	“
IIIC	“
IS	“
IV	“
IVA	“
IVB	“
IVC	“

<i>Add section 6.5.BB (Added 2011-09 from QRPH PRPH-Ca Profile)</i>
---------------------------------------------------------------------

## 6.5.BB TNM Stage Descriptor Value Set

6045

Note: The AJCC Staging Manual TNM system is propriety and its definitions cannot be included in other documents without permission.

LOINC = 21909-7	
Code System: TNM 5. Edition: 2.16.840.1.113883.15.8 - tnm5 TNM 6. Edition: 2.16.840.1.113883.15.7 - tnm6 TNM 7. Edition: 2.16.840.1.113883.15.6 - tnm7	
Code	Meaning
0	None
1	E (Extranodal, lymphomas only)
2	S (Spleen, lymphomas only)
3	M (Multiple primary tumors in a single site)
4	Y (Classification during or after initial multimodality therapy)—pathologic staging only
5	E & S (Extranodal and spleen, lymphomas only)
6	M & Y (Multiple primary tumors and initial multimodality therapy)

*Add section 6.5.CC (Added 2011-09 from QRPH PRPH-Ca Profile)*

6050

## 6.5.CC TNM Tumor Value Set

Note: The AJCC Staging Manual TNM system is propriety and its definitions cannot be included in other documents without permission.

LOINC = 21905-5	
Code System: TNM 5. Edition: 2.16.840.1.113883.15.8 - tnm5 TNM 6. Edition: 2.16.840.1.113883.15.7 - tnm6 TNM 7. Edition: 2.16.840.1.113883.15.6 - tnm7	
Code	Description: Site specific descriptions prevent listing of text equivalents.
Ta	Site specific descriptions prevent listing of text equivalents.
Tis	“
T0	“
T1	“
T1mic	“
T1a	“
T1a1	“
T1a2	“
T1b	“
T1b1	“
T1b2	“
T1c	“

T1d	“
T2	“
T2a	“
T2a1	“
T2a2	“
T2b	“
T2c	“
T2d	“
T3	“
T3a	“
T3b	“
T3c	“
T3d	“
T4	“
T4a	“
T4b	“
T4c	“
T4d	“
T4e	“
Tx	“

6055

*Add section 6.5.DD (Added 2011-09 from QRPH PRPH-Ca Profile)*

## 6.5.DD TNM Node Value Set

Note: The AJCC Staging Manual TNM system is propriety and its definitions cannot be included in other documents without permission.

LOINC = 21906-3	
Code System: TNM 5. Edition: 2.16.840.1.113883.15.8 - tnm5	
TNM 6. Edition: 2.16.840.1.113883.15.7 - tnm6	
TNM 7. Edition: 2.16.840.1.113883.15.6 - tnm7	
Code	<b>Description: Site specific descriptions prevent listing of text equivalents.</b>
N0	Site specific descriptions prevent listing of text equivalents.
N1	“
N1mi	“
N1a	“
N1b	“
N1b1	“
N1b2	“
N1b3	“
N1b4	“
N1c	“

N2	“
N2a	“
N2b	“
N2c	“
N3	“
N3a	“
N3b	“
N3c	“
N	“

6060 *Add section 6.5.EE (Added 2011-09 from QRPH PRPH-Ca Profile)*

## 6.5.EE TNM Metastasis Value Set

Note: The AJCC Staging Manual TNM system is propriety and its definitions cannot be included in other documents without permission.

LOINC = 21907-1	
Code System:	TNM 5. Edition: 2.16.840.1.113883.15.8 - tnm5 TNM 6. Edition: 2.16.840.1.113883.15.7 - tnm6 TNM 7. Edition: 2.16.840.1.113883.15.6 - tnm7
<b>Code</b>	<b>Description: Site specific descriptions prevent listing of text equivalents.</b>
M0	Site specific descriptions prevent listing of text equivalents.
M1	“
M1a	“
M1b	“
M1c	“
M1d	“
M1e	“
Mx	“

6065 *Add section 6.5.FF (Added 2013-09 for the QRPH VRDR supplement)*

## 6.5.FF QRPH VRDR Autopsy Procedure Performed Codes

### 6.5.FF.1 Metadata

Autopsy Procedure Performed Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.23.8.1

<b>Metadata Element</b>	<b>Description</b>	<b>Mandatory</b>
Name	This is the name of the value set	VRDR Autopsy Procedure Performed Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that there was an Autopsy Procedure Performed
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2013
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	4/3/2013
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE VRDR

6070

## 6.5.FF.2 VRDR Autopsy Procedure Performed Value Set

VRDR Autopsy Procedure Performed Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.23.8.1</b>
<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>SNOMED-CT Code</b>	<b>SNOMED-CT Description</b>
9427006	Autopsy review
16521010	Autopsy review
16522015	Autopsy review, NOS
68184000	Autopsy review, consultation and report
60864000	Autopsy review for conference (procedure)
86693001	Autopsy review for teaching (procedure)
5785009	Forensic autopsy (procedure)

<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.23.8.1</b>
<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>SNOMED-CT Code</b>	<b>SNOMED-CT Description</b>
61501008	Forensic autopsy, extensive (procedure)
29240004	Autopsy examination (procedure)
48926013	Autopsy examination
48930011	Autopsy
48927016	Autopsy examination, NOS
48928014	Autopsy, NOS
41770000	Autopsy, gross and microscopic examination (procedure)
56417000	Autopsy, gross and microscopic examination with brain (procedure)
41554000	Autopsy, gross and microscopic examination with brain and spinal cord (procedure)
74348008	Autopsy, gross and microscopic examination, limited (procedure)
57438004	Autopsy, gross and microscopic examination, regional (procedure)
16361008	Autopsy, gross and microscopic examination, stillborn or newborn (procedure)
4447001	Autopsy, gross and microscopic examination, stillborn or newborn without CNS (procedure)
82823006	Autopsy, gross examination with brain (procedure)
47197006	Autopsy, gross examination with brain and spinal cord (procedure)
72598009	Autopsy, gross examination, limited (procedure)
47847005	Autopsy, gross examination, limited, regional (procedure)
50333006	Autopsy, gross examination, macerated stillborn (procedure)
35459000	Autopsy, gross examination, stillborn or newborn (procedure)
26762004	Autopsy, gross examination, teaching, complete (procedure)
22677004	Autopsy, gross examination, teaching, limited (procedure)
5785009	Forensic autopsy (procedure)
430339001	Pediatric autopsy (procedure)

<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.23.8.1</b>
<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>SNOMED-CT Code</b>	<b>SNOMED-CT Description</b>
90864005	Special autopsy procedure, explain by report (procedure)
43939005	Autopsy service by diener (procedure)
71604005	Forensic autopsy, coroner's call (procedure)
108259003	Autopsy pathology procedure AND/OR service (procedure)
59543001	Autopsy, clerical procedure (procedure)
29915004	Autopsy, clerical with coding procedure (procedure)
3133002	Patient discharge, deceased, autopsy (procedure)

6075

Add section 6.5.GG (Added 2013-09 form the QRPH VRDR supplement.)

## 6.5.GG QRPH VRDR Autopsy Not Performed Codes

### 6.5.GG.1 Metadata

Autopsy Not Performed Value Set Metadata Shall contain the following content:

6080

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.23.8.2
Name	This is the name of the value set	VRDR Autopsy Not Performed Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that there was an Autopsy was not performed
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active

Metadata Element	Description	Mandatory
Effective Date	The date when the value set is expected to be effective	8/1/2013
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	4/3/2013
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE VRDR

### 6.5.GG.2 VRDR Autopsy Not Performed Value Set

VRDR Autopsy Not Performed Value Set will use the SNOMED-CT code system to identify its contents. Codes that are used within the scope of this profile are listed below:

<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.23.8.2</b>
<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>SNOMED-CT Code</b>	<b>SNOMED-CT Description</b>
44551000009109	Autopsy not performed (finding)
76231000009111	No post performed
76241000009117	Post mortem examination not performed
76221000009114	Autopsy not performed
408775001	Consent for postmortem declined (finding)
2470636019	Consent for postmortem declined
2477187017	Consent for autopsy declined
79779006	Patient discharge, deceased, no autopsy (procedure)

6085

Add section 6.5.HH (Added 2013-09 form the QRPH VRDR supplement.)

### 6.5.HH VRDR Discharge Death Codes

#### 6.5.HH.1 Metadata

Discharge Death Value Set Metadata Shall contain the following content:

6090

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.23.8.3
Name	This is the name of the value set	VRDR Discharge Death Value Set

Metadata Element	Description	Mandatory
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect Discharge disposition of death
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from UB04
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nubc.org">www.nubc.org</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2013
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2013
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE VRDR

## 6.5.HH.2 VRDR Discharge DeathValue Set

Discharge Death Value Set will use the UB-04/NUBC code system to identify its contents. Codes that are used within the scope of this profile are listed below:

<b>Section Template :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.23.8.3</b>
<b>Vocabulary:</b>	<b>UB04 OID</b>
<b>UB-04/NUBC Code</b>	<b>Description</b>
20	Expired

6095

Add section 6.5.II (Added 2013-09 form the QRPH VRDR supplement.)

## 6.5.II VRDR Death Location Type Codes

### 6.5.II.1 Metadata

Death Location Type Value Set Metadata Shall contain the following content:

6100

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.23.8.4
Name	This is the name of the value set	Death Location Type Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the location where the decedent died
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from the HL7 VRDR CDA Death Location Types
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.HL7.org">www.HL7.org</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2013
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2013
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE VRDR

## 6.5.II.2 VRDR Death Location Type Value Set

Death Location Type Value Set will use the HL7 Death Location Type code system to identify its contents. Codes that are used within the scope of this profile are listed below:

<b>Value Set:</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.23.8.4</b>
<b>Vocabulary:</b>	<b>2.16.840.1.113883</b>
<b>HL7 Death Location Type Code</b>	<b>HL7DeathLocationType</b>
H-IN	Hospital Inpatient
H-ER/ OP	Hospital Emergency Department or Outpatient
H-DOA	Hospital Dead on Arrival
NH	Nursing Home
RES	Residence

<b>Value Set:</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.23.8.4</b>
<b>Vocabulary:</b>	<b>2.16.840.1.113883</b>
<b>HL7 Death Location Type Code</b>	<b>HL7DeathLocationType</b>
OTH	Other

6105

Add section 6.5.JJ (Added 2013-09 form the QRPH VRDR supplement.)

## 6.5.JJ VRDR Death Certification Procedure Codes

### 6.5.JJ.1 Metadata

Death Certification Procedure Value Set Metadata Shall contain the following content:

6110

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.23.8.6
Name	This is the name of the value set	VRDR Death Certification Procedure Performed Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that there was a Death Certification Procedure Performed
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2013
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	4/3/2013
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE VRDR

## 6.5.JJ.2 VRDR Death Certification Procedure Performed Value Set

Death Certification Procedure Performed Value Set will use the HL7 Transportation Relationship Type code system to identify its contents. Codes that are used within the scope of this profile are listed below:

6115

<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.23.8.6</b>
<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>SNOMED-CT Code</b>	<b>SNOMED-CT Description</b>
308646001	Death certification (procedure)

*Add section 6.5.KK (Added 2013-09 form the QRPH VRDR supplement.)*

## 6.5.KK VRDR Death Pronouncement Procedure Codes

6120

### 6.5.KK.1 Metadata

Death Pronouncement Procedure Value Set Metadata Shall contain the following content:

Metadata Element	Description	Mandatory
Identifier	This is the unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.23.8.7
Name	This is the name of the value set	VRDR Death Pronouncement Procedure Performed Value Set
Source	This is the source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To reflect that there was a Death Pronouncement Procedure Performed
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2013

Metadata Element	Description	Mandatory
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	4/3/2013
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group may also have an OID assigned.	IHE VRDR

### 6.5.KK.2 VRDR Death Pronouncement Procedure Performed Value Set

6125 Death Pronouncement Procedure Performed Value Set will use the HL7 Transportation Relationship Type code system to identify its contents. Codes that are used within the scope of this profile are listed below:

<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.23.8.7</b>
<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>SNOMED-CT Code</b>	<b>SNOMED-CT Description</b>
428413005	Death verification (procedure)

*Add the following section 6.6-1 Concept Domains*

6130 **6.6 Concept Domains**

This section describes concept domains used by this technical framework. A concept domain describes the purpose of a coding system in an implementation independent way. National extensions can declare bindings from a concept domain to a specific value set.

6135

**Table 6.6-1: Concept Domains**

<b>UV Concept Domain</b>	<b>Concept Domain Description</b>
CD_EmploymentStatus	The employment status concept domain defines an individual's economic relationship to an occupation/industry. As described by LOINC®: Generally, employment status refers to whether or not a person is currently employed for wages or doing some other unpaid activity, such as volunteering, homemaking, or participating in educational instruction as a student. In a healthcare setting, employment status may be used to determine appropriate probing questions for occupational exposures and occupational history. For example, a person who is currently not employed for wages may be prompted to provide information about previously held occupations <sup>6</sup> .
CD_WorkSchedule	The Work Schedule Concept Domain describes an individual's typical arrangement of working hours for an occupation. As described by LOINC®: For example, work schedule may capture that an individual typically works a regular day shift, evening shift, or night shift. It can also specify if an individual has an irregular schedule such as a rotating shift, split shift, etc. In healthcare settings, knowledge of a patient's typical work schedule may assist in diagnosis of healthcare issues related to irregular work hours or sleep patterns. It may also assist in determining appropriate treatment and prevention plans that will coordinate with the patient's work schedule <sup>6</sup> .
CD_OccupationCode	The Occupation Code Concept Domain contains a set of codes that describe a set of activities or tasks that individuals are paid to perform or, if unpaid, define a person's contribution to a household/family business/community <sup>7</sup> .
CD_IndustryCode	The Industry Code Concept Domain contains a set of codes that describe an economic/business sector comprised of businesses/ enterprises concerned with the output of a specified category of products or services (e.g., the construction industry or the agriculture industry) <sup>7</sup> .

<sup>1</sup> This material contains content from LOINC® (<http://loinc.org>). The LOINC table, LOINC codes, and LOINC panels and forms file are copyright © 1995-2013, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and available at no cost under the license at <http://loinc.org/terms-of-use>.

<sup>2</sup> Source: CDC Census 2010