Integrating the Healthcare Enterprise



IHE Quality, Research and Public Health Technical Framework Supplement

Healthy Weight (HW)

Rev. 2.4 – Trial Implementation

20 Date: February 26, 2021

10

15

25

Author: QRPH Technical Committee

Email: qrph@ihe.net

Please verify you have the most recent version of this document. See here for Trial Implementation and Final Text versions and here for Public Comment versions.

Foreword

This is a supplement to the IHE Quality, Research and Public Health (QRPH) Technical
Framework. Each supplement undergoes a process of public comment and trial implementation before being incorporated into the volumes of the Technical Frameworks.

This supplement is published on February 26, 2021 for trial implementation and may be available for testing at subsequent IHE Connectathons. The supplement may be amended based on the results of testing. Following successful testing it will be incorporated into the Quality,

Research and Public Health Technical Framework. Comments are invited and can be submitted at http://www.ihe.net/QRPH Public Comments.

This supplement describes changes to the existing technical framework documents.

"Boxed" instructions like the sample below indicate to the Volume Editor how to integrate the relevant section(s) into the relevant Technical Framework volume.

40 *Amend Section X.X by the following:*

Where the amendment adds text, make the added text **bold underline**. Where the amendment removes text, make the removed text **bold strikethrough**. When entire new sections are added, introduce with editor's instructions to "add new text" or similar, which for readability are not bolded or underlined.

45

General information about IHE can be found at www.ihe.net.

Information about the IHE QRPH domain can be found at http://www.ihe.net/IHE Domains.

Information about the organization of IHE Technical Frameworks and Supplements and the process used to create them can be found at http://www.ihe.net/IHE_Process and

50 http://www.ihe.net/Profiles.

The current version of the IHE QRPH Technical Framework can be found at: http://www.ihe.net/Technical_Frameworks.

55 CONTENTS

	Introduction to this Supplement	
	Open Issues and Questions	10
	Closed Issues	
60	IHE Technical Frameworks General Introduction	16
	9 Copyright Licenses	
	9.1 Copyright of Base Standards	
	9.1.1 DICOM (Digital Imaging and Communications in Medicine)	
	9.1.2 HL7 (Health Level Seven)	
65	9.1.3 LOINC (Logical Observation Identifiers Names and Codes)	
	9.1.4 SNOMED CT (Systematized Nomenclature of Medicine Clinical Terms)	17
	10 Trademark	
	IHE Technical Frameworks General Introduction Appendices	18
	Appendix A – Actor Summary Definitions	
70	Appendix B – Transaction Summary Definitions	19
	Appendix D – Glossary	19
	Volume 1 – Profiles	
	X Healthy Weight (HW) Profile	20
	X.1 HW Actors, Transactions, and Content Modules	20
75	X.1.1 Actor Descriptions and Actor Profile Requirements	22
	X.1.1.1 Form Filler	
	X.1.1.2 Form Manager	23
	X.1.1.3 Form Receiver	
	X.1.1.4 Form Receiver Document Exporter	23
80	X.1.1.5 Form Receiver Message Exporter	24
	X.1.1.6 Form Processor	
	X.1.1.7 Form Archiver	25
	X.1.1.8 Information Source	25
	X.1.1.9 Information Recipient	25
85	X.1.1.10 Content Creator	25
	X.1.1.11 Content Consumer	25
	X.2 HW Actor Options	26
	X.2.1 Form Filler Options	26
	X.2.1.1 Summary Document Pre-Pop Option	26
90	X.2.1.2 HW Enhanced Pre-Pop Option	
	X.2.1.3 Archive Form Option	
	X.2.1.4 Occupational Health Extension Option	27
	X.2.1.5 Occupational Health Extension Discrete Data Import	
	X.3 HW Required Actor Groupings	
95	X.4 HW Overview	
	X.4.1 Concepts	28

	X.4.2 Use Cases	. 29
	X.4.2.1 Use Case #1: Forms Data Capture with Messaging	
	X.4.2.1.1 Forms Data Capture with Messaging Use Case Description	
100	X.4.2.1.2 Forms Data Capture with Messaging Process Flow	
	X.4.2.2 Use Case #2: Forms Data Capture with Document Submission	
	X.4.2.2.1 Forms Data Capture with Document Submission Use Case Description.	
	X.4.2.2.2 Forms Data Capture with Document Submission Process Flow	
	X.4.2.3 Use Case #3: Native Forms Data Capture	
105	X.4.2.3.1 Native Forms Data Capture Use Case Description	
	X.4.2.3.2 Native Forms Data Capture Process Flow	. 34
	X.4.2.4 Use Case #4: HW Messaging	
	X.4.2.4.1 HW Messaging Use Case Description	
	X.4.2.4.2 HW Messaging Process Flow	
110	X.4.2.5 Use Case #5: HWS Document Submission	
	X.4.2.5.1 HWS Document Submission Use Case Description	. 36
	X.4.2.5.2 HWS Document Submission Process Flow	. 36
	X.5 HW Security Considerations	. 37
	X.5.1 Security Audit Considerations – Retrieve Form [ITI-34] (ADT)	. 38
115	X.5.2 Security Audit Considerations – Submit Form [ITI-35] audit messages	
	X.5.3 Security Audit Considerations – Archive Form [ITI-36] audit messages	. 38
	X.6 HW Cross Profile Considerations	. 38
	X.6.1 XDS.b, XDM, or XDR – Cross Enterprise Document Sharing.b, Cross Enterprise	
	Document Media Interchange, or Cross Enterprise Document Reliable Interchange	e38
120	X.6.2 Sharing Value Set (SVS)	
	X.7 Data elements	. 39
	Appendices to Volume 1	. 40
	Appendix A – Sample Healthy Weight Form	. 41
	Appendix B – Data Elements	
125	Appendix C – Body Mass Index Concepts	
	Volume 2 – Transactions	
	3.39 HWFeed [QRPH-39]	
	3.39.1 Scope	. 52
	3.39.2 Actor Roles	
130	3.39.3 Referenced Standards	
	3.39.4 Messages	
	3.39.4.1 HWFeed [QRPH-39]	
	3.39.4.1.1 Trigger Events	
	3.39.4.1.2 Message Semantics	
135	3.39.4.1.2.1 MSH Segment	
	3.39.4.1.2.2 EVN Segment	
	3.39.4.1.2.3 PID Segment	
	3.39.4.1.2.4 PD1 Patient Demographic Segment	
	3.39.4.1.2.5 NTE Segment	. 61

140	3.39.4.1.2.6 NK1 Segment	61
	3.39.4.1.2.7 PV1 Segment	61
	3.39.4.1.2.8 PV2 Segment	
	3.39.4.1.2.9 OBR Segment	
	3.39.4.1.2.10 OBX Segment	65
145	3.39.4.1.3 Expected Actions	
	3.39.4.1.3.1 ACK	
	3.39.4.1.4 Sample Message	69
	3.39.5 Security Considerations	
	3.39.5.1 Security Audit Considerations	
150	3.39.5.1.1 HWFeed [QRPH-39] (ORU^R01) Security Audit Considerations	70
	3.39.5.1.1.1 Information Source Actor audit message:	
	3.39.5.1.1.2 Information Recipient Actor audit message:	
	3.39.5.1.1.3 Form Receiver Message Exporter Actor audit message:	
	Appendices to Volume 2	
155	Volume 2 Namespace Additions	
	Volume 3 – Content Modules	
	5 Namespaces and Vocabularies	77
	6 Content Modules	
	6.3.1 CDA Document Content Modules	
160	6.3.1.D1 Healthy Weight Summary (HWS) Document Content Module	78
	6.3.1.D1.1 Format Code	
	6.3.1.D1.2 Parent Template	78
	6.3.1.D1.3 Referenced Standards	78
	6.3.1.D1.4 Data Element Requirement Mappings	78
165	6.3.1.D1.4.1 Data Element Requirement Mappings to CDA	
	6.3.1.D1.4.2 Data Element Requirement Mappings to Message: HWFeed [
	39] Transaction (Normative)	
	6.3.1.D1.5 Healthy Weight Summary (HWS) Document Content Module	
	Specification	104
170	6.3.1.D1.5.1 Medications Section Vocabulary Constraints	106
	6.3.1.D1.5.2 Coded Social History Section Vocabulary Constraint	107
	6.3.1.D1.5.2.1 Education Level	107
	6.3.1.D1.5.2.2 Household Income	108
	6.3.1.D1.5.2.3 Nutritional History	108
175	6.3.1.D1.5.2.4 Physical Activity	115
	6.3.1.D1.5.2.5 Screen Time	116
	6.3.1.D1.5.2.6 Sleep	118
	6.3.1.D1.5.2.7 Readiness for Change	119
	6.3.1.D1.5.2.8 Pregnancy Status	
180	6.3.1.D1.5.3 Payers Section Vocabulary Constraints	120
	6.3.1.D1.5.4 Coded Vital Signs Section Vocabulary Constraints	120
	6.3.1.D1.5.5 Active Problems Section Vocabulary Constraints	123

	6.3.1.D1.5.6 Procedures and Interventions Section Vocabulary Constraints	124
	6.3.1.D1.5.7 Coded Family Medical History Section Vocabulary Constraints	124
185	6.3.1.D1.5.8 Coded Results Section Vocabulary Constraints	125
	6.3.1.D1.6 HW Conformance and Example	
	6.3.1.D2 Medical Summary for Healthy Weight (MS-HW) Pre-Pop Document Conte	ent
	Module	
	6.3.1.D2.1 Format Code	126
190	6.3.1.D2.2 Parent Template	126
	6.3.1.D2.3 Referenced Standards	126
	6.3.1.D2.4 Data Element Requirement Mappings to CDA	126
	6.3.1.D2.5 Medical Summary for Healthy Weight Pre-Pop (MS-HW) Content	
	Module Specification	128
195	6.3.1.D2.6 MS-HW Conformance and Example	130
	6.3.2 CDA Header Content Modules	
	6.3.2.H Healthy Weight (HWS and MS-HW) Header Content Module	131
	6.3.2.H.1 Personal Information: ethnicity Vocabulary Constraint	131
	6.3.2.H.2 Personal Information: race Vocabulary Constraint	131
200	6.3.2.H.3 Personal Information: gender Vocabulary Constraint	
	6.3.2.H.4 Personal Information: gender Vocabulary Constraint	
	6.3.3 CDA Section Content Modules	131
	6.3.3.10.3 Resources to Support Goals Section 1.3.6.1.4.1.19376.1.7.3.1.3.24.1	132
	6.3.3.10.4 Healthy Weight Care Plan Section 1.3.6.1.4.1.19376.1.7.3.1.3.24.2	132
205	6.3.3.10.5 Occupational Data for Health Section 1.3.6.1.4.1.19376.1.7.3.1.3.24.3	132
	6.3.3.10.5.1 Occupational Data for Health Section < 74166-0>	133
	6.3.4 CDA Entry Content Modules	
	6.3.4.64 History of Employment Status Observation Entry	135
	6.3.4.66 Past or Present Occupation Observation Entry	137
210	6.3.4.67 Work Schedule Observation Entry	
	6.3.4.68 Weekly Work Hours Observation Entry	142
	6.3.4.69 Usual Occupation Duration Entry	
	6.3.4.74 Weekly Work Days Observation Entry	144
	6.3.4.xx Usual Occupation Observation Entry	145
215	6.3.4.yy Past or Present Industry Observation Entry	147
	6.3.4.zz Work Classification Observation Entry	148
	6.3.4.aa Usual Industry Observation Entry	150
	6.3.4.bb Date of Retirement Observation Entry	151
	6.3.4.cc Combat Zone Period Observation Entry	152
220	6.3.4.dd Job Duty Observation Entry	153
	6.3.4.ee Occupational Hazard Observation Entry	
	6.3.4.ff Supervisory Level Observation Entry	155
	6.4 Section not applicable	
	6.5 QRPH Value Sets	
225	Appendices to Volume 3	157

	Appendix A – Healthy Weight Value Sets	
	A.1 HW Coding Systems	
	A.1.1 SNOMED-CT Metadata	157
	A.1.2 RxNORM	157
230	A.1.3 HL7	157
	A.1.4 LOINC	158
	A.1.5 FIPS 5-2	
	A.1.6 NUBC	158
	A.2 Specification of Value Sets used in the HW Profile	
235	Volume 3 Namespace Additions	
	4 National Extensions	
	4.1 National Extensions for IHE United States	161
	4.1.1 Comment Submission	
	4.1.2 Healthy Weight (HW)	
240	4.1.2.3.3.4 QRPH Value Sets	
	42222	

Introduction to this Supplement

This supplement is written for trial implementation. It is written as an addition to the Quality, Research and Public Health Technical Framework.

- 245 This supplement also references and draws upon the following documents¹. The reader should review these documents as needed:
 - 1. PCC Technical Framework, Volume 1
 - 2. PCC Technical Framework, Volume 2
 - 3. PCC Technical Framework Supplement: CDA Content Modules
- 4. IT Infrastructure Technical Framework Volume 1
 - 5. IT Infrastructure Technical Framework Volume 2
 - 6. <u>IT Infrastructure Technical Framework Volume 3</u>
 - 7. HL7 and other standards documents referenced in Volume 1 and Volume 2
- 8. Institute of Medicine (2010). Bridging the Evidence Gap in Obesity Prevention: A
 Framework to Inform Decision Making. Washington, DC, The National Academies
 Press.
 - 9. Barlow, S.E. and the Expert Committee (2007). "Expert Committee Recommendations Regarding the Prevention, Assessment, and Treatment of Child and Adolescent Overweight and Obesity: Summary Report." Pediatrics 120 (Supplement 4): S164-192.
- 10. Krebs NF, Himes JH, Jacobson D, Nicklas TA, Guilday P, Styne D. Assessment of Child and Adolescent Overweight and Obesity. Pediatrics Dec 2007; 120:S4 S193-S228.
 - 11. Pediatric Nutrition Handbook (2008). 6th ed. Kleinman RE, ed. Elk Grove, Village, IL: American Academy of Pediatrics
 - 12. Screening for and Management of Obesity in Adults, Topic Page. U.S. Preventive Services Task Force. http://www.uspreventiveservicestaskforce.org/uspstf/uspsobes.htm
 - 13. Clinical Guidelines on the Identification, Evaluation, and Treatment of Overweight and Obesity in Adults, The Evidence Report. September 1998. US Department of Health and Human Services Public Health Service, National Institutes of Health, National Heart, Lung, and Blood Institute. NIH Publication No. 98-4083.
- 14. US Health Information Technology Rules and Regulations Meaningful Use: http://www.healthit.gov/policy-researchers-implementers/meaningful-use

_

¹ The first six documents can be located on the IHE Website at http://ihe.net/Technical_Frameworks. The remaining documents can be obtained from their respective publishers.

- 15. Measurement site from NHANES: http://www.cdc.gov/nchs/data/nhanes/nhanes_09_10/BodyMeasures_09.pdf
- 16. Centers for Disease Control and Prevention. "Overweight and Obesity." Division of Nutrition, Physical Activity, and Obesity, National Center of Chronic Disease Prevention and Health Promotion. Updated 12/21/12. Accessed from: http://www.cdc.gov/obesity/index.html.
 - 17. Partnership for a Healthier America ePlans to Promote Healthy Weight Use Cases. (n.d.) In Partnership for a Healthier America. Retrieved on July 31, 2013 from http://ahealthieramerica.org/wp-content/uploads/2013/07/HealthyWeightPlan_UseCases_Mar2013.pdf (NOTE: referenced in the document as ePlans Use Cases)
 - 18. American College of Sports Medicine. Exercise is Medicine. Accessed 4/2015 at http://www.exerciseismedicine.org/
- 285 19. Academy of Nutrition and Dietetics. Nutrition Informatics and EHR/PHR Nutrition Best Practices Implementation Guide. Retrieved on March 30, 2015 from http://www.eatrightpro.org/resources/news-center/in-practice/nutrition-informatics
 - 20. American Academy of Pediatrics. Childhood Obesity *Next Steps*. Accessed 4/2015 at www.aap.org
 - 21. Centers for Disease Control and Prevention. Youth Risk Behavior Surveillance System (YRBSS) Accessed 4/2015 at http://www.cdc.gov/HealthyYouth/yrbs/index.htm
 - 22. Centers for Disease Control and Prevention. Behavioral Risk Factor Surveillance System (BRFSS). Accessed 4/2015 at http://www.cdc.gov/brfss/
 - 23. World Health Organization. Global school-based student health survey (GSHS) Accessed 4/2015 at http://www.who.int/chp/gshs/en/
 - 24. World Health Organization. STEPwise approach to surveillance (STEPS). Accessed 4/2015 at http://www.who.int/chp/steps/en/
 - Measured height and weight data are captured in Electronic Health Records (EHR) and are a valuable resource for public health and quality improvement activities. Fully integrated healthy weight standards in public health agency information systems have the potential to provide high quality body mass index (BMI) data that can be used by the public health community for healthy weight activities that track changes in BMI prevalence. These data can inform the development of public health programs and clinical interventions, as well as quantitatively evaluate the quality and impact of child obesity prevention interventions.
- Population-based, measured height and weight data collected from existing surveillance systems that are available across the country lack the ability to collect information for younger children that can be assessed at lower/smaller geographic areas (e.g., counties, cities, provider groups).
 - Similar Public Health interoperability challenges have been addressed using the ITI Retrieve Form for Data Capture (RFD) with pre-population and mapping rules and logic that define how

280

290

295

- the EHR focused CDA constructs are assessed to determine the Public Health defined program attribute values and how the information is expressed in the context of public health messaging construct requirements (e.g., HL7 Message implementation guides). A similar specification is leveraged in this profile to solve the BMI problems.
- In the U.S., the Health Information Technology for Economic and Clinical Health Act of 2009

 (HITECH) funding created significant incentives for healthcare practitioners to purchase and meaningfully use EHRs for collecting patient demographic and clinical information. These incentives require that physicians demonstrate that their EHRs collect height and weight data and promote the transfer of clinical data from EHRs to public health surveillance systems, such as Immunization Information Systems (IIS). Thus, state and federal public health agencies can
- capitalize on the opportunity provided by HITECH to explore how BMI, referral to nutrition counseling, and activity counseling data that are already captured in EHRs for clinical purposes could be used to provide measured child Healthy Weight surveillance data. However, more work is needed to enable use of EHRs for Healthy Weight surveillance. There is also interest on the part of state stakeholders (e.g., state-level Departments of Health), and further alignment through collaborative efforts with U.S. national stakeholders (e.g., American Academy of Pediatrics) that
- 325 collaborative efforts with U.S. national stakeholders (e.g., American Academy of Pediatrics) that are engaged to work on concurrent standardization work in HL7 with the goal of improving data transfer systems and interoperability for clinical and public health BMI programs.
- This IHE profile enables better alignment between the EHR and public health initiatives and approaches by specifying the content and transactions to be used to capture BMI data from the EHR and communicate the BMI data to Public Health. This IHE profile supports care coordination, care quality improvement efforts and data interoperability and capture to inform population health programs and improvement.

Open Issues and Questions

- 1. Need to add reference to the HL7 IG in Introduction Section once document is available
- 2. What is the relationship to the Child EHR (see <u>Agency for Healthcare Research and Quality website</u>)
 - 3. CCDA Refactoring impact on XPHR, MS, CCD references
 - 4. Develop a visual appendix reference that ties in the healthy weight visit algorithms with the concepts in the Healthy Weight Document
- 5. Document scope is currently limited to overweight use cases pending further clinical review for appropriate content and constraints pertaining to underweight patients.
 - 6. Volume 2 Open Issue: The transaction payload is limited to those attributes defined by this implementation guide and does not include the plan and risk assessment content.
- 7. Volume 1 Actors and Options Archive Form: Need to sort out how this handles Healthy Weight pre-pop or Pre-pop Pending CP details

- 8. Pseudonymization is of interest in this profile, however, due to the immaturity of final guidance from the ITI white paper and current activities to update the standard to a full international specification, specific guidance regarding pseudonymization will be deferred. Once the document is published, more specific references and possibly guidance based on the white paper will be added.
- 9. Error checks (e.g., busy; failed quality checks, Outliers, and out-of-range constraints) are not addressed in this profile.
- 10. Mother's Maiden Name is not clearly specified in the header content modules and should be reviewed across IHE domains.
- 11. Review with PCC to clarify the use of Employer and School Information (1.3.6.1.4.1.19376.1.5.3.1.2.2) for child care/early learning
 - 12. Consider using a HW coded social history with a new OID
 - 13. Consider shall in the future or in options for Social History details. Early implementations are intended to establish a direction with a goal to require content at a later date. Clarify with PCC the intended meaning of 'SHOULD' across domains for content specification with respect to testing.
 - 14. Further alignment is needed across ongoing initiatives:
 - a. Energy Intake Standards: Additional research is needed in terms of the specific concept to be represented and how it should be codified. Note: Value set for this item using SNOMED-CT terms will be provided by the Academy of Nutrition and Dietetics.
 - b. Consumption of Calcium-rich foods. Using numbers and units to reflect times/day. How often did you drink milk, or chocolate milk? Eat cheese? Avoidance of Energydense foods. NOTE: These behaviors are integral to the recommendations of the Pediatric Weight Management Expert Committee of the Academy of Nutrition and Dietetics. May require additional SNOMED/LOINC work. Further review and align with nutrition.
 - c. Consider adding to social behaviors: quality of life 72354-4 Overall quality of life over the past month
 - d. Resources to Support Goals: Expert consideration and recommendations for supporting SNOMED-CT codes to support healthy weight.
 - Review the use of 46802-5 Communication with community resources.knowledge for the Resources to Support Goals Section Code
- 15. Review the use of community resources guidance and counseling SNOMED-CT code 380 424673000 possibly as an intervention code consider if new LOINC code name for Hours/min per day watching TV/DVDs should be extended to include mobile devicesLOINC requests pending further review needed to replace:

350

355

360

365

370

- 385
- a. Mother's education should be 'parent's education' with possible consideration for a simpler value set. Primary Caregiver, Guardian? Need new LOINC code once we determine request details that are currently deferred pending further discussion
- b. Currently using '67577-7' How far in school did she go, LOINC
- c. Currently using '67578-5' How far in school did he go, LOINC
- d. Align with Academy of Nutrition and Dietetics and HL7 work in the area of controlled carbohydrates and food insecurity; consider adding to dietary behaviors
- e. Further review and align with nutrition LOINC and SNOMED-CT initiatives; CP 390 Option following vocabulary and suitability review with the intent to submit the CP by September so that the material can be included in 2014 Connectation testing;
 - 16. Do we add school related behaviors? This document and associated value sets only identifies school and employers, but not related behaviors. Standard vocabulary coded values supporting content for school related behaviors needs additional development. Resources to Support Goals Section may need a different LOINC code.
 - 17. Readiness for Change Is social history the best location for this concept? Measuring within the care plan or other section. HPI – part of motivational interview. May be part of plan in future iterations, and pending alignment with Academy of Nutrition and Dietetics' International Nutrition Terminology choice of terms associated with knowledge and beliefs.
 - 18. Healthy Weight Summary (HWS) Conformance and Example is pending sample generation through MDHT.
 - 19. Consider to document discretely authoritative source for the presence of each data element as well as evidence for its validity and value in patient care for each of the attributes in social history the clinical references for the data criteria.
 - 20. There are 4 main sites to measure for waist circumference. Does the EHR have a field or modifier or element that in some way indicates the site that this measurement is taken?
 - 21. The use of the Occupational Health Option to force the ability to sign up and test this option is not intended to be common practice, but is specific to the needs of this domain.
 - 22. Request from HL7 to not include the insurance at that granular level; note it is in the OBX segment. Differences between CDA and HL7v2 regarding the handling of Payer and Weight Associated Conditions. HL7v2 groups them with specific observations, while CDA does not. This means that HL7v2 messages can contain multiple Healthy Weight observations with different payers and conditions, while CDA does not.
 - 23. Are the methods (street clothes no shoes, street clothes & shoes, Underwear or less) the right level of detail – review with SMEs, LOINC, HL7

395

400

405

410

Closed Issues

- 1. Do we continue to offer grouping guidance? No required grouping
- 2. Should we establish a common actor pair for HL7 information source and recipient (currently specific to Information source and Information Recipient)? Yes. Common actor pair established: Information Source, Information Recipient
 - 3. Should this profile include other factors that may be monitored by the programs? Yes:
 - Behaviors (social history)
 - Screen time e.g., TV/video/computer (minutes/day)
 - Physical activity (minutes/day)
 - Skip meals/family meals/meals outside home
 - Sleep

425

435

440

445

- Water intake
- Sugared beverages
 - Milk intake
 - Goals
 - Resources to support goals
 - Family healthy weight history
 - Healthy weight assessment/plan
 - School information
 - 4. For Active Problems, how deep should we specify the Healthy Weight needs (e.g., (underweight, lab vs. DX)? Underweight out of scope. Lab and Problems included.
 - 5. Do we need to break down comorbidities, vs. special cases and active problems? No. Using alternate value set concept for Healthy Weight Associated Conditions.
 - 6. Social History Pregnancy status is there a different value set that should be used other than Pregnant 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.95? No. This is the correct value set. Value set name will be updated to reflect more generic use in PHIN-VADS.
 - 7. Volume 1 Actors and Transactions Form Receiver Document Exporter How do we reference the additional XD* transactions required of the Form Receive CDA Exporter? (ITI-41, ITI-19, ITI-20?) referenced in optional grouping. Diagrams reference as an example '[e.g., ITI-XD*]
 - 8. Where to provide implementation references to healthy weight plan efforts? Added references to these initiatives in the supplement introduction section.

- 9. Value Sets were reviewed by expert panel including breakdown and grouping of comorbidities, special cases, and other problems: Resolution was to generate a single 'Weight Associated Conditions' value set to cover these concepts.
 - 10. The 'Save Form For Continued Editing' Option on the Form Manager has no specific strategies identified. Removed option and included requirements that the Form Manager be able to render a saved form for a given patient request
 - 11. BP: (NCEP definition of metabolic syndrome includes a BP >130/85) there are pros and cons of getting BP as a vital sign (actual measurement) versus diagnosis (may take into account a dx of HTN but BP is controlled by meds as this visit). Including as SHOULD
- 460 12. Breast feeding placement in active problems vs. social history nutrition/behaviors along with FV, PA, sleep, TV. Breastfeeding for baby is Diet in Social History. Breastfeeding for mother is problem list to highlight for appropriate medication decisions.
 - 13. It would be best to have gestational age in weeks (up until age 2yo). Currently reflected as diagnosis, but need to reflect this somewhere else; may be able to use existing LOINC Code (72147-2 Gestational age at birth RHEA); Included in Weight Associated Conditions value set.
 - 14. It is best to stick to waist circumference as our priority. The NHANES documentation includes the tricep skinfold and bicep skinfold (but these could get messy and HANES may even be dropping them) and hip circumference (to calculate waist/hip ratio; but this was debated years ago and is not in favor to the WC); Included as optional in vital signs.
 - 15. Will need to harmonize Volume 2 with HL7 BMI updates that are made for public comment including the addition of reference to HW Associated Conditions. HL7 BMI document is completed along with the alignments in Volume 2.
 - 16. New LOINC codes obtained for:
- a. Food Insecurity
 - b. Readiness for improved behaviors for (Diet, Physical Activity, Sleep, and Screen Time).
 - c. Frequency of Screen-Time (TV/DVDs) Weekdays
 - d. Frequency of Screen-Time (TV/DVDs) Weekends
 - e. Frequency of Screen-Time (video games and computer games) Weekdays
 - f. Frequency of Screen-Time (video games and computer games) Weekends
 - g. Frequency of Fatty Foods Intake (needs further expert review of concept need)
 - h. Frequency of Healthy Snacks (needs further expert review of concept need)
 - i. Infant is currently eating or drinking something other than breast milk (needs further expert review of concept need and alignment with breastfeeding panel considerations)

485

480

455

465

- Addition of cereal to bottle (needs further expert review of concept need)
- k. Frequency of Family Meals (needs further expert review of concept need)
- 1. % fat calculated by the Bioimpedence device (body fat percentage data) (needs further expert review of concept need). Using 41982-0 Percentage of body fat Measured, LOINC in the interim.
- m. frequency of Vegetable intake
- n. frequency of Water intake
- o. frequency of physical activity
- p. Infant Formula intake
- Trouble breastfeeding
 - Physical Activity Behavior (to be answered with SNOMED-CT observations)
 - Dietary Behavior (to be answered with SNOMED-CT observations)
 - Household Income
 - New LOINC to replace '61468-5' How often did you drink 100 % fruit juice, such as orange, mango, apple, and grape juices in past 30 days [PhenX]
 - v. New LOINC to replace '61550-0' How often did you drink sports drinks or fruit flavored drinks with sugar (such as Kool-Aid, Hi-C, lemonade, or cranberry cocktail) in past 30 days
 - w. New LOINC to replace'61473-5' How often did you drink regular, carbonated soda or soft drinks that contain sugar in past 30D
 - x. New LOINC to replace' 68510-7' How many times a week did you eat fast food or snacks or pizza in past 7 days [SAMHSA]New LOINC code for the HWS Document.
 - 17. Alignment across ongoing initiatives:
 - a. Calcium considerations including milk intake as a beverage included questions in social history for milk intake
 - 18. Terminal Illness included in Weight Associated Conditions value set
 - 19. Value sets have been adjusted to align to be able to better support Meaningful Use

490

495

500

505

IHE Technical Frameworks General Introduction

The IHE Technical Framework General Introduction is shared by all of the IHE domain technical 515 frameworks. Each technical framework volume contains links to this document where appropriate.

9 Copyright Licenses

IHE International hereby grants to each Member Organization, and to any other user of these 520 documents, an irrevocable, worldwide, perpetual, royalty-free, nontransferable, nonexclusive, non-sublicensable license under its copyrights in any IHE profiles and Technical Framework documents, as well as any additional copyrighted materials that will be owned by IHE International and will be made available for use by Member Organizations, to reproduce and distribute (in any and all print, electronic or other means of reproduction, storage or

525 transmission) such IHE Technical Documents.

> The licenses covered by this Copyright License are only to those copyrights owned or controlled by IHE International itself. If parts of the Technical Framework are included in products that also include materials owned or controlled by other parties, licenses to use those products are beyond the scope of this IHE document and would have to be obtained from that other party.

9.1 Copyright of Base Standards 530

IHE technical documents refer to and make use of a number of standards developed and published by several standards development organizations. All rights for their respective base standards are reserved by these organizations. This agreement does not supersede any copyright provisions applicable to such base standards. Copyright license information for frequently referenced base standards is provided below.

9.1.1 DICOM (Digital Imaging and Communications in Medicine)

DICOM® is the registered trademark of the National Electrical Manufacturers Association for its standards publications relating to digital communications of medical information.

9.1.2 HL7 (Health Level Seven)

HL7®, Health Level Seven®, CCD®, CDA, and FHIR® are the registered trademarks of Health 540 Level Seven International and the use does not constitute endorsement by HL7.

Health Level Seven, Inc. has granted permission to IHE to reproduce tables from the HL7 standard. The HL7 tables in this document are copyrighted by Health Level Seven, Inc. All rights reserved. Material drawn from these documents is credited where used.

545 9.1.3 LOINC (Logical Observation Identifiers Names and Codes)

LOINC® is registered United States trademarks of Regenstrief Institute, Inc.

Rev. 2.4 – 2021-02-26

This product includes all or a portion of the LOINC® table, LOINC panels and forms file, LOINC document ontology file, and/or LOINC hierarchies file, or is derived from one or more of the foregoing, subject to a license from Regenstrief Institute, Inc. Your use of the LOINC 550 table, LOINC codes, LOINC panels and forms file, LOINC document ontology file, and LOINC hierarchies file also is subject to this license, a copy of which is available at http://loinc.org/terms-of-use. The current complete LOINC table, LOINC Users' Guide, LOINC panels and forms file, LOINC document ontology file, and LOINC hierarchies file are available for download at http://loinc.org. The LOINC table and LOINC codes are copyright © 1995-555 2013, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee. The LOINC panels and forms file, LOINC document ontology file, and LOINC hierarchies file are copyright © 1995-2013, Regenstrief Institute, Inc. All rights reserved. THE LOINC TABLE (IN ALL FORMATS), LOINC PANELS AND FORMS FILE, LOINC DOCUMENT ONTOLOGY FILE, AND LOINC HIERARCHIES ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, 560 BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. A small portion of the LOINC table may include content (e.g., survey instruments) that is subject to copyrights owned by third parties. Such content has been 565 mapped to LOINC terms under applicable copyright and terms of use. Notice of such third party copyright and license terms would need to be included if such content is included.

9.1.4 SNOMED CT (Systematized Nomenclature of Medicine -- Clinical Terms)

Some IHE Profiles incorporate SNOMED[®] CT, which is used by permission of the International Health Terminology Standards Development Organisation. SNOMED CT[®] was originally created by the College of American Pathologists. SNOMED CT is a registered trademark of the International Health Terminology Standards Development Organisation, all rights reserved.

10 Trademark

570

575

IHE® and the IHE logo are trademarks of the Healthcare Information Management Systems Society in the United States and trademarks of IHE Europe in the European Community. They may only be used with the written consent of the IHE International Board Operations Committee, which may be given to a Member Organization in broad terms for any use that is consistent with the IHE mission and operating principles.

IHE Technical Frameworks General Introduction Appendices

- 580 The IHE Technical Framework General Introduction Appendices are components shared by all of the IHE domain technical frameworks. Each technical framework volume contains links to these documents where appropriate.
- *Update the following appendices to the General Introduction as indicated below. Note that these* 585 are not appendices to this domain's Technical Framework (TF-1, TF-2, TF-3 or TF-4) but rather, they are appendices the IHE Technical Frameworks General Introduction located here.
- NEW: REQUIRED APPROVAL OF ACTORS, TRANSACTIONS and TERMS To avoid duplication and insure consistency across domains, all new or modified actors, transactions and 590 glossary terms need approval by IHE's Domain Coordination Committee (DCC) before they are published in a trial implementation supplement. Please see this Wiki page for additional guidance and links to the forms for approval submission.

Appendix A – Actor Summary Definitions

Add the following new or modified actors to the IHE Technical Frameworks General Introduction Appendix A:

Actor	Definition
Information Source	The Information Source is responsible for creating and transmitting an HL7 V2.6 message to an Information Recipient.
Information Recipient	The Information Recipient is responsible for receiving the HL7 V2.6 message from an Information Source or from a Form Receiver Message Exporter.
Form Receiver Document Exporter	The Form Receiver Document Exporter receives data submitted through the Submit Form Transaction (ITI-35), transforms that data to create a document, and shares that newly created document with a Content Consumer.

600

595

Appendix B – Transaction Summary Definitions

Add the following new or modified transactions to the IHE Technical Frameworks General Introduction Appendix B:

605

Transaction Definition	
HWFeed [QRPH-39]	This transaction transmits the HL7 V2.5.1 formatted message containing the Healthy Weight information

Appendix D – Glossary

Add the following new or updated glossary terms to the IHE Technical Frameworks General Introduction Appendix D.

610

Glossary Term	Definition	
Body Mass Index (BMI)	Body Mass Index (BMI) is a number calculated from weight and height: weight (kg) BMI = [height (m)] ² See Appendix D for further details	
See Appendix D for further details. BMI z-score and percentiles Among children and adolescents (ages, 2 to 18 years), BMI levels differ between be and across ages. Therefore, for a BMI value to be interpretable among children and is necessary to express it as a z-score (standard deviation score) or as a percentile re children of the same sex and age in the CDC reference population. (This representat consists of data collected from 1963 to 1980). See Appendix D for further details.		
Weight-for-Length z-score and percentiles	For children less than 2 years (24 months) of age, weight-for-length, rather than BMI, is the preferred indicator. The reference population is the WHO Multicentre Growth Reference Study. See Appendix D for further details.	

Volume 1 - Profiles

615 *Add Section X*

620

625

X Healthy Weight (HW) Profile

The Healthy Weight (HW) Profile provides a means to capture and communicate among clinical systems and public health information systems, the information needed for managing and monitoring healthy weight. The HW Profile is a content profile that defines the content of Healthy Weight information that is transmitted. This profile uses several different mechanisms for capturing and communicating that information:

- Defined content in CDA documents,
- Defined content in HL7 V2.5.1 messaging,
- Electronic data capture and form submission using the ITI Retrieve Form for Data Capture Profile.

X.1 HW Actors, Transactions, and Content Modules

This section defines the actors, transactions, and/or content modules in this profile. General definitions of actors are given in the Technical Frameworks General Introduction Appendix A at http://www.ihe.net/Technical_Frameworks/.

- The HW Profile uses actors and transactions from the ITI RFD Profile (ITI Technical Framework Supplement: Retrieve Form For Data Capture in addition to new actors and transactions defined below that support HW data collection, transformation, and reporting capabilities.
- Figure X.1-1 shows the actors directly involved in the HW Profile and the relevant transactions between them. If needed for context, other actors that may be indirectly involved due to their participation in other related profiles are shown in dotted lines. Actors which have a mandatory grouping are shown in conjoined boxes.




Figure X.1-1: HW Actor Diagram

Table X.1-1 lists the transactions for each actor directly involved in the HW Profile. To claim compliance with this profile, an actor shall support all required transactions (labeled "R") and may support the optional transactions (labeled "O").

Table X.1-1: HW Profile - Actors and Transactions

Actors	Transactions	Optionality	Reference
Form Filler	Retrieve Form [ITI-34]	R	ITI TF-2b: 3.34
	Submit Form [ITI-35]	R	ITI TF-2b: 3.35
	Archive Form [ITI-36]	О	ITI TF-2b: 3.36
Form Manager	Retrieve Form [ITI-34]	R	ITI TF-2b: 3.34
Form Processor	Retrieve Form [ITI-34]	R	ITI TF-2b: 3.34
	Submit Form [ITI-35]	R	ITI TF-2b: 3.35
Form Receiver	Submit Form [ITI-35]	R	ITI TF-2b: 3.35

Rev. 2.4 - 2021-02-26

Actors	Transactions	Optionality	Reference
Form	Submit Form [ITI-35]	R	ITI TF-2b: 3.35
Receiver Document Exporter			
Form	Submit Form [ITI-35]	R	ITI TF-2b: 3.35
Receiver Message Exporter	HWFeed [QRPH-39]	R	QRPH TF-2:3.39
Form Archiver	Archive Form [ITI-36]	R	ITI TF-2b: 3.36
Information Source	HWFeed [QRPH-39]	R	QRPH TF-2:3.39
Information Recipient	HWFeed [QRPH-39]	R	QRPH TF-2:3.39

645

Table X.1-1 lists the content module(s) defined in the HW Profile. To claim support with this profile, an actor shall support all required content modules (labeled "R") and may support optional content modules (labeled "O").

Table X.1-2: HW Profile - Actors and Content Modules

Actors	Content Modules	Optionality (Create)	Optionality (Consume)	Reference
Form Filler	MS-HW (1.3.6.1.4.1.19376.1.7.3.1.1.24.4)	O See Note 1		QRPH TF-3: 6.3.1.D2
Form Receiver Document Exporter	HWS (1.3.6.1.4.1.19376.1.7.3.1.1.24.3)		R	QRPH TF-3: 6.3.1.D1
Form Processor	MS-HW (1.3.6.1.4.1.19376.1.7.3.1.1.24.4)		R	QRPH TF-3: 6.3.1.D2
Form Manager	MS-HW (1.3.6.1.4.1.19376.1.7.3.1.1.24.4)		R	QRPH TF-3: 6.3.1.D2
Content Creator	HWS (1.3.6.1.4.1.19376.1.7.3.1.1.24.3)	R		QRPH TF-3: 6.3.1.D1
Content Consumer	HWS (1.3.6.1.4.1.19376.1.7.3.1.1.24.3)		R	QRPH TF-3: 6.3.1.D1

Note 1: Systems implementing a Form Filler MAY optionally create the MS-HW as a pre-pop document.

X.1.1 Actor Descriptions and Actor Profile Requirements

Most requirements are documented in Transactions (Volume 2) and Content Modules (Volume 3). This section documents any additional requirements on profile's actors.

655 **X.1.1.1 Form Filler**

The Form Filler is defined in the ITI RFD Profile. In the HW Profile, the Form Filler SHALL support XHTML and SHALL NOT support XFORMS of the Retrieve Form transaction (RFD ITI TF 2b: 3.34.4.2.3.2). The Form Filler SHALL populate the prepopData parameter of the

Retrieve Form [ITI-34] transaction with content defined by either the Summary Document Pre-Pop Option Section (X.2.1.1) or the HW Summary Document Pre-Pop Option Section (X.2.1.2).

Note: This profile describes an HW Form Filler. Other Form Fillers compliant with RFD can be used for the data transmission and attain some of the benefits of data capture, but not the pre-population benefits.

X.1.1.2 Form Manager

The Form Manager is defined in the ITI RFD Profile. In the HW Profile, the Form Manger SHALL support XHTML and SHALL NOT support XFORMS of the Retrieve Form transaction (RFD ITI TF 2b: 3.34.4.2.3.2).

The Form Manager SHALL supply a form that complies with the minimum content of the data dictionary in Volume 1 Appendix a.

The system fulfilling this role in the HW Profile SHALL accept pre-pop data in the form of content defined by the:

- PCC MS (Referral Summary 1.3.6.1.4.1.19376.1.5.3.1.1.3),
- PCC MS Discharge Summary 1.3.6.1.4.1.19376.1.5.3.1.1.4),
- PCC XPHR (1.3.6.1.4.1.19376.1.5.3.1.1.5)
- HL7 Continuity of Care Document (CCD) (2.16.840.1.113883.10.20.1.22), or
- QRPH MS-HW (1.3.6.1.4.1.19376.1.7.3.1.1.24.4)

and return a form that has been appropriately pre-populated based on the mapping rules specified in QRPH TF 3:6.3.1.D1.4.3 Data Element Requirement Mappings for Form Pre-Population. The Form Manager shall support ALL of these pre-pop documents. The Form Manager must also support data capture in the absence of a pre-pop document.

If the Form Filler retrieves a previously populated form, the Form Manager shall supply the previously populated content. How the Form Manager maintains the previously populated form between submissions is not specified by IHE.

X.1.1.3 Form Receiver

The Form Receiver is defined in the ITI RFD Profile. In the HW Profile, the Form Receiver SHALL receive the populated form from the Form Filler when the form is submitted. No further requirements are placed on the Form Receiver within the scope of this profile.

X.1.1.4 Form Receiver Document Exporter

This Form Receiver Document Exporter receives data submitted through the Submit Form Transaction (ITI-35), transforms that data to create a document, and shares that newly created document with a Content Consumer. For Healthy Weight, this transforms that data to create the HWS Document Content (1.3.6.1.4.1.19376.1.7.3.1.1.24.3) defined in QRPH TF-3:6.3.1.D1, and shares that newly created VRDR content document with a Content Consumer.

The Form Receiver Document Exporter receives data submitted through the Submit Form Transaction (ITI-35), transforms that data to create a HWS content document and shares that newly created HWS content document with a Content Consumer. Detailed rules for the HWS CDA Document Content are fully defined in QRPH TF-3:6.3.1.D1. Specification of the transformation rules from the Form to the CDA content is fully specified in Table 6.3.1.D1.4.1, Data Element Requirement Mappings to CDA.

When creating the CDA, the requirements are the same as those specified for a Content Creator of the HWS CDA.

X.1.1.5 Form Receiver Message Exporter

This Form Receiver Message Exporter receives healthy weight data submitted through the Submit Form Transaction (ITI-35), transforms that data to an HL7 message and sends that message to an Information Recipient. For Healthy Weight, this transforms that data to be in compliance with the requirements of the HL7 V.2.5.1 HWFeed transaction [QRPH-39] which conforms to the HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm) containing the healthy weight attributes, and sends that data to an Information Recipient using [QRPH-39]. Detailed rules for the HWFeed message are fully defined in QRPH 2: 3.39.4.1 HWFeed [QRPH-39]. Specification of the transformation rules from the Form to the message content is fully specified in Table 6.3.1.D1.4.2 Data Element Requirement Mappings to Message.

When creating the HWFeed message, the requirements are the same as those specified for an Information Source of the [QRPH-39].

X.1.1.6 Form Processor

715 The Form Processor is defined in the ITI RFD Profile.

The Form Processor SHALL support XHTML and SHALL NOT support XFORMS of the Retrieve Form transaction.

The Form Processor SHALL supply a form that complies with the minimum content of the data dictionary in Volume 1 Appendix a.

- 720 The system fulfilling this role in the HW Profile SHALL accept pre-pop data in the form of content defined by the
 - PCC MS (Referral Summary 1.3.6.1.4.1.19376.1.5.3.1.1.3)
 - PCC MS Discharge Summary (1.3.6.1.4.1.19376.1.5.3.1.1.4),
 - PCC XPHR (1.3.6.1.4.1.19376.1.5.3.1.1.5),
 - HL7 Continuity of Care Document (CCD) (2.16.840.1.113883.10.20.1.22), or
 - QRPH MS-HW (1.3.6.1.4.1.19376.1.7.3.1.1.24.4),

Rev. 2.4 - 2021-02-26

and return a form that has been appropriately pre-populated based on the mapping rules specified in QRPH TF-6.3.1.D1.4.3 Data Element Requirement Mappings for Form Pre-Population. The Form Processor shall support ALL of these pre-pop documents. The Form Processor must also support data capture in the absence of a pre-pop document.

If the Form Filler submits the same form more than once for the same patient to the Form Processor, then the Form Processor shall supply the previously-submitted, partially-filled form. How the Form Processor maintains the previously populated form between submissions is not specified by IHE. Form Manager

735 The Form Processor SHALL receive the populated form from the Form Filler when the form is submitted. No further requirements are placed on the Form Processor within the scope of this profile.

X.1.1.7 Form Archiver

730

The actions of the Form Archiver are defined in the ITI RFD Profile. In the HW Profile, the
Form Archiver may be leveraged to support traceability such that the provider is able to have a
record of the form data submitted. The Healthy Weight Profile places no additional requirements
on the Form Archiver.

X.1.1.8 Information Source

The Information Source is responsible for creating an HWFeed [QRPH-39] transaction which conforms to the HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm) containing the healthy weight attributes. The Information Source SHALL create content as specified in QRPH TF-2:3.39

X.1.1.9 Information Recipient

The Information Recipient is responsible for receiving the HL7 V2.5.1 message using the HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm) containing the healthy weight attributes from the Information Source. This Information Recipient shall accept and process the contents of the ORU message according to the capabilities of its application. This processing is not constrained by IHE.

X.1.1.10 Content Creator

The Content Creator SHALL be responsible for the creation of content and transmission of the Healthy Weight Summary document (HWS) to a Content Consumer. Detailed rules for the HWS content document are fully defined as specified in QRPH TF-3:6.3.1.D1.5.

X.1.1.11 Content Consumer

A Content Consumer is responsible for View, Document Import, and Discrete Data Import options for HW content created by an HW Content Creator.

X.2 HW Actor Options

HW Options that may be selected for each actor in this profile, if any, are listed in the Table X.2-1. Dependencies between options when applicable are specified in notes.

Table X.2-1: HW – Actors and Options

Actor	Option Name	Reference
Content Creator	Occupational Health Extension	QRPH TF-1: X.2.1.4
Content Consumer	View	PCC TF-1:3.4.1.1
	Document Import	PCC TF-1:3.4.1.2
	Discrete Data Import	PCC TF-1:3.4.1.4
	Occupational Health Extension Discrete Data Import	QRPH TF-1: X.2.1.5
Form Filler	Summary Document Pre-Pop Note 1	QRPH TF-1: X.2.1.1
	HW Enhanced Pre-Pop Note 1	QRPH TF-1: X.2.1.2
	Archive Form	QRPH TF-1: X.2.1.3
Form Manager	No options defined	
Form Processor	No options defined	
Form Receiver	No options defined	
Form Receiver Document Exporter	No options defined	
Form	No options defined	
Receiver Message Exporter		
Form Archiver	No options defined	
Information Source	No options defined	
Information Recipient	No options defined	

Note 1: The Form Filler SHALL support either the Summary Document Pre-Pop Option, the HW Enhanced Pre-Pop Option, or both

X.2.1 Form Filler Options

X.2.1.1 Summary Document Pre-Pop Option

- 770 This option defines the document submission requirements placed on Form Fillers for providing pre-pop data to the Form Manager or Form Processor. The prepopData parameter SHALL use the following content (Summary Document Pre-pop Set):
 - If the Form Filler supports the Summary Document Pre-Pop Option, the value of the pre-popData parameter in the Retrieve Form request (see ITI TF-2b:3.34.4.1.2) shall be a

- well-formed xml document as defined by one of the documents in the Summary Document Pre-pop Set:
 - PCC MS (Referral Summary 1.3.6.1.4.1.19376.1.5.3.1.1.3 PCC TF 3:6.3.1.3),
 - PCC Discharge Summary 1.3.6.1.4.1.19376.1.5.3.1.1.4 PCC TF 3:6.3.1.4),
 - PCC XPHR (1.3.6.1.4.1.19376.1.5.3.1.1.5 PCC TF 3:6.3.1.5), or
 - HL7 Continuity of Care Document (CCD) (2.16.840.1.113883.10.20.1.22).

X.2.1.2 HW Enhanced Pre-Pop Option

This option defines the document submission requirements placed on Form Fillers for providing pre-pop data to the Form Manager or Form Processor, describing specific content and vocabulary constraints to the PCC MS/XPHR or CCD document that will optimize the ability to process the clinical content to fill in the HW Form. The Form Filler's support for the HW Pre-Pop Option determines how pre-population data elements are handled when the Form Filler retrieves the form using [ITI-34]:

• If the Form Filler supports the HW Pre-Pop Option, the value of the pre-popData parameter in the Retrieve Form Request (see ITI TF-2b: 3.34.4.1.2) shall be a well-formed xml document as defined by QRPH TF-3: 6.3.1.D2.5 Medical Summary for Healthy Weight Pre-Pop (MS-HW) Document Content Module for the specification of the Summary content required.

X.2.1.3 Archive Form Option

If the Form Filler supports the Archive Form Option, it shall support the Archive Form transaction [ITI-36].

X.2.1.4 Occupational Health Extension Option

A Content Creator that supports the Occupational Health Extension Option SHALL be capable of creating a document that is conformant with the Occupational Data for Health Section specified in PCC CDA Supplement: 6.3.3.10.5.

800 X.2.1.5 Occupational Health Extension Discrete Data Import

A Content Consumer that supports the Occupational Health Extension Discrete Data Import SHALL be capable of discrete data import from a document that is conformant with the Occupational Data for Health Section specified in PCC CDA Supplement Section 6.3.3.10.5.

X.3 HW Required Actor Groupings

805 There are no required groupings with actors.

790

785

780

X.4 HW Overview

Although information for calculating BMI is currently collected at the provider level in the EHR, multiple approaches are being used to communicate this information to health departments. This communication process can be inefficient and insufficient resulting in inconsistent data quality.

Limitations make it very difficult for agencies, communities and states to evaluate progress in their childhood obesity prevention efforts. States and cities are currently developing EHR-based Healthy Weight information systems, thus, there is an urgent need for standards, guidance documents, interoperability, and use case testing. This profile covers within its scope healthy weight considerations for individuals of the entire population, crossing the lifespan of the patient with considerations for age appropriate content. Scope is constrained to overweight and obesity prevention and treatment for disease prevention and health promotion (e.g., not underweight, not all chronic disease) use cases (see open issues).

X.4.1 Concepts

Existing obesity surveillance systems have multiple limitations, including cost, subjectivity of self-reported data, and ability to analyze data at a small geographic area. Communities that 820 choose to share EHR data that are collected for clinical purposes can help fill in the gap of measured BMI and healthy weight information needed for informing clinical and public health interventions at the local level, and can work with clinicians to do so in a minimally burdensome or resource neutral manner. However, these EHR systems are in various stages of incorporating 825 BMI content. This limits the current ability for EHR systems to serve as a valuable resource for providing a foundation for quality of care measures, for BMI monitoring, and for improvements in BMI data quality. These systems could enable improved data quality and representation of the information with a focus on care delivery and additional benefits from health monitoring for patient and populations. This can further lead to an opportunity to mobilize and spread the use of 830 interoperability between EHR and public health information systems, and providing standard practices to leverage EHRs to move primary care and population health forward. Outreach to populations that do not regularly visit their doctors can be facilitated through this profile to enable capture of this data by forms or interoperable data.

Current Obesity surveillance systems are inadequate:

- Current national obesity surveillance systems that utilize measured data are costly, labor intensive, and do not provide state/local data (e.g., NHANES)
- Systems that provide state or local data only use parent/self-reported height and weight to calculate BMI
- Less data are available on younger age groups (e.g., YRBS), who see their providers regularly for well child care, including immunizations

Currently BMI from provider offices is captured and communicated to the state health department in a number of ways including combinations of the following approaches:

On paper

Rev. 2.4 – 2021-02-26

835

- Through web-based data entry portals
- EHRs are interfacing to BMI surveillance system using various methods and are at various stages of implementation

This process is inefficient and insufficient:

- In some cases requiring dual entry by the provider into both the EHR and the reporting tool
- In some cases establishing custom interfaces
 - Inconsistent data quality in data entry and communication
 - Data are under-reported and underrepresented. Much of the BMI data collected by providers is not currently communicated to state health departments at all, but sits unused for this purpose in the provider office and thus is a missed opportunity.
- These limitations make it very difficult for public health agencies, communities, and jurisdictions to evaluate progress in their obesity rates.

X.4.2 Use Cases

845

865

870

The multiple use cases indicate the various approaches of capturing healthy weight information for both clinical intervention purposes and public health programs supported by this profile. Both CDA R2 and HL7 messaging approaches are provided to allow flexibility and migration opportunities for public health environments that rely upon HL7 messaging approaches. For those initiatives or communities that choose to capture data via forms, forms-based data capture is included as an option that can support transform of data captured to standard messages or documents leveraging pre-population from standard CDA clinical summary documents:

- HW Forms based data capture where the Forms Receiver forwards the information to public health using HL7 Messaging
- HW Forms based data capture where the Forms Receiver forwards the information to public health using a constrained CDA R2 Document
- HW Forms based data capture where the Forms Receiver is integrated into the native public health surveillance system
- directly from the EHR using HL7 Messaging
- directly from the EHR using a constrained CDA R2 Document

The following use cases each describe unique options for gathering information for a subset of patients that need behavior modification and intervention due to overweight issues. These use cases support the clinic visit and sharing of the clinical visit information via an HWFeed or HW Summary to improve patient health, care delivery, data capture, provider quality improvement and community program and systems outcomes.

- An adolescent patient visits his/her primary care provider for a yearly check-up. The medical assistant takes measurements for height and weight, and documents healthy weight associated conditions that should be maintained on the problem list. The EHR automatically calculates BMI from measured height & weight and displays BMI trajectory. The EHR also manages the relevant patient demographics supporting the BMI percentile calculation (e.g., gender, age), and the relevant patient demographics supporting surveillance grouping measures (e.g., zip, ethnicity, race, payer). Information is sent to the surveillance program at the jurisdiction's public health department. The health department proactively monitors opportunities for improving healthy weight of the community. By having an EHR built to international standards, improved quality patient information is captured for clinical use, and is sent to public health using the HWfeed. Comparative analysis reports are provided back to the physician to inform their ongoing care quality improvement programs within their clinic. They decide to upgrade their EHR to provide additional supports for guideline based obesity-related care such that they:
 - Flag patients with abnormal BMI values;
 - Generate prompts for counseling, best practices and diagnostic codes;
 - Print patient education materials;
 - Generate lists or prompts for clinic or community referrals to personnel, programs or resources (see Healthy Weight Use Cases Appendix C)
- The provider organization chooses to set up a forms manager and interfaces to allow patients to track their physical activity using a kiosk or personal device, in order to increase clinical efficiency and give the provider complete clinical information. The EMR system is configured to send secure healthy weight data from the EHR to a local health information system (e.g., for registries, population level analyses to inform best practices and practice quality improvement feedback) leveraging the same information sharing interface used for routine clinical information exchanges. Public health establishes a healthy weight surveillance program to illuminate areas of need. The Form Manager creates HWS documents to provide information to public health optimizing their interoperability options to capture as much healthy weight data from the jurisdiction community as possible. Using assessment and behavior data for analysis, the program identifies that some regions have significantly higher obesity rates, and particularly low physical activity rates. In order to improve the health of the communities the health education outreach coordinator then contacts the largest employers in the region that employ the occupations with the highest obesity incidence with a proposal to initiate a workplace-base health promotion program focusing on increasing physical activity using a walking program. Additionally, the coordinator contacts the schools with high rates of obesity, and they work together to increase physical activity throughout the day, and programs for Open Playground access in off-school hours.
- The physician requests that a patient fill out a chronic disease risk behavior survey in advance of his/her regular visit thru the PHR. Integrate a patient's personally collected

Rev. 2.4 - 2021-02-26

880

885

890

895

900

905

910

healthy weight data from personal health records (e.g., phr, calorie counters). During the visit, the provider captures the height and weight data and decides to refer the patient for nutrition counseling as a result of the high BMI. A guideline-based obesity care plan is generated and transmitted along with their referral for nutrition counseling using the Healthy Weight Summary (HWS). A guideline-based obesity care plan is generated from the patient's healthy weight information that can empower patients (e.g., record patient's healthy weight goals) and transmitted (e.g., facilitating care coordination with other providers). A visit summary is created for patients to review at home or to share with other care providers. The healthy weight summary is available to public health as part of routine exchanges. Public health provides a set of community resources that is available to the nutritionists and patients. As part of the nutrition visit, the provider is able to recommend community resources relevant to the patient's home, school, workplace (e.g., locations of parks, farmers markets, wellness coaching) and update the plan with more specific nutrition goals. The patient uses his/her PHR to track their ongoing diet behaviors to inform the next physician visit. The updated care plan and patient diet tracking is available to inform the next provider visit. Display community resources relevant to the patient's home, school, workplace (e.g., locations of parks, farmers markets, wellness coaching. Receive population-level obesity indicators and display in comparison with a patient's healthy weight status (e.g., dashboard)

Note: transactions and content for these reports are out of scope for this profile, but are illustrative of the potential uses and data requirements needed for reporting.

X.4.2.1 Use Case #1: Forms Data Capture with Messaging

The Forms Data Capture with Messaging use case uses Retrieve Form transaction (ITI-34) to render a Healthy Weight form for pre-population, and the Form Receiver Message Exporter system transforms the information into an HL7 message to transmit the information to Public Health.

X.4.2.1.1 Forms Data Capture with Messaging Use Case Description

When the visit is completed, a Summary document (e.g., PCC Medical Summary, PCC XPHR, CCD or a MS-HW with more specific Healthy Weight Content requirements) is created. This Summary document is provided as pre-population data to a public health QRPH Healthy Weight Forms Manager. The HW Form Receiver Message Exporter provides the content to the public health surveillance system by way of a transform to the corresponding HWFeed [QRPH-39] message.

X.4.2.1.2 Forms Data Capture with Messaging Process Flow

The Form Filler renders the Health Weight form providing a document from the Summary Document Pre-pop Set for Pre-population by the Form Manager. The user (e.g., patient portal user) completes the form, verifies the accuracy of all information, and submits the form. The Form Receiver Message Exporter transforms the information from the form into an HL7

Rev. 2.4 - 2021-02-26

920

925

930

935

message and transmits that message to the Healthy Weight information system using the HWFeed [QRPH-39].




Figure X.4.2.1.2-1: Use Case 1 – Forms Data Capture with Messaging

X.4.2.2 Use Case #2: Forms Data Capture with Document Submission

The Forms Data Capture with Document Submission use case uses Retrieve Form for Data Capture transaction (ITI-34) to render a Healthy Weight form for pre-population, and the Healthy Weight Form Receiver Document Exporter system transforms the information into a HWS Document to transmit the information to Public Health.

X.4.2.2.1 Forms Data Capture with Document Submission Use Case Description

When the visit is completed, a document (e.g., PCC Medical Summary, PCC XPHR, CCD) is created or a MS-HW with more specific Healthy Weight Content requirements. This Summary

Rev. 2.4 - 2021-02-26

960

document is provided as pre-population data to a public health ITI Retrieve Form for Data Capture Forms Manager. The Healthy Weight Form Receiver Document Exporter provides the content to the public health surveillance system by way of a transform to the corresponding Healthy Weight Summary (HWS) Document.

X.4.2.2.2 Forms Data Capture with Document Submission Process Flow

The provider EHR or Patient portal renders the Healthy Weight form providing a document from the Summary Document Pre-pop Set for Pre-population by the Form Manager. The provider completes the form, verifies the accuracy of all information, and submits the form. The Form Receiver Document Exporter transforms the information from the form into a Healthy Weight Summary (HWS) document and transmits that message to the Healthy Weight Information system.




Figure X.4.2.2.2-1: Use Case 2 - Forms Data Capture with Document Submission

X.4.2.3 Use Case #3: Native Forms Data Capture

985 The Native Forms Data Capture use case uses Retrieve Form transaction (ITI-34) to render a Healthy Weight form for pre-population. The Form Receiver system is natively integrated into the Healthy Weight Surveillance System.

X.4.2.3.1 Native Forms Data Capture Use Case Description

When the visit is completed, a document from the Summary Document Pre-pop Set (e.g., PCC Medical Summary, PCC XPHR, CCD) or a MS-HW with more specific Healthy Weight Content requirements is created. This Summary document is provided as pre-population data to a public health HW Forms Manager. The HW Form Receiver information is consumed directly by the Healthy Weight Information System.

X.4.2.3.2 Native Forms Data Capture Process Flow

The provider EHR renders the HW form providing a document from the Summary Document Pre-pop Set for Pre-population by the Form Manager. The provider completes the form, verifies the accuracy of all information, and submits the form. The HW Form Receiver information is consumed directly by the HW Information System.




Figure X.4.2.3.2-1: Use Case 3 – Native Forms Data Capture

X.4.2.4 Use Case #4: HW Messaging

The HW Messaging use case creates the [QRPH-39] message directly and transmits the information to Public Health either from the EHR, or from a service on behalf of the EHR (e.g., Health Information Exchange).

X.4.2.4.1 HW Messaging Use Case Description

When the visit is completed, the EHR system creates a [QRPH-39] message and sends the message to the Public Health Healthy Weight Information system directly.

1010 X.4.2.4.2 HW Messaging Process Flow

The provider EHR, or a service on behalf of the EHR (e.g., Health Information Exchange), sends the [QRPH-39] message to the Healthy Weight Information System.




Figure X.4.2.4.2-1: Use Case 4 - HW Messaging

1015 X.4.2.5 Use Case #5: HWS Document Submission

In the HWS Document Submission use case, the Content Creator creates the HWS Document directly and transmits the information to Public Health, either from the EHR, a Patient Portal/PHR, or from a service on behalf of these (e.g., Health Information Exchange).

X.4.2.5.1 HWS Document Submission Use Case Description

When the visit is completed, the EHR system creates an HWS Document and shares this document upon referral to a nutrition counselor, and also sends the document to the Public Health Healthy Weight Information system either directly from the EHR, Patient Portal/PHR, or from a service on behalf of these (e.g., Health Information Exchange).

X.4.2.5.2 HWS Document Submission Process Flow

The provider EHR or Patient Portal sends the HWS Document to the Healthy Weight Information System (see Section X.6.1) either directly from the EHR, Patient Portal/PHR, or from a service on behalf of these (e.g., Health Information Exchange).




Figure X.4.2.5.2-1: Use Case 5 – HWS Document Submission

X.5 HW Security Considerations

1030

1045

HW includes clinical content related to the information subject. As such, it is anticipated that the transfers of Personal Health Information (PHI) will be protected. The ITI ATNA Integration

1035 Profile SHOULD be implemented by all of the actors involved in the IHE transactions specified in this profile to protect node-to-node communication and to produce an audit trail of the PHI related actions when they exchange messages, though other private security mechanisms MAY be used to secure content within enterprise managed systems. Details regarding ATNA logging for transactions in this profile are described in the Security Consideration sections Volume 2.

The content of the form also results in a legal document, and the Form Manager MAY include a digital signature using ITI Digital Signature (DSG) Profile to assure that the form content submitted cannot be changed.

For security purposes, when sending information to public health, Healthy Weight Information systems will also need to know the identity of the user and the location to identify the data source. In this case, ITI Cross-Enterprise User Assertion (XUA) Profile MAY be utilized to support this implementation.

In some jurisdictions, patient identity may need to be protected in Healthy Weight Information systems. This MAY be addressed through Pseudonymization techniques as described by the as described by the Pseudonymization ITI De-identification White Paper.

In some jurisdictions, consent may be needed to provide this information to public health. For these cases, the ITI BPPC Integration Profile SHOULD be used to enable this consent management.

X.5.1 Security Audit Considerations – Retrieve Form [ITI-34] (ADT)

The Retrieve Form Transaction is a PHI-Export event, as defined in ITI TF-2a: Table 3.20.6-1.

The actors involved in the transaction SHALL create audit data in conformance with Retrieve Form (ITI-34] audit messages as defined in QRPH Trial Implementation Supplement CRD: 5.Z.3.1 Retrieve Form [ITI-34] audit messages where such PHI Audit required by Jurisdictional Law.

X.5.2 Security Audit Considerations – Submit Form [ITI-35] audit messages

The Submit Form Transaction MAY be a PHI-Export event, as defined in ITI TF-2a: Table 3.20.6-1. The actors involved in the transaction SHALL create audit data in conformance with Submit Form [ITI-35] audit messages as defined in QRPH Trial Implementation Supplement CRD: 5.Z.3.2 Submit Form [ITI-35] audit messages where such PHI Audit is required by Jurisdictional Law.

1065 X.5.3 Security Audit Considerations – Archive Form [ITI-36] audit messages

The Archive Form Transaction MAY be a PHI-Export event, as defined in ITI TF-2a: Table 3.20.6-1. The actors involved in the transaction SHALL create audit data in conformance with Archive Form [ITI-36] audit messages as defined in QRPH Trial Implementation Supplement CRD: 5.Z.3.3 Archive Form [ITI-36] audit messages where such PHI Audit is required by Jurisdictional Law.

X.6 HW Cross Profile Considerations

The following informative narrative is offered as implementation guidance.

X.6.1 XDS.b, XDM, or XDR – Cross Enterprise Document Sharing.b, Cross Enterprise Document Media Interchange, or Cross Enterprise Document Reliable Interchange

The use of the XD* family of profiles is encouraged to support standards-based interoperability between systems acting as the HW Content Creator and HW Content Consumer. However, this profile does not require any groupings with ITI XD* actors to facilitate transport of the content document it defines. Below is a summary of *recommended* IHE transport transactions that MAY be utilized by systems playing the roles of HW Content Creator or HW Content Consumer to support the standard use case defined in this profile:

- A Document Source in XDS.b, a Portable Media Creator in XDM, or a Document Source in XDR might be grouped with the HW Content Creator. A Document Consumer in XDS.b, a Portable Media Importer in XDM, or a Document Recipient in XDR might be grouped with the HW Content Consumer,
- A registry/repository-based infrastructure is defined by the ITI Cross Enterprise Document Sharing (XDS.b) that includes profile support that can be leveraged to facilitate retrieval of public health related information from a document sharing

1085

1070

1075

1080

infrastructure: Multi-Patient Query (MPQ), Document Metadata Subscription (DSUB) and notification of availability of documents (NAV).

• All of these infrastructure profiles require security and privacy through the use of the Consistent Time (CT) and Audit Trail and Node Authentication (ATNA) Profiles. A Time Client in CT might be grouped with the HW Content Creator and the HW Content Consumer. A Secure Node and/or a Secure Application in ATNA might be grouped with the HW Content Creator and the HW Content Consumer.

Detailed description of these transactions can be found in the IT Infrastructure Technical Framework.

X.6.2 Sharing Value Set (SVS)

A HW Form Manager may support the Value Set Consumer Sharing Value Set (SVS) Integration
Profile in order to use a common uniform managed vocabulary for dynamic management of form mapping rules.

X.7 Data elements

1090

1095

1105

This profile has need for specific form data element content. That set of data that must be in the form in the course of prepop and in the form of data export. Those data elements are described in Appendix B.

Appendices to Volume 1

Appendix A – Sample Healthy Weight Form

The following sample Healthy Weight form is derived from the content of the Healthy Weight Summary document. This material is informative and not required of vendor implementations.

1110

Please answer the following questions	Response			
Demographics				
Patient Name	P	atient A	Address	
Mother's Education Level (if patient <= 21 years old)	Doctoral or post graduate education Graduate or professional Degree comple Some post-baccalaureate education College or baccalaureate degree comple Some College education	ete 🗆 on 🗆 ete 🗆	High School or secon	or technical degree complete adary school degree complete dary or high school education Elementary School
Father's Education Level (if patient <= 21 years old)	Doctoral or post graduate education Graduate or professional Degree comple Some post-baccalaureate education College or baccalaureate degree comple Some College education	ete 🗆 on 🗆 ete 🗆	High School or secon	or technical degree complete adary school degree complete dary or high school education Elementary School
Patient's Education Level (if patient > 18 years old)	Doctoral or post graduate education Graduate or professional Degree comple Some post-baccalaureate education College or baccalaureate degree comple Some College education	ete 🗆 on 🗆 ete 🗆	High School or secon	or technical degree complete adary school degree complete dary or high school education Elementary School
Patient's Grade Level (if patient <= 21 years old)				Grade (1-16)
Household Income	Which category Represents the total combined income of all members of your FAMILY during the past 12 months? This includes money from jobs, net income from business, farm or rent, pensions, dividends, interest, social security payments and other money income received by members of your FAMILY who are 15 years of age or older Which category Represents the total combined income of all members of your FAMILY during the past 12 months? This includes money from jobs, net income from business, farm or rent, pensions, dividends, interest, social security payments and other money income received by members of your FAMILY who are 15 years of age or older			
	Continuity of	f Care		
List of problems		Drop-	down selection(s)	
List of Laboratory Res	sults Drop-down selection(s)			
List of Medications	*			
	Anthropome			
			he patient's height	
Weight	The patient's weight			

Please answer the following questions about diet	Response
Birth through 21 years <i>Frequency fruit-flavored and sports drinks (Sugar-Sweetened Beverages intake):</i> Yesterday, how many times did you drink any punch, Kool-Aid®, Tampico, other fruit-flavored drinks, or sports drinks? Do not count 100% fruit juice	# Times per day
Birth through 21 years <i>Frequency of soft drinks (Sugar-Sweetened Beverages intake):</i> Yesterday, how many times did you drink any regular (not diet) sodas or soft drinks, including Penafiel?	# Times per day
<i>Frequency of Water Intake:</i> Yesterday, how many times did you drink bottles or glasses of water? Include plain water, sparkling or any other water drink that has 0 calories.	# Times per day
6 months to 21 years <i>Frequency of Vegetable Intake:</i> Yesterday, how many times did you eat vegetables? Vegetables are all cooked and uncooked vegetables; salads. Do not count French fries, fried potatoes, or potato chips.	# Times per day
<i>Frequency of Fruit Intake (Non-juice):</i> Yesterday, how many times did you eat fruit? Do not count fruit juice. Please think about all forms of fruits, including cooked or raw, fresh, frozen or canned.	# Times per day
Frequency of Fruit Intake (100% fruit juice): Yesterday, how many times did you drink fruit juice? Fruit juice is a drink, which is 100% juice, like orange juice, apple juice, or grape juice. Do not count punch, Kool-Aid®, Tampico, sports drinks, or other fruit-flavored drinks.	# Times per day
<i>Frequency of Fast Food Intake:</i> Yesterday, how many times did you eat food from any type of restaurant? This includes restaurants such as fast food, sit down restaurants, buffet restaurants, taco shops, donut shops, and pizza places.	# Times per day
Birth to less than 18 months <i>Currently Breastfeeding:</i> Is your child Breast Fed?	Y NO
If less than 12 months <i>Consuming Infant Formula:</i> How much formula does your child drink per day	# Oz per day
Women that are breastfeeding or infants up to 18 months <i>patient having trouble breastfeeding:</i> Are you having any problems breastfeeding?	Yo No
Birth to less than 12 months <i>Complimentary Foods:</i> Is the patient fed something other than breast milk or formula? Please include juice, cow's milk, sugar water, baby food, or anything else that [child] may have been given, even water.	Yo No
Birth to less than 12 months <i>Addition of Cereal to Bottle:</i> Do you add cereal to your baby's bottle of formula or pumped (or expressed) breast milk in the past two weeks?	Yo No
1 through 21 years. Yesterday, how much milk did the patient drink?	# ounces
1 through 21 years <i>Frequency of Healthy Snacks</i> : Yesterday, what percent of snacks were healthy?	%
1 through 21 years. <i>Frequency of Family Meals:</i> In the past week, how many times were dinners prepared at home and eaten together at the dinner table as a family?	# Times per week
Food Insecurity: How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals?	1 − Always □ 2 − Usually □ 3 − Sometimes □ 4 − Rarely □ 5 − Never □ 8 − Not applicable □ 7 − Don't know / Not sure □ 9 − Refused □

Fatty Food Intake: Yesterday, did the patient eat French fries or chips?	
Examples are: potato chips, tortilla chips, Cheetos®, corn chips, or other snack chips.	
• No, the patient didn't eat any French fries or chips yesterday.	VO NO
• Yes, the patient ate French fries or chips 1 time yesterday.	Y□ N□
• Yes, the patient ate French fries or chips 2 times yesterday.	
• Yes, the patient ate French fries or chips 3 or more times yesterday.	

Please answer the following questions about exercise and sleep	Response
Exercise Frequency: For Children and Adolescents: Days per week of physical activity (any kind of physical activity that increased his/her heart rate and made him/her breathe hard some of the time)	# days/wk
For adults: Days per week of moderate to strenuous exercise (like a brisk walk)	# days/wk
Exercise Duration: For Children and Adolescents: In the past week, minutes per day of physical activity at this level	# min/day
For adults: In the past week, minutes per day of exercise at this level	# min/day
Screen- Time (TV/DVDs): On a typical day in the past week, how much time did you spend watching TV/DVDs? (Answer separately for WEEKDAY and WEEKEND DAYS)	hrsmin/day WEEKDAY hrsmin/day WEEKEND DAYS
Screen- Time (video games and computer games): On a typical day in the past week, how much time did you spend playing video games and computer games? (Answer separately for WEEKDAY and WEEKEND DAYS)	hrsmin/day WEEKDAY hrsmin/day WEEKEND DAYS
Bedtime: What time do you / does your child usually go to bed?	:AM 🗆 PM 🗆
Hours of Sleep per night: In the past week, on average, how much time did you / your child sleep during a usual 24-hour period? Please include night time sleep and day time naps.	hrsmin/day
Pregnancy Status: Are you currently pregnant?	Y □ N □ N/A □
Readiness for improved nutrition : On a scale of 1-10 with 1 representing no readiness to change and 10 representing an exceptional readiness for change, please rate your / your child's readiness to improve your nutrition.	Rating (1-10)
Readiness for improved sleep pattern : On a scale of 1-10 with 1 representing no readiness to change and 10 representing an exceptional readiness for change, please rate your / your child's readiness to improve your sleep habits.	Rating (1-10)
Readiness for improved exercise : On a scale of 1-10 with 1 representing no readiness to change and 10 representing an exceptional readiness for change, please rate your / your child's readiness to improve your exercise habits.	Rating (1-10)
Readiness for improved screen time : On a scale of 1-10 with 1 representing no readiness to change and 10 representing an exceptional readiness for change, please rate your / your child's readiness to improve your screen time habits.	Rating (1-10)

Appendix B – Data Elements

The following data elements are used in healthy weight care management and public health analytics. Details regarding optionality, structures, and vocabularies/value sets are documented in QRPH TF-3: 6.3.1.D1.4.1 Data Element Requirement Mappings to CDA:

Element	Description		
Assessment: Socio-Demographic Characteristics			
Name	Patient's Name		
Phone Number – Home	Phone Number – Home Included for patient matching		
Religious Affiliation	Optional Religious Affiliation to support diet impact on weight		
Mother's Maiden Name	Mother's Maiden Name included for pediatric patient matching		
Patient Identifier List	Patient Identifier List Included for pediatric patient matching, including driver's license number, and social security number if applicable		
Patient Multiple Birth Indicator	Patient Multiple Birth Indicator Included for pediatric patient matching		
Patient Birth Order	Patient Birth Order Included for pediatric patient matching		
Patient Account Number	Patient Account Number Included for patient matching		
Date/Time of Birth	Patient's date and time of birth		
Administrative Sex	Patient's sex.		
Language	Languages Spoken		
Race	Race(s) that best describes what the patient considers himself/herself to be		
Ethnic Group	Patient's ethnicity		
Address (may be used to support Geographic grouping purposes)	Patient's address (e.g., Country, County, State, City, Street, Zip Code)		
Next of Kin:	Parent/caregiver contact information:		
	Name		
	Relationship		
	Address Phone Number		
Education Level	Highest Level of Education Received by patient		
Household Income	Income level of the household where the patient resides		
Insurance Information	Patient's Insurance details (e.g., insurance company)		
	: Recorded in Social History)		
School Name	Name of School, including Early care and Education, After school and daycare		
Occupational Data for Health Work Data	Work information including: History of Employment Status Observation Past or Present Occupation Observation		

Element	Description	
	Employer Name	
	Employer Location	
	Past or Present Industry Observation	
	Work Classification Observation	
	Job Duty Observation	
	Supervisory Level Observation	
	 Occupational Hazard Observation 	
	Work Schedule Observation	
	 Weekly Work Hours Observation 	
	 Weekly Work Days Observation 	
	Usual Occupation Observation	
	Usual Occupation Duration Observation	
	Usual Industry Observation	
	Date of Retirement Observation Entry	
	Combat Zone Period Observation Entry	
Assessment: Provider Visit Information		
Provider Visit Information	Provider's name	
	Provider's ID	
	Provider Address	
	Provider Phone	
	Visit Information including: Date of visit	
Assessment: Anthro	pometric Measurements	
Height	Patient's height, captured for patients 2 through 22 years. Patient Height and Weight are used for computing Body Mass Index (BMI) and are used with other demographics to compute BMI Percentile (see Appendix D)	
Recumbent Length	Length of the patient lying down, captured for patients from birth to less than 2 years old as the 'height'. Patient Height and Weight are used for computing Body Mass Index (BMI) and are used with other demographics to compute BMI Percentile (see Appendix D)	
Weight (with or without clothes and shoes)	Patient's weight. Patient Height and Weight are used for computing Body Mass Index (BMI) and are used with other demographics to compute BMI Percentile (see Appendix D)	
Waist Circumference	A measurement of the distance around the smallest part of the abdomen	
Skin Folds	The layer of skin and subcutaneous fat raised by pinching the skin and letting the underlying muscle fall back to the bone.	
Measured Percentage of Body Fat	Measured Percentage of body fat (e.g., using a bio-impedance device)	
Blood Pressure	The pressure of the blood within the arteries.	
Heart rate/Pulse	The number of pulse beats per minute.	
BMI and BMI for age percentile for age/gender as appropriate for the child	A number calculated from weight and height (see Appendix D)	

Element	Description	
Assessment: Active Problems		
Weight Associated Conditions	Conditions that are associated with obesity that may be excluded or adjusted for in the calculation of BMI (e.g., pregnancy, prematurity, amputation), may influence weight or height (e.g., Prader Willi, acondroplasia), and/or are a result of increased BMI (e.g., hypertension, hypercholesterolemia), or are a combination of the above (e.g., diabetes).	
Behaviors (primarily a	spects of Social History)	
Behavior Assessment Patient reported current weight related behaviors. The way in context of healthy weight, this includes an individual's characteristic of the second second second second second second second second sec	teristics that impact weight management. For example:	
 etc.) Physical Activity and Sedentary Behaviors (e.g., Screen t (minutes/day)) Sleep-related Behaviors 		
Assessment of readiness to change one weight-related bel	havior	
Infant Feeding	L. d. d. D. d. D. to	
Currently Breastfeeding	Is the patient Breast Fed?	
Consuming Infant Formula	How much formula does the patient drink per day?	
Complimentary Foods	Is the patient fed something other than breast milk or formula? Please include juice, cow's milk, sugar water, baby food, or anything else that [child] may have been given, even water.	
Patient having trouble breastfeeding	Is the patient having any problems breastfeeding?	
Addition of Cereal to Bottle	Did you add cereal to your baby's bottle of formula or pumped (or expressed) breast milk in the past two weeks?	
Drinks		
Frequency of Sugar-Sweetened Beverages (SSB) intake (fruit-flavored drinks, sports drinks)	Yesterday, how many times did the patient drink any punch, Kool-Aid®, Tampico, other fruit-flavored drinks, or sports drinks? Do not count 100% fruit juice.	
Frequency of sugar-sweetened beverages (SSB) intake (soft drinks)	Yesterday, how many times did the patient drink any regular (not diet) sodas or soft drinks	
Frequency of Water Intake	Yesterday, how many times did the patient drink bottles or glasses of water? Include plain water, sparkling or any other water drink that has 0 calories.	
Frequency of Milk Intake	1 through 21 years. Yesterday, how much milk did the patient drink?	
Fruits		
Frequency of 100% Fruit intake (juice)	Yesterday, how many times did the patient drink 100% fruit juice? Fruit juice is a drink, which is 100% juice, like orange juice, apple juice, or grape juice. Do not count punch, Kool-Aid®, Tampico, sports drinks, or other fruit-flavored drinks	
Frequency of Fruit Intake (Non-juice)	Yesterday, how many times the patient you eat fruit? Do not count fruit juice. Please think about all forms of fruits, including cooked or raw fresh frozen or canned	

including cooked or raw, fresh, frozen or canned.

Element	Description
Vegetables	·
Frequency of Vegetable Intake	Yesterday, how many times did the patient eat any vegetables? Vegetables are all cooked and uncooked vegetables; salads. Do not count French fries, fried potatoes, or potato chips
Nutrition Quality	
Frequency of Healthy Snacks	Yesterday, what percent of snacks were healthy? A healthy snack may include whole, cut or frozen fruits without added sugar, and whole or cooked vegetables.
Frequency of Family Meals	In the past week, how many times were dinners prepared at home and eaten together at the dinner table as a family?
Frequency of restaurant food intake	Yesterday, how many times did the patient eat food from any type of restaurant? This includes restaurants such as fast food, sit down restaurants, buffet restaurants, taco shops, donut shops, and pizza places.
Frequency of Fatty Foods Intake	Yesterday, did the patient eat French fries or chips? Examples are: potato chips, tortilla chips, Cheetos®, corn chips, or other snack chips.
Dietary Behavior (Findings)	Dietary behaviors to be answered with SNOMED-CT findings
Food Insecurity	How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals?
Physical Activity	
Frequency of Physical Activity	For Children and Adolescents: 'Days per week of physical activity (any kind of physical activity that increased his/her heart rate and made him/her breathe hard some of the time)'
	For Adults:
	'Days per week of moderate to strenuous exercise (like a brisk walk)'
Exercise Duration	Minutes per day of physical activity at this level.
Screen Time	
Frequency of Screen-Time (TV/DVDs)	On a typical day in the past week, how much time did you spend watching TV/DVDs? (Answer separately for weekday and weekend days)
Frequency of Screen-Time (video games and computer games)	On a typical day in the past week, how much time did you spend playing video games and computer games? (Answer separately for weekday and weekend days)
Sleep	
Bedtime	At what time do you usually go to bed
Hours of Sleep per night	How many Hrs do you normally sleep
Readiness for improved behaviors	
Readiness for Change for Improved Nutrition	On a scale of 1-10 with 1 representing no readiness to change and 10 representing an exceptional readiness for change, please rate the patient's readiness to improve his/her nutrition.

Element	Description		
Readiness for Change for Improved Sleep Patterns	On a scale of 1-10 with 1 representing no readiness to change and 10 representing an exceptional readiness for change, please rate the patient's readiness to improve his/her sleep habits.		
Readiness for Change for Improved Exercise	On a scale of 1-10 with 1 representing no readiness to change and 10 representing an exceptional readiness for change, please rate the patient's readiness to improve his/her exercise habits.		
Readiness for Change for Improved Screen-time	On a scale of 1-10 with 1 representing no readiness to change and 10 representing an exceptional readiness for change, please rate the patient's readiness to improve his/her screen time habits.		
Continu	ity of Care		
Procedures and Interventions	History of Interventions including: Healthy Weight Interventions (Value Set) e.g., Referral (e.g., weight management program, dietitian, physical activity specialists) In-Office Education (e.g., nutrition counseling, physical activity counseling, community resources) Surgical Interventions		
Medications	All Current Medications including, but not limited to Weight Influencing Medications and Weight Management Medications (value sets not specified)		
Active Problems	All Problems Including: Mother Breastfeeding Pregnancy Status Weight Associated Conditions		
Family History	Family History including: HW Influencing Family History (Value Set) (e.g., Parental Obesity, CVD, HTN, Dyslipidemia, NIDDM, Insulin Resistance) Other Family History that are part of continuity of care		
Laboratory Results	Results from laboratory testing including : • HW Laboratory Results (Value Set)		
Setting Goals and Supplying a care plan			
Medications	New prescriptions		
Goals	Prevention and treatment of obesity requires the adoption of healthy behaviors. Best available evidence has shown that goal setting by patients and where applicable, parents in collaboration with a primary care team, when coupled with appropriate messaging and planning to achieve those goals, can lead to long-term behavior change and prevention and reduction of obesity. The EHR can support goal setting by enabling families and primary care teams to select one or more goals from a set of potential behaviors in need of change, for example: • reducing intake of sugary beverages,		

Element	Description
	 increasing physical activity, obtaining sufficient sleep Goal selection may be selected from structured lists or selected in an open-ended manner. These goals can then be linked with a tailored set of activities and resources. Goals
Procedures and Interventions	may be documented as Recommended Goals or Individualized Goals. History of Interventions including:
	 Referral (e.g., weight management program, dietitian, physical activity specialists) In-Office Education (e.g., nutrition counseling, physical activity counseling, community resources)
	Surgical Interventions
Identification of Resources	
Resources to support goals	After identifying goals, barriers, and supports, patients and families must identify actionable strategies to achieve their goals. For example:
	One key strategy is that primary care teams identify and link patients to resources in the community that can support
	 Improving diet (green grocery stores, farmers markets, nutrition counselors, etc.)
	 Physical activity (YMCA, dance programs, parks and recreational areas, trainers/coaches, etc.)
	Documentation of barriers and supports to attaining selected goals may be selected from structured lists or selected in an open-ended manner. The EHR may capture and store a tailored set of resources within the clinical care system and the community where the patient resides.

1120 Appendix C – Body Mass Index Concepts

The following are key standardized definitions of body mass index (BMI) concepts for children and adults:

BMI Concept	Definition
Body Mass Index (BMI)	Body Mass Index (BMI) is a number calculated from weight and height:
	weight (kg)
	BMI =
	[height (m)] ²
	BMI is a simple, widely used, and inexpensive indicator of body fatness, and it correlates moderately well with more accurate measures of fatness (e.g., DXA, underwater weighing). There are, however, some groups (e.g., athletes, members of the military) for whom BMI can be inaccurate indicator of body fatness. BMI tends to be more accurate among persons with relatively high levels of body fatness.
	A link to the formula for calculating BMI is http://www.cdc.gov/healthyweight/assessing/bmi/childrens_bmi_formula.html
BMI z-score and percentiles	Among children and adolescents (ages, 2 to 18 years), BMI levels differ between boys and girls, and across ages. Therefore, for a BMI value to be interpretable among children and adolescents, it is necessary to express it as a z-score (standard deviation score) or as a percentile relative to children of the same sex and age in the CDC reference population. (This representative population consists of data collected from 1963 to 1980).
	For children and adolescents, BMI values are expressed as z-scores or percentiles relative to children of the same sex and age in the CDC reference population. The equation is:
	BMI Z-score =
	L×S
	in which M is the median BMI for the specified age and sex, S is the coefficient of variation, and L is the exponent needed to normalize the BMI distribution.
	This z-score can be transformed into a percentile based on the normal distribution (e.g., a child with a z-score of 1.645 has a BMI that is at the 95 th percentile and would be considered to be obese).
	The links for calculating a child's BMI, along with his sex and age, are http://www.cdc.gov/growthcharts/computer_programs.htm
	http://www.cdc.gov/healthyweight/assessing/bmi/childrens_bmi/tool_for_schools.html
Weight-for-	For children less than 2 years (24 months) of age, weight-for-length, rather than BMI, is the
Length z-score and percentiles	preferred indicator. The reference population is the WHO Multicentre Growth Reference Study.
·	Links for information on the WHO population and weight-for-length are:
	http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5909a1.htm
	http://www.who.int/childgrowth/mgrs/en/
	1

BMI Concept	Definition	
Classification of weight status: Adults	 Underweight: BMI < 18.5 kg/m² Normal weight: 18.5 to < 25.0 kg/m² Overweight: 25.0 to < 30.0 kg/m² Obese: ≥ 30 kg/m² 	
Classification of weight status: Children and	Among children and adolescents (ages, 2 to 18 years), weight classification categories are based on levels of BMI expressed relative to the CDC reference population:	
Adolescents	• Underweight: BMI <5 th percentile for a child's sex and age	
	 Normal weight: ≥ 5th percentile and <85th percentile Overweight: ≥ 85th percentile to <95 ^{the} percentile 	
	• Obese: >95 the percentile	

1125

Volume 2 – Transactions

Add Section 3.39

3.39 HWFeed [QRPH-39]

3.39.1 Scope

This transaction is used to communicate healthy weight information from the Information Source or Form Receiver Message Exporter to the Information Recipient. This transaction may alternatively be initiated by a Form Receiver Message Exporter and communicated to the Information Recipient. This transaction uses the *HL7Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm) to communicate this content.* The transaction payload is limited to those attributes defined by this implementation guide and does not include the plan and risk assessment content.

3.39.2 Actor Roles




Figure 3.39.2-1: QRPH-39 Use Case Diagram

1140 Table 3.39.2-1: Actor Roles

Actor:	Information Source
Role:	The Information Source is responsible for the creation of an HL7 V2.5.1 message containing the healthy weight attributes and transmitting this message to an Information Recipient
Actor:	Information Recipient

Role:	The Information Recipient is responsible for receiving the HL7 V2.5.1 message containing the healthy weight attributes and from the Information Source
Actor:	Form Receiver Message Exporter
Role:	The Form Receiver Message Exporter receives data submitted through the Submit Form [ITI-35] transaction, transforms that data, and sends it to an Information Recipient in an HL7 V2.5.1 message using the HW Feed [QRPH-39] transaction. QRPH TF-2:3.39.4.1 contains the specification for [QRPH-39], and QRPH TF-3: Table 6.3.1.D1.4.2 specifies how the Form Receiver Message Exporter maps Data Elements from the form into the HL7 V2.5.1 ORU in [QRPH-39].

3.39.3 Referenced Standards

HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm)

3.39.4 Messages

1145

1150



Figure 3.39.4-1: Interaction Diagram

3.39.4.1 HWFeed [QRPH-39]

This transaction transmits the HL7 V2.5.1 formatted message containing the Body Mass Index (BMI) information from the Information Source or the Form Receiver Message Exporter to the Information Recipient. A given Information Recipient implemented at a public health jurisdiction may receive this transaction from multiple sources.

3.39.4.1.1 Trigger Events

This message is triggered when a Content Creator or a Form Receiver Message Exporter wants to send height and weight information t to a Content Consumer. The Information Source or Form

Receiver Message Exporter receives this information via human input and a Form Receiver Message Exporter receives electronic information through an electronic data capture.

3.39.4.1.2 Message Semantics

1160

1165

1170

The segments of the message listed below are required as indicated in the HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm) and their detailed descriptions are provided in the following subsections.

Required segments for the HWFeed [QRPH-39] are defined below. Other segments are optional. This transaction does not require Information Source or Form Receiver Message Exporter Actors to include any attributes not already required by the corresponding HL7 message. This transaction does not require Information Recipient Actors to support attributes beyond what is required by the corresponding HL7 message.

When a patient's histories of height and weight measurements are available and are sent together, each pair of height and weight measurements shall be grouped and sent in a separate OBR segment. In this case, multiple OBRs are contained in the message. See ITI TF-2x: Appendix C "HI7 Profiling Conventions" for further explanation regarding conventions used in the tables in this section.

Table 3.39.4.1.2-1: ORU^R01 Messages

Segment	Optionality	Cardinality	Meaning	Chapter in HL7 2.5.1 IG
MSH	R	[11]	Message Header	3.3.1
SFT	О	[0*]	Software Segment	3.3.2
EVN	R	[11]	Event	NA
PID	R	[11]	Patient Identification	3.3.3
PD1	R2	[01]	Patient Demographic	3.3.4
NTE	О	[0*]	Notes and Comments	3.3.5
NK1	R2	[0*]	Next of Kin	3.3.6
PV1	R	[11]	Patient Visit Information	3.3.7
PV2	О	[01]	Patient Visit	3.3.8
[{	R	[1*]	Order_Observation Begin	The ORU^R01 message SHALL contain at least one Order_Observation group that contains height and weight observations. When height and weight histories are sent, the Order_Observation group SHALL repeat, therefore, more than one OBR segment is contained in the message.
OBR	R	[11]	Observation Request	3.3.9

Segment	Optionality	Cardinality	Meaning	Chapter in HL7 2.5.1 IG		
[{	R	[2*]	Observation Begin	The Order_Observation group SHALL contain both a height observation and a weight observation. The height and weight observations SHALL be measured on the same day.		
OBX	R	[11]	Observation/Result	3.3.10		
}]			Observation End			
}]			Order_Observation End			

The ORU^R01 message SHALL contain an ORDER_OBSERVATION group with:

- a) an OBR segment in which OBR.4 is valued "HWR^Height and weight report^L" in the first tripet AND
- b) an OBX segment in which OBX.3.1 is valued with a code from the 99HEIGHT value set AND
- c) an OBX segment in which OBX.3.1 is valued with a code from the 99WEIGHT value set AND
- d) where values of OBX.14 for the height and weight measurement are equivalent to the precision of the day (at minimum).

3.39.4.1.2.1 MSH Segment

1175

The Information Source or Form Receiver Message Exporter SHALL populate MSH segment. The Information Recipient SHALL have the ability to accept and process this segment.

MSH segment shall be constructed as defined in ITI TF-2x: C.2.2 "Message Control" and with further specifications as below:

SEQ	LEN	DT	OPT	TBL#	Card 1	ITEM #	ELEMENT NAME	Description/Commen ts
1	1	ST	R		[11]	00001	Field Separator	MSH-1 (Field Separator) SHALL contain the constant value ' '.
2	4	ST	R		[11]	00002	Encoding Characters	MSH-2 (Encoding Characters) SHALL contain the constant value '^~\&' or the constant value '^~\&#'.</td></tr><tr><td>3</td><td>180</td><td>HD</td><td>R2</td><td></td><td>[01]</td><td>00003</td><td>Sending Application</td><td></td></tr><tr><td>4</td><td>180</td><td>HD</td><td>R2</td><td></td><td>[01]</td><td>00004</td><td>Sending Facility</td><td></td></tr></tbody></table>

Table 3.39.4.1.2.1-1: IHE Profile - MSH segment

SEQ LEN DT **OPT** TBL# Card **ITEM ELEMENT Description/Commen** # NAME ts 5 180 HD R2 [0..1]00005 Receiving Application 6 180 HDR2 [0..1]00006 Receiving Facility 26 TS R [1..1] 00007 Date/Time Of Message 40 ST O 8 80000 Security 13 R 0076/ 00009 CM[1..1] Message Type MSH-9 (Message Type) 0003 SHALL contain the constant value 'ORU^R01^ORU R01' for ORU messages. MSH-9 (Message Type) SHALL contain the constant value 'ACK^R01^ACK' for ACK messages. 00010 Message Control 10 20 ST [1..1]3 PT R 00011 11 [1..1] Processing ID 12 60 VID R 0104 [1..1] 00012 Version ID MSH-12.1 (Version ID) SHALL contain the constant value '2.5.1' 13 15 NM O 00013 Sequence Number 14 180 ST O 00014 Continuation Pointer 15 2 ID O 0155 00015 Accept Acknowledgment Type 2 R 16 ID 0155 [1..1] 00104 Application Change from RE to R Acknowledgment HL70155 Туре MSH-16 (Application Acknowledgement Type) SHALL contain the constant value 'AL' for ORU messages. MSH-16 (Application Acknowledgement Type) SHALL contain the constant value 'NE' for ACK messages. 0399 17 3 ID O 00017 Country Code 16 ID C 0211 00692 18 Character Set 19 250 CE O 00693 Principal Language Of Message

SEQ LEN OPT TBL# Card **ITEM Description/Commen** DT **ELEMENT** # NAME ts 20 20 ID O 0356 01317 Alternate Character Set Handling Scheme R 01598 Message Profile 21 427 E1 [1..*] An occurrence of MSH-21 Identifier# (Message Profile Identifier) SHALL be valued with MSH.21 .1 valued with 'hwrProfile" AND MSH.21.3 value with '2.16.840.1.113883.9.29' AND MSH.21.4 valued with 'ISO' for ORU messages. An occurrence of MSH-21 (Message Profile Identifier) SHALL be valued with MSH.21 .1 valued with 'hwrProfile-ACK" AND MSH.21.3 value with '2.16.840.1.113883.9.29' AND MSH.21.4 valued with 'ISO' for ACK messages

1190 **3.39.4.1.2.2 EVN Segment**

See ITI TF-2x: C.2.4 for the list of all required and optional fields within the optional EVN segment.

3.39.4.1.2.3 PID Segment

The Information Source or Form Receiver Message Exporter SHALL populate PID segment.

The Information Recipient SHALL have the ability to accept and process this segment. Bolded text in the table below highlights areas in this profile that are different from the underlying HL7 message (HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm) (DSTU)).

NOTE: For consistency with communities that support ITI-PIX and ITI-PDQ, this PID segment contains the fields necessary to support an [ITI-21] Patient Demographic query transaction and contains the minimum fields necessary to support the Patient Identity Feed [ITI-8] transaction.

¹ See base HL7 standard for cardinality for optional attributes

Table 3.39.4.1.2.3-1: IHE Profile - PID segment

SEQ	LEN	DT	OPT	TBL#	Card	ITEM#	ELEMENT	Description/Comment
					1		NAME	s
1	4	SI	R2		[01]	00104	Set ID - Patient ID	(Set ID - PID) SHALL be valued with the constant value '1'.
2	20	CX	X			00105	Patient ID	Excluded for this Implementation Guide
3	250	CX	R		[1*]	00106	Patient Identifier List	
4	20	CX	X			00107	Alternate Patient ID	
5	250	XP N	R		[1*]	00108	Patient Name	The first repetition shall contain the legal name. Multiple given names or initials are separated by spaces. In the first occurrence of PID-5 (Patient Name), PID.5.7 (Name Type) SHALL be valued with the constant value 'L'.
6	250	XP N	R2		[01]	00109	Mother's Maiden Name	(Name Type) SHALL be valued with the constant value 'M'. NOTE: required for BMI surveillance as well as for the Pediatric Demographics Option in the relevant ITI profiles
7	26	TS	R		[11]	00110	Date/Time of Birth	This is a required data element for BMI surveillance. Must have month, day, and year.
8	1	IS	R	0001	[11]	00111	Administrative Sex	Patient's sex. This is a required data element for BMI surveillance.
9	250	XP N	X			00112	Patient Alias	Excluded for this Implementation Guide "
10	250	CE	R2	0005	[0*]	00113	Race	This is a required data element for BMI surveillance, it must be sent if race is available to sender.
11	250	XA D	R2		[0*]	00114	Patient Address	The first repetition should be the primary address.

SEQ	LEN	DT	OPT	TBL#	Card 1	ITEM#	ELEMENT NAME	Description/Comment s
12	4	IS	X	0289		00115	County Code	Excluded for this Implementation Guide County is contained in the PID-11 Patient Address field.
13	250	XT N	R2		[0*]	00116	Phone Number – Home	The first instance shall be the primary phone number. Only one item is allowed per repetition. NOTE: required if known for BMI surveillance as well as for the Pediatric Demographics Option in the relevant ITI profiles
14	250	XT N	0			00117	Phone Number – Business	
15	250	CE	О	0296		00118	Primary Language	
16	250	CE	О	0002		00119	Marital Status	
17	250	CE	О	0006		00120	Religion	
18	250	CX	0			00121	Patient Account Number	
19	16	ST	X			00122	SSN Number – Patient	Excluded for this Implementation Guide
20	25	DL N	X			00123	Driver's License Number - Patient	Excluded for this Implementation Guide
21	250	CX	0			00124	Mother's Identifier	This attribute is listed as 'Not Supported' in the underlying BMI HL7 2.5.1 IG. When the attribute is populated, the HW Information receiver shall either accept this information or ignore the attribute, but SHALL NOT raise an application error
22	250	CE	R2	0189	[0*]	00125	Ethnic Group	This is a required data element for BMI surveillance, it must be sent if ethnicity group is available to sender.
23	250	ST	R2		[01]	00126	Birth Place	

SEQ	LEN	DT	ОРТ	TBL#	Card 1	ITEM#	ELEMENT NAME	Description/Comment s
24	1	ID	R2	0136	[01]	00127	Multiple Birth Indicator	This field is required if known for the Pediatrics Demographic Option in the relevant ITI profiles. It serves to help avoid linking records for twins, which are often nearly identical.
25	2	NM	C(R2 /O)		[01]	00128	Birth Order	Condition Predicate: If PID-24 (Multiple Birth Indicator) is valued "Y" This field contains a number indicating the person's birth order, with 1 for the first child born and 2 for the second.
26	250	CE	О	0171		00129	Citizenship	
27	250	CE	О	0172		00130	Veterans Military Status	
28	250	CE	О	0212		00739	Nationality	
29	26	TS	О			00740	Patient Death Date and Time	
30	1	ID	О	0136		00741	Patient Death Indicator	
31			О				Identity Unknown Indicator	
32			О				Identity Reliability Code	
33			R2		[01]		Last Update Date/Time	This field is required if known for the Pediatrics Demographic Option in the relevant ITI profiles. It serves to help avoid linking records for twins, whose records are often nearly identical,
34			R2			[01\	Last Update Facility	This field is required if known for the Pediatrics Demographic Option in the relevant ITI profiles. It serves to help avoid linking records for twins, whose records are often nearly identical, when used in conjunction with PID-33.
35			X				Species Code	Excluded for this Implementation Guide
36			X				Breed Code	Excluded for this Implementation Guide

SEQ	LEN	DT	OPT	TBL#	Card 1	ITEM#	ELEMENT NAME	Description/Comment s
37			X				Strain	Excluded for this Implementation Guide
38			X				Production Class Code	Excluded for this Implementation Guide
39			X				Tribal Citizenship	Excluded for this Implementation Guide

1205

Adapted from the HL7 standard, Version 2.5.1

This message shall use the field PID-3 Patient Identifier List to convey the Patient ID uniquely identifying the patient within a given Patient Identification Domain.

The Information Source or Form Receiver Message Exporter Actor shall provide the patient identifier in the ID component (first component) of the PID-3 field (PID-3.1). The Information Source or Form Receiver Message Exporter Actor shall use component PID-3.4 to convey the assigning authority (Patient Identification Domain) of the patient identifier. Either the first subcomponent (namespace ID) or the second and third subcomponents (universal ID and universal ID type) shall be populated. If all three subcomponents are populated, the first subcomponent shall reference the same entity as is referenced by the second and third components.

3.39.4.1.2.4 PD1 Patient Demographic Segment

No further constraints are required of the PD1 segment from the corresponding HL7 message (HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm))).

3.39.4.1.2.5 NTE Segment

No further constraints are required of the PD1 segment from the corresponding HL7 message (HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm))).

3.39.4.1.2.6 NK1 Segment

The Information Source or Form Receiver Message Exporter SHALL populate NK1 segment when available. The Information Recipient SHALL have the ability to accept and process this segment.

No further constraints are required of the NK1 segment from the corresponding HL7 message (HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm)).

1230 **3.39.4.1.2.7 PV1 Segment**

The Information Source or Form Receiver Message Exporter MAY populate PV1 segment. The Information Recipient SHALL have the ability to accept and process this segment.

¹ See base HL7 standard for cardinality for optional attributes

No further constraints are required of the PV1 segment from the corresponding HL7 message (HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm)).

1235 **3.39.4.1.2.8 PV2 Segment**

The Information Source or Form Receiver Message Exporter MAY populate PV2 segment. The Information Recipient SHALL have the ability to accept and process this segment.

No further constraints are required of the PV2 segment from the corresponding HL7 message (HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm)).

1240 **3.39.4.1.2.9 OBR Segment**

1245

The Information Source or Form Receiver Message Exporter SHALL populate OBR segment. The Information Recipient SHALL have the ability to accept and process this segment.

The following constraints are required of the OBR segment from the corresponding HL7 message (HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm)):

Table 3.39.4.1.2.9-1: IHE Profile - OBR segment

SEQ	LEN	DT	OPT	TBL#	Card	ITEM #	ELEMENT NAME	Description/Comments
1	1	ST	R		[11]	00001	Field Separator	The value of OBR-1 (Set ID - OBR) SHALL start at '1' and be incremented sequentially within an Order Observation group.
2	22	EI	2		[01]	00216	Placer Order Number	
3	22	EI	R		[11]	00217	Filler Order Number	
4	250	CE	R	99HW R	[11]	00238	Universal Service Identifier	OBR-4.1 (Universal Service Identifier.Identifier) SHALL contain the constant value 'HWR'. OBR-4.2 (Universal Service Identifier.Text) SHALL contain the constant value 'Height and weight report'. OBR-4.3 (Universal Service Identifier.Name of Coding System) SHALL contain the constant value 'L'.
5	2	ID	X			00239	Priority – OBR	
6	26	TS	X			00240	Requested Date/Time	

SEQ LEN DT **OPT** TBL# Card **ITEM ELEMENT Description/Comments** # NAME 00241 7 26 TS R [1..1] Observation OBR-7 (Observation Date/Time # Date/Time) SHALL be supported to the precision of Minutes (MM). OBR-22 (Observation Date/Time SHALL send to the precision of the Day (DD) and SHALL send to the precision of Minutes (MM) if known. 8 26 TS O 00242 Observation End Date/Time # 9 20 X 00243 Collection CQ Volume 10 250 XC O 00244 Collector N Identifier 11 1 ID X 00245 Specimen Action Code 12 250 CE X 00246 Danger Code 13 300 STO 00247 Relevant Clinical Information 14 26 TS X 00248 Specimen Received Date/Time 15 X 00249 300 **SPS** Specimen Source 16 250 XC R2 [0..1]00226 Ordering N Provider 17 250 XTO 00250 Order Callback Phone Number Ν 60 STO 00251 Placer Field 1 18 O 19 60 ST 00252 Placer Field 2 20 60 ST O 00253 Filler Field 1 + 60 00254 Filler Field 2 + 21 STO 22 26 TS R 00255 Results OBR-22 (Results Rpt/Status [1..1] Rpt/Status Chng - Date/Time) SHALL be supported to the precision of Chng -Date/Time + Minutes (MM). OBR-22 (Results Rpt/Status Chng - Date/Time) SHALL send to the precision of the Day (DD) and SHALL send to the precision of Minutes (MM) if known.

SEQ	LEN	DT	ОРТ	TBL#	Card 1	ITEM #	ELEMENT NAME	Description/Comments
23	40	MO C	О			00256	Charge to Practice +	
24	10	ID	О			00257	Diagnostic Serv Sect ID	
25	1	ID	R	HL701 23 (constr ained)	[11]	00258	Result Status +	
26	400	PRL	О			00259	Parent Result +	
27	200	TQ	X			00221	Quantity/Timin g	
28	250	XC N	О			00260	Result Copies To	
29	200	EIP	0			00261	Parent	
30	20	ID	X			00262	Transportation Mode	
31			О				Reason for Study	
32			О				Principal Result Interpreter	
33			О				Assistant Result Interpreter	
34			X				Technician	
35			X				Transcriptionist	
36			О				Scheduled Date/Time	
37	4	NM	X			01028	Number of Sample Containers	
40	250	CE	X			01031	Transport Arrangement Responsibility	
41	30	ID	X			01032	Transport Arranged	
42	1	ID	X			01033	Escort Required	
43	250	CE	X			01034	Planned Patient Transport Comment	
44			О		_		Procedure Code	
45			О				Procedure Code Modifier	
46			О				Placer Supplemental Service Information	

SEQ LEN DT **OPT** TBL# Card **ITEM Description/Comments ELEMENT** # NAME 47 O Filler Supplemental Service Information X 48 250 CW 01646 Medically Ε Necessary Duplicate Procedure Reason. 49 Χ Result Handling O 50 Parent Universal Service Identifier

3.39.4.1.2.10 OBX Segment

The Information Source or Form Receiver Message Exporter SHALL minimally populate two OBX segment within an Order_Observation Group of cardinality of [2..*], one for height, and one for weight. The Information Recipient SHALL have the ability to accept and process this segment.

The following constraints are required of the OBX segment from the corresponding HL7 message (HL7 Version 2.5.1 Implementation Guide: Height and Weight Report, Release 1 (US Realm)):

Table 3.39.4.1.2.10-1: IHE Profile - OBX segment

							_	
SEQ	LEN	DT	OPT	TBL#	Card ¹	ITE M#	ELEMENT NAME	Description/Comments
1	1	SI	R		[11]		Set ID – OBX	The value of OBX-1 (Set ID – OBX) SHALL be valued sequentially starting the value '1' within a given segment group.
2		ID	R		[11]		Value Type	If OBX-3.1 (Identifier) is valued with a code from the 99HEIGHT or 99WEIGHT value set, then OBX-2 (Value type) SHALL be valued with 'NM' (numeric). If OBX-3.1 (Identifier) is valued with the LOINC code '44100-6', '48768-6', or '8352-7', then OBX-2 (Value type) SHALL be valued with 'CWE'.

¹ See base HL7 standard for cardinality for optional attributes

Card¹ **SEQ** LEN DT **OPT** TBL# ITE **ELEMENT Description/Comments** M# NAME R 3 CE Varies [1..1]Observation If this is an observation for Identifier height, OBX-3 SHALL be (99HEI valued with a LOINC code from GHT, the user defined table 99WEI 99HEIGHT. GHT) If this is an observation for weight, OBX-3 SHALL be valued with a LOINC code from the user defined table 99WEIGHT. If this is an observation for weight associated conditions, OBX-3 SHALL be valued with the LOINC code '44100-6'. If this is an observation for clothing worn during measure, OBX-3.1 SHALL be valued with the LOINC code '8352-7' If this is an observation for payer type, OBX-3.1 SHALL be valued with the LOINC code '48768-6'. 4 STO [0..1]Observation Sub-ID

SEQ	LEN	DT	ОРТ	TBL#	Card ¹	ITE M#	ELEMENT NAME	Description/Comments
5		Vari	C(R/R 2)	Varies (Weight Associat ed Conditi ons value set (1.3.6.1. 4.1.193 76.1.7.3 .1.1.23. 8.19) Source of Payment Typolog y value set (2.16.84 0.1.114 222.4.1 1.3591) 99CLO THING)	[01]		Observation Value	Condition Predicate: If OBX-3.1 (Identifier) contains the LOINC code from user defined tables 99HEIGHT or 99WEIGHT If OBX-3,1 (Identifier) contains the LOINC code from user defined tables 99HEIGHT or 99WEIGHT, then OBX-5 SHALL be a numeric value. If OBX.3.1 (Identifier) contains the LOINC code for medical problems ('44100-6'), then OBX-5.1 SHALL be valued with a code from the Weight Associated Conditions value set (1.3.6.1.4.1.19376.1.7.3.1.1.23.8.19) AND OBX-5.3 SHALL be valued 'SNT' If OBX.3.1 (Identifier) contains the LOINC code for payer type ('48768-6'), then OBX-5.1 SHALL be valued with a code from the Source of Payment Typology value set (2.16.840.1.114222.4.11.3591), and OBX-5.3 SHALL be valued 'PAYER'. If OBX.3.1 (Identifier) contains the LOINC code for clothing worn during measure ('8352-7'), then OBX-5.1 SHALL be valued with a code from the 99CLOTHING value set AND OBX-5.3 SHALL be valued 'LN'.
6		CE	C(R/R 2)	Unified Code for Units of Measure (UCUM)	[01]		Units	If OBX-3.1 (Identifier) is valued with a code from the 99HEIGHT value set, then OBX-6.1 (Identifier) SHALL be valued with a code from the 99HUNIT value set. If OBX-3.1 (Identifier) is valued with a code from the
7			0				References	99WEIGHT value set, then OBX-6.1 (identifier) SHALL be valued with a code from the 99WUNIT value set.
							Range	
8			О				Abnormal Flags	

SEQ	LEN	DT	ОРТ	TBL#	Card ¹	ITE M#	ELEMENT NAME	Description/Comments
9			О				Probability	
10			О				Nature of Abnormal Test	
11			R		[11]		Observation Result Status	
12			О				Effective Date of Reference Range	
13			0				User-Defined Access Checks	
14		TS	R		[11]		Date/Time of the Observation	For a given height and weight observation (OBR) pair the height (OBX-3.1 is a code from the 99HEIGHT value set) observation date/time (OBX.14) SHALL be valued identical to the weight (OBX-3.1 is a code from the 99WEIGHT value set) observation date/time (OBX.14). OBX.14 (Date/Time of the Observation) SHALL be supported to the precision of Minutes (MM). OBX.14 (Date/Time of the Observation) SHALL send to the precision of the Day (DD) and SHALL send to the precision of Minutes (MM) if known.
15			О				Producer's Reference	
16			О				Responsible Observer	
17			0				Observation Method	
18			0				Equipment Instance Identifier	
19			0				Date/Time of the Analysis	
20			X				Reserved for harmonizatio n with Version 2.6.	

SEQ	LEN	DT	ОРТ	TBL#	Card ¹	ITE M#	ELEMENT NAME	Description/Comments
21			X				Reserved for harmonizatio n with Version 2.6.	
22			X				Reserved for harmonizatio n with Version 2.6.	
23			0				Performing Organization Name	
24			0				Performing Organization Address	
25			0				Performing Organization Medical Director	

¹ See base HL7 standard for cardinality for optional attributes

1260 **3.39.4.1.3 Expected Actions**

This Information Recipient shall accept and process the contents of the ORU message according to the capabilities of its application. This processing is not constrained by IHE

3.39.4.1.3.1 ACK

The Acknowledgement Message ACK SHALL be built according to the HL7 V2.5.1 standard, following the acknowledgement rules described in ITI TF-2:C.2.3 (IT Infrastructure Technical Framework, Volume 2, Appendix C.2.3 Acknowledgment Modes).

3.39.4.1.4 Sample Message

The Following Sample Message shows the encoding of multiple instances of Height and Weight recorded on different days:

- 1270 MSH|^~\&|^2.16.840.1.113883.3.2030.9000^ISO|^2.16.840.1.113883.3.2030. 9001^ISO|^2.16.840.1.113883.3.2030. 9001^ISO|^2.16.840.1.113883.3.9998^ISO|^2.16.840.1.113883.3.9999^ISO|2 0130610131205- 0500||ORU^R01^ORU_R01|1294441246474|T|2.5.1||||AL|||||hwrProfile^^2.16.840.1.113883.9.29^ISO
- 1275 PID|1||PATID1001^^^&2.16.840.1.113883.3.2030.9005.1&ISO^MR||Anderson^S ally^^^^L||20060930|F||2106-3^White^HL70005|3345 16th Street^^Fargo^ND^54102^USA^H^^017^||^PRN^PH^^^701^4548989||||||||N^No t Hispanic or Latino^HL70189||N|

```
NK1|1|Anderson^John^^^^L|FTH^Father^HL70063|3345 16th
1280
      Street^^Fargo^ND^54102^USA^H^^017^|^PRN^PH^^^701^4548989
      OBR|1||890003^2.16.840.1.113883.3.2030.9003^ISO|HWR^Height and weight
      report^L|||20130708125022-
      0500|||||||55555^Family^Fay^^^^&2.16.840.1.113883.3.2030.9006.1&IS
      O^L^^^NPI|||||20130708145022-0500|||F
1285
      OBX|1|NM|3137-7^body height
      measured^LN|1|142|cm^centimeter^UCUM||||F|||20130708125022-0500
      OBX|2|NM|3141-9^body weight
      measured^LN|1|31|kg^kilogram^UCUM|||||F|||20130708125022-0500
      OBX|3|CWE|3141-9^clothing worn during measure^LN|1|LA11872-1^street
1290
      clothes, no shoes^LN|||||F|||20130708125022-0500
      OBX|4|CWE|3141-9^medical
      problems^LN|1|195967001^Asthma^SNT|||||F|||20130708
      OBX|5|CWE|48768-6^payer type^LN|1|2^Medicaid^PAYER|||||F|||20130708
      OBR|2||750002^2.16.840.1.113883.3.2030.9003^ISO|HWR^Height and weight
1295
      report^L|||20130612|||||||55555^Family^Fay^^^^&2.16.840.1.113883.3
      .2030.9006.1&ISO^L^^^NPI|||||20130612125022-0500|||F
      OBX|1|NM|3137-7^body height
      measured^LN|1|142|cm^centimeter^UCUM||||F|||20130612125022-0500
      OBX|2|NM|3141-9^body weight
1300
      measured^LN|1|31|kg^kilogram^UCUM||||F|||20130612125022-0500
      OBX|3|CWE|3141-9^clothing worn during measure^LN|1|LA11872-1^street
      clothes, no shoes^LN|||||F|||20130612125022-0500
      OBX | 4 | CWE | 3141-9^medical
      problems^LN|1|195967001^Asthma^SNT|||||F|||20130612
1305
      OBX|5|CWE|48768-6^payer type^LN|1|2^Medicaid^PAYER|||||F|||20130612
```

3.39.5 Security Considerations

3.39.5.1 Security Audit Considerations

3.39.5.1.1 HWFeed [QRPH-39] (ORU^R01) Security Audit Considerations

An Information Source or Form Receiver Message Exporter that also supports an ATNA Secure Node or application shall audit [QRPH-39] as "Export" events as defined in ITI TF-2a: Table 3.20.6-1. The following tables show items that are required to be part of the audit record for these specific HWFeed transactions.

3.39.5.1.1.1 Information Source Actor audit message:

	Field Name	Opt	Value Constraints		
Event	EventID	M	EV(110106, DCM, "Export")		
AuditMessage/ EventIdentifica	EventActionCode	M	"C" (create)		
tion	EventDateTime	M	not specialized		
	EventOutcomeIndicator	M	not specialized		
	EventTypeCode	M	EV("QRPH-39", "IHE Transactions", "HWFeed")		
Source (Informati	ion Source Actor) (1)				
Human Requestor	r (0n)				
Destination (Information Recipient Actor) (1)					
Audit Source (Inf	Audit Source (Information Source Actor) (1)				
Patient (1)					

1315 Where:

Source AuditMessage/ ActiveParticipan	UserID	M	The identity of the Information Source Actor facility and sending application from the HL7 message; concatenated together, separated by the character.
t	AlternativeUserID	M	The process ID as used within the local operating system in the local system logs.
	UserName	U	not specialized
	UserIsRequestor	M	not specialized
	RoleIDCode	M	EV(110153, DCM, "Source")
	NetworkAccessPointTypeCo de	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address, as specified in DICOM®5 PS 3.15 A.5.4.

Human	UserID	M	Identity of the human that initiated the transaction.
Requestor	AlternativeUserID	U	not specialized
(if known) AuditMessage/	UserName	U	not specialized
ActiveParticipan	UserIsRequestor	M	not specialized
ť	RoleIDCode	U	Access Control role(s) the user holds that allows this transaction.
	NetworkAccessPointTypeCo de	NA	
	NetworkAccessPointID	NA	

⁵ DICOM is the registered trademark of the National Electrical Manufacturers Association for its standards publications relating to digital communications of medical information.

Destination AuditMessage/ ActiveParticipan	UserID	M	The identity of the Information Recipient Public Health Organization and receiving application from the HL7 message; concatenated together, separated by the character.
t	AlternativeUserID	M	not specialized
	UserName	U	not specialized
	UserIsRequestor	M	not specialized
	RoleIDCode	M	EV(110152, DCM, "Destination")
	NetworkAccessPointTypeCo de	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address, as specified in DICOM PS 3.15 A.5.4.

Audit Source	AuditSourceID	U	not specialized
AuditMessage/	AuditEnterpriseSiteID	U	not specialized
AuditSourceIdentif ication	AuditSourceTypeCode	U	not specialized

Patient	ParticipantObjectTypeCode	M	"1" (person)
(AuditMessage/ ParticipantObjec tIdentification)	ParticipantObjectTypeCodeR ole	M	"1" (patient)
i dentineation)	ParticipantObjectDataLifeCy cle	U	not specialized
	ParticipantObjectIDTypeCod e	M	EV(422549004, 2.16.840.1.113883.6.96, "Patient Identification Code")
	ParticipantObjectSensitivity	U	not specialized
	ParticipantObjectID	M	The patient ID in HL7 CX format.
	ParticipantObjectName	U	not specialized
	ParticipantObjectQuery	U	not specialized
	ParticipantObjectDetail	M	Type=MSH-10 (the literal string), Value=the value of MSH-10 (from the message content, base64 encoded)

1320 **3.39.5.1.1.2** Information Recipient Actor audit message:

	Field Name	Opt	Value Constraints			
Event	EventID	M	EV(110107, DCM, "Import")			
AuditMessage/ EventIdentifica	EventActionCode	M	"R" (Read)			
tion	EventDateTime	M	not specialized			
	EventOutcomeIndicator	M	not specialized			
	EventTypeCode	M	EV("QRPH-39", "IHE Transactions", "HWFeed")			
Source (Informati	ion Source Actor) (1)					
Destination (Info	Destination (Information Recipient Actor) (1)					
Audit Source (Information Recipient Actor) (1)						
Patient(1)	Patient(1)					

Where:

Source AuditMessage/ ActiveParticipan	UserID	М	The identity of the Information Source Actor facility and sending application from the HL7 message; concatenated together, separated by the character.
t	AlternativeUserID	U	not specialized
	UserName	U	not specialized
	UserIsRequestor	M	not specialized
	RoleIDCode	M	EV(110153, DCM, "Source")
	NetworkAccessPointTypeCo de	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address, as specified in DICOM PS 3.15 A.5.4.

Destination AuditMessage/ ActiveParticipan	UserID	M	The identity of the Information Recipient Public Health Organization and receiving application from the HL7 message; concatenated together, separated by the character.
t	AlternativeUserID	M	The process ID as used within the local operating system in the local system logs.
	UserName	U	not specialized
	UserIsRequestor	M	not specialized
	RoleIDCode	M	EV(110152, DCM, "Destination")
	NetworkAccessPointTypeCo de	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address, as specified in DICOM PS 3.15 A.5.4.

Audit Source	AuditSourceID	U	not specialized
AuditMessage/ AuditSourceIdentif	AuditEnterpriseSiteID	U	not specialized
ication	AuditSourceTypeCode	U	not specialized

1325

1330

Patient	ParticipantObjectTypeCode	M	"1" (person)
(AuditMessage/ ParticipantObjec tIdentification)	ParticipantObjec ole		"1" (patient)
i dentineation)	ParticipantObjectDataLifeCy cle	U	not specialized
	ParticipantObjectIDTypeCod e	M	EV(422549004, 2.16.840.1.113883.6.96, "Patient Identification Code")
	ParticipantObjectSensitivity	U	not specialized
	ParticipantObjectID	M	The patient ID in HL7 CX format.
	ParticipantObjectName	U	not specialized
	ParticipantObjectQuery	U	not specialized
	ParticipantObjectDetail	M	Type=MSH-10 (the literal string), Value=the value of MSH-10 (from the message content, base64 encoded)

3.39.5.1.1.3 Form Receiver Message Exporter Actor audit message:

	Field Name	Opt	Value Constraints	
Event	EventID	M	EV(110106, DCM, "Export")	
AuditMessage/ EventIdentifica	EventActionCode	M	"C" (create)	
tion	EventDateTime	M	not specialized	
	EventOutcomeIndicator	M	not specialized	
	EventTypeCode	M	EV("QRPH-39", "IHE Transactions", "HWFeed")	
Source (Form Re	ceiver Message Exporter) (1)			
Human Requesto	r (0n)			
Destination (Information Recipient Actor) (1)				
Audit Source (Form Receiver Message Exporter) (1)				
Patient (1)				

Where:

Source AuditMessage/ ActiveParticipan	UserID	M	The identity of the Form Receiver Document Exporter Actor facility and sending application from the HL7 message; concatenated together, separated by the character.
t	AlternativeUserID	M	The process ID as used within the local operating system in the local system logs.
	UserName	U	not specialized
	UserIsRequestor	M	not specialized
	RoleIDCode	M	EV(110153, DCM, "Source")
	NetworkAccessPointTypeCo de	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address, as specified in DICOM PS 3.15 A.5.4.

Human	UserID	M	Identity of the human that initiated the transaction.
Requestor	AlternativeUserID	U	not specialized
(if known) AuditMessage/	UserName	U	not specialized
ActiveParticipan	UserIsRequestor	M	not specialized
t	RoleIDCode	U	Access Control role(s) the user holds that allows this transaction.
	NetworkAccessPointTypeCo de	NA	
	NetworkAccessPointID	NA	

Destination AuditMessage/ ActiveParticipan	UserID	M	The identity of the Information Recipient Public Health Organization and receiving application from the HL7 message; concatenated together, separated by the character.
t	AlternativeUserID	M	not specialized
	UserName	U	not specialized
	UserIsRequestor	M	not specialized
	RoleIDCode	M	EV(110152, DCM, "Destination")
	NetworkAccessPointTypeCo de	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address, as specified in DICOM PS 3.15 A.5.4.

Audit Source	AuditSourceID	U	not specialized
AuditMessage/ AuditSourceIdentif	AuditEnterpriseSiteID	U	not specialized
ication	AuditSourceTypeCode	U	not specialized

1340

		1	
Patient	ParticipantObjectTypeCode	M	"1" (person)
(AuditMessage/ ParticipantObjec tIdentification)	ParticipantObjectTypeCodeR ole	M	"1" (patient)
	ParticipantObjectDataLifeCy cle	U	not specialized
	ParticipantObjectIDTypeCod e	M	EV(422549004, 2.16.840.1.113883.6.96, "Patient Identification Code")
	ParticipantObjectSensitivity	U	not specialized
	ParticipantObjectID	M	The patient ID in HL7 CX format.
	ParticipantObjectName	U	not specialized
	ParticipantObjectQuery	U	not specialized
	ParticipantObjectDetail	M	Type=MSH-10 (the literal string), Value=the value of MSH-10 (from the message content, base64 encoded)

IHE Quality, Research and Public Health Technical Framework Supplement – Healthy Weight (HW)

Appendices to Volume 2

No Volume 2 appendices.

1345 Volume 2 Namespace Additions

Add the following terms to the IHE General Introduction Appendix G:

No new Volume 2 namespace additions.

1350

Volume 3 – Content Modules

5 Namespaces and Vocabularies

Add to Section 5 Namespaces and Vocabularies

codeSystem	ystem codeSystemName Description	
2.16.840.1.113883.6.1	LOINC	Logical Observation Identifier Names and Codes
2.16.840.1.113883.6.96	SNOMED-CT	Systematized Nomenclature Of Medicine Clinical Terms
2.16.840.1.113883.6.8	UCUM	Unified Code for Units of Measure
2.16.840.1.113883.6.88	RxNORM	RxNorm

1355

Add to Section 5.1.1 IHE Format Codes

Profile	Format Code	Media Type	Template ID
Healthy Weight	urn:ihe:qrph:hw:2013	text/xml	1.3.6.1.4.1.19376.1.7.3.1.1.24.3 (Healthy Weight Summary) 1.3.6.1.4.1.19376.1.7.3.1.1.24.4 (Medical Summary for Healthy Weight Pre-Pop document)

Add to Section 5.1.2 IHE ActCode Vocabulary

1360 None

Add to Section 5.1.3 IHE RoleCode Vocabulary

None

6 Content Modules

1365 6.3.1 CDA Document Content Modules

Add to Section 6.3.1.D Document Content Modules

6.3.1.D1 Healthy Weight Summary (HWS) Document Content Module

6.3.1.D1.1 Format Code

The DocumentEntry.formatCode format code for this content is urn:ihe:qrph:hws:2019

1370 6.3.1.D1.2 Parent Template

This document is a specialization of the PCC Medical Summary template (OID = 1.3.6.1.4.1.19376.1.5.3.1.1.2).

Note: The Medical Summary includes requirements for various header elements; name, addr and telecom elements for identified persons and organizations; and basic participations record target, author, and legal authenticator.

1375 6.3.1.D1.3 Referenced Standards

All standards which are reference in this document are listed below with their common abbreviation, full title, and link to the standard.

Table 6.3.1.D1.3-1: HWS - Referenced Standards

Abbreviation	Title	URL
CDAR2	HL7 CDA Release 2.0	http://www.hl7.org/documentcenter/private/standards/cda/r2/cda_r2_normativewebedition.zip

6.3.1.D1.4 Data Element Requirement Mappings 1380

6.3.1.D1.4.1 Data Element Requirement Mappings to CDA

This section specifies the mapping of data from the specified form data elements for this profile into the HWS Document. This mapping SHALL be used by the Form Receiver Document Exporter to generate the CDA document content. This form element (name, item #), shall be represented in the section of the Healthy Weight Summary (HWS) document (1.3.6.1.4.1.19376.1.7.3.1.1.24.3) specified location as indicated by Section 6.3.1.D1.5 and represented in the associated machine readable entry. Based upon the jurisdiction data requirements, some of the data mappings below may be optional.

1390

1385

Element from Description CDA-DIR in HWS Value Set the form **Assessment: Socio-Demographic Characteristics** Religious Optional Religious Affiliation to support diet patient/religion Affiliation impact on weight Patient Identifier Patient Identifier List Included for pediatric patientRole/ID patient matching List Patient Account Patient Account Number Included for patient patientRole/ID Number matching Phone Number Patient's Phone Number patientRole/telecom Mother's Maiden Patient's Mother's Maiden Name Patient/mother's maiden name Name Multiple Birth Patient Multiple Birth Indicator subject/sdtc:multipleBirthIndica Indicator tor Birth Order Patient Birth Order subject/sdtc:birthOrder Date/Time of Patient's date and time of birth patient/birthTime Birth patient/administrativeGenderCo Administrative Patient's sex. HL7 AdministrativeGender 2.16.840.1.113883.5.1 Language Languages Spoken patient/languageCommunication Language 2.16.840.1.114222.4.11.831 Race Race(s) that best describes what the patient patient/raceCode H&P DSTU OID for Race considers himself/herself to be 2.16.840.1.113883.5.104 PHINVADS link for HL7 V3 2.16.840.1.113883.1.11.1491 patient/ethnicGroupCode Ethnic Group Patient's ethnicity H&P DSTU OID for Ethnicity 2.16.840.1.113883.5.50 PHINVADS link for HL7 V3Ethnicity 2.16.840.1.114222.4.11.837 Address (may be Patient's address (e.g., Country, State, City, patientRole/addr used to support Street, Zip Code) Geographic grouping purposes)

Element from Description CDA-DIR in HWS Value Set the form **Education Level** Highest Level of Education Received by patient 2.16.840.1.113883.5.1077 ClinicalDocument/component/st ructuredBody/component/sectio HL7 EducationLevel n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. .6.1.4.1.19376.1.5.3.1.4.13.4"]]/ code[@code=' 11379-5']] Level of education - Reported .../code[@code='67577-7']] How far in school did she go .../code[@code='67578-5']] How far in school did he go .../code[@code=' 64990-5']] Grade in school, if applicable Household ClinicalDocument/component/st Less than \$5,000 Income level of the household where the patient Income resides ructuredBody/component/sectio 5,000 to 7,499 n[templateId[@root='1.3.6.1.4.1 7,500 to 9,999 .19376.1.5.3.1.3.16.1']]/entry/ob 10,000 to 12,499 servation[templateId[@root="1. 12,500 to 14,999 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /code[@code='77244-2']] 15,000 to 19,999 20,000 to 24,499 25,000 to 29,999 30,000 to 34,999 35,000 to 39,499 40,000 to 49,999 50,000 to 59,999 60,000 to 74,499 75,000 + Next of Kin Contact Information for Parent/Guardian guardian/telecom Pertinent Patient's Insurance details ClinicalDocument/component/st Source of Payer Typology (Insurance ructuredBody/component/sectio 2.16.840.1.114222.4.11.3591 insurance type Information n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.1.5.3.7']]/entry/a ct[code@code='48768-6']/entryRelationship/act[templa teId[@root="1.3.6.1.4.1.19376. 1.5.3.1.4.18"]/code

Element from Description CDA-DIR in HWS Value Set the form Patient's Insurance details ClinicalDocument/component/st ructuredBody/component/sectio insurance company n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.1.5.3.7']]/entry/a ct[code@code='48768-6']/entryRelationship/act[templa teId[@root="1.3.6.1.4.1.19376. 1.5.3.1.4.18"]/ entry/act /performer typeCode='PRF'/assignedEntity/ representedOrganization/name Assessment: Setting (Note: Recorded in Social History) Setting Settings of daily activities that impact the patient. Employer and School These may include: Information (1.3.6.1.4.1.19376.1.5.3.1.2.2) School information: Information about the school, education setting, and school-related Person/associatedPerson/scopin behaviors (e.g., school name, special gOrganization/name education, truancy, etc.) Person/associatedPerson/scopin gOrganization/addr Workplace: programs, location, environment Where code= code='EMPLOYER|SCHOOL|A FFILIATED' codeSystem='1.3.6.1.4.1.19376. 1.5.3.3' codeSystemName='IHERoleCo de'/> Assessment: Setting (Note: Recorded in Social History) School Name Name of School, including Early care and Employer and School Education, After school and daycare Information (1.3.6.1.4.1.19376.1.5.3.1.2.2)Person/associatedPerson/scopin gOrganization/name

Element from the form	Description	CDA-DIR in HWS	Value Set
Occupational Data for Health Work Data	History of Employment Status Observation Past or Present Occupation Observation Employer Name Employer Location Past or Present Industry Observation Supervisory Level Observation Work Classification Observation Weekly Work Hours Observation Weekly Work Days Observation Occupational Hazard Observation Job Duty Observation Usual Occupation Observation Usual Occupation Duration Observation August Observation Usual Occupation Duration Observation Occupation Date of Retirement Observation	ClinicalDocument/recordTarget/component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.16.1]/component/section[templateID[@root=1.3.6.1.4.1.19376.1.7.3.1.3.24.3]	
	Assessment: Provider	r Visit Information	
Provider Visit Information	 Provider's name Provider's ID Provider Address Provider Phone Visit Information including: Date of visit 	ClinicalDocument/componentOf /encompassingEncouter /location/healthCareFacility/serv iceProviderOrganization/	
	Assessment: Anthropor	netric Measurements	
Height	Patient's height, captured for patients 2 through 22 years. Patient Height and Weight are used for computing Body Mass Index (BMI) and are used with other demographics to compute BMI Percentile (see Appendix D)	ClinicalDocument/recordTarget/ component/structuredBody/com ponent/section[templateId[@roo t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3 .2]]/component/section[template Id[@root=1.3.6.1.4.1.19376.1.5. 3.1.4.13.1]]/entry/act/entryRelat ionship/observation/ Where/code[@code= '3137- 7' or '8302-2' or '8306-3' or '8308-9'/value	3137-7, Body height Measured, LOINC 3138-5 Body height stated 8302-2 Body height, LOINC 8306-3 Body height lying

Element from Description **CDA-DIR in HWS** Value Set the form Recumbent Length of the patient lying down, captured for ClinicalDocument/recordTarget/ 8306-3 Body height^lying, patients from birth to less than 2 years old as the component/structuredBody/com LOINC Length 'height'. Patient Height and Weight are used for ponent/section[templateId[@roo computing Body Mass Index (BMI) and are used t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3 with other demographics to compute BMI .2]]/component/section[template Percentile (see Appendix D) Id[@root=1.3.6.1.4.1.19376.1.5. 3.1.4.13.1]]/entry/act/entryRelat ionship/observation/ Where .../code[@code= '8306-3, .../value Weight (with or Patient's weight. Patient Height and Weight are ClinicalDocument/recordTarget/ 29463-7 Body weight, without clothes used for computing Body Mass Index (BMI) and component/structuredBody/com LOINC and shoes) are used with other demographics to compute ponent/section[templateId[@roo 3142-7 Body Weight BMI Percentile (see Appendix D) t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3 Reported, LOINC .2]]/component/section[template 3141-9, Body weight Id[@root=1.3.6.1.4.1.19376.1.5. Measured, LOINC 3.1.4.13.1]]/entry/act/entryRelat 8350-1 Body weight\with ionship/observation/ clothes, LOINC Where .../code[@code= 8351-9 Body weight^without '29463-7' or '3141-9' or '8352clothes 8351-, LOINC 7' or '3142-7' or '8350-1' or 8352-7 Clothing worn during **'8351-9'**] measure, LOINC .../value Waist A measurement of the distance around the ClinicalDocument/recordTarget/ 56114-2 Waist Circumference smallest part of the abdomen component/structuredBody/com Circumference by NHANES, ponent/section[templateId[@roo LOINC t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3 .2]]/component/section[template Id[@root=1.3.6.1.4.1.19376.1.5. 3.1.4.13.1]]/entry/act/entryRelat ionship/observation/ Where .../code[@code= **'**56114-2'] .../value Skin Folds The layer of skin and subcutaneous fat raised by ClinicalDocument/recordTarget/ 8355-0. Skin fold thickness pinching the skin and letting the underlying component/structuredBody/com Waist, LOINC muscle fall back to the bone. ponent/section[templateId[@roo 8354-3, Skin fold thickness t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3 Triceps, LOINC .2]]/component/section[template 8353-5 Skin fold thickness Id[@root=1.3.6.1.4.1.19376.1.5. Thigh, LOINC 3.1.4.13.1]]/entry/act/entryRelat ionship/observation/ Where .../code[@code= '8355-0', or '8354-3', or '8353-5'] .../value

Element from Description **CDA-DIR in HWS** Value Set the form Measured Measured Percentage of body fat (e.g., using a ClinicalDocument/recordTarget/ 77233-5 Body fat percentage bio-impedance device) Percentage of component/structuredBody/com ^ bioimpedence device, Body Fat ponent/section[templateId[@roo LOINC t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3 .2]]/component/section[template Id[@root=1.3.6.1.4.1.19376.1.5. 3.1.4.13.1]]/entry/act/entryRelat ionship/observation/ Where .../code[@code= '77233-5'] .../value **Blood Pressure** The pressure of the blood within the arteries. ClinicalDocument/recordTarget/ 8480-6 Systolic blood component/structuredBody/com pressure, LOINC ponent/section[templateId[@roo 8462-4 Diastolic blood t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3 pressure, LOINC .2]]/component/section[template Id[@root=1.3.6.1.4.1.19376.1.5. 3.1.4.13.1]]/entry/act/entryRelat ionship/observation/ Where .../code[@code= '8480-6' or '8462-4'] .../value Heart rate/Pulse 8867-4 Heart rate, LOINC The number of pulse beats per minute. ClinicalDocument/recordTarget/ component/structuredBody/com ponent/section[templateId[@roo t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3 .2]]/component/section[template Id[@root=1.3.6.1.4.1.19376.1.5. 3.1.4.13.1]]/entry/act/entryRelat ionship/observation/ Where .../code[@code= '8867-4'] .../value BMI and BMI for ClinicalDocument/recordTarget/ 39156-5 Body Mass Index, A number calculated from weight and height (see Appendix D) component/structuredBody/com LOINC age percentile for age/gender as ponent/section[templateId[@roo t=1.3.6.1.4.1.19376.1.5.3.1.1.5.3 appropriate for the child .2]]/component/section[template Id[@root=1.3.6.1.4.1.19376.1.5. 3.1.4.13.1]]/entry/act/entryRelat ionship/observation/ Where .../code[@code= **'**39156-5'] .../value

Element from Description CDA-DIR in HWS Value Set the form **Assessment: Active Problems** Active problems including, but not limited to Conditions that affect weight Weight Associated Weight Conditions that are associated with obesity that Active Problems Associated may be excluded or adjusted for in the Conditions ClinicalDocument/recordTarget/ Conditions calculation of BMI (e.g., pregnancy, prematurity, component/structuredBody/com amputation), may influence weight or height ponent/section[templateId[@roo 1.3.6.1.4.1.19376.1.7.3.1.1.2 (e.g., Prader Willi, acondroplasia), and/or are a t=1.3.6.1.4.1.19376.1.5.3.1.3.6]] 3.8.19 result of increased BMI (e.g., hypertension, /entry/act/entryRelationship/obs hypercholesterolemia), or are a combination of ervation/ the above (e.g., diabetes). Where the code element shall be populated with the code for 'finding' (404684003) Where .../value is populated with a coded entry from Value Set Weight Associated Conditions Mother Currently Mother Currently breast feeding Active Problems Mother Breastfeeding (HW) 1.3.6.1.4.1.19376.1.7.3.1.1.2 breast feeding ClinicalDocument/recordTarget/ 3.8.14 component/structuredBody/com ponent/section[templateId[@roo t=1.3.6.1.4.1.19376.1.5.3.1.3.6]] /entry/act/entryRelationship/obs ervation/ Where the code element shall be populated with the code for 'finding' (404684003) Where .../value is populated with a coded entry from Mother Breastfeeding (HW) Pregnant Pregnant Active Problems Pregnant (NCHS)1.3.6.1.4.1.19376.1.7 ClinicalDocument/recordTarget/ .3.1.1.13.8.95 component/structuredBody/com ponent/section[templateId[@roo t=1.3.6.1.4.1.19376.1.5.3.1.3.6]] /entry/act/entryRelationship/obs ervation/ Where the code element shall be populated with the code for 'finding' (404684003) Where .../value is populated with a coded entry from Pregnant (NCHS) Behaviors (primarily aspects of Social History) Infant Feeding

Description	CDA-DIR in HWS	Value Set
Is the patient Breast Fed?	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /code[@code='77318-4']	77318-4 Is the patient breastfed, LOINC
How much formula does the patient drink per day?	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /code[@code='77240-0']	77240-0 Consuming infant formula, LOINC
Is the patient fed something other than breast milk or formula? Please include juice, cow's milk, sugar water, baby food, or anything else that [child] may have been given, even water.	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /code[@code='77239-2']/value	77239-2 Infant is currently eating or drinking something other than breast milk, LOINC
Is the patient having any problems breastfeeding?	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /code[@code=' 77241-8']	77241-8 Patient having trouble breastfeeding, LOINC
Did you add cereal to your baby's bottle of formula or pumped (or expressed) breast milk in the past two weeks?	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Using a Boolean indicator (Yes/No) that tells whether Cereal is added to the Bottle Where/code[@code= '77316-8']	77316-8 How often have you added cereal to your baby's bottle of formula or pumped (or expressed) breast milk in the past 2W, LOINC
	Is the patient Breast Fed? How much formula does the patient drink per day? Is the patient fed something other than breast milk or formula? Please include juice, cow's milk, sugar water, baby food, or anything else that [child] may have been given, even water. Is the patient having any problems breastfeeding? Did you add cereal to your baby's bottle of formula or pumped (or expressed) breast milk in	Is the patient Breast Fed? ClinicalDocument/component/setion [templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.3.16.1"]]/entry/observation[templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /code[@code="77318-4"] How much formula does the patient drink per day? How much formula does the patient drink per day? ClinicalDocument/component/setion [templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.3.16.1"]]/entry/observation[templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.4.1.3.4"]]/code[@code="77240-0"] Is the patient fed something other than breast milk or formula? Please include juice, cow's milk, sugar water, baby food, or anything else that [child] may have been given, even water. Is the patient having any problems breastfeeding? ClinicalDocument/component/setion [templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/code[@code="77239-2"] /value ClinicalDocument/component/setion [templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/code[@code="77241-8"] Did you add cereal to your baby's bottle of formula or pumped (or expressed) breast milk in the past two weeks? ClinicalDocument/component/setion [templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/code[@code="77241-8"] ClinicalDocument/component/setion [templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/code[@code="77239-2"] /value ClinicalDocument/component/setion [templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/code[@code="77241-8"] ClinicalDocument/component/setion [templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/code[@code="77241-8"] ClinicalDocument/component/setion [templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/code[@code="77241-8"] ClinicalDocument/component/setion [templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/code[@code="77241-8"] ClinicalDocument/component/setion [templateld[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/code[@code="77241-8"]

Element from the form	Description	CDA-DIR in HWS	Value Set
Frequency of Sugar-Sweetened Beverages (SSB) intake (fruit- flavored drinks, sports drinks)	Yesterday, how many times did the patient drink any punch, Kool-Aid®, Tampico, other fruit-flavored drinks, or sports drinks? Do not count 100% fruit juice.	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Using numbers and units to reflect times/day Where/code[@code='77297-0']	77297-0 Yesterday, how many times did the patient drink any punch, Kool-Aid, Tampico, other fruit-flavored drinks, or sports drinks, LOINC
Frequency of sugar-sweetened beverages (SSB) intake (soft drinks)	Yesterday, how many times did the patient drink any regular (not diet) sodas or soft drinks	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Using numbers and units to reflect times/day Where/code[@code=77300-2']	77300-2 Yesterday, how many times did the patient drink any regular (not diet) sodas or soft drinks, LOINC
Frequency of Water Intake	Yesterday, how many times did the patient drink bottles or glasses of water? Include plain water, sparkling or any other water drink that has 0 calories.	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Using numbers and units to reflect times/day Where/code[@code='77295-4']	77295-4 Frequency of water intake, LOINC
Frequency of Milk Intake	1 through 21 years. Yesterday, how much milk did the patient drink?	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Using A Boolean indicator (Yes/No) that tells whether the patient is having trouble breastfeeding Where/code[@code='77393-7']	77393-7 Yesterday, how many 8-ounce portions of milk did the patient drink

Element from the form	Description	CDA-DIR in HWS	Value Set
Fruits			
Frequency of Fruit Intake (Non-juice)	Yesterday, how many times the patient you eat fruit? Do not count fruit juice. Please think about all forms of fruits, including cooked or raw, fresh, frozen or canned.	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Using numbers and units to reflect times/day Where/code[@code='77299-6']	77299-6 Frequency of Fruit Intake (Non-juice), LOINC
Frequency of 100% Fruit intake (juice)	Yesterday, how many times did the patient drink 100% fruit juice? Fruit juice is a drink, which is 100% juice, like orange juice, apple juice, or grape juice. Do not count punch, Kool-Aid®, Tampico, sports drinks, or other fruit-flavored drinks	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Using numbers and units to reflect times/day Where/code[@code='77296-2']	77296-2 Yesterday, how many times did the patient drink 100% fruit juice, LOINC
Vegetables			
Frequency of Vegetable Intake	Yesterday, how many times did the patient eat any vegetables? Vegetables are all cooked and uncooked vegetables; salads. Do not count French fries, fried potatoes, or potato chips	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Using numbers and units to reflect times/day Where/code[@code='77294-7']	77294-7 Frequency of vegetable intake, LOINC
Nutrition Quality			
Frequency of Healthy Snacks	Yesterday, what percent of snacks were healthy? A healthy snack may include whole, cut or frozen fruits without added sugar, and whole or cooked vegetables.	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Using numbers and units to reflect times/day Where/code[@code=77315-0]	77315-0 Frequency of Healthy Snacks, LOINC

Element from the form	Description	CDA-DIR in HWS	Value Set
Frequency of Family Meals	In the past week, how many times were dinners prepared at home and eaten together at the dinner table as a family?	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Using numbers and units to reflect times/day Where/code[@code='77317-6']	77317-6 In the past W, how many times were dinners prepared at home and eaten together, LOINC
Frequency of restaurant food intake	Yesterday, how many times did the patient eat food from any type of restaurant? This includes restaurants such as fast food, sit down restaurants, buffet restaurants, taco shops, donut shops, and pizza places.	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3 .6.1.4.1.19376.1.5.3.1.4.13.4"]]/code[@code='77298-8']	77298-8, How many times a week did you eat fast food or snacks or pizza in past 7 days, LOINC
Frequency of Fatty Foods Intake	Yesterday, did the patient eat French fries or chips? Examples are: potato chips, tortilla chips, Cheetos®, corn chips, or other snack chips.	ClinicalDocument/component/st ructuredBody/component/section [templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/value Using numbers and units to reflect times/day Where/code[@code='77308-5']	77308-5 Frequency of Fatty Foods Intake, LOINC
Dietary Behavior (Findings)	Dietary behaviors to be answered with SNOMED-CT findings	ClinicalDocument/component/st ructuredBody/component/section [templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/ Where the code element shall be populated with the code for 'finding' (404684003)	Dietary Behavior 1.3.6.1.4.1.19376.1.7.3.1.1.2 3.8.8
		Where/value is populated with a coded entry from Value Set Dietary Behavior	

Element from	Description	CDA-DIR in HWS	Value Set
The form Food Insecurity	How often in the past 12 months would you say you were worried or stressed about having	ClinicalDocument/component/st ructuredBody/component/sectio	77234-3 Food insecurity, LOINC
	enough money to buy nutritious meals?	n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value	Lonc
		Using A Boolean indicator (Yes/No) that tells whether the patient is has Food insecurity Where/code[@code='77234-3']	
Physical Activity			
Physical Activity Behavior	Findings of Physical Activity Behaviors to be answered with SNOMED-CT coded values	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1.3"]	Physical Activity Behavior 1.3.6.1.4.1.19376.1.7.3.1.1.2 3.8.9
		.6.1.4.1.19376.1.5.3.1.4.13.4"]]/ Where the code element shall be populated with the code for 'finding' (404684003)	
		Where/value is populated with a coded entry from Value Set Physical Activity Behavior	
Frequency of Physical Activity	For Children and Adolescents: 'Days per week of physical activity (any kind of physical activity that increased his/her heart rate and made him/her breathe hard some of the time)' For Adults: 'Days per week of moderate to strenuous exercise (like a brisk walk)'	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/value Using numbers and units to reflect times/day Where/code[@code='77293-9']	77293-9 Frequency of physical activity, LOINC
Exercise Duration	Minutes per day of physical activity at this level.	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1.3 .6.1.4.1.19376.1.5.3.1.4.13.4"]]/	55411-3, Exercise duration, LOINC
		value Using numbers and units to reflect duration Where/code[@code=' 55411-3']	

Element from the form	Description	CDA-DIR in HWS	Value Set
Screen Time			
Frequency of Screen-Time (TV/DVDs)	On a typical day in the past week, how much time did you spend watching TV/DVDs? (weekdays)	ClinicalDocument/component/st ructuredBody/component/section [templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/value Using numbers and units to reflect hours and minutes/day Where/code[@code='77235-0']	77235-0 Frequency of Screen- Time (TV/DVDs) Weekdays, LOINC
Frequency of Screen-Time (TV/DVDs)	On a typical day in the past week, how much time did you spend watching TV/DVDs? (weekend days)	ClinicalDocument/component/st ructuredBody/component/section [templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/value Using numbers and units to reflect hours and minutes/day Where/code[@code='77236-8']	77236-8 Frequency of Screen-Time (TV/DVDs) Weekends, LOINC
Frequency of Screen-Time (video games and computer games)	On a typical day in the past week, how much time did you spend playing video games and computer games? (weekdays)	ClinicalDocument/component/st ructuredBody/component/section [templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/value Using numbers and units to reflect hours and minutes/day Where/code[@code='77237-6']	77237-6 Frequency of Screen-Time (video games and computer games) Weekdays, LOINC
Frequency of Screen-Time (video games and computer games)	On a typical day in the past week, how much time did you spend playing video games and computer games? (weekend days)	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Using numbers and units to reflect times/day Where/code[@code='77238-4']	77238-4 Frequency of Screen-Time (video games and computer games) Weekends, LOINC

Element from the form	Description	CDA-DIR in HWS	Value Set
Sleep			
Bedtime	At what time do you usually go to bed	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Indicating the Bed-time using military time where/code[@code='65551-4']	65551-4, At what time do you usually go to bed, LOINC
Hours of Sleep per night	How many Hrs do you normally sleep	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3.6.1.4.1.19376.1.5.3.1.4.13.4"]] /value Where/code[@code='65968-0']	65968-0, How many Hrs do you normally sleep, LOINC
Readiness for improv	ved behaviors		
Readiness for Change for Improved Nutrition	On a scale of 1-10 with 1 representing no readiness to change and 10 representing an exceptional readiness for change, please rate the patient's readiness to improve his/her nutrition.	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3 .6.1.4.1.19376.1.5.3.1.4.13.4"]]/ value Where/code[@code='777245-	77245-9 Readiness for change for improved nutrition, LOINC
Readiness for	On a scale of 1-10 with 1 representing no	9'] ClinicalDocument/component/st	77246-7 Readiness for
Change for Improved Sleep Patterns	readiness to change and 10 representing an exceptional readiness for change, please rate the patient's readiness to improve his/her sleep habits.	ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1. 3 .6.1.4.1.19376.1.5.3.1.4.13.4"]]/ value	change for improved sleep patterns, LOINC
		Where/code[@code='77246-7']	

Element from the form	Description	CDA-DIR in HWS	Value Set
Readiness for Change for Improved Exercise	On a scale of 1-10 with 1 representing no readiness to change and 10 representing an exceptional readiness for change, please rate the patient's readiness to improve his/her exercise habits.	ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1.3 .6.1.4.1.19376.1.5.3.1.4.13.4"]]/ value Where/code[@code='77247-	77247-5 Readiness for change for improved exercise, LOINC
Readiness for Change for Improved Screen- time	On a scale of 1-10 with 1 representing no readiness to change and 10 representing an exceptional readiness for change, please rate the patient's readiness to improve his/her screen time habits.	5'] ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root='1.3.6.1.4.1 .19376.1.5.3.1.3.16.1']]/entry/ob servation[templateId[@root="1.3 .6.1.4.1.19376.1.5.3.1.4.13.4"]]/ value	77248-3 Readiness for change for improved screentime, LOINC
		Where/code[@code='77248-3']	
	Continuity	of Care	
Procedures and Interventions	History of Interventions including: Referral (e.g., weight management program, dietitian, physical activity specialists) In-Office Education (e.g., nutrition counseling, physical activity counseling, community resources) Surgical Interventions	ClinicalDocument/recordTarget/ component/structuredBody/com ponent/section[templateId[@roo t=1.3.6.1.4.1.19376.1.5.3.1.1.21. 2.3]]/component/section[templat eId[@root=1.3.6.1.4.1.19376.1. 5.3.1.1.13.2.11]]/entry/procedur e/ Where/code is populated with a coded entry from Value Set Interventions (HW)	Interventions (HW) 1.3.6.1.4.1.19376.1.7.3.1.1.2 3.8.7
Medications	Current Medications including, but not limited to Weight Influencing Medications and Weight Management Medications (value set not specified)	Medications Administered ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root=1.3.6.1.4.1. 19376.1.5.3.1.1.21.2.4]]/compo nent/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.3.21]]/ substanceAdministration/code	

Element from Description CDA-DIR in HWS Value Set the form Coded Family Family History of conditions that may impact the ClinicalDocument/recordTarget/ Family History (HW) Medical History patient Healthy Weight (e.g., Parental Obesity, component/structuredBody/com 1.3.6.1.4.1.19376.1.7.3.1.1.2CVD, HTN, Dyslipidemia, NIDDM, Insulin ponent/section[templateId[@roo 3.8.13 Resistance) t=1.3.6.1.4.1.19376.1.5.3.1.3.15]]/entry/act/entryRelationship/ob servation/ Where the code element shall be populated with the code for 'finding' (404684003) Where .../value is populated with a coded entry from Value Set Family History (HW) ClinicalDocument/recordTarget/ Laboratory Results from laboratory testing including: Laboratory Tests (HW) 1.3.6.1.4.1.19376.1.7.3.1.1.2 Results component/structuredBody/com HW Laboratory Results (Value Set) ponent/section[templateId[@roo 3.8.17 t=1.3.6.1.4.19376.1.5.3.1.4.13.3]]/component/section[templateId @root=1.3.6.1.4.1.19376.1.5.3. 1.4.15]]/component/section [templateId[@root=1.3.6.1.4.1.1 9376.1.5.3.1.4.15]]/observation/ Where the code element shall be populated with the code for 'finding' (404684003) Where .../value is populated with a coded entry from Value Set Laboratory Tests (HW) Setting Goals and Supplying a care plan Medications New prescriptions

Element from	Description	CDA-DIR in HWS	Value Set
the form	•		
Goals	Prevention and treatment of obesity requires the adoption of healthy behaviors. Best available evidence has shown that goal setting by patients and where applicable, parents in collaboration with a primary care team, when coupled with appropriate messaging and planning to achieve those goals, can lead to long-term behavior change and prevention and reduction of obesity. The EHR can support goal setting by enabling families and primary care teams to select one or more goals from a set of potential behaviors in need of change, for example: reducing intake of sugary beverages, increasing physical activity, obtaining sufficient sleep Goal selection may be selected from structured lists or selected in an open-ended manner. These goals can then be linked with a tailored set of activities and resources. Goals may be documented as Recommended Goals or Individualized Goals.	Healthy Weight Care Plan ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root=' 1.3.6.1.4.1.19376.1.7.3.1.3.24.2']	
Procedures and Interventions	History of Interventions including: Referral (e.g., weight management program, dietitian, physical activity specialists) In-Office Education (e.g., nutrition counseling, physical activity counseling, community resources) Surgical Interventions		
	Identification of	Resources	
Resources to support goals	After identifying goals, barriers, and supports, patients and families must identify actionable strategies to achieve their goals. For example: One key strategy is that primary care teams identify and link patients to resources in the community that can support Improving diet ("Referral to dietitian, In-Office Education, Referral to weight management program", etc.) physical activity (YMCA, dance programs, parks and recreational areas, trainers/coaches, etc.) Documentation of barriers and supports to attaining selected goals may be selected from structured lists or selected in an open-ended manner. The EHR may capture and store a tailored set of resources within the clinical care system and the community where the patient resides.	Resources to Support Goals ClinicalDocument/component/st ructuredBody/component/sectio n[templateId[@root=' 1.3.6.1.4.1.19376.1.7.3.1.3.24.1 "]]	

6.3.1.D1.4.2 Data Element Requirement Mappings to Message: HWFeed [QRPH-39] Transaction (Normative)

This section specifies the mapping of data from the specified form data elements for this profile into the HWFeed [QRPH-39]. The Form Receiver message exporter SHALL use this table to populate the HWFeed message from the form data. This form element (name, item #), shall be represented in the message location as indicated in QRPH TF-2: 3.39.4.1 HWFeed [QRPH-39].

Table 6.3.1.D1.4.2-1: Data Element Requirement Mappings to Message

Element from the Form	Description	Message Location in [QRPH-39]	Value Set
	Assessment: Socio-Demo	graphic Characteristics	
Religious Affiliation	Optional Religious Affiliation to support diet impact on weight	PID-17	
Patient Identifier List	Patient Identifier List Included for pediatric patient matching	PID-3	
Patient Account Number	Patient Account Number Included for patient matching	PID-18	
Phone Number	Patient's Phone Number	PID-13 Phone Number – Home	
Mother's Maiden Name	Patient's Mother's Maiden Name	PID-6 Mother's Maiden Name	
Multiple Birth Indicator	Patient Multiple Birth Indicator	PID-24	
Birth Order	Patient Birth Order	PID-25	
Date/Time of Birth	Patient's date and time of birth	PID-7 Date/Time of Birth	
Administrative Sex	Patient's sex.	PID-8 Administrative Sex	HL7 AdministrativeGen der 2.16.840.1.113883. 5.1
Language	Languages Spoken	PID-15 Primary Language	2.16.840.1.114222. 4.11.831, PHVS_Language_I SO_639-2_Alpha3
Race	Race(s) that best describes what the patient considers himself/herself to be	PID-10 Race	HL7 0005
Ethnic Group	Patient's ethnicity	PID-22 Ethnic Group	HL70189
Address (may be used to support Geographic grouping purposes)	Patient's address (e.g., Country, State, City, Street, Zip Code)	PID-11 Patient Address	

Element from Description Message Location in **Value Set** the Form [QRPH-39] **Education Level** Highest Level of Education Received by NA 2.16.840.1.113883. 5.1077 patient HL7 EducationLevel Household Income level of the household where the NA Income patient resides Next of Kin Contact Information for Parent/Guardian OBX5.1 using valueset where OBX-Pertinent Patient's Insurance details Source of Payer Insurance 3.1 contains the LOINC code for payer Typology insurance type Information type ('48768-6'), ' (2.16.840.1.114222 .4.11.3591) and OBX-5.3 SHALL be valued 'PAYER'. OBX-2 (Value type) SHALL be valued with 'CWE' Assessment: Setting (Note: Recorded in Social History) Settings of daily activities that impact the Setting NA patient. These may include: School information: Information about the school, education setting, and schoolrelated behaviors (e.g., school name, special education, truancy, etc.) Workplace: programs, location, environment Assessment: Setting (Note: Recorded in Social History) Name of School, including Early care and School Name NA Education, After school and daycare

Element from the Form	Description Message Location in [QRPH-39]		Value Set
Occupational Data for Health Work Data	History of Employment Status Observation Past or Present Occupation Observation Employer Name Employer Location Past or Present Industry Observation Work Classification Observation Job Duty Observation Supervisory Level Observation Occupational Hazard Observation Work Schedule Observation Weekly Work Hours Observation Weekly Work Days Observation Usual Occupation Observation Usual Occupation Duration Observation Usual Industry Observation Date of Retirement Observation Entry Combat Zone Period Observation Entry	NA NA	
	Assessment: Provider	Visit Information	
Provider Visit Information	 Provider's name Provider's ID Provider Address Provider Phone Visit Information including: Date of visit 	PV1	
	Assessment: Anthropom	netric Measurements	
Height Recumbent Length	Patient's height, captured for patients 2 through 22 years. Patient Height and Weight are used for computing Body Mass Index (BMI) and are used with other demographics to compute BMI Percentile (see Appendix D) Recumbent Length of the patient lying down, captured for patients from birth to less than 2 years old as the 'height'. Patient Height and Weight are used for computing Body Mass Index (BMI) and are used with other demographics to compute BMI Percentile (see Appendix D) Filler Order Number	OBR-3 SHALL be an unique height and weight record ID of the sending	8302-2 Body height, LOINC 3137-7, Body height Measured, LOINC 8306-3 Body height lying, LOINC 8308-9 Body height standing, LOINC
	Value Type	system then OBX-2 (Value type) SHALL be valued with 'NM' (numeric)	

Element from the Form	Description	Message Location in [QRPH-39]	Value Set	
	Universal Service Identifier	OBR-4.1 SHALL be valued 'HWR' OBR-4.2 SHALL be valued 'Height and weight report OBR-4.3 SHALL be valued 'L'.		
Weight (with or without clothes and shoes)	Patient's weight. Patient Height and Weight are used for computing Body Mass Index (BMI) and are used with other demographics to compute BMI Percentile (see Appendix D)	OBX3.2 where OBX-3.1 contains ' one of the values in the value set column'	29463-7 Body weight, LOINC 3141-9, Body weight Measured, LOINC 8352-7 Clothing worn during measure, LOINC	
	Method	where OBX-3.1 contains 8352-7 Clothing worn during measure OBX-5.1 SHALL be valued with one of the values in the value set column	LA11871-3, Underwear or less, LOINC LA11872-1, Street clothes, no shoes, LOINC LA11873-9, Street clothes & shoes, LOINC	
	Filler Order Number	OBR-3 SHALL be an unique height and weight record ID of the sending system		
	Value Type	then OBX-2 (Value type) SHALL be valued with 'NM' (numeric)		
	Universal Service Identifier	OBR-4.1 SHALL be valued 'HWR' OBR-4.2 SHALL be valued 'Height and weight report OBR-4.3 SHALL be valued 'L'.		
Waist Circumference	A measurement of the distance around the smallest part of the abdomen	NA		
Skin Folds	The layer of skin and subcutaneous fat raised by pinching the skin and letting the underlying muscle fall back to the bone.	NA		
Measured Percentage of Body Fat	Measured Percentage of body fat (e.g., using a bio-impedance device)	NA		
Blood Pressure	The pressure of the blood within the arteries.	NA		
Heart rate/Pulse	The number of pulse beats per minute.	NA		
BMI and BMI for age percentile for age/gender as appropriate for the child	A number calculated from weight and height (see Appendix D)	NA		

Element from the Form	Description	Message Location in [QRPH-39]	Value Set
Weight Associated Conditions	Conditions that are associated with obesity that may be excluded or adjusted for in the calculation of BMI (e.g., pregnancy, prematurity, amputation), may influence weight or height (e.g., Prader Willi, acondroplasia), and/or are a result of increased BMI (e.g., hypertension, hypercholesterolemia), or are a combination of the above (e.g., diabetes).	OBX3.2 where OBX-3.1 contains '44100-6 Medical problem, LOINC	Weight Associated Condition value set (1.3.6.1.4.1.19376. 1.7.3.1.1.23.8.19),
	Value Type	then OBX-2 (Value type) SHALL be valued with 'CWE'	
Mother Currently breast feeding	Mother Currently breast feeding	NA	
Pregnant	Pregnant	NA	
	Behaviors (primarily aspe	ects of Social History)	_1
Infant Feeding			
Currently Breastfeeding	Is the patient Breast Fed?	NA	
Consuming Infant Formula	How much formula does the patient drink per day?	NA	
Complimentary Foods	Is the patient fed something other than breast milk or formula? Please include juice, cow's milk, sugar water, baby food, or anything else that [child] may have been given, even water.	NA	
Patient having trouble breastfeeding	Is the patient having any problems breastfeeding?	NA	
Addition of Cereal to Bottle	Did you add cereal to your baby's bottle of formula or pumped (or expressed) breast milk in the past two weeks?	NA	
Drinks			
Frequency of Sugar-Sweetened Beverages (SSB) intake (fruit- flavored drinks, sports drinks)	Yesterday, how many times did the patient drink any punch, Kool-Aid®, Tampico, other fruit-flavored drinks, or sports drinks? Do not count 100% fruit juice.	NA	
Frequency of sugar-sweetened beverages (SSB) intake (soft drinks)	Yesterday, how many times did the patient drink any regular (not diet) sodas or soft drinks	NA	
Frequency of Water Intake	Yesterday, how many times did the patient drink bottles or glasses of water? Include plain water, sparkling or any other water drink that has 0 calories.	NA	

Element from Description Message Location in Value Set the Form [QRPH-39] 1 through 21 years. Yesterday, how much milk Frequency of NA Milk Intake did the patient drink? Fruits Yesterday, how many times the patient you eat NA Frequency of Fruit Intake fruit? Do not count fruit juice. Please think (Non-juice) about all forms of fruits, including cooked or raw, fresh, frozen or canned. Frequency of Yesterday, how many times did the patient NA 100% Fruit drink 100% fruit juice? Fruit juice is a drink, intake (juice) which is 100% juice, like orange juice, apple juice, or grape juice. Do not count punch, Kool-Aid®, Tampico, sports drinks, or other fruit-flavored drinks Vegetables Frequency of Yesterday, how many times did the patient eat NA Vegetable Intake any vegetables? Vegetables are all cooked and uncooked vegetables; salads. Do not count French fries, fried potatoes, or potato chips Nutrition Quality Yesterday, what percent of snacks were NA Frequency of Healthy Snacks healthy? A healthy snack may include whole, cut or frozen fruits without added sugar, and whole or cooked vegetables. Frequency of In the past week, how many times were dinners NA Family Meals prepared at home and eaten together at the dinner table as a family? Yesterday, how many times did the patient eat NA Frequency of restaurant food food from any type of restaurant? This includes intake restaurants such as fast food, sit down restaurants, buffet restaurants, taco shops, donut shops, and pizza places. Frequency of Yesterday, did the patient eat French fries or NA Fatty Foods chips? Intake Examples are: potato chips, tortilla chips, Cheetos®, corn chips, or other snack chips. Dietary Behavior Dietary behaviors to be answered with NA **SNOMED-CT findings** (Findings) How often in the past 12 months would you say NA Food Insecurity you were worried or stressed about having enough money to buy nutritious meals? Physical Activity Findings of Physical Activity Behaviors to be NA Physical Activity Behavior answered with SNOMED-CT coded values

Element from Description Message Location in Value Set the Form [QRPH-39] Frequency of For Children and Adolescents: NA Physical Activity 'Days per week of physical activity (any kind of physical activity that increased his/her heart rate and made him/her breathe hard some of the time)' For Adults: 'Days per week of moderate to strenuous exercise (like a brisk walk)' Exercise Minutes per day of physical activity at this NA Duration Screen Time On a typical day in the past week, how much Frequency of NA Screen-Time time did you spend watching TV/DVDs? (TV/DVDs) (Answer separately for weekday and weekend Frequency of On a typical day in the past week, how much NA Screen-Time time did you spend playing video games and (video games and computer games? (Answer separately for computer games) weekday and weekend days) Sleep Bedtime At what time do you usually go to bed NA Hours of Sleep How many Hrs do you normally sleep NA per night Readiness for improved behaviors On a scale of 1-10 with 1 representing no NA Readiness for readiness to change and 10 representing an Change for Improved exceptional readiness for change, please rate Nutrition the patient's readiness to improve his/her nutrition. Readiness for On a scale of 1-10 with 1 representing no NA Change for readiness to change and 10 representing an Improved Sleep exceptional readiness for change, please rate Patterns the patient's readiness to improve his/her sleep habits. Readiness for On a scale of 1-10 with 1 representing no NA Change for readiness to change and 10 representing an Improved exceptional readiness for change, please rate Exercise the patient's readiness to improve his/her exercise habits. On a scale of 1-10 with 1 representing no Readiness for NA readiness to change and 10 representing an Change for Improved exceptional readiness for change, please rate Screen-time the patient's readiness to improve his/her screen time habits. **Continuity of Care**

Element from Description Message Location in Value Set the Form [QRPH-39] Procedures and History of Interventions including: NA Interventions Referral (e.g., weight management program, dietitian, physical activity specialists) In-Office Education (e.g., nutrition counseling, physical activity counseling, community resources) Surgical Interventions Medications Current Medications including, but not limited NA to Weight Influencing Medications and Weight Management Medications (value set not specified) Coded Family Family History of conditions that may impact NA Medical History the patient Healthy Weight (e.g., Parental Obesity, CVD, HTN, Dyslipidemia, NIDDM, Insulin Resistance) Results from laboratory testing including: Laboratory NA Results HW Laboratory Results (Value Set) Setting Goals and Supplying a care plan Medications New prescriptions NA Goals Prevention and treatment of obesity requires NA the adoption of healthy behaviors. Best available evidence has shown that goal setting by patients and where applicable, parents in collaboration with a primary care team, when coupled with appropriate messaging and planning to achieve those goals, can lead to long-term behavior change and prevention and reduction of obesity. The EHR can support goal setting by enabling families and primary care teams to select one or more goals from a set of potential behaviors in need of change, for example: reducing intake of sugary beverages, increasing physical activity, obtaining sufficient sleep Goal selection may be selected from structured lists or selected in an open-ended manner. These goals can then be linked with a tailored set of activities and resources. Goals may be documented as Recommended Goals or Individualized Goals.

Element from the Form	Description	Message Location in [QRPH-39]	Value Set
Procedures and Interventions	History of Interventions including: Referral (e.g., weight management program, dietitian, physical activity specialists) In-Office Education (e.g., nutrition counseling, physical activity counseling, community resources) Surgical Interventions	NA	
	Identification of	Resources	•
Resources to support goals	After identifying goals, barriers, and supports, patients and families must identify actionable strategies to achieve their goals. For example: • One key strategy is that primary care teams identify and link patients to resources in the community that can support • Improving diet ("Referral to dietitian, In-Office Education, Referral to weight management program", etc.) physical activity (YMCA, dance programs, parks and recreational areas, trainers/coaches, etc.) Documentation of barriers and supports to attaining selected goals may be selected from structured lists or selected in an open-ended manner. The EHR may capture and store a tailored set of resources within the clinical care system and the community where the patient resides.	NA	

1400 6.3.1.D1.5 Healthy Weight Summary (HWS) Document Content Module Specification

This section specifies the header, section, and entry content modules which comprise the Healthy Weight Summary (HWS) Document Content Module, using the Template ID (1.3.6.1.4.1.19376.1.7.3.1.1.24.3) as the key identifier.

Sections that are used according to the definitions in other specifications are identified with the relevant specification document. Additional constraints on vocabulary value sets, not specifically constrained within the section template, are also identified.

Table 6.3.1.D1.5-1: Healthy Weight Summary HWS Content Module Specification

Template Name	Healthy Weight Summary (HWS)
Template ID	1.3.6.1.4.1.19376.1.7.3.1.1.24.3
Parent Template	Medical Summary Specification 1.3.6.1.4.1.19376.1.5.3.1.1.2 (PCC)
General Description	Document summary specification to support communication of healthy weight content to public health and for healthy weight management
Document Code	SHALL be 76543-8 Healthy Weight summary note (CodeSystem: 2.16.840.1.113883.6.1 LOINC)

Template Title	Opt and Card	Condition	Template Type	templateld	Vocabulary Constraints
Personal Information: name	R[11]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	
Personal Information: birthtime	R[11]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	
Personal Information: addr	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	
Personal Information: ethnicity	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	6.3.2.H.1
Personal Information: race	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	6.3.2.H.2
Personal Information: gender	R[11]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	6.3.2.H.3
Personal Information: Mother's Maiden Name	R2[01]		Header	See Open Issues	
Personal Information: Phone Number – Home	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	
Personal Information: Religious	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	
Personal Information: Patient Identifier List	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	
Personal Information: Patient Home Telephone	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	
Personal Information: Patient Multiple Birth Indicator	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	
Personal Information: Patient Birth Order	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	
Personal Information: Patient Account Number	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.1.1	
Languages Communication	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.2.1	6.3.2.H.4
Employer and School Contacts	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.2.2	
Healthcare Providers and Pharmacies	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.2.3	

Template Title	Opt and Card	Condition	Template Type	templateld	Vocabulary Constraints
Patient Contacts	R2[01]		Header	1.3.6.1.4.1.19376.1. 5.3.1.2.4	
Payers Section	O[01]		Section	1.3.6.1.4.1.19376.1. 5.3.1.1.5.3.7	QRPH TF-3: 6.3.1.D1.5.3
Medications Section	R2[01]		Section	1.3.6.1.4.1.19376.1. 5.3.1.3.19	QRPH TF- 3:6.3.1.D1.5.1
Coded Social History Section	R[11]		Section	1.3.6.1.4.1.19376.1. 5.3.1.3.16.1	QRPH TF- 3:6.3.1.D1.5.2
Occupational Data for Health sub- Section	O[0*]		Sub-Section	1.3.6.1.4.1.19376.1. 5.3.1.3.37	PCC TF- 3:6.3.3.10.5.1
Coded Vital Signs Section	R[11]		Section	1.3.6.1.4.1.19376.1. 5.3.1.1.5.3.2	QRPH TF- 3:6.3.1.D1.5.4
Active Problem Section	R[11]		Section	1.3.6.1.4.1.19376.1. 5.3.1.3.6	QRPH TF- 3:6.3.1.D1.5.5
Procedures and Interventions	R2[01]		Section	1.3.6.1.4.1.19376.1. 5.3.1.1.13.2.11	QRPH TF- 3:6.3.1.D1.5.6
Coded Family History Section	R2[01]		Section	1.3.6.1.4.1.19376.1. 5.3.1.3.15	QRPH TF- 3:6.3.1.D1.5.7
Healthy Weight Care Plan	O[01]		Section	1.3.6.1.4.1.19376.1. 7.3.1.3.24.2	QRPH TF- 3:6.3.3.10.S2
Resources to Support Goals	O[01]		Section	1.3.6.1.4.1.19376.1. 7.3.1.3.24.1	QRPH TF- 3:6.3.3.10.S1
Coded Results Section Labs	R2[01]		Section	1.3.6.1.4.1.19376.1. 5.3.1.3.28	QRPH TF- 3:6.3.1.D1.5.8

1410

6.3.1.D1.5.1 Medications Section Vocabulary Constraints

Within the Medications section the Form Receiver Document Exporter or Content Creator SHALL be able to create a Medications entry (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.7 [PCC TF-2]) for each of the healthy weight relevant medications identified in Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.24.8.2 Healthy Weight Drug Treatment Classes, and Value Set 1.3.6.1.4.1.19376.1.7.3.1.1.24.8.1 Healthy Weight Influencing Drug Classes, encoding the value in

substanceAdministration/consumable/ManufacturedProduct/Material/code.

6.3.1.D1.5.2 Coded Social History Section Vocabulary Constraint

1420 **6.3.1.D1.5.2.1** Education Level

Within the Coded Social History section the Form Receiver Document Exporter or Content Creator SHOULD be able to create a Social History Observation (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.13.4 [PCC TF-2])

For patients up to age 21, *Parent's Education* level,

- for each of the healthy weight relevant Education Levels identified by Value Set 2.16.840.1.113883.5.1077 *HL7Education Level* vocabulary,
 - encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1. 3.6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/value
 - For Mother's education
 - o where .../code[@code=' 67577-7']] How far in school did she go, LOINC
 - For Father's education
 - o where .../code[@code= '67578-5 ']] How far in school did he go, LOINC
 - Using the value set 2.16.840.1.113883.5.1077 HL7EducationLevel.
 - For Less than 1st grade indicate '0', and for Grade 1 through 11 Specify grade 1 11

For **Patients education**

1430

1435

- encoding the value in:
- O ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/value where .../code[@code='64990-5']]

 Grade in school, if applicable, LOINC For patients up to age 21,
 - Using an integer to reflect the grade level, and
- For patients over 18 using the value set 2.16.840.1.113883.5.1077 HL7 EducationLevel. And
 - presenting the question to the user consistent with defined clinical, surveillance, and research questions/guidelines:

For patient:

What is the highest level of school that this PATIENT has completed or highest degree that this PATIENT has received?

For the Mother, Father, or Caregiver:

What is the highest level of school that the patient's PRIMARY CAREGIVER has completed or highest degree that the patient's PRIMARY CAREGIVER has received?

6.3.1.D1.5.2.2 Household Income

Within the Coded Social History section the Form Receiver Document Exporter or Content Creator MAY be able to create a Social History Observation (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.13.4 [PCC TF-2])

reflecting the *Household Income* in

1455

1470

1475

1485

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- Identifying the Range or Actual number
 - o where .../code[@code=' 77244-2'] Household income in last Y, LOINC, and
 - Presenting the question to the user consistent with defined population surveys:

'Which category represents the total combined income of all members of your FAMILY during the past 12 months? This includes money from jobs, net income from business, farm or rent, pensions, dividends, interest, social security payments and other money income received by members of your FAMILY who are 15 years of age or older.'

6.3.1.D1.5.2.3 Nutritional History

Within the Coded Social History section the Form Receiver Document Exporter or Content Creator SHOULD be able to create a Social History Observation (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.13.4 [PCC TF-2])

Reflecting:

6.3.1.D1.5.2.3.1 Infant Feeding

for patients from Birth to less than 18 months documenting that the child is *Currently Breastfeeding* in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
 - Using A Boolean indicator (Yes/No) that tells whether the infant is currently breast feeding

- Where .../code[@code=' 77318-4'] Is the patient currently breastfeeding, LOINC,
- Presenting the question to the user consistent with the PHA Use case:

'Is the patient Breast Fed?'

1490

1495

1500

for patients from Birth to less than 12 months, documenting whether or not the child is currently *Consuming Infant Formula* in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- Using numbers and UCUM units to reflect ounces/day OR ml/day (per jurisdiction)
 - o Where .../code[@code=' 77240-0'] Consuming infant formula, LOINC
- Presenting the question to the user consistent with the PHA Use case:
- 'How much formula does the patient drink per day?'

for patients from Birth to less than 12 months, documenting whether or not the child is currently consuming *Complimentary Foods* in

- encoding the value in

 ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3
 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1
 .5.3.1.4.13.4"]]/value
 - Using a Boolean indicator (Yes/No) that tells whether the patient is eating Complimentary Foods
 - Where .../code[@code= '77239-2'] Infant is currently eating or drinking something other than breast milk, LOINC
 - Presenting the question to the user consistent with the <u>ePlans Use Cases</u>:

 'Is the patient fed something other than breast milk or formula? Please include juice, cow's milk, sugar water, baby food, or anything else that [child] may have been given, even water.'

for patients from Birth to less than 12 months, documenting whether or not the child is currently consuming *Addition of Cereal to Bottle* in

1515

1510

- encoding the value in 1520 ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
 - Using a Boolean indicator (Yes/No) that tells whether Cereal is added to the Bottle
 - o Where .../code[@code='77316-8'] How often have you added cereal to your baby's bottle of formula or pumped (or expressed) breast milk in the past 2W [IFPS-II], LOINC
 - Presenting the question to the user consistent with the ePlans Use Cases: 'Do you add cereal to your baby's bottle of formula or pumped (or expressed) breast milk in the past two weeks?'

for patients that are women that are breastfeeding or infants up to 18 months that are breastfeeding, is the Patient Having Trouble Breastfeeding.

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- Using A Boolean indicator (Yes/No) that tells whether the patient is having trouble breastfeeding
 - Where .../code[@code=' 77241-8'] Patient having trouble breastfeeding, LOINC
- Presenting the question to the user consistent with the ePlans Use Cases (and asked of the mother where the patient is an infant):

'Is the patient having any problems breastfeeding?'

6.3.1.D1.5.2.3.2 Drinks

- 1545 documenting Frequency of fruit flavored or sports drinks intake in
 - encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- 1550 • Using numbers UCUM codes to indicate units to reflect times/day OR servings/day
 - Where .../code[@code=' 77297-0'] Yesterday, how many times did the patient drink any punch, Kool-Aid, Tampico, other fruit-flavored drinks, or sports drinks, **LOINC**

1530

1525

1540

• Presenting the question to the user consistent with defined clinical, surveillance and research questions (Sugar-Sweetened Beverages (SSB)):

'Yesterday, how many times did the patient drink any punch, Kool-Aid®, Tampico, other fruit-flavored drinks, or sports drinks? Do not count 100% fruit juice.'

documenting Frequency of soft drink intake in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
 - Using numbers and units to reflect times/day
- O Where .../code[@code=' 77300-2'] Yesterday, how many times did the patient drink any regular (not diet) sodas or soft drinks
 - Presenting the question to the user consistent with defined clinical, surveillance, and research questions/guidelines (Sugar-Sweetened Beverages (SSB)):
 - 'Yesterday, how many times did the patient drink any regular (not diet) sodas or soft drinks?'

documenting Frequency of Water Intake in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- Using numbers and units to reflect times/day
 - O Where .../code[@code=' 77295-4'] Frequency of water intake, LOINC
- And SHOULD present the question to the user consistent with defined clinical, surveillance and research questions (Water):
 - 'Yesterday, how many times did the patient drink bottles or glasses of water? Include plain water, sparkling or any other water drink that has 0 calories.'

for patients ages 1-21 years, the frequency of milk intake.

• encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value

Rev. 2.4 - 2021-02-26

1570

1575

• Using numbers and units to reflect portions/day

1590

- Where .../code[@code=' 77393-7'] Yesterday, how many 8-ounce portions of milk did the patient drink, LOINC
- And presenting the question to the user consistent with the ePlans Use Cases:

'Yesterday, how many 8-ounce portions of milk did the patient drink?'

6.3.1.D1.5.2.3.3 Fruits

1595

- documenting Frequency of Fruit Intake (Non-juice) in
- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value

1600

- Using numbers and units to reflect times/day
 - Where .../code[@code=' 77299-6'] Frequency of Fruit Intake (Non-juice) LOINC
- Presenting the question to the user consistent with defined clinical, surveillance and research questions (Fruit Intake):

1605

'Yesterday, how many times did the patient eat fruit? Do not count fruit juice. Please think about all forms of fruits, including cooked or raw, fresh, frozen or canned.'

documenting Frequency of 100% Fruit Juice Intake in

1610

encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value

Using numbers and units to reflect times/day

1615

 Where .../code[@code=' 77296-2' Yesterday, how many times did the patient drink 100% fruit juice, LOINC

• Presenting the question to the user consistent with defined clinical, surveillance and research questions (Fruit Intake):

'Yesterday, how many times did the patient drink 100% fruit juice? Fruit juice is a drink, which is 100% juice, like orange juice, apple juice, or grape juice. Do not count punch, Kool-Aid®, Tampico, sports drinks, or other fruit-flavored drinks.'

1620

documenting Frequency of Fast Food Intake in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- Using numbers and units to reflect times/day
 - Where .../code[@code='77298-8'] How many times a week did you eat fast food or snacks or pizza in past 7 days, LOINC
- 1630 Presenting the question to the user consistent with defined clinical, surveillance and research questions (Fast Food Intake):

'Yesterday, how many times did the patient eat food from any type of restaurant? This includes restaurants such as fast food, sit down restaurants, buffet restaurants, taco shops, donut shops, and pizza places.'

6.3.1.D1.5.2.3.4 Vegetables 1635

documenting Frequency of Vegetable Intake in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- Using numbers and units to reflect times/day
 - o Where .../code[@code='77294-7' Frequency of vegetable intake, LOINC
- Presenting the question to the user consistent with defined clinical, surveillance and research questions (Vegetable Intake):
- 'Yesterday, how many times did the patient eat any vegetables? Vegetables are all 1645 cooked and uncooked vegetables; salads. Do not count French fries, fried potatoes, or potato chips.'

6.3.1.D1.5.2.3.5 Nutritional Quality

documenting Frequency of Healthy Snacks in

- 1650 encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
 - Using numbers and units to reflect times/day
 - o Where .../code[@code=' 77315-0'] Frequency of Healthy Snacks, LOINC
 - Presenting the question to the user consistent with the ePlans Use Cases:

1655

1625

'Yesterday, what percent of snacks were healthy?'

documenting Frequency of Family Meals in

- 1660
- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- Using numbers and units to reflect times/day
- 1665
- Where .../code[@code=' 77317-6'] In the past W, how many times were dinners prepared at home and eaten together, LOINC
- Presenting the question to the user consistent with the ePlans Use Cases:
 - 'In the past week, how many times were dinners prepared at home and eaten together at the dinner table as a family?'

1670

documenting Fatty Food Intake in

- 1675
- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
 - Using numbers and units to reflect times/day
 - Where .../code[@code=' 77308-5'] Frequency of Fatty Foods Intake, LOINC
 - Presenting the question to the user consistent with defined clinical, surveillance and research questions:
- 1680
- 'Yesterday, did the patient eat French fries or chips? Examples are: potato chips, tortilla chips, Cheetos®, corn chips, or other snack chips.'

reflecting the Dietary Behavior (Findings) in

- 1685
- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- Using the value set *Dietary Behavior* 1.3.6.1.4.1.19376.1.7.3.1.1.23.8.8
 - o where .../code[@code=' 77243-4 '] Dietary behavior , LOINC

1690

documenting food insecurity.

1695

1705

1710

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- Using A Boolean indicator (Yes/No) that tells whether the patient is having food insecurity
 - o Where .../code[@code=' 77234-3'] Food insecurity, LOINC
- Presenting the question to the user consistent with the ePlans Use Cases:
- 1700 'How often in the past 12 Mos would you say the patient was worried or stressed about having enough money to buy nutritious meals?'

6.3.1.D1.5.2.4 Physical Activity

Within the Coded Social History section the Form Receiver Document Exporter or Content Creator SHOULD be able to create a Social History Observation (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.13.4 [PCC TF-2])

reflecting the *Physical Activity Behaviors for patients >2 years old* in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- Using the value set *Physical Activity Behavior* 1.3.6.1.4.1.19376.1.7.3.1.1.23.8.9
 - o where .../code[@code=' 77242-6 ' Physical activity behavior, LOINC

documenting Frequency of Physical Activity - for Children and Adolescents in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
 - Using numbers and units to reflect days/week
- Where .../code[@code=' 77293-9'] Days per week of moderate to vigorous physical activity, LOINC
 - Presenting the question to the user consistent with defined clinical, surveillance and research questions (Physical activity):

For Children and Adolescents:

1725 'Days per week of physical activity (any kind of physical activity that increased his/her heart rate and made him/her breathe hard some of the time)'

documenting Frequency of Physical Activity – for Adults in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- Using numbers and units to reflect days/week
 - Where .../code[@code='68515-6'] How many days of moderate to strenuous exercise, like a brisk walk, did you do in the last 7 days, LOINC
- Presenting the question to the user consistent with defined clinical, surveillance and research questions (Physical activity):

For Adults:

'Days per week of moderate to strenuous exercise (like a brisk walk)'

1740

1745

1730

1735

reflecting Exercise Duration in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1 .5.3.1.4.13.4"]]/value
- Using numbers and units to reflect minutes/day
 - o Where .../code[@code=' 55411-3'] Exercise duration, LOINC
- Presenting the question to the user consistent with defined clinical, surveillance and research questions (Exercise Duration):
- 1750 For Children and Adolescents:

'In the past week, minutes per day of physical activity at this level'

For Adults:

'In the past week, minutes per day of exercise at this level'

6.3.1.D1.5.2.5 Screen Time

- documenting frequency of *Screen-Time (TV/DVDs) Weekdays* in
 - encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3.6.1

- Using numbers and units to reflect hours and minutes/day
 - Where .../code[@code=' 77235-0'] Frequency of Screen- Time (TV/DVDs) Weekdays, LOINC
 - Presenting the question to the user consistent with defined clinical, surveillance and research questions (Screen-Time (TV/DVDs) Weekdays):
- 1765 'On a typical weekday in the past W, how much time did the patient spend watching TV &or DVDs'

documenting frequency of Screen-Time (TV/DVDs) Weekends in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3.6.1 .4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4 .13.4"]]/value
 - Using numbers and units to reflect times/day
 - Where .../code[@code=' 77236-8'] Frequency of Screen-Time (TV/DVDs) Weekends, LOINC
 - Presenting the question to the user consistent with defined clinical, surveillance and research questions (Screen-Time (TV/DVDs) Weekends):

'On a typical weekend D in the past W, how much time did the patient spend watching TV &or DVDs'

1780

1785

1775

documenting frequency of Screen- Time (video games and computer games) Weekdays in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3.6.1 .4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4 .13.4"]]/value
- Using numbers and units to reflect hours and minutes/day
 - Where .../code[@code=' 77237-6'] Frequency of Screen-Time (video games and computer games) Weekdays, LOINC
- Presenting the question to the user consistent with defined clinical, surveillance and research questions (Screen Time):
 - 'On a typical weekday in the past W, how much time did the patient spend playing video games and computer games

documenting frequency of Screen-Time (video games and computer games) Weekends in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3.6.1 .4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4 .13.4"]]/value
 - Using numbers and units to reflect times/day
- o Where .../code[@code=' 77238-4'] Frequency of Screen-Time (video games and computer games) Weekends, LOINC
 - And presenting the question to the user consistent with defined clinical, surveillance and research questions (Screen Time): '
- On a typical weekend D in the past W, how much time did the patient spend playing video games and computer games

6.3.1.D1.5.2.6 Sleep

Within the Coded Social History section the Form Receiver Document Exporter or Content Creator SHOULD be able to create a Social History Observation (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.13.4 [PCC TF-2])

1810

reflecting the **Bedtime**

• encoding the value in

Clinical Document/component/structured Body/component/section[templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4.13.4"]]/value

1815

- Indicating the Bed-time using military time
 - o where .../code[@code='65551-4'] (At what time do you usually go to bed), LOINC

reflecting the *Hours of Sleep* per night in

- encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3.6.1 .4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1.5.3.1.4 .13.4"]]/value
 - Indicating the number of hours using numeric values
- 0 Where .../code[@code='65968-0'] (How many Hrs do you normally sleep), LOINC

6.3.1.D1.5.2.7 Readiness for Change

Within the Coded Social History section the Form Receiver Document Exporter or Content Creator MAY be able to create a Social History Observation (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.13.4 [PCC TF-2])

- 1830 reflecting the *Readiness to change* in
 - encoding the value in
 ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3
 .6.1.4.1.19376.1.5.3.1.3.16.1']]/entry/observation[templateId[@root="1.3.6.1.4.1.19376.1
 .5.3.1.4.13.4"]]/value as a range from 1-10 with 1 representing no evidence of the characteristics described, and 10 representing an exceptional reflection of those characteristics
 - o where .../code[@code=' 77245-9'] Readiness for improved nutrition Readiness for change for improved nutrition, LOINC.

OR

 where .../code[@code=' 77246-7'] Readiness for change for improved sleep patterns, LOINC

OR

- o where .../code[@code= '77247-5'] Readiness for change for improved exercise, LOINC.
- 1845 OR

1835

1840

1855

o where .../code[@code='77248-3'] Readiness for change for improved screen-time, LOINC.

6.3.1.D1.5.2.8 Pregnancy Status

Within the Coded Social History section the Form Receiver Document Exporter or Content Creator SHOULD be able to create a Social History Observation (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.13.4 [PCC TF-2])

reflecting the *Pregnancy Status* by encoding the value in

- encoding the value in ClinicalDocument/recordTarget/component/structuredBody/component/section[templateI d[@root='1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4]]/entry/observation[templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.13.5"]]/value
 - using the value set Pregnant 1.3.6.1.4.1.19376.1.7.3.1.1.13.8.95
 - o Where .../code[@code='11449-6'] Pregnancy Status, LOINC

6.3.1.D1.5.3 Payers Section Vocabulary Constraints

- Within the Payers section the Form Receiver Document Exporter or Content Creator MAY be able to create:
 - a *Coverage* entry (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.17 [PCC TF-2]) for each of the healthy weight relevant payers
 - encoding the value in
- encoding the value inClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3.6 .1.4.1.19376.1.5.3.1.1.5.3.7']/component/section[templateId[@root='1.3.6.1.4.1.19376.1.5.3. 1.4.17']/entry/act/entryRelationship/act/code,
 - Using the value set *Source of Payer Typology* (2.16.840.1.114222.4.11.3591)

1870

1875

1885

1890

identifying the insurance company name in

• encoding the value in ClinicalDocument/component/structuredBody/component/section[templateId[@root='1.3.6.1 .4.1.19376.1.5.3.1.1.5.3.7']/component/section[templateId[@root='1.3.6.1.4.1.19376.1.5.3.1 .4.17']]/entry/act/participant typeCode='HLD'/playingEntity/name

6.3.1.D1.5.4 Coded Vital Signs Section Vocabulary Constraints

Within the Coded Vital Signs section the Form Receiver Document Exporter or Content Creator SHALL be able to create a Vital Signs Organizer entry (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.13.1 [PCC TF-2])

- 1880 for *Height*, which SHALL be included
 - encoding the measurement date in ClinicalDocument/ component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1. 1.5.3.2]]/entry/organizer/component/observation/effectiveTime
 - encoding the value in ClinicalDocument/ component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1. 1.5.3.2]]/entry/organizer/component/observation/value
 - For height measurement, this field shall be valued using UCUM codes to indicate inches ('[in us]' or '[in uk]')); or centimeters ('cm') and/or meters ('m').
 - Where for standing heights that are measured, .../code[@code='3137-7'] Body height measured, LOINC [preferred]

OR

Where for standing or recumbent heights that are self-reported,
 .../code[@code='3138-5'] Body height stated, LOINC

OR

1895

• Where for recumbent heights that are measured .../code[@code='8306-3'] Body height^lying, LOINC

For Weight, which SHALL be included

• encoding the measurement date in

1900

ClinicalDocument/ component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376. 1.5.3.1.1.5.3.2]]/entry/organizer/component/observation/effectiveTime

• encoding the value in

ClinicalDocument/

1905

component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376. 1.5.3.1.1.5.3.2]]/entry/organizer/component/observation//value

- For weight measurement, this field shall be valued using UCUM codes to indicate pounds ('[lb_av]') and/or ounces ('[oz_av]'); or kilograms ('kg') and/or grams ('g').
 - o Where .../code[@code='3141-9'] Body weight Measured, LOINC [Preferred]

1910

OR

- o for weights that are self-reported 3142-7 Body Weight Reported, LOINC OR if measured with clothes where clothing not specified
- Where .../code[@code='8350-1'] Body weight^with clothes, LOINC
 Or if measured with clothes where clothing is specified

1915

- Where .../code[@code= '8352-7'] Clothing worn during measure Body weight^with clothes, LOINC
 - AND .../methodCode[@code= 'LA11871-3'], Underwear or less, LOINC
 - AND .../methodCode[@code= 'LA11872-1'], Street clothes, no shoes, LOINC
 - AND .../methodCode[@code= 'LA11873-9'], Street clothes & shoes, LOINC

Or if measured without clothes

1925

1920

Where .../code[@code='8351-9'] Body weight^without clothes, LOINC
 Or if measurement method not documented,

o Where .../code[@code=' 29463-7'] Body weight

For Body Mass Index, which SHOULD be included

- encoding the value in ClinicalDocument/ component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376. 1.5.3.1.1.5.3.2]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13 .1]]/entry/act/entryRelationship/observation/value
- For Body Mass Index measurement, this field shall be valued using UCUM codes to indicate kg/m².
 - o Where .../code[@code='39156-5'] for Body Mass Index, LOINC

For Waist Circumference, which SHOULD be included

• encoding the value in

1930

1935

1945

1955

- ClinicalDocument/
 1940 component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.
 3.1.1.5.3.2]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.1]]/ent
 ry/act/entryRelationship/observation/value
 - For waist circumference measurement, this field shall be valued using UCUM codes to indicate inches ('[in_us]' or '[in_uk]''), or centimeters ('cm').
 - o Where .../code[@code='56114-2'] for Waist Circumference by NHANES, LOINC

For **Blood Pressure** which SHOULD be included

- encoding the value in
- ClinicalDocument/
 component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.
 3.1.1.5.3.2]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.1]]/ent
 ry/act/entryRelationship/observation/value
 - For blood pressure measurement, this field shall be valued using UCUM codes to indicate millimeter mercury ('mm[Hg]').
 - Where .../code[@code='8480-6'] For Systolic blood pressure, LOINC
 - Where .../code[@code='8462-4'] For Diastolic blood pressure, LOINC

For *Heart Rate/Pulse* which SHOULD be included

• encoding the value in

ClinicalDocument/

 $component/structured Body/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.\\3.1.1.5.3.2]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.1]]/entry/act/entryRelationship/observation/value$

- For Heart Rate/Pulse measurement, this field shall be valued using UCUM codes to indicate heartbeats per minute ('{H.B.}/min]').
 - o Where .../code[@code= 8867-4] For Heart rate Encounter maximum, LOINC

For Skin Fold Thickness which MAY be included

- encoding the value in
 - ClinicalDocument/
 component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.
 3.1.1.5.3.2]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.1]]/ent
 ry/act/entryRelationship/observation/value
- For Skin Fold Thickness measurement, this field shall be valued using UCUM codes to indicate inches (('[in us]' or '[in uk]') or centimeters ([cm]]) based upon jurisdiction.
 - o Where .../code[@code= '8355-0'] Skin fold thickness Waist, LOINC
 - o Where .../code[@code= '8354-3'], Skin fold thickness Triceps, LOINC
 - o Where .../code[@code= '8353-5'], Skin fold thickness Thigh, LOINC

1980

1985

For Bioimpedence Percentage of Body Fat which MAY be included

- encoding the value in
- ClinicalDocument/
 component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.
 3.1.1.5.3.2]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.13.1]]/ent
 ry/act/entryRelationship/observation/value
- For Bioimpedence Percentage of Body Fat measurement, this field shall be valued using UCUM codes to percentage ([%]).
 - Where .../code[@code= '77233-5'] Body fat percentage ^ bioimpedence device), LOINC

1990

6.3.1.D1.5.5 Active Problems Section Vocabulary Constraints

Active problems are valuable for tracking weight associated conditions, and other problems that are of interest for varying reasons. This is also an essential location of noting that the mother is

IHE Quality, Research and Public Health Technical Framework Supplement – Healthy Weight (HW)

breastfeeding for medication consideration. There is no further classification of these concepts as 1995 these conditions may be tracked for multiple purposes.

Within the Active Problems section the Form Receiver Document Exporter or Content Creator SHALL be able to create a Problem Concern entry (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.5.2 [PCC TF-2]) for each of the healthy weight relevant observations

encoding the value in Active Problems

2000 ClinicalDocument/

2005

2015

component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1. 3.6]]/entry/act/entryRelationship/observation/value

- Using the value sets
 - o *Mother Breastfeeding* 1.3.6.1.4.1.19376.1.7.3.1.1.23.8.14
 - Weight Associated Conditions 1.3.6.1.4.1.19376.1.7.3.1.1.23.8.19
- Other problems that are part of continuity of care SHOULD be included to inform general continuity of care purposes.

6.3.1.D1.5.6 Procedures and Interventions Section Vocabulary Constraints

Within the Procedures and Interventions section the Form Receiver Document Exporter or 2010 Content Creator SHALL be able to create a Procedures entry (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.19 [PCC TF-2]) for each of the healthy weight relevant procedures

encoding the value in Procedures

ClinicalDocument/

component/structuredBody/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1. 1.21.2.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11]]/entry/ procedure/code

- Using the value sets
 - o *HW Interventions* 1.3.6.1.4.1.19376.1.7.3.1.1.23.8.7

6.3.1.D1.5.7 Coded Family Medical History Section Vocabulary Constraints

- 2020 Within the Procedures and Interventions section the Form Receiver Document Exporter or Content Creator SHOULD be able to create a Family History Organizer entry (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.15 [PCC TF-2]) with a Family History Observation entry (templateID 1.3.6.1.4.19376.1.5.3.1.4.13.3 [PCC TF-2]) for each of the healthy weight relevant Family Medical History considerations
- 2025 encoding the value in

ClinicalDocument/

component/structuredBody/component/section[templateId[@root=1.3.6.1.4.19376.1.5.3.1.4.

13.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.15]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.15]]/observation/value

2030

2050

- Using the value sets
 - o *HW Influencing Family History* 1.3.6.1.4.1.19376.1.7.3.1.1.23.8.13
- Other Family History that are part of continuity of care SHOULD be included to inform general continuity of care purposes.

6.3.1.D1.5.8 Coded Results Section Vocabulary Constraints

- Within the Coded Results section the Form Receiver Document Exporter or Content Creator SHOULD be able to create a Simple Observation (templateID 1.3.6.1.4.1.19376.1.5.3.1.4.13 [PCC TF-2]) with a for each of the healthy weight relevant Laboratory Results
 - encoding the value in

ClinicalDocument/

- 2040 component/structuredBody/component/section[templateId[@root=1.3.6.1.4.19376.1.5.3.1.4. 13.3]]/component/section[templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.15]]/component/section [templateId[@root=1.3.6.1.4.1.19376.1.5.3.1.4.15]]/observation/value
 - Where .../code is one of laboratory results from the following value set where known
 - o *HW Laboratory Results* 1.3.6.1.4.1.19376.1.7.3.1.1.23.8.17
- Other laboratory results that are part of continuity of care SHOULD be included to inform general continuity of care purposes.

6.3.1.D1.6 HW Conformance and Example

CDA Release 2.0 documents that conform to the requirements of this document content module shall indicate their conformance by the inclusion of the 1.3.6.1.4.1.19376.1.7.3.1.1.24.3 XML elements in the header of the document.

- A CDA Document may conform to more than one template. This content module inherits from the *PCC Medical Document template (OID* = 1.3.6.1.4.1.19376.1.5.3.1.1.1) and so must conform to the requirements of those templates as well this document specification, Health Weight Summary (HWS) 1.3.6.1.4.1.19376.1.7.3.1.1.24.3
- A complete example of the Health Weight Summary (HWS) Document Content Module is available on the IHE ftp server at:

 $ftp://ftp.ihe.net/TF_Implementation_Material/QRPH/Healthy\%20 Weight/Mealthy\%20 Weight/MealthyMealth$

Note that this is an example and is meant to be informative and not normative. This example shows the 1.3.6.1.4.1.19376.1.7.3.1.1.24.3 elements for all of the specified templates.

2060 Add to Section 6.3.1.D Document Content Modules

6.3.1.D2 Medical Summary for Healthy Weight (MS-HW) Pre-Pop Document Content Module

The Medical Summary for Healthy Weight (MS-HW) document constrains the PCC Medical Summary (MS) to maximize the pre-population ability for Healthy Weight feeds to the Healthy Weight Information System using this profile

6.3.1.D2.1 Format Code

2065

2070

2075

The XDSDocumentEntry format code for this content is urn:ihe:grph:hwp:2019

6.3.1.D2.2 Parent Template

This document is a specialization of the PCC Medical Summary (MS) Document (MS: 1.3.6.1.4.1.19376.1.5.3.1.1.2).

6.3.1.D2.3 Referenced Standards

All standards which are referenced in this document are listed below with their common abbreviation, full title, and link to the standard.

Table 6.3.1.D2.3-1: Medical Summary for Healthy Weight (MS-HW) Document - Referenced Standards

Abbreviati on	Title	URL		
CDAR2	HL7 CDA Release 2.0	http://www.hl7.org/Library/General/HL7_CD A_R2_final.zip		

6.3.1.D2.4 Data Element Requirement Mappings to CDA

This section identifies the mapping of data between referenced standards into the CDA implementation guide.

2080 **Table 6.3.1.D2.4-1: Data Elements**

Element	Description
Phone Number – Home	Phone Number – Home Included for patient matching
Religious Affiliation	Optional Religious Affiliation to support diet impact on weight
Mother's Maiden Name	Mother's Maiden Name included for pediatric patient matching
Patient Identifier List	Patient Identifier List Included for pediatric patient matching
Patient Multiple Birth Indicator	Patient Multiple Birth Indicator Included for pediatric patient matching
Patient Birth Order	Patient Birth Order Included for pediatric patient matching
Patient Account Number	Patient Account Number Included for patient matching
Date/Time of Birth	Patient's date and time of birth
Language	Languages Spoken

Element **Description** Administrative Sex Patient's sex. Race Race(s) that best describes what the patient considers himself/herself to be Ethnic Group Patient's ethnicity Address (may be used to support Patient's address (e.g., Country, State, City, Street, Zip Code) Geographic grouping purposes) **Education Level** Highest Level of Education Received by patient Household Income Income level of the household where the patient resides Pertinent Insurance Information Patient's Insurance details insurance type Patient's Insurance details insurance company Setting Settings of daily activities that impact the patient. These may include: School information: Information about the school, education setting, and school-related behaviors (e.g., school name, special education, truancy, etc.) Workplace: programs, location, environment Height Patient Height Weight Patient Weight Behavior Assessment Patient reported current weight related behaviors. The way in which a person responds to a specific set of conditions. In the context of healthy weight, this includes an individual's characteristics that impact weight management. For example: Dietary Behaviors Physical Activity and Sedentary Behaviors (e.g., Screen time e.g., TV/video/computer (minutes/day), exercise (minutes/day)) Sleep-related Behaviors Assessment of readiness to change one weight-related behavior Weight Associated Conditions Conditions that are associated with obesity that may be excluded or adjusted for in the calculation of BMI (e.g., pregnancy, prematurity, amputation), may influence weight or height (e.g., Prader Willi, acondroplasia), and/or are a result of increased BMI (e.g., hypertension, hypercholesterolemia), or are a combination of the above (e.g., diabetes). Procedures and Interventions History of Interventions including: Referral (e.g., weight management program, dietitian, physical activity specialists) In-Office Education (e.g., nutrition counseling, physical activity counseling, community resources) Surgical Interventions Medications New prescriptions Current Medications including, but not limited to Weight Influencing Medications and Weight Management Medications (value set not specified) Family History Family History of conditions that may impact the patient Healthy Weight (e.g., Parental Obesity, CVD, HTN, Dyslipidemia, NIDDM, Insulin Resistance) Resources to support goals After identifying goals, barriers, and supports, patients and families must identify actionable strategies to achieve their goals. For example: One key strategy is that primary care teams identify and link patients to resources in the community that can support Improving diet ("Referral to dietitian, In-Office Education, Referral to weight

Element	Description
	management program", etc.) physical activity (YMCA, dance programs, parks and recreational areas, trainers/coaches, etc.)
	Documentation of barriers and supports to attaining selected goals, may be selected from structured lists or selected in an open-ended manner. The EHR may capture and store a tailored set of resources within the clinical care system and the community where the patient resides.
Goals	Prevention and treatment of obesity requires the adoption of healthy behaviors. Best available evidence has shown that goal setting by patients and where applicable, parents in collaboration with a primary care team, when coupled with appropriate messaging and planning to achieve those goals, can lead to long-term behavior change and prevention and reduction of obesity. The HER can support goal setting by enabling families and primary care teams to select one or more goals from a set of potential behaviors in need of change, for example:
	 reducing intake of sugary beverages
	 increasing physical activity
	obtaining sufficient sleep
	Goal selection may be selected from structured lists or selected in an open-ended manner. These goals can then be linked with a tailored set of activities and resources.

6.3.1.D2.5 Medical Summary for Healthy Weight Pre-Pop (MS-HW) Content Module Specification

This section specifies the header, section, and entry content modules which comprise the
Medical Summary for Healthy Weight Pre-Pop (MS-HW) Content Module, using the Template
ID as the key identifier.

Sections that are used according to the definitions in other specifications are identified with the relevant specification document. Additional constraints on vocabulary value sets, not specifically constrained within the section template, are also identified.

These are the only sections that are to be constrained. Other sections in the summary document have no further constraints. There are additional summary document sections that are not further specified that SHALL be constructed according to the summary specification.

Table 6.3.1.D2.5-1: Medical Summary for Healthy Weight Pre-Pop (MS-HW) Document Section Specification

Template Title	Opt and Card	Conditi on	Templat e Type	templateld	Constraints
Personal Information: name	R[11]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	
Personal Information: birthtime	R[11]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	
Personal Information: addr	R2[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	

Template Title	Opt and Card	Conditi on	Templat e Type	templateld	Constraints
Personal Information: ethnicity	R2[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	6.3.2.H.1
Personal Information: race	R2[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	6.3.2.H.2
Personal Information: gender	R[11]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	6.3.2.H.3
Personal Information: Mother's Maiden Name	O[01]		Header	See Open Issues	
Personal Information: Phone Number – Home	O[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	
Personal Information: Religious	O[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	
Personal Information: Patient Identifier List	O[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	
Personal Information: Patient Home Telephone	O[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	
Personal Information: Patient Multiple Birth Indicator	O[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	
Personal Information: Patient Birth Order	O[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	
Personal Information: Patient Account Number	O[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.1.1	
Languages Communication	O[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.2.1	6.3.2.H.3
Employer and School Contacts	O[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.2.2	
Healthcare Providers and Pharmacies	O[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.2.3	
Patient Contacts	O[01]		Header	1.3.6.1.4.1.19376.1 .5.3.1.2.4	
Payers Section	O[01]		Section	1.3.6.1.4.1.19376.1 .5.3.1.1.5.3.7	QRPH TF-3: 6.3.1.D.5.3
Medications Section	R2[01]		Section	1.3.6.1.4.1.19376.1 .5.3.1.3.19	QRPH TF- 3:6.3.1.D.5.1
Coded Social History Section	R2[0*]		Section	1.3.6.1.4.1.19376.1 .5.3.1.3.16.1	QRPH TF- 3:6.3.1.D.5.2
Occupational Data for Health Section	O[0*]		Section	1.3.6.1.4.1.19376.1 .5.3.1.3.37	PCC TF 3: 6.3.3.2.5
Coded Vital Signs Section	R[1*]		Section	1.3.6.1.4.1.19376.1 .5.3.1.1.5.3.2	QRPH TF- 3:6.3.1.D.5.4
Active Problem Section	R[11]		Section	1.3.6.1.4.1.19376.1 .5.3.1.3.6	QRPH TF- 3:6.3.1.D.5.5

IHE Quality, Research and Public Health Technical Framework Supplement – Healthy Weight (HW)

Template Title	Opt and Card	Conditi on	Templat e Type	templateld	Constraints
Procedures and Interventions	O[01]		Section	1.3.6.1.4.1.19376.1 .5.3.1.1.13.2.11	QRPH TF- 3:6.3.1.D.5.6
Coded Family History Section	O[01]		Section	1.3.6.1.4.1.19376.1 .5.3.1.3.15	QRPH TF- 3:6.3.1.D.5.7
Healthy Weight Care Plan	O[01]		Section	1.3.6.1.4.1.19376.1 .7.3.1.3.24.2	QRPH TF-3 6.3.3.2
Resources to Support Goals	O[01]		Section	1.3.6.1.4.1.19376.1 .7.3.1.3.24.1	QRPH TF-3 6.3.3.1
Coded Results Section Labs	O[01]		Section	1.3.6.1.4.1.19376.1 .5.3.1.3.28	QRPH TF- 3:6.3.1.D.5.8

2095

2110

2115

6.3.1.D2.6 MS-HW Conformance and Example

CDA Release 2.0 documents that conform to the requirements of this document content module shall indicate their conformance by the inclusion of the 1.3.6.1.4.1.19376.1.7.3.1.1.24.2 XML elements in the header of the document.

- A CDA Document may conform to more than one template. This content module inherits from the PCC Medical Summary (MS) Document (MS: 1.3.6.1.4.1.19376.1.5.3.1.1.2) and so must conform to the requirements of those templates as well this document specification, Medical Summary for Healthy Weight Pre-Pop (MS-HW) 1.3.6.1.4.1.19376.1.7.3.1.1.24.2.
- A complete example of the Medical Summary for HW (MS-HW) Document Content Module is available on the IHE ftp server at: <indicate location here>.

Note that this is an example and is meant to be informative and not normative. This example shows the 1.3.6.1.4.1.19376.1.7.3.1.1.24.2 elements for all of the specified templates.

Add to Section 6.3.2 Header Content Modules

6.3.2 CDA Header Content Modules

Person Information

Demographics associated with the person that pertains to the jurisdiction healthy weight guidelines. The demographics for HW SHALL contain those required for support of pediatrics and are detailed below. This is covered in the CDA Header and does not require a separate content module.

IHE Quality, Research and Public Health Technical Framework Supplement – Healthy Weight (HW)

6.3.2.H Healthy Weight (HWS and MS-HW) Header Content Module

No new Header Elements are added in this supplement. Header constraints for the HWS and MS-HW document SHALL conform to header constraints defined by the Medical Documents Specification parent template (1.3.6.1.4.1.19376.1.5.3.1.1.1).

2120 **6.3.2.H.1 Personal Information: ethnicity Vocabulary Constraint**

The value for ethnicity/ code SHALL be drawn from value set 2.16.840.1.114222.4.11.6066 PHVS_EthnicGroup_HL7_2x.

6.3.2.H.2 Personal Information: race Vocabulary Constraint

The value for race/code SHALL be drawn from value set 2.16.840.1.114222.4.11.6066

2125 PHVS_Race_HL7_2x.

6.3.2.H.3 Personal Information: gender Vocabulary Constraint

The value for gender/ code SHALL be drawn from value set 2.16.840.1.113883.1.11.1 PHVS_AdministrativeGender_HL7_V3.

6.3.2.H.4 Personal Information: gender Vocabulary Constraint

2130 The value for language/ code SHALL be drawn from value set 2.16.840.1.114222.4.11.831 PHVS Language ISO 639-2 Alpha3.

6.3.3 CDA Section Content Modules

Add to Section 6.3.3.10 Section Content Modules

2135

The definitions of the following section content modules can be found in the PCC CDA Content Modules supplement at http://ihe.net/Technical_Frameworks/#pcc.

6.3.3.10.3 Resources to Support Goals Section 1.3.6.1.4.1.19376.1.7.3.1.3.24.1

6.3.3.10.4 Healthy Weight Care Plan Section 1.3.6.1.4.1.19376.1.7.3.1.3.24.2

6.3.3.10.5 Occupational Data for Health Section 1.3.6.1.4.1.19376.1.7.3.1.3.24.3

Table 6.3.3.10.5-1: Occupational Data for Health Section

Tameral										
•	ate Name	Occupational Data for Health								
Tem	plate ID	1.3.6.1.4.1.19376.1.7.3.1.3.24.3								
Parent	Template									
General	Description	The Occupational Data for Health section shall contain a narrative description of the person's employment status, retirement status, combat zone work, and usual occupation, as well as the person's history of employment. Employment information includes occupation and industry, supervisory level, and the employer's name and location. It should also include compensation and sector employment type and work schedule with hours per day and days per week, and may include job duties, occupational hazards information. When represented in a document containing a Social History section, the Occupational Data for Health section shall be encoded as a sub-section of the Social History section								
Secti	on Code	74166-0, LOINC, "Occupa	tional Data for Health"							
Aı	uthor	If not the author from the e specified if not inherited.	ncompassing context, include auth	nor. Role and entity	must be					
Info	ormant	If not the informant from the specified if not inherited.	ne encompassing context, include	informant. Role and	entity must be					
Su	ıbject	If not the subject from the encompassing context, include subject. Role and entity must be specified if not inherited.								
Opt and Card	Condition	Data Element or Section Name	Template ID	Specification Document	Vocabulary Constraint					
			Entries							
R2 [0*]		History of Employment Status Observation	1.3.6.1.4.1.19376.1.7.3.1.4.24. 18	CDA Content Module: 6.3.4.64						
R2 [01]		Usual Occupation 1.3.6.1.4.1.19376.1.7.3.1.4.24. CDA Content Module: 6.3.4.69								
R2 [0*]		Past or Present 1.3.6.1.4.1.19376.1.7.3.1.4.24. CDA Content Module: 6.3.4.66								
R2 [0*]		Date of Retirement Observation	1.3.6.1.4.1.19376.1.7.3.1.4.24. 21	CDA Content Module: 6.3.4.bb						
R2 [0*]		Combat Zone Period Observation	1.3.6.1.4.1.19376.1.7.3.1.4.24. 22	CDA Content Module: 6.3.4.cc						

Rev. 2.4 – 2021-02-26

6.3.3.10.5.1 Occupational Data for Health Section < 74166-0>

[section: templateId 1.3.6.1.4.1.19376.1.7.3.1.3.24.3 (open)]

The Occupational Data for Health section describes all aspects of the subject's employment history. It may contain the history of employment status, the usual occupation (longest held occupation) and related observations, the self-identified date of retirement, any time periods spent working in a combat zone, and the job history.

- 1. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **SHALL** contain exactly one [1..1] **@root**="1.3.6.1.4.1.19376.1.7.3.1.3.24.3".
- 2. **shall** contain exactly one [1..1] **code/@code=**"74166-0" Occupational Data (CodeSystem: LOINC 2.16.840.1.113883.6.1).
- 3. **SHALL** contain exactly one [1..1] title.
- 4. **SHALL** contain exactly one [1..1] **text**.
- 5. **should** contain zero or one [0..*] History of Employment Status Observation (1.3.6.1.4.1.19376.1.7.3.1.4.24.18) entry
 - 6. **should** contain zero or one [0..1] Usual Occupation Observation (1.3.6.1.4.1.19376.1.7.3.1.4.24.20) **entry**
 - 7. **should** contain at least one [1..*] Past or Present Occupation Observation entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.19)
 - 8. **should** contain zero or one [0..*] Date of Retirement Observation entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.21)
 - 9. **should** contain zero or more [0..*] Combat Zone Period Observation (1.3.6.1.4.1.19376.1.7.3.1.4.24.22)

2165

2160

2145

2150

IHE Quality, Research and Public Health Technical Framework Supplement – Healthy Weight (HW)

```
<section>
         <!-- Sub section for Occupational Data For Health -->
         <component>
2170
           <section>
                <templateId root="2.16.840.1.113883.10.20.22.2.17"/>
                <!-- ODH SECTION TEMPLATE ID-->
                        <templateId root="1.3.6.1.4.1.19376.1.7.3.1.3.24.3"/>
                <code code="74166-0" codeSystem="2.16.840.1.113883.6.1" codeSystemVersion="0"</pre>
2175
         codeSystemName="LOINC" displayName="Occupational
         Data for Health"/>
                <text>...</text>
                <entry>
2180
                        <!-HISTORY OF EMPLOYMENT STATUS OBSERVATION ENTRY TEMPLATE ID-->
                        <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.24.18"/>
2185
                        <!-- USUAL OCCUPATION OBSERVATION ENTRY TEMPLATE ID-->
                        <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.24.20"/>
                        <!-PAST OR PRESENT OCCUPATION OBSERVATION ENTRY TEMPLATE ID-->
                        <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.24.19"/>
2190
                        <!-DATE OF RETIREMENT OBSERVATION ENTRY TEMPLATE ID-->
                        <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.24.21"/>
                        <!-COMBAT ZONE PERIOD OBSERVATION ENTRY TEMPLATE ID-->
2195
                        <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.24.22"/>
                </entry>
2200
           </section>
         </component>
         </section>
```

Figure 6.3.3.10.5-1: Occupational Data for Health Section example

2205 **6.3.4 CDA Entry Content Modules**

```
Update Section 6.3.4 Entry Content Modules
```

The definitions of the following entry content modules can be found in the PCC CDA Content Modules supplement at http://ihe.net/Technical_Frameworks/#pcc.

6.3.4.64 History of Employment Status Observation Entry

Table 6.3.4.64-1: Employment Status Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.18

Te	mplat	e Name	History of Emp	oloyment S	tatus Observati	on Entry		
1	empl	ate ID	1.3.6.1.4.1.193	76.1.7.3.1.	4.24.18			
Pai	rent T	emplate						
General Description			person's state of the subject's resources, accesstatus refers to employment st occupational hor has chosen in History of Employment States of the states of	An History of Employment Status Observation entry is a clinical statement about a person's state of being employed at the point in time the statement is recorded. Awareness of the subject's History of Employment Status can assist in understanding the subject's resources, access to benefits, and demands at home and work. Generally, employment status refers to whether or not a person currently has a job. In a healthcare setting employment status may be used to determine appropriate probing questions for occupational hazards and occupational history. For example, someone who is unemployed or has chosen not to work may be prompted to provide information about previous jobs. History of Employment status is not the same as compensation and sector employment type described in the Work Classification Observation Entry.				
Class/N	lood		Code		Data Type	Value		
ClassCode "OBS" MoodCod "EVN"	BS" Display Name = History of Employment Status CodeSystem = 2.16.840.1.113883.6.1		Observation	Value xsi:type = "CD" ValueSet Employment Status urn:oid:2.16.840.1.113883.1.11.20562 available at https://www.hl7.org/fhir/v3/employmentStatus_DH/vs.html		3883.1.11.20562		
Opt and entryRelatio nship		Description		Template	ID	Specification Document	Vocabulary Constraint	

2215 [observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.18 (open)]

An History of Employment Status Entry is a clinical statement about the subject's state of being employed at the point in time the statement is recorded.

- 1. SHALL contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
- 2. **shall** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
- 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **shall** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.18".
- 4. **SHALL** contain at least one [1..*] id.
- 5. **SHALL** contain exactly one [1..1] code.
 - a. **shall** be 74165-2 (History of Employment Status) from LOINC (codeSystem 2.16.840.1.113883.6.1).

2225

2220

Rev. 2.4 – 2021-02-26 135 Copyright

2230 6. **shall** contain exactly one [1..1] **statusCode=**"completed" (CodeSystem: ActStatus 2.16.840.1.113883.5.14). 7. **SHALL** contain exactly one [1..1] **effectiveTime**. a. This effective Time **should** contain zero or one [0..1] **low**. i. Note: The effective Time/low asserts when the employment status 2235 began. b. This effective Time **should** contain zero or one [0..1] high Note: The effectiveTime/high asserts when the employment status ended. If employment status is current, effectiveTime/high should be omitted. Note: The ending time < high> element SHALL not be greater 2240 than the time the observation is made. ii. Note: If the effectiveTime/high is unknown, use @nullFlavor="UNK" (2.16.840.1.113883.5.1008 (HL7NullFlavor) = UNK)8. **shall** contain exactly one [1..1] value with @xsi:type="CD" a. This value **SHALL** be selected from ValueSet Employment Status 2245 urn:oid:2.16.840.1.113883.1.11.20562 DYNAMIC 9. **SHALL** contain at least one [1..*] author a. Such authors **shall** contain exactly one [1..1] time Note: The author/time asserts when the employment status was authored or last updated in the patient's chart. 2250 10. MAY contain zero or more [0..*] entryRelationship such that it a. **shall** contain exactly one [1..1] @typeCode="REFR" (CodeSystem: HL7ActRelationshipType uri:oid:2.16.840.1.113883.5.1002 STATIC). 11. **SHALL** contain exactly one [1..1] Past or Present Occupation Observation (1.3.6.1.4.1.19376.1.7.3.1.4.24.19)

2255 6.3.4.66 Past or Present Occupation Observation Entry

Table 6.3.4.66-1: Past or Present Occupation Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.19

Templ	ate Name		Past or Present Occupa	ation Observation	Entry		
Tem	plate ID		1.3.6.1.4.1.19376.1.7.3.1.4.24.19				
Parent	Template						
General Description			A Past or Present Occupation Observation entry is a clinical statement about a job or jobs which the subject currently holds or has held in the past. It includes related observations about the occupation (type of work), the type of business (industry) in which that occupation is performed, supervisory level (including military pay grade), and the employer's name and location. It should also include observations about the job's work classification (e.g., self-employed, volunteer) and work schedule, and may also contain observations for job duties and occupational hazards. For a given job, updates to Industry, Occupation, Employer, or Supervisory Level would constitute a new 'job'. The type of work a person performs (occupation) and their industry (type of business in which they work) are critical data elements for patient care, population health, and public health, with the current information being the most important. In the health care encounter, current occupation and industry are important because they provide information regarding the exposures a person may have to substances/environments/hazards that may cause illness/injury or may impact the treatment plan. The combination of occupation and industry serves as a key indicator of the patient's work environment. The entry is designed to ensure that these data remain associated with one-another in perpetuity, even if multiple jobs are included. Note that occupation and industry also describe self-reported service in the armed forces.				
Class/Mood	i l		Code	Data Type		Value	
"OBS"		History of Occupation 2.16.840.1.113883.6.1	_ *		d in Table 6.6-1 de = "CD" from		
Opt and Card	and nship Description Template ID		e ID	Specificati on Document	Vocabulary Constraint		

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.19 (open)]

A Past or Present Occupation Observation Entry is a clinical statement about a job which the subject currently holds or has held in the past. Multiple Past or Present Occupation Observation Entries may be needed to reflect a person's current jobs, since many people hold more than one job at a time. Over time, a history of jobs is to be built, since past jobs can be related to latent health effects.

2265

```
1. SHALL contain exactly one [1..1] @classCode="OBS" (CodeSystem:
                   2.16.840.1.113883.5.6 HL7ActClass).
               2. shall contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood
                   2.16.840.1.113883.5.1001).
2270
               3. SHALL contain exactly one [1..1] templateId such that it
                      a. shall contain exactly one [1..1]
                          @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.19".
               4. shall contain at least one [1..*] id.
               5. SHALL contain exactly one [1..1] code.
2275
                      a. shall be 11341-5 (History of Occupation) from LOINC (codeSystem
                          2.16.840.1.113883.6.1).
               6. SHALL contain exactly one [1..1] statusCode (CodeSystem: ActStatus
                   2.16.840.1.113883.5.14).
                      a. Note: Indicate current job as 'active'. Indicate historical jobs as 'completed'
2280
               7. SHALL contain exactly one [1..1] effectiveTime.
                      a. This effective Time shall contain exactly zero or one [1..1] low.
                             i. Note: The effectiveTime/low asserts when the past or present
                                 occupation began.
                             ii. Note: If the effectiveTime/low is unknown, use @nullFlavor="UNK"
                                 (2.16.840.1.113883.5.1008 (HL7NullFlavor) = UNK)
2285
                      b. This effective Time MAY contain exactly zero or one [0..1] high.
                                The ending time <high> element SHALL not be greater than the time the
                                 observation is made.
                             ii. Note: The effectiveTime/high asserts when the past or present
2290
                                 occupation ended. If occupation is current, effectiveTime/high should
                                 be omitted.
                             iii. Note: If the effectiveTime/high is unknown, use @nullFlavor="UNK"
               8. SHALL contain exactly one [1..1] value with @xsi:type="CD" where the code SHALL be
                  selected from Concept Domain CD OccupationCode
2295
                          Note: If there is no coded value available for the Occupation, the narrative
                          description SHALL be expressed using originalText.
                         This value SHOULD contain zero or one [0..1] translation, which SHALL be
                          selected from Concept Domain CD OccupationCodeDetail.
               9. MAY contain zero or one [0..1] subject
2300
                      a. The subject, if present, shall contain exactly one [1..1] relatedSubject
                                This related Subject shall contain exactly one [1..1]
                                 @classCode="PRS" (CodeSystem: HL7EntityClass
                                 urn:oid:2.16.840.1.113883.5.41)
                             ii. This related Subject shall contain exactly one [1..1] code
2305
                                     1. This code shall contain exactly one [1..1] @code (ValueSet:
                                        Family Member Value Set
                                        urn:oid:2.16.840.1.113883.1.11.19579 DYNAMIC)
```

	Note: This represents the Family Relationship of the person
2310	holding this occupation. iii. This relatedSubject should contain zero or one [01] subject
2310	1. This subject should contain zero or more [0*] sdtc:id
	2
	NOTE: contains the identifier, if available, of the subject
	2. This subject should contain zero or one [01] sdtc:desc
2315	NOTE: contains the patient specified reference for the subject e.g., oldest brother
	10. shall contain exactly one [11] participant such that it
	a. shall contain exactly one [11] @typeCode="IND"
	b. SHALL contain exactly one [11] participantRole
	i. Which MAY contain exactly one [11] @classCode="ROL"
2320	(CodeSystem: RoleCode 2.16.840.1.113883.5.111 STATIC).
	ii. Which should contain exactly zero or one [01] id
	1. Such that the id SHALL reference the id of an
	AssociatedEntity in the header which SHALL contain exactly one [11] templateId such that it
2325	a. SHALL contain exactly one [11] @root="
2020	1.3.6.1.4.1.19376.1.5.3.1.2.2" (IHE Employer and
	School Contacts template)
	b. SHALL contain exactly one [11] @extension="2016-11-30".
2330	2. The AssociatedEntity SHOULD contain zero or one [01] name.
	3. The AssociatedEntity SHOULD contain zero or one [01] addr
	iii. This participantRole should contain zero or one [01] addr
2335	Note: Contains the address of the employer
2333	iv. This participantRole MAY contain zero or one [01] playingEntity
	1. The playingEntity, if present, should contain zero or one [01]
	name
	Note: Contains the name of the employer
2340	11. shall contain exactly one [11] entryRelationship such that it
	a. shall contain exactly one [11] @typeCode="REFR" (CodeSystem:
	HL7ActRelationshipType uri:oid:2.16.840.1.113883.5.1002 STATIC).
	b. shall contain exactly one [11] Past or Present Industry Observation Entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.19)
2345	12. SHOULD contain zero or one $[01]$ entryRelationship such that it
	a. shall contain exactly one [11] @typeCode="REFR" (CodeSystem:
	HL7ActRelationshipType uri:oid:2.16.840.1.113883.5.1002 STATIC).

b. **shall** contain exactly one [1..1] Work Classification Observation Entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.4)2350 13. **SHOULD** contain zero or one [0..1] entryRelationship such that it a. **shall** contain exactly one [1..1] @typeCode="REFR" (CodeSystem: HL7ActRelationshipType 2.16.840.1.113883.5.1002 STATIC). b. **SHALL** contain exactly one [1..1] Work Schedule Observation (1.3.6.1.4.1.19376.1.7.3.1.4.24.5).2355 14. **SHOULD** contain zero or one [0..1] entryRelationship. a. The entryRelationship, if present, **shall** contain exactly one [1..1] @typeCode="REFR" b. The entryRelationship, if present, **shall** contain exactly one [1..1] Supervisory Level (identifier: urn:oid: 2360 1.3.6.1.4.1.19376.1.7.3.1.4.24.16) 15. MAY contain zero or one [0..*] entryRelationship a. The entryRelationship, if present, **shall** contain exactly one [1..1] @typeCode="REFR" b. The entryRelationship, if present, **shall** contain exactly one [1..1] **Job Duty** 2365 Observation (identifier: urn:oid: 1.3.6.1.4.1.19376.1.7.3.1.4.24.14) 16. MAY contain zero or one [0..*] entryRelationship. a. The entryRelationship, if present, **shall** contain exactly one [1..1] @typeCode="REFR" 2370 The entryRelationship, if present, **shall** contain exactly one [1..1] **Occupational** Hazard Observation (identifier: urn:oid:

6.3.4.67 Work Schedule Observation Entry

1.3.6.1.4.1.19376.1.7.3.1.4.24.27)

Table 6.3.4.67-1: Work Schedule Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.5

Template	e Name	Work Schedule Observation	tion Entry		
Templa	ate ID	1.3.6.1.4.1.19376.1.7.3.1.4	1.24.5		
Parent To	emplate				
General Description		A clinical statement about the schedule, "shift", or typical time within a work-day in which a person is scheduled to perform their duties. It includes observations of the hours and days worked per week. Full-time and part-time designations are not defined consistently and would not reflect compressed schedules, long work hours, or overtime work. Use cases include care for a patient with diabetes who is on a rotating shift and needs different counseling on diet and medication management than someone working a regular day shift; a patient on a rotating shift who has fatigue interfering with activities at work and home; a patient with obesity working long hours.			
Class/Mood		Code		Value	
ClassCode=	Code = 74159-5		Observation Value xsi:type = "CD" ValueSet Work Schedu		

"OBS" MoodCod "EVN"	e=	Display Name = Work Schedule CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC			urn:oid:2.16.840.1.113883.1.11.20561 availal at https://www.hl7.org/fhir/v3/WorkScheduleOL/vs.html			
Opt and Card	nenin		Description		Template	ID	Specificati on Document	Vocabulary Constraint

2375

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.5 (open)]

A clinical statement about the schedule, "shift", or typical time within a work-day in which a person is scheduled to perform their duties.

2380

2385

- 1. **shall contain exactly one** [1..1] **@classCode**="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
- 2. **shall contain exactly one** [1..1] **@moodCode="**EVN" **Event** (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
- 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.5".
- 4. **SHALL** contain at least one [1..*] id.
- 5. **SHALL** contain exactly one [1..1] code.
 - a. **SHALL** be 74159-5 (Work Schedule) from LOINC (CodeSystem 2.16.840.1.113883.6.1.

2390

- 6. **shall contain exactly one** [1..1] **statusCode=**"completed" **Completed** (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
- 7. **SHALL** contain exactly one [1..1] **value** with @xsi:type="CD".
 - a. This value **shall** contain exactly one [1..1] @code, which **shall** be selected from ValueSet Work Schedule urn:oid:2.16.840.1.113883.1.11.20561 DYNAMIC
- 2395
- 8. **MAY** contain zero or one [0..1] **entryRelationship** such that it
 - a. **shall** contain exactly one [1..1] @typeCode="REFR" (CodeSystem: HL7ActRelationshipType uri:oid:2.16.840.1.113883.5.1002 **STATIC**).
 - b. **shall** contain exactly one [1..1] Weekly Work Hours Observation Entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.6)

2400

- 9. MAY contain zero or one [0..1] entryRelationship such that it
 - a. **shall** contain exactly one [1..1] @typeCode="REFR" (CodeSystem: HL7ActRelationshipType uri:oid:2.16.840.1.113883.5.1002 **STATIC**).
 - b. **SHALL** contain exactly one [1..1] Weekly Work Days Observation Entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.7)

2405 **6.3.4.68 Weekly Work Hours Observation Entry**

Table 6.3.4.68-1: Weekly Work Hours Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.6

Template Name			Weekly Work Hours Observation Entry							
Template ID			1.3.6.1.4.1.19376.1.7.3.1.4.24.6							
Parent Template										
General Description				A clinical statement about the typical number of hours per week that a person spends performing their duties for work. This information is most useful coupled with weekly work days and helps to reveal compressed schedules, long work hours, and overtime.						
Class/Mood		Code		Data Type	Value					
ClassCode= "OBS" MoodCode= "EVN"		Code = 74161-1 Display Name = Weekly Work Hours CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC				Observation	value with @xsi:type="INT"			
Opt and Card	entryRelatio nship			Description		Template ID		Specificati on Document	Vocabulary Constraint	

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.6 (open)]

A clinical statement about the typical number of hours per week that a person spends performing their duties for work.

- 1. **SHALL contain exactly one** [1..1] **@classCode**="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
- 2. **shall** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
- 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.6".
- 4. **SHALL** contain at least one [1..*] id.
- 5. **SHALL** contain exactly one [1..1] code.
 - a. **shall** be 74161-1 (Weekly Work Hours) from LOINC.
- 6. **SHALL** contain exactly one [1..1] **statusCode=**"completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
- 7. **SHALL** contain exactly one [1..1] **value** with @xsi:type="INT".
 - a. This value **shall** contain exactly one [1..1] @value, which represents the number of hours in a week that a person typically works.

2425

2410

2415

6.3.4.69 Usual Occupation Duration Entry

Table 6.3.4.69-1: Usual Occupation Duration Entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.10)

Template Name			Usual Occupation Duration Entry							
Template ID				1.3.6.1.4.1.19376.1.7.3.1.4.24.10						
Parent Template										
General Description			A Usual Occupation Duration Entry is a clinical statement about the total quantity of time a person spent in the occupation they held the longest over the course of their life. Start date alone can be insufficient, because a person may have been in and out of the occupation over time. The length of time a person performed a type of work can assist in assessing the extent of potential exposure to a health hazard.							
Class/M	Class/Mood		Code		Data Type	Value				
MoodCode= Duration			Usual Occupation 2.16.840.1.113883.6.1		Observation	Value xsi:type=PQ representing the number of years of months. Units shall be expressed in UCUM.				
Opt and Card	d entrykeiatio D		Description		Template ID		Specificati on Document	Vocabulary Constraint		

```
[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.10 (open)]
```

- A Usual Occupation Duration Entry is a clinical statement about the total quantity of time a person spent in the occupation they held the longest over the course of their life.
 - 1. **SHALL contain exactly one** [1..1] **@classCode**="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
 - 2. **shall contain exactly one** [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
 - 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.10".
 - 4. **SHALL** contain at least one [1..*] id.
 - 5. **SHALL** contain exactly one [1..1] code.
 - a. **shall** be 74163-7 (Usual Occupation Duration) from LOINC.
 - 6. **SHALL** contain exactly one [1..1] **statusCode**="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
 - 7. **shall** contain exactly one [1..1] **value** with @xsi:type="PQ".
 - a. This value **shall** contain exactly one [1..1] @unit, which **shall** include duration-related units from value set UCUM 2.16.840.1.113883.1.11.12839.

2445

2435

6.3.4.74 Weekly Work Days Observation Entry

Table 6.3.4.71-1: Weekly Work Days Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.7

Template Name			Weekly Work Days Observation Entry						
Template ID			1.3.6.1.4.1.19376.1.7.3.1.4.24.7						
Parent Template									
General Description			A clinical statement about the typical number of days per week that a person spends performing their duties for work. This information is most useful coupled with weekly work hours and helps to reveal compressed schedules or a 7-day work-week.						
Class/Mood			Code		Data Type	Value			
ClassCode= "OBS" MoodCode= "EVN"		Code = 74160-3 Display Name = Weekly Work Days CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC			Observation	value with @xsi:type="INT"			
Opt and Card	entryRelatio nship			Description		Template ID		Specificati on Document	Vocabulary Constraint

2450 [observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.7 (open)]

A clinical statement about the typical number of days per week that a person spends performing their duties for work.

- 1. **SHALL contain exactly one** [1..1] **@classCode**="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
- 2. **shall contain exactly one** [1..1] **@moodCode**="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
- 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.7".
- 4. **SHALL** contain at least one [1..*] id.
 - 5. **SHALL** contain exactly one [1..1] code.
 - a. **shall** be 74160-3 (Weekly Work Days) from LOINC.
 - 6. **shall contain exactly one** [1..1] **statusCode**="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
- 7. **SHALL** contain exactly one [1..1] **value** with @xsi:type="INT".
 - a. This value **SHALL** contain exactly one [1..1] @value, which represents the number of days in a week that a person typically works.

Rev. 2.4 – 2021-02-26

Add Section 6.3.4.xx

2470 **6.3.4.xx** Usual Occupation Observation Entry

Table 6.3.4.xx-1: Usual Occupation Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.20

Template Name			Usual Occupation Observation Entry						
Т	empla	ate ID		1.3.6.1.4.1.19376.1.7.	3.1.4	4.24.20			
Par	ent Te	emplate							
General Description			n	A Usual Occupation Observation Entry contains information about the occupation which the subject has held for the longest duration through his or her working history, at the point in time the statement is recorded. A history of this observation is not retained. Longest-held jobs can be associated with conditions that develop slowly over time or even after the person is no longer in that job, e.g., some respiratory conditions and cancers. It optionally includes a total duration observation, because a person can be in and out of a given occupation over time. In addition, knowing when the person began working in this occupation can provide information about potential exposures and allows the clinician to assess whether sufficient time has elapsed for a chronic condition to appear, i.e., the latency period. This guides appropriate use of screening tests to detect early disease.					
Class/N	lood			Code		Data Type	Value		
ClassCode "OBS" MoodCod "EVN"	BS" OdCode= Display Name = Usual Occupation CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC Display Name = Usual Occupation CodeSystemName=LOINC Observation CodeSystemName=LOINC Observation Concept domain CD OccupationalCode		d in Table 6.6-1 de = "CD" from						
Opt and Card	_	Relatio		Description	Template ID Specificati on Document		Vocabulary Constraint		

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.20 (open)]

- A Usual Occupation Observation Entry contains information about the occupation which the subject has held for the longest duration through his or her working history, at the point in time the statement is recorded.
 - 1. **shall contain exactly one** [1..1] **@classCode**="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
 - 2. **shall contain exactly one** [1..1] **@moodCode**="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
 - 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.20".
 - 4. **SHALL** contain at least one [1..*] id.
 - 5. **SHALL** contain exactly one [1..1] code.

Rev. 2.4 - 2021-02-26

```
2485
                   a. shall be 21843-8 (Usual Occupation) from LOINC (codeSystem
                      2.16.840.1.113883.6.1).
           6. shall contain exactly one [1..1] statusCode="completed" Completed (CodeSystem:
               ActStatus 2.16.840.1.113883.5.14).
            7. SHALL contain exactly one [1..1] effectiveTime.
2490
                   a. This effective Time SHOULD contain zero or one [0..1] low.
                      Note: The effectiveTime/low asserts when the usual occupation began.
                      Note: If the effective Time/low is unknown, use @nullFlavor="UNK"
                      (2.16.840.1.113883.5.1008 (HL7NullFlavor) = UNK)
                   b. This effective Time MAY contain zero or one [0..1] high.
2495
                       Note: The effectiveTime/high asserts when the usual occupation ended. If usual
                       occupation is current, effectiveTime/high should be omitted.
                       Note: If the effective Time/high is unknown, use @nullFlavor="UNK"
                       (2.16.840.1.113883.5.1008 (HL7NullFlavor) = UNK)
            8. shall contain exactly one [1..1] value with @xsi:type="CD" " where the @code
               SHALL be selected from Concept Domain CD OccupationCode.
2500
                      Note: If there is no coded value available for the Occupation, the narrative
                      description shall be expressed using originalText.
                   a. This value should contain zero or one [0..1] translation, which shall be selected
                      from Concept Domain CD OccupationCodeDetail
2505
            9. MAY contain zero or one [0..1] subject
                   a. The subject, if present, shall contain exactly one [1..1] relatedSubject
                          i. This related Subject shall contain exactly one [1..1] @classCode="PRS"
                             (CodeSystem: HL7EntityClass urn:oid:2.16.840.1.113883.5.41)
                          ii. This related Subject shall contain exactly one [1..1] code
2510
                                 1. This code shall contain exactly one [1..1] @code (ValueSet:
                                    Family Member Value Set
                                    urn:oid:2.16.840.1.113883.1.11.19579 DYNAMIC)
                         iii. This related Subject should contain zero or one [0..1] subject
                                 1. This subject should contain zero or more [0..*] sdtc:id
2515
                                 NOTE: contains the identifier, if available, of the subject
                                 2. This subject should contain zero or one [0..1] sdtc:desc
                                 NOTE: contains the patient specified reference for the subject e.g.,
                                 oldest brother
            10. shall contain at least one [1..*] author
2520
                   a. Such authors shall contain exactly one [1..1] time
                      Note: The author/time asserts when the usual occupation was authored or last
                      updated in the patient's chart.
            11. SHOULD contain zero or one [0..1] entryRelationship such that it
```

2525

2530

- a. **shall** contain exactly one [1..1] @typeCode="REFR" (CodeSystem: HL7ActRelationshipType 2.16.840.1.113883.5.1002 **STATIC**).
- b. **should** contain exactly one [1..1] Usual Occupation Duration Observation Entry (1.3.6.1.4.1.19376.1.7.3.1.4.24.25)
- 12. **SHOULD** contain zero or one [0..1] entryRelationship
 - a. The entryRelationship, if present, **shall** contain exactly one [1..1] **@typeCode**="REFR" (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002)
 - b. The entryRelationship, if present, **shall** contain exactly one [1..1] <u>Usual</u> <u>Industry Observation</u> (identifier: urn:oid: 1.3.6.1.4.1.19376.1.7.3.1.4.24.26)

2535

Add Section 6.3.4.vv

6.3.4.yy Past or Present Industry Observation Entry

Table 6.3.4.yy-1: Past or Present Industry Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.3

2540

Те	mplate	Name	Past or Present Industr	Past or Present Industry Observation Entry			
7	Templa	ate ID	1.3.6.1.4.1.19376.1.7.	3.1.4.24.3			
Pai	rent Te	emplate					
General Description			business (industry) in Industry is a key data performed in different acute healthcare settin construction vs a plun	A Past or Present Industry Observation Entry is a clinical statement about the type of business (industry) in which the subject currently holds or has held a job in the past. Industry is a key data element for understanding health risks. Similar occupations performed in different industries can have very different health risks; e.g., a nurse in an acute healthcare setting vs. a nurse in an elementary school, or a plumber in housing construction vs a plumber in shipbuilding. Each Past or Present Industry Observation is therefore linked to a specific Past or Present Occupation Observation Entry.			
Class/N	lood		Code	Data Type	Value		
ClassCode	=	Code = 86 Display N			Value xsi:type = "CD" from concept domain CD_IndustryCode defined in Table 6.6-1 Value[@code/translation/code = "CD" from concept domain CD_IndustryCodeDetail defined in Table 6.6-1		
MoodCod "EVN"	e=	CodeSyste	ame = Occupation Industry om = 2.16.840.1.113883.6.1 omName=LOINC	Observation	CD_Indust Value[@cc concept do:	ryCode defined in de/translation/cod main CD_Industry	Table 6.6-1 de = "CD" from
	entry	CodeSyste	m = 2.16.840.1.113883.6.1	Observation	CD_Indust Value[@cc concept do defined in	ryCode defined in de/translation/cod main CD_Industry	Table 6.6-1 de = "CD" from

```
[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.3 (open)]
```

A Past or Present Industry Observation Entry is a clinical statement about the type of business (industry) in which the subject currently holds or has held a job in the past.

2545 1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).

- 2. **shall contain exactly one** [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
- 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **shall** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.3".
- 4. **SHALL** contain at least one [1..*] id.
- 5. **SHALL** contain exactly one [1..1] code.
 - a. **shall** be 86188-0 (Occupation Industry) from LOINC (codeSystem 2.16.840.1.113883.6.1).
- 6. **shall contain exactly one** [1..1] **statusCode**="completed" (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
- 7. **shall** contain exactly one [1..1] value with @xsi:type="CD" where the code **shall** be selected from Concept Domain CD IndustryCode

Note: If there is no coded value available for the Industry, the narrative description **shall** be expressed using originalText.

a. This value **should** contain zero or one [0..1] translation, which **shall** be selected from Concept Domain CD IndustryCodeDetail.

Add Section 6.3.4.zz

6.3.4.zz Work Classification Observation Entry

Table 6.3.4.zz-1: Work Classification Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.4

Template Name Wo		Work Classification Observation Entry		
Templ	ate ID	1.3.6.1.4.1.19376.1.7.3.1.4	1.24.4	
Parent T	emplate			
General De	escription	attributes for a given job. employed or unpaid, and i and the International Laboratory	This entry adds s similar to the or Organization	v is a clinical statement about employment information about the worker's job, such as self-U.S. Bureau of Labor Statistics 'class of worker' 'classification of status in employment'. example, can assist in discussing return-to-work
Class/Mood	od Code		Data Type	Value
ClassCode=	Code = 85104-8		Observation	Value xsi:type = "CD" from ValueSet Work

Rev. 2.4 – 2021-02-26

2555

2550

2560

2565

Template Rev. 10.3

"OBS" MoodCod "EVN"	e=	Sector Em CodeSyste	ame = Compensation and apployment Type em = 2.16.840.1.113883.6.1 emName=LOINC		DYNAMIC		6.840.1.113883.1.11.20560 C w.hl7.org/fhir/v3/WorkClassification	
Opt and Card	and entry Relation		Description	Template	e ID	Specificati on Document	Vocabulary Constraint	

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.4 (open)]

- A Work Classification Observation Entry is a clinical statement about employment attributes for a given job.
 - 1. **SHALL contain exactly one** [1..1] **@classCode**="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
 - 2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
 - 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.4".
 - 4. **SHALL** contain at least one [1..*] id.
 - 5. **SHALL** contain exactly one [1..1] code.
 - a. **shall** be 85104-8 (Compensation and Sector Employment Type) from LOINC.
 - 6. **SHALL** contain exactly one [1..1] **statusCode**="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
 - 7. **shall** contain exactly one [1..1] **value** with @xsi:type="CD".
 - 8. This value **shall** contain exactly one [1..1] **@code**, which **shall** be selected from ValueSet Work Classification urn:oid:2.16.840.1.113883.1.11.20560 DYNAMIC.

Add Section 6.3.4.aa

2575

2580

2585

6.3.4.aa Usual Industry Observation Entry

Table 6.3.4.aa-1: Usual Industry Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.26

Template Name		Usual Industry Observation Entry			
Templ	ate ID	1.3.6.1.4.1.19376.1.7.3.1.4	4.24.26		
Parent T	emplate				
General Description		A Usual Industry Observation Entry is a clinical statement about the industry (type of business) which the subject has worked in for the longest duration while in the usual occupation. A history of this observation is not retained. For example, a person who has spent 30 years as a secretary in various industries, but mostly in construction, would record a usual occupation of secretary and a usual industry of construction.			
Class/Mood Code		Code	Data Type	Value	
ClassCode= "OBS" MoodCode=		Usual Industry 2.16.840.1.113883.6.1	Observation	Value xsi:type = "CD" from concept domain CD_IndustryCode defined in Table 6.6-1 Value[@code/translation/code = "CD" from concept domain CD_IndustryCodeDetail	

2590 [observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.26 (open)]

A Usual Industry Observation Entry is a clinical statement about the industry (type of business) which the subject has worked in for the longest duration while in the usual occupation, at the point in time the statement is recorded.

defined in Table 6.6-1

- 1. **shall** contain exactly one [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
- 2. **shall contain exactly one** [1..1] **@moodCode**="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
- 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **SHALL** contain exactly one [1..1] @root="1.3.6.1.4.1.19376.1.7.3.1.4.24.26".
- 4. **SHALL** contain at least one [1..*] id.
 - 5. **SHALL** contain exactly one [1..1] code.

CodeSystemName=LOINC

- a. **SHALL** be 21844-6 (Usual Industry) from LOINC.
- 6. **SHALL contain exactly one** [1..1] **statusCode**="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
- 7. **shall** contain exactly one [1..1] **value** with @xsi:type="CD", where the code shall be selected from Concept Domain CD_IndustryCode

Note: If there is no coded value available for the Industry, the narrative description **shall** be expressed using originalText.

a. This value **should** contain zero or one [0..1] translation, which **shall** be selected from Concept Domain CD IndustryCodeDetail

Add Section 6.3.4.bb Date of Retirement Observation Entry

Rev. 2.4 - 2021-02-26

Template Rev. 10.3

"EVN"

2595

2600

2605

6.3.4.bb Date of Retirement Observation Entry

Table 6.3.4.bb-1: Date of Retirement Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.21

Template Name		Date of Retirement Observation Entry				
Templ	ate ID	1.3.6.1.4.1.19376.1.7.3.1.4	1.3.6.1.4.1.19376.1.7.3.1.4.24.21			
Parent T	emplate					
General Description		A Date of Retirement Observation Entry is a self-identified statement about whether an individual considers themselves 'retired' at the point in time the statement is recorded				
Class/Mood	Code		Data Type	Value		
ClassCode=	Code = 87510-4 Display Name = Retirement Status Date CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC					

2615 [observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.21 (open)]

A Date of Retirement Observation Entry is a self-identified statement about whether an individual considers themselves 'retired' at the point in time the statement is recorded.

- 1. **SHALL contain exactly one** [1..1] @classCode="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
- 2. **shall contain exactly one** [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
- 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **SHALL** contain exactly one [1..1] @root=" 1.3.6.1.4.1.19376.1.7.3.1.4.24.21 ".
- 4. **SHALL** contain at least one [1..*] id.
- 2625 5. **SHALL** contain exactly one [1..1] code.
 - a. **SHALL** be 87510-4 (Retirement Status Date) from LOINC.
 - 6. **shall contain exactly one** [1..1] **statusCode**="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
 - 7. **SHALL** contain exactly one [1..1] **value** with @xsi:type="TS"
 - 8. **SHALL** contain exactly one [1..1] participant
 - a. This participant **shall** contain exactly one [1..1] @typeCode="IND"
 - b. This participant **SHALL** contain exactly one [1..1] **participantRole**
 - i. This participantRole MAY contain zero or one [0..1] @classCode="ROL" (CONF:3349-288).
 - ii. This participantRole **should** contain zero or one [0..1] id
 - iii. This participantRole **should** contain zero or one [0..1] addr
 - iv. This participantRole **should** contain zero or one [0..1] playingEntity
 - 1. The playing Entity, if present, **SHALL** contain zero or one [0..1] name

2620

2630

2640 | Add Section 6.3.4.cc Combat Zone Period Observation Entry

6.3.4.cc Combat Zone Period Observation Entry

Table 6.3.4.cc-1 Combat Zone Period Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.22

Template Name		Combat Zone Period Observation Entry			
Templa	ate ID	1.3.6.1.4.1.19376.1.7.3.1.4	1.24.22		
Parent To	emplate				
General Description		Combat Zone Period Observation Entry identifies date range(s) an individual has worked in what is considered a combat or hazardous duty zone; both civilian and military.			
Class/Mood	Code		Data Type	Value	
ClassCode= "OBS" MoodCode= "EVN"	Code = 87511-2 Display Name = Combat Zone or Hazardous Duty Work Dates CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC		Observation	NA	

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.22 (open)]

Combat Zone Period Observation Entry identifies date range(s) an individual has worked in what is considered a combat or hazardous duty zone; both civilian and military.

- 1. **SHALL contain exactly one** [1..1] **@classCode**="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
- 2. **shall** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
- 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **shall** contain exactly one [1..1] @root=" 1.3.6.1.4.1.19376.1.7.3.1.4.24.22".
- 4. **SHALL** contain at least one [1..*] id.
- 5. **SHALL** contain exactly one [1..1] code.
 - a. **SHALL** be 87511-2 (Combat Zone or Hazardous Duty Work Dates) from LOINC.
- 6. **shall contain exactly one** [1..1] **statusCode**="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
 - 7. **shall** contain exactly one [1..1] **value** with @xsi:type="IVL TS"
 - a. This value **shall** contain exactly one [1..1] **low**

Note: The value/low asserts when the combat zone work duty began

b. This value **may** contain zero or one [0..1] high

Note: The value/high asserts when the combat zone work duty ended. If combat zone work duty is current, value/high should be omitted. Note: If the value/high is unknown, use @nullFlavor="UNK" (2.16.840.1.113883.5.1008 (HL7NullFlavor) = UNK)

2660

2655

2665

2680

Add Section 6.3.4.dd Job Duty Observation Entry

6.3.4.dd Job Duty Observation Entry

Table 6.3.4.dd-1: Job Duty Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.14

Template Name Job Duty Observation			ry		
Templ	ate ID	1.3.6.1.4.1.19376.1.7.3.1.4.24.14			
Parent T	emplate				
General D	escription	A Job Duty Observation Entry is a clinical statement about regular actions performed at work. A person may have the occupation of "construction laborer" and his specific job duties are to carry construction supplies. Specific job information is important in the healthcare setting because it provides information regarding hazards to which a person may have been exposed, which is pertinent to treatment and prevention.			
Class/Mood	Code		Data Type	Value	
ClassCode= "OBS" MoodCode= "EVN"	Code = 63761-1 Display Name = Job Duties CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC		Observation	Value xsi:type = "ST"	

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.14 (open)]

- A Job Duty Observation Entry is a clinical statement about regular actions performed at work.
 - 1. **SHALL contain exactly one** [1..1] **@classCode**="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
 - 2. **shall contain exactly one** [1..1] **@moodCode**="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
- 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **shall** contain exactly one [1..1] @root=" 1.3.6.1.4.1.19376.1.7.3.1.4.24.14".
 - 4. **SHALL** contain at least one [1..*] id.
 - 5. **SHALL** contain exactly one [1..1] code.
 - a. **shall** be 63761-1 (Job Duties) from LOINC.
 - 6. **shall contain exactly one** [1..1] **statusCode**="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
 - 7. **SHALL** contain exactly one [1..1] **value** with @xsi:type="ST"

Note: This text lists the regular actions performed at work

2685 *Add Section 6.3.4.ee Occupational Hazard Observation Entry*

6.3.4.ee Occupational Hazard Observation Entry

Table 6.3.4.ee-1: Occupational Hazard Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.27

Templat	e Name	Occupational Hazard Observation Entry			
Templ	ate ID	1.3.6.1.4.1.19376.1.7.3.1.4	4.24.27		
Parent T	emplate				
General Description		An Occupational Hazard Entry is a clinical statement about actual contact or interaction with a specific hazard that increases an individual's risk of a detrimental physical or mental health outcome (e.g., ingestion or inhalation of a toxic chemical). Information on an exposure may include the measurement of duration/intensity of contact or interaction with the specific hazard. In a healthcare setting, information on exposures assists in the diagnosis of specific illnesses or injuries associated with a specific hazard. An example of using exposure information would be a health care provider examining a farm worker that presents with flu-like symptoms that developed after spraying chemicals on a field; the provider may be able to determine if the symptoms are consistent with exposure to the specific pesticide that was applied by the worker."			
Class/Mood	Class/Mood Code		Data Type	Value	
ClassCode= "OBS" MoodCode= "EVN"	Code = 87729-0 Display Name = History of Occupational Hazard CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC		Observation	Value xsi:type = "ST"	

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.27 (open)]

An Occupational Hazard Entry is a clinical statement about actual contact or interaction with a specific hazard that increases an individual's risk of a detrimental physical or mental health outcome (e.g., ingestion or inhalation of a toxic chemical). Information on an exposure may include the measurement of duration/intensity of contact or interaction with the specific hazard. In a healthcare setting, information on exposures assists in the diagnosis of specific illnesses or injuries associated with a specific hazard. An example of using exposure information would be a health care provider examining a farm worker that presents with flu-like symptoms that developed after spraying chemicals on a field; the provider may be able to determine if the symptoms are consistent with exposure to the specific pesticide that was applied by the worker."

- 1. **shall contain exactly one** [1..1] **@classCode**="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
- 2. **shall contain exactly one** [1..1] **@moodCode**="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
- 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **shall** contain exactly one [1..1] @root=" 1.3.6.1.4.1.19376.1.7.3.1.4.24.27".
- 4. **SHALL** contain at least one [1..*] id.
- 5. **SHALL** contain exactly one [1..1] code.
 - a. **shall** be 87729-0 (History of Occupational Hazard) from LOINC.

Rev. 2.4 - 2021-02-26

Template Rev. 10.3

2690

2695

- 6. **SHALL** contain exactly one [1..1] **statusCode**="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
- 7. **shall** contain exactly one [1..1] **value** with @xsi:type="ST"

Note: This text lists the occupational hazard.

Add Section 6.3.4.ff Supervisory Level Observation Entry

6.3.4.ff Supervisory Level Observation Entry

Table 6.3.4.ee-1: Supervisory Level Observation Entry 1.3.6.1.4.1.19376.1.7.3.1.4.24.16

Template Name		Supervisory Level Observation Entry				
Templ	ate ID	1.3.6.1.4.1.19376.1.7.3.1.4	4.24.16			
Parent T	emplate					
General Description		A Supervisory Level Entry is a clinical statement about the supervisory or management responsibilities for an individual's job. For military jobs, this is pay grade.				
Class/Mood		Code	Data Type	Value		
ClassCode= "OBS" MoodCode= "EVN"	Code = 87707-6 Display Name = Job Supervisory Level or Pay Grade CodeSystem = 2.16.840.1.113883.6.1 CodeSystemName=LOINC		Observation	Value xsi:type = "CD" from value set Supervisory Level (TBD)		

[observation: templateId 1.3.6.1.4.1.19376.1.7.3.1.4.24.16 (open)]

- A Supervisory Level Entry is a clinical statement about the supervisory or management responsibilities for an individual's job. For military jobs, this is pay grade.
 - 1. **SHALL contain exactly one** [1..1] **@classCode**="OBS" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass).
 - 2. **shall contain exactly one** [1..1] **@moodCode**="EVN" Event (CodeSystem: ActMood 2.16.840.1.113883.5.1001).
 - 3. **SHALL** contain exactly one [1..1] templateId such that it
 - a. **SHALL** contain exactly one [1..1] @root=" 1.3.6.1.4.1.19376.1.7.3.1.4.24.16".
 - 4. **SHALL** contain at least one [1..*] id.
 - 5. **SHALL** contain exactly one [1..1] code.
 - a. **shall** be 87707-6 (Job Supervisory Level or Pay Grade) from LOINC.
 - 6. **SHALL** contain exactly one [1..1] **statusCode**="completed" Completed (CodeSystem: ActStatus 2.16.840.1.113883.5.14).
 - 7. **shall** contain exactly one [1..1] **value** with @xsi:type="CD".
 - a. This value **shall** contain exactly one [1..1] **@code**, which **shall** be selected from Concept Domain CD SupervisoryLevel

2730

2725

2720

6.4 Section not applicable

This heading is not currently used in a CDA document.

2735 *Add to sections 6.5 Value Sets*

6.5 QRPH Value Sets

All QRPH HW Value Sets are maintained in the PHIN-VADS value set repository. The list of referenced value sets and associated links to this resource are provided in Appendix A of Volume 3.

Add to Table 6.6-1: Concept Domains as follows

Table 6.6-1: Concept Domains

UV Concept Domain	Concept Domain Description
CD_OccupationCode	The Occupation Code Concept Domain contains a set of codes that describe a set of activities or tasks that individuals are paid to perform or, if unpaid, define a person's contribution to a household/family business/community.
CD_IndustryCode	The Industry Code Concept Domain contains a set of codes that describe an economic/business sector comprised of businesses/ enterprises concerned with the output of a specified category of products or services (e.g., the construction industry or the agriculture industry).
CD_SupervisoryLevel	The Supervisory Level Concept Domain describes the amount of supervisory or management responsibilities for an individual's job. In the military, this is the person's pay grade which serves as a proxy for supervisory level and can be interpreted across branches
CD_OccupationCodeDetail	Occupation Code Detail concept domain contains a self-reported title that identifies a person's type of work, i.e., the set of activities or tasks that a person performs, within electronic health information systems to support direct patient care, population health and public health activities.
CD_IndustryCodeDetail	The Industry Code Detail Concept Domain contains a self-reported term that identifies the kind of business, i.e., primary business activity, conducted by a person's employer, within electronic health information systems to support direct patient care, population health and public health activities.

2745

2740

Appendices to Volume 3

Appendix A - Healthy Weight Value Sets

The Healthy Weight value sets are available from the Centers for Disease Control and Prevention Public Health Information Network Vocabulary Access and Distribution System (PHIN VADS) at: https://phinvads.cdc.gov/vads/.

A.1 HW Coding Systems

A.1.1 SNOMED-CT Metadata

SNOMED-CT Value Sets Metadata Shall contain the following content:

Metadata Element	Definition	Description
Source Coding System	This is the source of the value set, identifying the originator or publisher of the information	SNOMED-CT
Source Coding System OID	Specific OID that represents the coding system	2.16.840.1.113883.12.162
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/S nomed/snomed_main.html

A.1.2 RxNORM

2750

2755 RxNorm Value Sets Metadata Shall contain the following content:

Metadata Element	Definition	Description	
Source Coding System	This is the source of the value set, identifying the originator or publisher of the information	RxNorm	
Source Coding System OID	Specific OID that represents the coding system	2.16.840.1.113883.6.88	
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.nlm.nih.gov/research/umls/r xnorm/	

A.1.3 HL7

HL7 Value Sets Metadata Shall contain the following content:

112, turio son riconania sinar contant uno rene ting contant				
Metadata Element	Definition	Description		
Source Coding System	This is the source of the value set, identifying the originator or publisher of the information	HL7		
Source Coding System OID	Specific OID that represents the coding system	2.16.840.1.113883		

Metadata Element	Definition	Description
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.hl7.org

A.1.4 LOINC

LOINC Value Sets Metadata Shall contain the following content:

Metadata Element	Definition	Description
Source Coding System	This is the source of the value set, identifying the originator or publisher of the information	LOINC
Source Coding System OID	Specific OID that represents the coding system	2.16.840.1.113883.6.1
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://loinc.org

2760 **A.1.5 FIPS 5-2**

FIPS 5-2 Value Sets Metadata Shall contain the following content:

Metadata Element	Definition	Description	
Source Coding System	This is the source of the value set, identifying the originator or publisher of the information	FIPS 5-2	
Source Coding System OID	Specific OID that represents the coding system	2.16.840.1.101.3.4.2.1	
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	http://www.itl.nist.gov/fipspubs/fip5- 2.htm	

A.1.6 NUBC

NUBC Value Sets Metadata Shall contain the following content:

Metadata Element	Definition	Description
Source Coding System	This is the source of the value set, identifying the originator or publisher of the information	NUBC
Source Coding System OID	Specific OID that represents the coding system	2.16.840.1.113883.6.21

2765 A.2 Specification of Value Sets used in the HW Profile

The following table describes each of the value sets used to support the HW Profile. These are all published by and available from the PHIN Vocabulary Access and Distribution System (PHIN VADS). Each of the value sets below are established as extensional with the discrete values

available at the PHIN-VADS URL provided. Version status may change from time-to-time as these value sets are maintained by CDC, so version number should not be referenced when using these value sets in support of the HW Profile. Similarly, associated date related metadata attributes will changed as a result of value set maintenance activities, and can be obtained at the PHIN-VADS URL provided.

Name	Identifier	Purpose	Source	PHIN VADS URL	Groups
Weight Associated Conditions	1.3.6.1.4.1.19 376.1.7.3.1.1. 23.8.19	To identify those conditions associated with healthy weight, focusing on the high-level minimum set of interest	SNOMED- CT	https://phinvads.cdc.gov/vads/Vie wValueSet.action?oid=1.3.6.1.4.1. 19376.1.7.3.1.1.23.8.19	IHE HW
Healthy Weight Dietary Behavior	1.3.6.1.4.1.19 376.1.7.3.1.1. 23.8.8	To reflect Healthy Weight influencing factors of Dietary Behavior	SNOMED- CT	https://phinvads.cdc.gov/vads/Vie wValueSet.action?oid=1.3.6.1.4.1. 19376.1.7.3.1.1.23.8.8	IHE HW
Physical Activity Behavior	1.3.6.1.4.1.19 376.1.7.3.1.1. 23.8.9	To reflect Physical Activity Behavior	SNOMED- CT	https://phinvads.cdc.gov/vads/Vie wValueSet.action?oid=1.3.6.1.4.1. 19376.1.7.3.1.1.23.8.9	IHE HW
HW Influencing Family History	1.3.6.1.4.1.19 376.1.7.3.1.1. 23.8.13	To reflect Family History that impact Healthy Weight	SNOMED- CT	https://phinvads.cdc.gov/vads/Vie wValueSet.action?oid=1.3.6.1.4.1. 19376.1.7.3.1.1.23.8.13	IHE HW
Mother Breastfeedi ng	1.3.6.1.4.1.19 376.1.7.3.1.1. 23.8.14	To reflect that the mother is breastfeeding her child	SNOMED- CT	https://phinvads.cdc.gov/vads/Vie wValueSet.action?oid=1.3.6.1.4.1. 19376.1.7.3.1.1.23.8.14	IHE HW
HW Laboratory Results	1.3.6.1.4.1.19 376.1.7.3.1.1. 23.8.17	To identify laboratory results that are relevant to improved healthy weight	LOINC	https://phinvads.cdc.gov/vads/Vie wValueSet.action?oid=1.3.6.1.4.1. 19376.1.7.3.1.1.23.8.17	IHE HW
PHVS_Lan guage_ISO _639- 2_Alpha3	2.16.840.1.11 4222.4.11.831		ISO 639-2	https://phinvads.cdc.gov/vads/Vie wValueSet.action?oid=2.16.840.1. 114222.4.11.831	IHE HW
Pregnant	1.3.6.1.4.1.19 376.1.7.3.1.1. 13.8.95		SNOMED- CT	https://phinvads.cdc.gov/vads/Vie wValueSet.action?oid=1.3.6.1.4.1. 19376.1.7.3.1.1.13.8.95	IHE HW
Work Schedule	2.16.840.1.11 3883.1.11.205 61	Describes an individual's typical arrangement of working hours for an occupation.	HL7	https://www.hl7.org/fhir/v3/Work ScheduleODH/vs.html	NA

Name	Identifier	Purpose	Source	PHIN VADS URL	Groups
Employme nt Status	2.16.840.1.11 3883.1.11.205 62	Concepts describing a person's employment as defined by compensation and sector (e.g., paid vs. unpaid, self- employed vs. not self-employed, government vs. private, etc.	HL7	https://www.hl7.org/fhir/v3/emplo ymentStatusODH/vs.html	NA
Work Classificati on	2.16.840.1.11 3883.1.11.205 60	Code system of concepts representing a person's job type as defined by compensation and sector (e.g., paid vs. unpaid, self-employed vs. not self-employed, government vs. private, etc.).	HL7	https://www.hl7.org/fhir/v3/Work ClassificationODH/vs.html	NA

2775

Volume 3 Namespace Additions

Add the following terms to the IHE Namespace:

None

4 National Extensions

2785

4.1 National Extensions for IHE United States

4.1.1 Comment Submission

This national extension document was authored under the sponsorship and supervision of IHE QRPH with collaboration from the CDC/National Center for Health Statistics who welcome comments on this document and the IHE USA initiative. Comments should be directed to http://ihe.net/QRPH Public Comments.

4.1.2 Healthy Weight (HW)

4.1.2.3.3.4 QRPH Value Sets

The following value sets SHALL be used to fulfill the specified concept domains in the US implementation:

Table 4.1.2.3.3.4-1: Value Sets Fulfilling Concept Domains

UV Concept Domain	US Value Set	
CD_OccupationCode	Occupation CDC Census 2010 urn:oid:2.16.840.1.114222.4.11.7186	
CD_IndustryCode	Industry CDC Census 2010 urn:oid:2.16.840.1.114222.4.11.7187	
CD_OccupationCodeDetail	Occupation CDC ONET-SOC 2010 (ODH) urn:oid: 2.16.840.1.114222.4.11.7901	
CD_IndustryCodeDetail	Industry CDC NAICS 2012 (ODH) urn:oid: 2.16.840.1.114222.4.11.7900	