



5

IHE Radiation Oncology (RO) Technical Framework Supplement

10

Exchange of Radiotherapy Summaries (XRTS)

HL7[®] FHIR[®] R4

Using Resources at FMM Level 1-N

15

Revision 1.1 – Trial Implementation

20

Date: November 3, 2023
Author: IHE Radiation Oncology Technical Committee
Email: ro@ihe.net

25

Please verify you have the most recent version of this document. See [here](#) for Trial Implementation and Final Text versions and [here](#) for Public Comment versions.

Foreword

30 This is a supplement to the IHE Radiation Oncology Technical Framework. Each supplement undergoes a process of public comment and trial implementation before being incorporated into the volumes of the Technical Frameworks.

This supplement is published on November 3, 2023 for trial implementation and may be available for testing at subsequent IHE Connectathons. The supplement may be amended based on the results of testing. Following successful testing it will be incorporated into the Radiation
35 Oncology Technical Framework. Comments are invited and can be submitted at [Radiation Oncology Public Comments](#).

This supplement describes changes to the existing technical framework documents.

“Boxed” instructions like the sample below indicate to the Volume Editor how to integrate the relevant section(s) into the relevant Technical Framework volume.

40 *Amend section X.X by the following:*

Where the amendment adds text, make the added text **bold underline**. Where the amendment removes text, make the removed text **~~bold strikethrough~~**. When entire new sections are added, introduce with editor’s instructions to “add new text” or similar, which for readability are not bolded or underlined.

45

General information about IHE can be found at [IHE.net](#).

Information about the IHE Radiation Oncology domain can be found at [IHE Domains](#).

Information about the organization of IHE Technical Frameworks and Supplements and the process used to create them can be found at [Profiles](#) and [IHE Process](#)

50 The current version of the Radiation Oncology Technical Framework can be found at [Radiation Oncology Technical Framework](#).

CONTENTS

55	Introduction to this Supplement.....	7
	Open Issues and Questions	8
	Closed Issues	8
	IHE Technical Frameworks General Introduction.....	9
60	9 Copyright Licenses.....	9
	10 Trademark	9
	IHE Technical Frameworks General Introduction Appendices.....	10
	Appendix A – Actors	10
	Appendix B – Transactions.....	10
65	Appendix D – Glossary.....	11
	Volume 1 – Profiles	12
	X Exchange of Radiotherapy Summaries (XRTS) Profile	12
	X.1 XRTS Actors, Transactions, and Content Modules	12
	X.2 XRTS Actor Options	15
70	X.3 XRTS Required Actor Groupings	15
	X.4 XRTS Overview	16
	X.4.1 Concepts	16
	X.4.2 Use Cases	16
	X.4.2.1 Use Case #1: Transfer of End of Treatment Summary	16
75	X.4.2.1.1 Use Case Description.....	17
	X.4.2.1.2 Process Flow	17
	X.4.2.2 Use Case #2: On Treatment Visit Monitoring of Treatment Progress	18
	X.4.2.2.1 Use Case Description.....	18
	X.4.2.2.2 Process Flow	19
80	X.4.2.3 Use Case #3: External System Monitoring of Treatment Progress for Dose Tracking.....	20
	X.4.2.3.1 Use Case Description.....	21
	X.4.2.3.2 Process Flow	21
	X.5 XRTS Security Considerations	21
85	X.6 XRTS Cross Profile Considerations.....	22
	Appendices to Volume 1	23
	Volume 2 – Transactions	24
	3.Y1 Create or Update Treatment Summary [XRTS-01]	24
	3.Y1.1 Scope	24
90	3.Y1.2 Actor Roles	24
	3.Y1.3 Referenced Standards	24
	3.Y1.4 Messages	25
	3.Y1.4.1 General Provisions.....	27
	3.Y1.4.2 Acquire Patient Reference	27
95	3.Y1.4.2.1 Trigger Events.....	27

	3.Y1.4.2.2 Message Semantics	27
	3.Y1.4.2.3 Expected Actions	27
	3.Y1.4.3 Acquire BodyStructure References	28
100	3.Y1.4.3.1 Trigger Events.....	28
	3.Y1.4.3.2 Message Semantics	28
	3.Y1.4.3.3 Expected Actions	29
	3.Y1.4.4 Acquire Plan Summary References	29
	3.Y1.4.4.1 Trigger Events.....	29
105	3.Y1.4.4.2 Message Semantics	29
	3.Y1.4.4.3 Expected Actions	29
	3.Y1.4.5 Create Treatment Summary.....	30
	3.Y1.4.5.1 Trigger Events.....	30
	3.Y1.4.5.2 Message Semantics	30
	3.Y1.4.5.3 Expected Actions	31
110	3.Y1.4.6 Update Treatment Summary.....	31
	3.Y1.4.6.1 Trigger Events.....	31
	3.Y1.4.6.2 Message Semantics	32
	3.Y1.4.6.3 Expected Actions	32
	3.Y2 Retrieve Treatment Summary [XRTS-02]	32
115	3.Y2.1 Scope	32
	3.Y2.2 Actor Roles.....	32
	3.Y2.3 Referenced Standards	33
	3.Y2.4 Messages	33
	3.Y2.4.1 General Provisions.....	35
120	3.Y2.4.2 Get Patient Reference	35
	3.Y2.4.2.1 Trigger Events.....	35
	3.Y2.4.2.2 Message Semantics	35
	3.Y2.4.2.3 Expected Actions	35
	3.Y2.4.3 Request Treatment Summaries for a Patient	36
125	3.Y2.4.3.1 Trigger Events.....	36
	3.Y2.4.3.2 Message Semantics	36
	3.Y2.4.3.3 Expected Actions	37
	3.Y2.4.4 Request Treatment Summary current version of selected Treatment Course or Phase.....	38
130	3.Y2.4.4.1 Trigger Events.....	38
	3.Y2.4.4.2 Message Semantics	38
	3.Y2.4.4.3 Expected Actions	38
	3.Y2.4.5 Request Treatment Summary progress history of selected Treatment Course or Phase.....	38
135	3.Y2.4.5.1 Trigger Events.....	38
	3.Y2.4.5.2 Message Semantics	38
	3.Y2.4.5.3 Expected Actions	39

	3.Y2.4.6 Request Updated Treatment Summaries	39
	3.Y2.4.6.1 Trigger Events.....	39
140	3.Y2.4.6.2 Message Semantics	39
	3.Y2.4.6.3 Expected Actions	39
	3.Y2.4.7 Request Referenced Radiotherapy Volumes	40
	3.Y2.4.7.1 Trigger Events.....	40
	3.Y2.4.7.2 Message Semantics	40
145	3.Y2.4.7.3 Expected Actions	40
	3.Y2.4.8 Request Referenced Plan Summaries	40
	3.Y2.4.8.1 Trigger Events.....	40
	3.Y2.4.8.2 Message Semantics	41
	3.Y2.4.8.3 Expected Actions	41
150	3.Y3 Subscribe to Treatment Summary Updates [XRTS-03].....	41
	3.Y3.1 Scope	41
	3.Y3.2 Actor Roles	42
	3.Y3.3 Referenced Standards	42
	3.Y3.4 Messages	42
155	3.Y3.4.1 Subscription Creation	43
	3.Y3.4.1.1 Trigger Events.....	43
	3.Y3.4.1.2 Message Semantics	43
	3.Y3.4.1.3 Expected Actions	44
	3.Y4 Notify of Treatment Summary Updates [XRTS-04].....	44
160	3.Y4.1 Scope	44
	3.Y4.2 Actor Roles	45
	3.Y4.3 Referenced Standards	45
	3.Y4.4 Messages	45
	3.Y4.4.1 Notification of Updates	45
165	3.Y4.4.1.1 Trigger Events.....	46
	3.Y4.4.1.2 Message Semantics	46
	3.Y4.4.1.3 Expected Actions	47
	Appendices to Volume 2.....	48
	Volume 3 – Content Modules.....	49
170	8 RO HL7 FHIR Content Modules	50
	8.1 Conventions	50
	8.1.1 Optionality (OPT).....	50
	8.1.2 Display Requirements.....	50
	8.1.3 Must Support	50
175	8.1.4 Binding strength of ValueSets	50
	8.2 Content Modules	51
	8.2.1 Base Profiles	51
	8.2.2 Data Model	52
	8.2.3 General Provisions for all Resources exchanged in XRTS Transactions.....	56

180	8.2.3.1 Time Zone of dateTime elements.....	56
	8.2.4 Patient	57
	8.2.5 Course Summary	58
	8.2.6 Treated Phase.....	62
	8.2.7 Irradiated Volumes	66
185	8.2.8 Planned Course	68
	8.2.9 Planned Phase	68
	8.3 RO Value Sets.....	68
	Appendices to Volume 3.....	69
	Volume 4 – National Extensions	70
190	Supplement Only – Not added to Technical Framework.....	71
	Appendix A – Sources for Sequence Diagrams.....	72

Introduction to this Supplement

Whenever possible, IHE profiles are based on established and stable underlying standards. However, if an IHE domain determines that an emerging standard has high likelihood of industry adoption, and the standard offers significant benefits for the use cases it is attempting to address, the domain may develop IHE profiles based on such a standard. During Trial Implementation, the IHE domain will update and republish the IHE profile as the underlying standard evolves.

Product implementations and site deployments may need to be updated in order for them to remain interoperable and conformant with an updated IHE profile.

This Technical Framework Supplement incorporates content from Release 4 of the HL7® FHIR® specification. HL7 describes FHIR Change Management and Versioning at <https://www.hl7.org/fhir/versions.html>.

HL7 provides a rating of the maturity of FHIR content based on the FHIR Maturity Model (FMM): level 0 (draft) through N (Normative). See <http://hl7.org/fhir/versions.html#maturity>.

The FMM levels for FHIR Release 4 resource types used in this profile are:

FHIR Content (Resources, ValueSets, etc.)	FMM Level
Patient	N
Procedure	3
BodyStructure	1
ServiceRequest	2

This Technical Framework Supplement builds on the CodeX™ Radiation Therapy Implementation Guide (<http://hl7.org/fhir/us/codex-radiation-therapy/STU1/>) which derives from the mCODE FHIR Implementation Guide STU 2.1 (<http://hl7.org/fhir/us/mcode/STU2.1/group-treatment.html#radiotherapy>).

In the Radiation Oncology domain, large amounts of data are captured routinely across several clinical systems over the course of a patient's treatment. The electronic health record (EHR) is typically used to document clinical data that include demographic information, medical history, medications, laboratory test results, and radiology reports. The Radiation Oncology Information System (ROIS) and treatment planning systems (TPS) are utilized by radiation oncology based clinical users for managing the patient's radiotherapy episode of care and treatment delivery where the DICOM treatment plan, images, dose, structure set, and dose-volume information are stored in the TPS/ROIS. This profile is tailored to address specific clinical needs and pain points

with transfer of radiation treatment summary information from the ROIS to the electronic medical record system and making it easier for Radiation Oncology clinicians to include this information in their routine clinical notes such as on-treatment visit and end of treatment summary notes.

This profile is a combination of workflow and content modules.

Open Issues and Questions

#	Introduced in	Description
1	0.3.3	Cybersecurity Considerations: Should POST be used for searches rather than GET to avoid having parameters in the URL? A more thorough explanation of this risk might be helpful, including mitigating factors: (1) when using HTTPS, parameters are encrypted in transit; (2) logging capabilities are usually configurable so that query strings may be omitted if they are sensitive; (3) users who are authorized to access these logs may reasonable be expected to be authorized to view patient-identifying information in the course of their job duties.
2	0.3.3	The scope of this profile is limited to transfer of treatment summary information only. In future versions of this profile the XRTS committee will attempt to structure the transfer of prescription and treatment intent details with FHIR based data standards and cover the full scope of the CodeX RT Implementation Guide.
3	0.3.3	The following elements discussed in earlier XRTS drafts are not covered yet: • Concurrency, Role in combination with other treatments such as adjuvant, neoadjuvant. • Summary of Prescription (for Course, Phase, and single Plans). • Accessories • General Methods • Related Chemotherapy, Related Surgery, Concurrent Therapy Comment • Protocol
4	0.3.3	More examples of the http calls should be added to Volume 2 Transactions.
5	0.4.0	Finding from Technical Committee discussion Oct 12, 2022: Consider having unique identifiers for all summary resources, potentially with a predefined scheme how they can be generated uniquely. This could be similar or the same as DICOM UIDs. Is this needed or is it sufficient to require one standard FHIR business identifier that has the system url defined under which it is unique?

Closed Issues

None

IHE Technical Frameworks General Introduction

235 The [IHE Technical Frameworks General Introduction](#) is shared by all of the IHE domain technical frameworks. Each technical framework volume contains links to this document where appropriate.

9 Copyright Licenses

240 IHE technical documents refer to, and make use of, a number of standards developed and published by several standards development organizations. Please refer to the IHE Technical Frameworks General Introduction, [Section 9 - Copyright Licenses](#) for copyright license information for frequently referenced base standards. Information pertaining to the use of IHE International copyrighted materials is also available there.

10 Trademark

245 IHE® and the IHE logo are trademarks of the Healthcare Information Management Systems Society in the United States and trademarks of IHE Europe in the European Community. Please refer to the IHE Technical Frameworks General Introduction, [Section 10 - Trademark](#) for information on their use.

IHE Technical Frameworks General Introduction Appendices

- 250 The [IHE Technical Framework General Introduction Appendices](#) are components shared by all of the IHE domain technical frameworks. Each technical framework volume contains links to these documents where appropriate.

- 255 *Update the following appendices to the General Introduction as indicated below. Note that these are **not** appendices to this domain's Technical Framework (TF-1, TF-2, TF-3 or TF-4) but rather, they are appendices to the IHE Technical Frameworks General Introduction located [here](#).*

[Appendix A](#) – Actors

260

*Add the following **new or modified** actors to the [IHE Technical Frameworks General Introduction Appendix A](#):*

New (or modified) Actor Name	Definition
Treatment Summary Provider	Provides the summary of an ongoing or completed radiotherapy treatment
Treatment Observer	Retrieves the latest radiotherapy treatment summary information
RO Resource Repository	Receives and stores radiotherapy-related contents

[Appendix B](#) – Transactions

265

*Add the following **new or modified** transactions to the [IHE Technical Frameworks General Introduction Appendix B](#):*

New (or modified) Transaction Name and Number	Definition
Create or Update Treatment Summary [XRTS-01]	Store or update a treatment summary
Retrieve Treatment Summary [XRTS-02]	Retrieve a treatment summary
Subscribe to Treatment Summary Updates [XRTS-03]	Subscribe to receive notifications of updates to a treatment summary
Notify of Treatment Summary Updates [XRTS-04]	Notify subscribers of updates to a treatment summary

270

Appendix D – Glossary

Add the following **new or modified** glossary terms to the [IHE Technical Frameworks General Introduction Appendix D](#):

New (or modified) Glossary Term	Definition
Radiotherapy Course	In Radiotherapy, a <i>course</i> of treatment is a grouping that collects all radiation therapy treatments needed to treat a specific illness. A course is conceptually divided into one or more <i>phases</i> .
Radiotherapy Fraction	In Radiotherapy, <i>fractions</i> are the equivalent parts into which the delivery of a <i>phase</i> or specific <i>treatment plan</i> is subdivided.
Radiotherapy Phase	In Radiotherapy, a <i>phase</i> is a conceptual series of treatments, composed of one or more related treatment plans that focus on one set of target volumes with the same modality and technique. A single course of treatment is composed of one or more related phases.
Radiotherapy Phase Fraction	In Radiotherapy, one or more treatment plans may belong to a phase, a <i>phase fraction</i> is the combination of plan fractions delivered during a given session.
Radiation Oncology Information System (ROIS)	A system used to electronically manage the planning and administration of radiation therapy.
Radiotherapy Session	A <i>session</i> is the period between when the patient enters the treatment room and when they leave it. A course consists of a series of sessions.

Volume 1 – Profiles

<i>Add new Section X</i>

280 **X Exchange of Radiotherapy Summaries (XRTS) Profile**

In the Radiation Oncology domain, large amounts of data are captured routinely across several clinical systems over the course of a patient’s treatment. The electronic health record (EHR) is typically used to document clinical data that include demographic information, medical history, medications, laboratory test results, and radiology reports. The Radiation Oncology Information
285 System (ROIS) and treatment planning systems (TPS) are utilized by clinical users for managing the patient’s radiotherapy episode of care where the DICOM treatment plan, images, dose, structure set, and dose-volume information are stored in the TPS/ROIS. This profile is tailored to address specific clinical needs and pain points with transfer of radiation treatment summary information from the ROIS to the electronic medical record system and making it easier for
290 Radiation Oncology clinicians to include this information in their routine clinical notes such as on-treatment visit and end of treatment summary notes.


This profile is a combination of workflow and content modules.

X.1 XRTS Actors, Transactions, and Content Modules

This section defines the actors, transactions, and/or content modules in this profile. General
295 definitions of actors are given in the Technical Frameworks General Introduction Appendix A. IHE Transactions can be found in the Technical Frameworks General Introduction Appendix B. Both appendices are located at <https://profiles.ihe.net/GeneralIntro/index.html>.

Figure X.1-1 shows the actors directly involved in the XRTS Profile and the relevant transactions between them.

300 It also depicts possible grouping of RO Resource Repository and integration with existing HIE Central Infrastructure in case it contains a FHIR server which would then be used for the storage and retrieval of RO Treatment Summary resources.



305

Figure X.1-1: XRTS Actor Diagram




Figure X.1-2: XRTS Integrated RO Resource Repository Actor Diagram

Figure X.1-2 depicts a system which implements both Treatment Summary Provider and RO Resource Repository Actors. This combined actor is called Integrated RO Resource Repository. In this case Create or Update Treatment Summary [XRTS-01] transaction is internal between the combined actors within the system and is not required but can optionally be exposed externally to other Treatment Summary Provider Actors.

Table X.1-1 lists the transactions for each actor directly involved in the XRTS Profile. To claim compliance with this profile, an actor shall support all required transactions (labeled “R”) and may support the optional transactions (labeled “O”).

Table X.1-1: XRTS Profile - Actors and Transactions

Actors	Transactions	Initiator or Responder	Optionality	Reference
Treatment Summary Provider	Create or Update Treatment Summary [XRTS-01]	Initiator	R	
Treatment Observer	Retrieve Treatment Summary [XRTS-02]	Initiator	R	

Actors	Transactions	Initiator or Responder	Optionality	Reference
Treatment Observer	Subscribe to Treatment Summary Updates [XRTS-03]	Initiator	O	
Treatment Observer	Notify of Treatment Summary Updates [XRTS-04]	Responder	O	
RO Resource Repository	Create or Update Treatment Summary [XRTS-01]	Responder	R	
RO Resource Repository	Retrieve Treatment Summary [XRTS-02]	Responder	R	
RO Resource Repository	Subscribe to Treatment Summary Updates [XRTS-03]	Responder	O	
RO Resource Repository	Notify of Treatment Summary Updates [XRTS-04]	Initiator	O	
Integrated RO Resource Repository	Retrieve Treatment Summary [XRTS-02]	Responder	R	
Integrated RO Resource Repository	Create or Update Treatment Summary [XRTS-01]	Responder	O (See Note 2)	
Integrated RO Resource Repository	Subscribe to Treatment Summary Updates [XRTS-03]	Responder	O	
Integrated RO Resource Repository	Notify of Treatment Summary Updates [XRTS-04]	Initiator	O	

Note 1: If the RO Resource Repository is combined with a Treatment Summary Provider, then Create or Update Treatment Summary transaction can be implemented internally between the co-located actors. For an analogous case, see Integrated Document Repository in XDS (https://wiki.ihe.net/index.php/Cross-Enterprise_Document_Sharing)

325

X.2 XRTS Actor Options

None

X.3 XRTS Required Actor Groupings

This profile does not require any actor groupings.

330 Section X.5 describes some optional groupings that may be of interest for security considerations and Section X.6 describes some optional groupings in other related profiles.

Table X.3-1: XRTS - Required Actor Groupings

XRTS Actor	Actor(s) to be grouped with	Reference	Content Bindings Reference
Treatment Summary Provider	None	--	--
Treatment Observer	None	--	--
RO Resource Repository	None	--	--

X.4 XRTS Overview

X.4.1 Concepts

The electronic health record (EHR) is used to document clinical data that typically include demographic information, medical history, medications, laboratory test results, and radiology reports. For each patient receiving radiotherapy treatment, the clinical documentation typically includes (a) a detailed initial consultation note, (b) a simulation note describing the treatment simulation procedure, (c) a treatment planning note documenting the prescription and proposed treatment plan, (d) a weekly on-treatment visit (OTV) note from the staff physician documenting a review of the patient's treatment progress and any acute side effects, (e) an end-of-treatment summary (EOTS) or survivorship care plan for the patient and referring physician at the completion of therapy, and (f) routine follow-up notes tracking disease outcomes and any late toxicities. The treatment planning data including the radiotherapy treatment plan, images, dose, structure set, and dose-volume information from the treatment planning system (TPS) are in structured formats (DICOM-RT). Additionally, the Radiation Oncology Information System (ROIS) contains information regarding the radiation treatment delivery, fractions, visits, delivered dose till date etc. The OTV and EOTS notes must contain components of information about the patient and disease (age, gender, diagnosis and RT indication), **radiation treatment elements** (RT course start and end date, anatomic target, treatment modality [e.g., photons, protons, HDR], technique [e.g., 3DCRT, IMRT], dose and schedule), patient experience (side effects and management), and the follow-up plan. Currently, the **radiation treatment elements** are often siloed in the ROIS. To address this interoperability problem the profile enables the seamless transfer of these elements from the ROIS to the EHR. **Combining the radiotherapy treatment elements with the elements from other information systems (patient experience, follow-up etc.) in the EOTS and OTV notes is out of scope of this profile.**

X.4.2 Use Cases

X.4.2.1 Use Case #1: Transfer of End of Treatment Summary

This use case encompasses a patient being treated with radiotherapy. The radiation treatment elements required for the End of Treatment Summary (EOTS) are retrieved from the Radiation Oncology Information System (ROIS) to the EHR.

X.4.2.1.1 Use Case Description

365 The patient is treated with radiotherapy, and the radiation treatment elements are stored in the ROIS. The treatment team, consisting of a radiation oncologist, dosimetrists and physicists, will complete the treatment course in the ROIS after the final treatment is delivered. In the EHR, physicians will be able to retrieve the treatment summary elements from the ROIS for inclusion in their EOTS notes.

X.4.2.1.2 Process Flow

370 In the use case, the ROIS plays the role of the Treatment Summary Provider. The EHR plays the role of the Treatment Observer and the FHIR server plays the role of RO Resource Repository.

Main flow:

- 375 1. When a course of radiotherapy is completed by the treatment team, the Treatment Summary Provider pushes the up-to-date treatment summary information to the RO Resource Repository [XRTS-01]. The status of the course summary is complete.
2. If the Treatment Observer has subscribed to the Repository for Treatment Summary Updates, the Treatment Observer will be notified of the update on the treatment summary information from the RO Resource Repository. [XRTS-03]
- 380 3. The Treatment Observer is able to retrieve the latest end of treatment summary information from the RO Resource Repository. [XRTS-02]




Figure X.4.2.1.2-1: Process Flow Transfer End of Treatment Summary

385 **X.4.2.2 Use Case #2: On Treatment Visit Monitoring of Treatment Progress**

This use case encompasses a patient being treated with radiotherapy. The radiation treatment elements required for the treatment progress documentation (on-treatment visits) are retrieved from the ROIS to EHR.

X.4.2.2.1 Use Case Description

390 The patient is treated with radiotherapy, and the radiation treatment elements are stored in the ROIS. The treatment team, consisting of a radiation oncologist, dosimetrists and physicists, will treat the patient on the machine. After each session the treatment progress information is updated in the ROIS. In the EHR, physicians will be able to retrieve the up-to-date treatment summary elements from the ROIS for inclusion in their OTV notes.

395 **X.4.2.2.2 Process Flow**

In the use case, the ROIS plays the role of the Treatment Summary Provider. The EHR plays the role of the Treatment Observer and the FHIR server plays the role of RO Resource Repository.

Main flow:

- 400 1. After the completion of treatment delivery for the treatment session, the Treatment Summary Provider pushes the up-to-date treatment summary information to the RO Resource Repository. [XRTS-01]
2. If the Treatment Observer has subscribed to the Repository for Treatment Summary Updates, the Treatment Observer will be notified of the update on the treatment summary information from the RO Resource Repository. [XRTS-04]
- 405 3. The Treatment Observer is able to retrieve the latest treatment progress information from the RO Resource Repository. [XRTS-02]




Figure X.4.2.2.2-1: Process Flow On Treatment Visit Monitoring of Treatment Progress

X.4.2.3 Use Case #3: External System Monitoring of Treatment Progress for Dose Tracking

The use case encompasses the tracking of radiation treatment progress by an external system that is not participating directly in the treatment of a patient (e.g., independent QA, machine learning system, multiple OIS environments etc.). This use case is very similar to the use case #2 where treatment progress is tracked in OTV notes.

X.4.2.3.1 Use Case Description

The patient is treated with radiotherapy, and the radiation treatment elements are stored in the ROIS. The treatment team, consisting of a radiation oncologist, dosimetrists and physicists, will treat the patient on the machine. After each session the treatment progress information is updated in the ROIS. The external system will be able to retrieve the up-to-date treatment summary elements from the ROIS.

X.4.2.3.2 Process Flow

In the use case, the ROIS plays the role of the Treatment Summary Provider. The external system plays the role of the Treatment Observer and the FHIR server plays the role of RO Resource Repository.

Main flow:

1. After each treatment delivery, the Treatment Summary Provider pushes the up-to-date treatment summary information to the RO Resource Repository. [XRTS-01]
2. If the Treatment Observer has subscribed to the Repository for Treatment Summary Updates, the Treatment Observer will be notified of the update on the treatment summary information from the RO Resource Repository. [XRTS-03]
3. The Treatment Observer is able to retrieve the latest treatment progress information from the RO Resource Repository. [XRTS-02]

The Process Flow is the same as in Use Case #2 shown in Fig X.4.2.2.2-1.

X.5 XRTS Security Considerations

Implementers are expected to follow best practices for information security so that patients' data are protected in compliance with regulations and organizational policies.

Patient data should not be exchanged between systems without authentication. For this profile, authentication using OAuth is expected. Consult the FHIR specification chapter 6.1.0, “FHIR Security” (<https://hl7.org/fhir/security.html>), for a full discussion of this need, and the HL7 SMART on FHIR Implementation Guide (<https://hl7.org/fhir/uv/bulkdata/authorization/index.html>) for a specific profile of OAuth for use in web-based FHIR applications. For this profile, the SMART on FHIR authentication model most appropriate is “backend services”, which provides for access control between software systems that interact autonomously. This mode of integration is appropriate for this profile since no particular user needs to authenticate at the time when communication will occur and because the scope of access for the communicating systems can be defined at the system level. Note that applications may in practice impose additional requirements for authentication beyond those profiled in SMART on FHIR.

Consult [ITI TF-2: Appendix Z.8, "Mobile Security Considerations"](#), for additional guidance about authentication, auditing, and protection of data in transit (e.g., using encryption) and at rest (e.g., access control for logs and other audit records).

X.6 XRTS Cross Profile Considerations

455 None

Appendices to Volume 1

Not applicable.

Volume 2 – Transactions

Add Sections 3.Y1, 3.Y2, 3.Y3, 3.Y4

3.Y1 Create or Update Treatment Summary [XRTS-01]

3.Y1.1 Scope

This transaction is used to provide the summary of a radiotherapy treatment to a repository or update the summary on the repository if a previous version already exists.

3.Y1.2 Actor Roles

Table 3.Y1.2-1: Actor Roles


Actor:	Treatment Summary Provider
Role:	Creates or updates resources representing the summary of a radiotherapy treatment.
Actor:	RO Resource Repository
Role:	Receives and persists resources representing the summary of a radiotherapy treatment.

3.Y1.3 Referenced Standards

- HL7 FHIR R4
- CodeX™ Radiation Therapy Implementation Guide STU 1 (<http://hl7.org/fhir/us/codex-radiation-therapy/STU1>).
- minimal Common Oncology Data Elements (mCODE) Implementation Guide STU 2.1 (<http://hl7.org/fhir/us/mcode/STU2.1>)

3.Y1.4 Messages

Create or Update Treatment Summary [XRTS-01] (1/2)



Create or Update Treatment Summary [XRTS-01] (2/2)




Figure 3.Y1.4-1: Sequence Diagram for Transaction XRTS-01

3.Y1.4.1 General Provisions

This section contains general provisions for all messages used in this transaction.

480 The RO Resource Repository shall support both XML and JSON mime-type Options.

Note that the order of the FHIR resources in JSON is not guaranteed to be maintained and must not be significant. The order of treatments that are represented by Course Summaries or Treated Phases is defined by their time stamps.

485 The required FHIR capabilities for the RO Repository Actor are defined in the <http://hl7.org/fhir/us/codex-radiation-therapy/STU1/CapabilityStatement/CodexRTServerCapabilityStatement>. The transaction XRTS-01 requires only the capabilities for the resources Patient, Procedure, ServiceRequest, and BodyStructure.

490 Updates of FHIR resources on the RO Resource Repository SHALL be version aware, using a combination of ETag and If-Match parameters as described in the FHIR standard, Section 3.1.0.5 Managing Resource Contention (<https://hl7.org/fhir/http.html#concurrency>).

3.Y1.4.2 Acquire Patient Reference

495 This is an optional preparatory transaction where Treatment Summary Provider acquires the URL to the FHIR Patient resource that is going to be used for the subject reference in Treatment Summary messages related to the given patient.

If the patient reference has been already acquired for this Treatment Summary resource and saved in the system for internal uses, it can be skipped.

3.Y1.4.2.1 Trigger Events

500 Not defined by this profile. Typically, this transaction should occur when the patient is registered in the Treatment Summary Provider system, or when the [XRTS-01] transaction for a given Treatment Summary resource is executed for the first time.

3.Y1.4.2.2 Message Semantics

FHIR Patient search operation (<https://www.hl7.org/fhir/search.html>).

3.Y1.4.2.3 Expected Actions

505 The Treatment Summary Provider shall be configured to fetch the Patient resource URL from the RO Resource Repository. If the Patient has not yet been created in the RO Resource Repository, Treatment Summary Provider shall create the patient at the RO Resource Repository FHIR server.

510 Following fields must be provided in search and must match exactly in order for the Patient resource to be considered as valid and to be used as a reference in Treatment Summary resources.

1. primary patient identifier (search parameter name ‘identifier’, format *system|value*)
2. last name (search parameter name ‘family:exact’)
3. first name (search parameter name ‘given:exact’)
- 515 4. birth date (search parameter name ‘birthDate’)
5. gender (search parameter name ‘gender’)

Optionally, if the healthcare enterprise has Document Sharing Health Information Exchange (HIE) Infrastructure established or can provide any other means (e.g., PDQm, PIXm) that expose FHIR endpoint to Patient registry, then the Treatment Summary Provider fetches URL to the shared Patient resource by search using available identifiers and demographics data.

520

The created Patient resource shall have link element populated:

link.other	full URL to the central Patient resource
link.type	refers

3.Y1.4.3 Acquire BodyStructure References

525 This is an optional preparatory transaction where the Treatment Summary Provider acquires the URL to the FHIR BodyStructure resources that are going to be used for the *Procedure:mcode-radiotherapy-dose-delivered-to-volume* reference in Treatment Summary messages that it is going to send for a given patient.

530 Every instance in *mcode-radiotherapy-dose-delivered-to-volume* of a Treatment Summary resource shall have the *extension:volume* reference set to a BodyStructure resource in the RO Resource Repository.

If the BodyStructure references have already been created and acquired for this Treatment Summary resource and saved in the system for internal uses, it can be skipped.

3.Y1.4.3.1 Trigger Events

535 Not defined by this profile. These resources can be created during patient treatment planning or when the [XRTS-01] transaction for a given Treatment Summary resource is executed for the first time.

3.Y1.4.3.2 Message Semantics

540 FHIR BodyStructure search operation based on BodyStructure.identifier, which is always known by the Treatment Summary Provider. It is a unique identifier that will reliably identify the same volume in different requests and procedures. Refer to Section 11.2.6 Irradiated Volumes.

3.Y1.4.3.3 Expected Actions

Treatment Summary Provider shall parse the bundle with a single BodyStructure resource.

545 If the BodyStructure needed to be referenced from Treatment Summary resource was not found, the Treatment Summary Provider shall create the BodyStructure on the RO Resource Repository FHIR server.

```
POST [base]/BodyStructure?format=[mime-type]
```

The message body contains the BodyStructure resource according to the Radiotherapy Volume (Target or OAR) (see Section 11.2.6 Irradiated Volumes).

550 3.Y1.4.4 Acquire Plan Summary References

This is an optional preparatory transaction where the Treatment Summary Provider acquires the URL to the FHIR ServiceRequest resources that represent the Treatment Plans summed up over each Phase and over the complete Course. These ServiceRequests are going to be used for the *Procedure:basedOn* reference in Treatment Summary messages that will be sent for a given patient.

The Course Summary references the corresponding Planned Course. Each Treated Phase references the corresponding Planned Phase in the RO Resource Repository.

560 If the ServiceRequest references have already been created and acquired for these Treatment Summary resources and saved in the system for internal use, acquiring these references can be skipped.

3.Y1.4.4.1 Trigger Events

565 Not defined by this profile. These resources that represent summaries of Treatment Plans (Planned Course and Planned Phase) have to be created before they can be referenced from Procedure resources, for example, when the Treatment Plans are approved or only when the [XRTS-01] transaction for a given Treatment Summary resource is executed for the first time.

3.Y1.4.4.2 Message Semantics

570 FHIR ServiceRequest search operation based on ServiceRequest.identifier (business identifier), that is always known by the Treatment Summary Provider. It is a unique identifier that will reliably identify the same Planned Course or Planned Phase in different requests and procedures. Refer to Section 11.2.7 Planned Course and Section 11.2.8 Planned Phase.

Course Summary has a *basedOn* reference to a Planned Course resource and Treated Phase has a *basedOn* reference to one or more Planned Phase resources.

3.Y1.4.4.3 Expected Actions

The Treatment Summary Provider shall parse the bundle with a single ServiceRequest resource.

575 If the ServiceRequest needed to be referenced from Treatment Summary resource was not found, the Treatment Summary Provider shall create the ServiceRequest on the RO Resource Repository FHIR server.

```
POST [base]/ServiceRequest?format=[mime-type]
```

580 The message body contains the ServiceRequest resource according to the profiles Planned Course (see Section 11.2.7) and Planned Phase (see Section 11.2.8).

Depending on whether the Plan Summary is at the Course level or the Phase level, the *ServiceRequest:code* is specified accordingly:

- Radiotherapy Planned Course
 - code= http://snomed.info/sct|1217123003 “Radiotherapy course of treatment (regime/therapy)”
- 585 • Radiotherapy Planned Phase
 - code= http://snomed.info/sct|1222565005 “Radiotherapy treatment phase (regime/therapy)”

590 The Treatment Summary Provider shall fetch the resource URL from the Location header and save it in the system to be used in setting the reference in the Treatment Summary resource.

If the Treatment Plan changes, the Treatment Summary Provider shall update the Planned Phase resources of all Phases that include this plan and update the Planned Course resource in the RO Resource Repository. It shall also fetch the created version identifier returned in the response of the transaction. The version number shall be used in *Procedure:basedOn* references from
595 Treatment Summary resources.

3.Y1.4.5 Create Treatment Summary

3.Y1.4.5.1 Trigger Events

Typically, this is triggered when a Treatment Session of a Treatment Course of the patient is completed. In case of reporting an end-of-treatment summary, the transaction may be triggered
600 by the treatment of the last session or by completion of the Treatment Course. Alternatively, updates may be performed by a periodically scheduled data export.

3.Y1.4.5.2 Message Semantics

FHIR create - <https://www.hl7.org/fhir/http.html#create>

```
POST [base]/Procedure{?format=[mime-type]}
```

605 The server creates the logical id of the resource and returns it on successful creation. The id can be stored for further use (as the other acquired resource references to Patient etc.), or found again through query business identifier when needed.

The request body contains a Procedure resource according to the Radiotherapy Course Summary or Treated Phase resource profiles.

610 The Treatment Summary Provider shall first send the Course Summary resource, and then optionally the Treated Phase resources affected by the Treatment Session. Multiple Phases are affected by the same Session only if Plans from overlapping Phases are treated. The Treated Phase references the Course Summary resource through the *Procedure:partOf* element.

615 The URL to the Course Summary resource shall be version-specific and copied from the Location header of the response. This is an important patient hazard mitigator for Treatment Observer to avoid the risk of data mix-up. Earlier versions of the Treated Phase reference earlier versions of the Course Summary through the *partOf* reference.

Retrieving the proper version of the Course Summary may require an additional *_history* query (<http://hl7.org/fhir/http.html#history>) based on timestamp matching (by using the *_at* parameter).

620 "partOf": [{ "reference": "<base>/Procedure/id-course/_history/v1" }]

Patient Reference in *Procedure.subject* shall contain the relative URL to the patient resource, acquired in Get Patient Reference message of this transaction.

625 If references to Planned Course or Planned Phase are provided, those shall be set in the *Procedure:basedOn* property and contain the relative URL to the ServiceRequest resources retrieved with the message Acquire Plan Summary References of this transaction.

The URLs to the Planned Course and Planned Phase resource shall be version specific and copied from the Location header of the response message when Plan resource is created or updated.

3.Y1.4.5.3 Expected Actions

630 RO Resource Repository shall create the first version of Course Summary and optionally Radiotherapy Phase resources and return a Location header with full URL of the created resources.

The Treatment Summary Provider shall fetch the resource URL from Location header and save it in the system for further update messages.

635 3.Y1.4.6 Update Treatment Summary

3.Y1.4.6.1 Trigger Events

This update may be triggered when the next treatment session of a Treatment Course of the patient is completed, or it may be triggered according to a configured schedule in the system.

3.Y1.4.6.2 Message Semantics

640 FHIR update - <https://www.hl7.org/fhir/http.html#update>.

Create a new version of resource with given ID.

```
PUT [base]/Procedure/[id]?format=[mime-type]
```

The request body contains an updated Procedure resource according to the Radiotherapy Course Summary and Treated Phase resource profiles.

645 The Treatment Summary Provider shall first send an updated Course Summary resource and then the Treated Phase resource (that affected the Course Summary update), which refers to the Course Summary resource through the *Procedure:partOf* element.

If the session that triggered the update of Course Summary was the first delivered during the given Phase, then the Treated Phase resource is created (see Section 3.Y1.4.5) and not updated.

650 The URL to the Course Summary resource shall be version specific and the version is copied from the ETag header (see Section 3.Y.1.3.3) of the response.

"partOf": [{ "reference": "<base>/Procedure/id-course/_history/versionN" }]

The Patient reference in *Procedure.subject* shall contain the URL acquired in the Get Patient Reference message of this transaction.

655 3.Y1.4.6.3 Expected Actions

FHIR update - <https://www.hl7.org/fhir/http.html#update>

The RO Resource Repository shall create a new version of the Radiotherapy Course Summary and Treated Phase resources for the given ID and return an ETag header with the newly created version ID of the updated resource.

660 The Treatment Summary Provider fetches the version ID and saves it in the system for internal use and to construct version specific references (Procedure:partOf) between related resources.

3.Y2 Retrieve Treatment Summary [XRTS-02]

3.Y2.1 Scope

665 This transaction is used by a Treatment Observer to retrieve the summary of a radiotherapy treatment from an RO Resource Repository.

3.Y2.2 Actor Roles

Table 3.Y2.2-1: Actor Roles

Actor:	Treatment Observer
--------	--------------------

Role:	Retrieves resources representing the summary of a radiotherapy treatment.
Actor:	RO Resource Repository
Role:	Provides resources representing the summary of a radiotherapy treatment.

3.Y2.3 Referenced Standards

670 See transaction [XRTS-01], Section 3.Y1.3.

3.Y2.4 Messages




Figure 3.Y2.4-1: Sequence Diagram for Transaction XRTS-02

3.Y2.4.1 General Provisions

This section contains general provisions for all messages used in this transaction.

The RO Resource Repository shall support both XML and JSON mime-type Options.

680 Note that the order of the FHIR resources in JSON is not guaranteed to be maintained and must not be significant. The order of treatments that are represented by Course Summaries or Treated Phases is defined by their time stamps.

685 The required FHIR capabilities for the RO Repository Actor are defined in the <http://hl7.org/fhir/us/codex-radiation-therapy/CapabilityStatement/CodexRTServerCapabilityStatement>. The transaction XRTS-02 requires only the capabilities for the resources Patient, Procedure, ServiceRequest, and BodyStructure.

3.Y2.4.2 Get Patient Reference

690 This is a preparation message where Treatment Observer acquires the URL to the FHIR Patient resource that is going to be used for the subject reference in the Treatment Summary messages that are going to be sent for a given patient.

3.Y2.4.2.1 Trigger Events

Not defined by this profile but typically when the patient is registered in the Treatment Observer system

3.Y2.4.2.2 Message Semantics

695 FHIR Patient search operation

The following fields are required to be provided in search and match exactly for the Patient resource to be found by the RO Resource Repository and returned to the Treatment Observer.

1. primary patient identifier (search parameter name ‘identifier’, value *system|value*)
2. last name (search parameter name ‘family:exact’)
- 700 3. first name (search parameter name ‘given:exact’)
4. birth date (search parameter name ‘birthdate’)
5. gender (search parameter name ‘gender’)

3.Y2.4.2.3 Expected Actions

705 If there is exactly one match, RO Resource Repository returns a Bundle with a single Patient resource.

The Treatment Observer shall fetch the local id of the Patient resource and use it in subsequent requests for Treatment Summary resources.

If there is no matching resource, the count in the Bundle is 0 and the transaction shall not continue.

710 If there are more than one matching resource, then the count in the Bundle is >1.

This shall be considered an error situation and requires RO Resource Repository maintenance. In this case, the Treatment Observer system shall not assume validity of any Patient resource and the transaction shall not continue.

3.Y2.4.3 Request Treatment Summaries for a Patient

715 3.Y2.4.3.1 Trigger Events

The transaction is triggered at the Treatment Observer when a patient summary is needed, for example, when the user decides to view the patient summary to get an overview or write a summary letter.

3.Y2.4.3.2 Message Semantics

720 FHIR Procedure search operation <https://www.hl7.org/fhir/http.html#search>.

The required parameters are:

1. **code** if the Treatment Observer wants to find only Course or only Phase level resources. The **code** shall contain one of the fixed values:
 - 725 a. <http://snomed.info/sct|1217123003> “Radiotherapy course of treatment (regime/therapy)”
 - b. <http://snomed.info/sct|1222565005> “Radiotherapy treatment phase (regime/therapy)”
2. **category** if the Treatment Observer wants to find both Course or Phase level resources. The **category** shall contain the fixed value <http://snomed.info/sct|108290001> “Radiation oncology AND/OR radiotherapy (procedure)” (can be omitted if code is given)
- 730 3. **subject** which shall contain the logical id (<https://www.hl7.org/fhir/resource-definitions.html#Resource.id>) of a Patient resource as a search parameter. The Treatment Observer shall have acquired the patient resource id as defined in 3.Y1.4.1 Get Patient Reference.

Optional parameters are:

- 735 1. **status** which shall hold one of the values from code system <http://hl7.org/fhir/event-status> (in-progress, completed, entered-in-error etc.)
2. **_lastUpdated** which can be used to search Treatment summaries based on the last time they were changed. This parameter is of type `Date/DateTime` and thus shall be given according to <https://www.hl7.org/fhir/search.html#date>. In order to search for Treatment summaries in a specific range, the parameter shall be provided twice (for lower and upper boundary)
- 740

3. **_format** – “json” or “xml”

```
745 GET [base]/Procedure?category=http://snomed.info/sct|108290001
      &subject:Patient=[id]
      {&_format=[mime-type]}}

POST [base]/Procedure/_search
Content-Type: application/x-www-form-urlencoded
```

750 category: http://snomed.info/sct|108290001

```
755 code: http://snomed.info/sct|1217123003
      subject:Patient: [id]
      status: completed
      _lastUpdated: <startdate>
      _lastUpdated: <enddate>
      _format: [mime-type]
```

3.Y2.4.3.3 Expected Actions

760 The RO Resource Repository shall match search parameters to the Treatment Summary resources.

The Patient is matched with the local Patient resource that must have been created or secured previously by [XRTS-01] transaction.

The RO Resource Repository shall support all parameters, including optional parameters listed in 3.Y2.4.1.2 Message Semantics.

765 The RO Resource Repository shall return a Bundle with list of entries that contain current versions of the matching Treatment Summary resources.

The Treatment Observer shall parse the bundle, and either programmatically or by user interaction select one Treatment Summary from the bundle. Treatment Observer shall fetch and cache the resource ID of the selected Treatment Summary and use it in direct messages to fetch

770 the status or history of a Treatment. (See Section 3.Y2.4.2 Request Treatment Summary status of selected Treatment Course.)

3.Y2.4.4 Request Treatment Summary current version of selected Treatment Course or Phase

3.Y2.4.4.1 Trigger Events

775 The Treatment Observer has previously obtained the resource Id of a Treatment Summary resource by patient search and by programmatic or user interactive selection. The Treatment Observer needs to access the latest reported status update of the Treatment Summary.

3.Y2.4.4.2 Message Semantics

FHIR Procedure read operation - <https://www.hl7.org/fhir/http.html#read>

780

```
GET [base]/Procedure/[id]{?format=[mime-type]}
```

[id] is the logical resource ID of the Treatment Summary (Procedure) instance at the RO Resource Repository.

3.Y2.4.4.3 Expected Actions

785 RO Resource Repository shall return a single Procedure resource in the format specified by the _format parameter. If this parameter is not sent by the Treatment Observer, it is up to the RO Resource Repository to choose its default format.

The returned resource is the latest version of this Treatment Summary sent by the [XRTS-01] transaction.

790 **3.Y2.4.5 Request Treatment Summary progress history of selected Treatment Course or Phase**

3.Y2.4.5.1 Trigger Events

795 The Treatment Observer has previously obtained the resource ID of a Treatment Summary resource by patient search and by programmatic or user interactive selection. Treatment Observer needs to access all or some progress update information of this Treatment Course or Phase.

3.Y2.4.5.2 Message Semantics

FHIR Procedure history operation - <https://www.hl7.org/fhir/http.html#history>

```
GET [base]/Procedure/[id]/_history{?_format=[mime-type]}
```

800 [id] is the logical resource ID of the Treatment Summary (Procedure) instance at RO Resource Repository.

3.Y2.4.5.3 Expected Actions

805 The RO Resource Repository shall return a Bundle resource that contains entries, where each entry is one version of the Treatment Summary (Procedure) resource that has been created by the RO Resource Repository as part of the [XRTS-01] transaction.

The entries in the bundle are sorted oldest version last and the current version first as defined by the FHIR standard.

3.Y2.4.6 Request Updated Treatment Summaries

3.Y2.4.6.1 Trigger Events

810 The transaction is triggered at the Treatment Observer when the RO Resource Repository has notified the Treatment Observer about new or updated Treatment Summary resources

3.Y2.4.6.2 Message Semantics

FHIR Procedure search operation <https://www.hl7.org/fhir/http.html#search>

Required parameters are:

- 815
1. **category** which shall hold fixed value `http://snomed.info/sct|108290001` “Radiation oncology AND/OR radiotherapy (procedure)” (can be omitted if code is given)
 2. **_lastUpdated** which can be used to search Treatment summaries based on the last time they were changed. This parameter is of type `Date/DateTime` and thus shall be given according to <https://www.hl7.org/fhir/search.html#date>. To search for Treatment summaries in a specific range, the parameter shall be provided twice (for lower and upper boundary)
- 820

Optional parameters are:

1. **code** which shall hold one of the fixed values;
 - a. `http://snomed.info/sct|1217123003` “Radiotherapy course of treatment (regime/therapy)”
 - b. `http://snomed.info/sct|1222565005` “Radiotherapy treatment phase (regime/therapy)”
 2. **_format** – “json” or “xml”
- 825

3.Y2.4.6.3 Expected Actions

830 The RO Resource Repository shall match search parameters to the Treatment Summary resources.

The RO Resource Repository shall return a Bundle with a list of entries that contain the current versions of the matching Treatment Summary resources.

835 Treatment Observer shall parse the bundle and identify new and updated resources. Based on the patient reference in each resource, the Treatment Observer shall update the local copy of the included treatment data.

3.Y2.4.7 Request Referenced Radiotherapy Volumes

3.Y2.4.7.1 Trigger Events

840 The observer retrieved a Radiotherapy Course Summary that references a Radiotherapy Volume and needs more properties of the Volume than the display name which is included in the summary itself.

3.Y2.4.7.2 Message Semantics

845 The Radiotherapy Course Summary contains references to BodyStructure resources that represent the Radiotherapy Volumes to which dose is summarized. The display name of the Radiotherapy Volume is contained in the Course Summary itself as element Reference.display. For any other details of the Radiotherapy Volume such as type, anatomic location, UID, the respective BodyStructure resource has to be retrieved from the RO Resource Repository.

FHIR Read operation <https://www.hl7.org/fhir/http.html#read>

There are no required parameters in this request.

Optional parameters are: **_format** – “json” or “xml”

850 The Procedure resource contains a ready to use local reference to the BodyStructure.

The base URL shall be same as the parent Procedure resource.

Example:

```
GET [base]/BodyStructure/id1
```

3.Y2.4.7.3 Expected Actions

855 RO Resource Repository shall return the referenced BodyStructure resource.

3.Y2.4.8 Request Referenced Plan Summaries

3.Y2.4.8.1 Trigger Events

860 The Treatment Observer retrieved a Radiotherapy Course Summary or Treated Phase, that references a ServiceRequest that describes what is planned for the Course or Phase (Planned Course or Planned Phase respectively). The Treatment Observer needs Plan information to

compare the plan with treatment outcome, in particular to assess the current progress when the treatment Course is still ongoing.

3.Y2.4.8.2 Message Semantics

865 The Planned Course and Planned Phase resources summarize the Treatment Plans that were planned for a certain Course or Phase. The Planned Course and Planned Phase resources are of type ServiceRequest (intent=filler-order). They are referenced from the Course Summary and Treated Phase Procedures by the “basedOn” references and can be retrieved using these references. The elements contained in the referenced ServiceRequest resources summarize the Treatment Plans following the Planned Course and Planned Phase profiles. By comparing the
870 Plan information such as planned dose and planned number of fraction elements with the delivered Procedures, e.g., delivered dose and number of fraction elements, the progress overview can be created when the treatment is in progress.

FHIR Read operation <https://www.hl7.org/fhir/http.html#read>.

There are no required parameters in this request.

875 Optional parameters are: **_format** – json or xml.

The Procedure resource contains a ready-to-use local version-specific reference to the ServiceRequest resource.

The base URL shall be same as the parent Procedure resource.

Example:

880 GET [base]/ServiceRequest/<id>/<vid>

3.Y2.4.8.3 Expected Actions

The RO Resource Repository shall return the requested version of the referenced ServiceRequest resource.

3.Y3 Subscribe to Treatment Summary Updates [XRTS-03]

885 The general provisions of [XRTS-01] (Section 3.Y1.4.1) also apply to this transaction.

3.Y3.1 Scope

This transaction is used by a Treatment Observer to subscribe to an RO Resource Repository for notification when a treatment summary changes.

3.Y3.2 Actor Roles

890

Table 3.Y3.2-1: Actor Roles


Actor:	Treatment Observer Provider
Role:	Subscribes to changes in the summary of a radiotherapy treatment.
Actor:	RO Resource Repository
Role:	Establishes subscription to notify an observer in case of changes to the summary of a radiotherapy treatment.

3.Y3.3 Referenced Standards

See transaction [XRTS-01], Section 3.Y1.3.

3.Y3.4 Messages

Subscribe to Treatment Summary Updates [XRTS-03]



895

Figure 3.Y3.4-1: Sequence Diagram for Transaction XRTS-03

3.Y3.4.1 Subscription Creation

3.Y3.4.1.1 Trigger Events

- 900 The transaction is triggered at the Treatment Observer when notifications about new and updated Treatment summary information are requested, for example, when the Treatment observer system architecture prefers push communication over polling.

3.Y3.4.1.2 Message Semantics

The Treatment Observer creates and posts a FHIR Subscription resource to the RO Resource Repository.

- 905 FHIR create - <https://www.hl7.org/fhir/http.html#create>.
Create a new version of resource with given Id.

```
POST [base]/Subscription
```

The Body contains a Subscription resource according to <https://www.hl7.org/fhir/subscription.html>.

- 910 Besides elements required by the resource definition, the following elements shall be specified according to below:

Subscription.criteria

To be notified for any Treatment Summary procedure resource change, including creation of new and update of existing resources.

- 915 `Procedure?category=http://snomed.info/sct|108290001`

Note that this criterion matches both Treatment Course Summary and Treated Phase resource creation and updates. It is also possible to extend the criteria to match only one of these types, by adding another parameter:

- `&code= http://snomed.info/sct|1217123003` to retrieve only Course Summaries
- `&code= http://snomed.info/sct|1222565005` to retrieve only Phase Summaries

920

Subscription.channel.type

"rest-hook"

Subscription.channel.endpoint

- 925 The url owned by Treatment Observer system that describes the actual endpoint to which a notification HTTP request messages is sent.

If different subscriptions based on summary code (with additional *&code* criteria parameter) are registered and payload is also expected (see below), then the endpoint shall also differ in these

subscriptions. Otherwise, the Treatment Observer is not able to distinguish which criteria triggered the notification.

930 **Subscription.channel.payload**

Can be specified if Treatment Observer prefers that the matched resource is copied and pushed as part of the notification call.

Example

```
{
935   "resourceType": "Subscription",
      "id": "ihe-ro-xrts-subscription-1",
      "status": "requested",
      "reason": "Monitor Radiation Therapy progress",
      "criteria": "Procedure?category=http://snomed.info/sct|108290001
940   "channel": {
      "type": "rest-hook",
      "endpoint": "{{endpointUrl}}/radiation-therapy-summary-update",
      "payload": "application/fhir+json" // Optional
    }
945 }
```

3.Y3.4.1.3 Expected Actions

The RO Resource Repository is ready to match any newly created or updated Treatment Summary resource (normally by [XRTS-01] transaction) with the *Subscription.criteria* and notify the given *Subscription.channel.endpoint* when an update occurs.

950 **3.Y4 Notify of Treatment Summary Updates [XRTS-04]**

The general provisions of [XRTS-01] (Section 3.Y1.4.1) also apply to this transaction.

3.Y4.1 Scope

This transaction is used by an RO Resource Repository to notify Treatment Observer when a treatment summary has been updated.

955 **3.Y4.2 Actor Roles**

Table 3.Y4.2-1: Actor Roles

Actor:	RO Resource Repository
Role:	Notifies a Treatment Observer that a treatment summary has been updated on the <i>RO Resource Repository</i> .
Actor:	Treatment Observer
Role:	Receives a notification from the <i>RO Resource Repository</i> that a treatment summary has been updated on the <i>RO Resource Repository</i> .

3.Y4.3 Referenced Standards

See transaction [XRTS-01], Section 3.Y1.3.

960 **3.Y4.4 Messages**

3.Y4.4.1 Notification of Updates




Figure 3.Y4.4.1-1: Sequence Diagram for Transaction XRTS-04

965 **3.Y4.4.1.1 Trigger Events**

When a new or updated Treatment Summary resource is received by RO Resource Repository (normally by [XRTS-01] transaction).

Note, both phase-level and course-level Treatment Summary resources trigger the notification.

3.Y4.4.1.2 Message Semantics

970 The message that the RO Resource Repository sends depends on *Subscription.channel.payload*

Payload is missing

RO Resource Repository sends a POST request with no body to the nominated URL specified in matching *Subscription.channel.endpoint*.

Payload is specified

- 975 RO Resource Repository sends a PUT request to the nominated URL specified in matching *Subscription.channel.endpoint*. The request body contains the copy of the Procedure resource that triggered this notification in the format specified in *Subscription.channel.payload*.

3.Y4.4.1.3 Expected Actions

Treatment Observer receives POST request to the subscription endpoint.

- 980 In order to retrieve new or updated Treatment Summary resources, the Treatment Observer shall perform a search operation on the RO Resource Repository endpoint.

```
GET [base]/{Subscription.channel.endpoint}/{Subscription.channel.criteria}
?_lastUpdated=gt[:last]
```

- 985 where [:last] is replaced by the time at which the Treatment Observer last checked. In this way it can fetch all new relevant Treatment Summary resources.

RO Resource Repository returns a Bundle that contains Treatment Summary resources created or updated since :last timestamp. The processing of the result is expected to be same as in [XRTS-02] transaction 3.Y2.4.4 *Request Updated Treatment Summaries*.

- 990 **NOTE:** Because both Course Summary and related Treated Phase resources are created in the same [XRTS-01] transaction, multiple notifications are sent by the RO Resource Repository. It is the responsibility of the Treatment Observer to correlate and filter these notifications and arrange synchronous fetch of the updated resources.

- 995 Treatment Observer is expected to save the :last timestamp to be used when next update notification is received.

Treatment Observer receives PUT request to the subscription endpoint.

Treatment Observer shall fetch the copy of Treatment Summary resource from the response body.

- 1000 Treatment Observer is expected to handle it in similar manner as response body from [XRTS-02] 3.X.1.2 *Request Treatment Summary current version of selected Treatment Course or Phase*.

Appendices to Volume 2

None

1005

Volume 3 – Content Modules

8 RO HL7 FHIR Content Modules

8.1 Conventions

HL7 FHIR Conventions are defined in [Appendix Z](#) to the *IHE Technical Frameworks Volume 2*. The following sections contain additional conventions for this supplement.

1010 8.1.1 Optionality (OPT)

The optionality of elements is specified according to the conventions in Appendix Z.10. Some requirements on optionality are inherited from base profiles. This section defines the resulting optionality from base profiles combined with additional requirements of the supplement. This resulting optionality is compared to the FHIR standard itself. For example, R+ means that an element is not required by FHIR, but XRTS or any of the base profiles require this element.

8.1.2 Display Requirements

If a requirement is annotated with *, then that attribute is not required to be displayed.

Not all required (R) attributes have to be displayed by default but must be available for display.

8.1.3 Must Support

1020 FHIR has the concept of ‘Must Support’ as an indication that an element must be supported for a given use case.

See <https://www.hl7.org/fhir/conformance-rules.html#mustSupport>.

8.1.4 Binding strength of ValueSets

1025 For data elements with coded types, FHIR defines binding strengths.
<http://hl7.org/fhir/R4/terminologies.html#strength>

Profiles can define for coded elements which ValueSets are suggested or required by indicating the ValueSet and a binding strength. As with other profile requirements, profiles can increase the binding strength of base profiles or FHIR itself but not decrease it.

1030 Note in particular that the binding strength ‘required’ means that only values from the referenced ValueSet are allowed. Implementations that cannot map values to a required ValueSet cannot expose this element compliant with the profile because other values would violate the profile. However, it is mostly allowed to expose additional codes from other CodingSystems in elements of type CodeableConcept.

For example, the treatment technique must be exposed along the required Value Set by mCODE.

1035 <http://hl7.org/fhir/us/mcode/2.1/ValueSet/mcode-radiotherapy-technique-vs>

Implementations that work with other codes or annotations of technique must provide a mapping to this ValueSet. Otherwise, the technique cannot be exposed in a structured way. However, the original technique code or any additionally mapped code of the system can be exposed in

1040 addition to a code from the required ValueSet. Additionally, a CodeableConcept.text is available in FHIR to convey text descriptions where a concept cannot be fully captured by the required and alternative codes.

<http://hl7.org/fhir/R4/datatypes.html#codeableconcept>

8.2 Content Modules

1045 This section defines each IHE-RO HL7 FHIR Content Module in detail, specifying the standards used and the information defined.

8.2.1 Base Profiles

The following table shows the specifications on which the FHIR resource profiles in this supplement are based. The first column defines the labels by which the profiles are referenced in the subsequent sections for brevity.

1050 Some requirements and restrictions are defined by the FHIR standard itself and others are added by the profiles, which define more restrictive multiplicities, more restrictive bindings for coded values, or defining elements as ‘Must Support’. <https://www.hl7.org/fhir/profiling.html>

1055 FHIR itself has no resources specific to radiotherapy. XRTS mainly builds on selected profiles by mCODE, which added various Extensions and ValueSets specifically for Radiotherapy in STU 2. mCODE in turn depends on US Core Profiles.

Label	Version	Depends on	Specification	Comments
FHIR	R4 (4.0.1)	-	http://hl7.org/fhir/R4/	Elements and constraints labeled as ‘FHIR’ are defined by the FHIR standard itself.
US Core	STU 4 (4.0.0)	FHIR	http://hl7.org/fhir/us/core/STU4	The dependency to US Core and the specific version of US Core is given by mCODE.
mCODE	STU 2.1 (2.1.0)	Some profiles based on US Core. Some profiles directly based on FHIR.	http://hl7.org/fhir/us/mcode/STU2.1	Only some profiles of mCODE. See detailed XRTS resource profiles for dependencies.
CodeX RT	STU 1 (1.0.0)	mCODE	http://hl7.org/fhir/us/odex-radiation-therapy/STU1	

Profiles can add requirements but not loosen requirements of base profiles or the FHIR standard.

This supplement does not require implementation of all resource profiles covered in mCODE or US Core. It makes use of selected resource profiles where applicable to the XRTS use cases.

8.2.2 Data Model

The data model used in this supplement was developed in the CodeX Radiation Therapy (RT) Implementation Guide. See it at <http://hl7.org/fhir/us/codex-radiation-therapy/STU1>.

Most model concepts and definitions were already introduced in the mCODE IG STU 2.1, from which CodeX RT derives. See it at <http://hl7.org/fhir/us/mcode/STU2.1/group-treatment.html>.

For concept definitions, please refer to the mCODE STU 2.1 Glossary at <http://hl7.org/fhir/us/mcode/STU2.1/glossary.html> and the [IHE Glossary](#).

Only the following radiotherapy resource profiles are in scope of the current XRTS version.

To document what was delivered over the complete Course and per Phase:


- Radiotherapy Course Summary
- Radiotherapy Treated Phase

To document what was planned over the complete Course and per Phase:

- Radiotherapy Planned Course
- Radiotherapy Planned Phase

To document the radiotherapy target volumes that are referenced from plan summaries, treatment delivery summaries, and in future versions from prescriptions:

- Radiotherapy Volume






Figure 8.2.2-1: XRTS Data Model Overview (incl. prescription and plan level resources, which are currently not in scope)

The following figure shows how the radiotherapy resources based on ServiceRequest and Procedure reference each other.

Note that there is no element ‘partOf’ for resource type ServiceRequest. The element ‘basedOn’ is used to point from a smaller scope request to a larger scope request that is partly fulfilled by the smaller scope request, for example, to point from Treated Phase to Treated Plan.

See the CodeX RT resource profiles for defined slices on basedOn and partOf.




Figure 8.2.2-2: References between Radiotherapy ServiceRequests and Procedures

The summary of delivered Radiotherapy treatment is modelled with profiles based on the resource type Procedure. The treatment summary for one Course consists of multiple Procedure resources: One high level Course Summary and one or multiple Treated Phases (External Beam or Brachytherapy). See also <http://hl7.org/fhir/us/mcode/STU2.1/StructureDefinition-mcode-radiotherapy-course-summary.html>.

The irradiated volumes can be target volumes or, in the future, Organs at Risk. These irradiated volumes are referenced from summaries of delivered treatment (Course Summary, Treated Phase), from summaries of plans (Planned Course, Planned Phase), and in the future also from Prescriptions (Prescribed Course, Prescribed Phase). Therefore, the Radiotherapy Volumes are modelled as separate FHIR resources. The Radiotherapy Volume corresponds to the Conceptual Volume in DICOM. See also <http://hl7.org/fhir/us/mcode/STU2.1/StructureDefinition-mcode-radiotherapy-volume.html#usage>.




Figure 8.2.2-3: XRTS resources for Treatment Summary (blue) and main related resources

- 1110 This model follows the FHIR principle of modelling separate concerns as separate resources, which leads to smaller and simpler resources with some effort to manage their relations, but on the other hand avoids complex and nested resources with mixed responsibilities. Comprehensive datasets that cover multiple FHIR resources can still be implemented by defining Documents, Messages or Bundles that specify which resources are transmitted together.
- 1115 Volume 2 – Transactions specify which resources are transferred and in which sequence.
- Unless otherwise stated, a Radiotherapy treatment summary consists of resources listed in the following table. The table also lists the profiles of CodeX RT and the respective base profiles of mCODE and US Core that the resources SHALL conform with.
- 1120 XRTS defines requirements for which elements in the related Patient resource are required. Other related resources, such as Condition (Diagnosis), Practitioner, and Organization should be applied as per FHIR standard and may be further profiled in other Implementation Guides. They are not restricted by this supplement.

Entity	Resource Type	Profiles	Comment
Patient	Patient	US Core Patient	Dependency on mCODE requires that also the referenced Patients comply with the US Core Patient Profile. No additional requirements are needed because US Core requires the patient identifying information needed for XRTS.
Radiotherapy Course Summary	Procedure	CodeX RT Radiotherapy Course Summary based on mCODE	

Entity	Resource Type	Profiles	Comment
		Radiotherapy Course Summary based on US Core Procedure	
Radiotherapy Treated Phase	Procedure	CodeX RT Radiotherapy Treated Phase based on US Core Procedure	
Radiotherapy Planned Course	ServiceRequest	CodeX RT Radiotherapy Planned Course	
Radiotherapy Planned Phase	ServiceRequest	CodeX RT Radiotherapy Planned Phase	
Radiotherapy Volume (Target or OAR)	BodyStructure	CodeX RT Radiotherapy Volume based on mCODE Radiotherapy Volume	Currently only for target volumes but kept neutral to also cover Organs at Risk in the future
Diagnosis	Condition	none	Referenced by XRTS but XRTS does not impose requirements in addition to the FHIR standard.
Practitioner	Practitioner	none	Referenced by XRTS but XRTS does not impose requirements in addition to the FHIR standard.
Organization	Organization	none	Referenced by XRTS but XRTS does not impose requirements in addition to the FHIR standard.

1125 8.2.3 General Provisions for all Resources exchanged in XRTS Transactions

8.2.3.1 Time Zone of dateTime elements

XRTS requires date, hours, and minutes for the following dateTime elements:

- Procedure.performedPeriod.start
- Procedure.performedPeriod.end

1130

FHIR requires for the dateTime data type that if hours and minutes are specified, a time zone offset SHALL be populated.

1135 XRTS additionally requires that for dateTime elements that are part of the clinical contents, the producing system SHALL include the time zone offset value of the local time in which the clinical contents was created, for example “2021-09-06T13:15:17+01:00” if the local time was 13:15 in a time zone that has +01:00 offset from UTC’.

This enables the consuming systems to display the same time that the users saw on the system that produced the data.

- 1140 The consuming systems SHOULD preserve the time zone offset even if not used to display the time. This enables the consuming systems to display the original local time or to indicate that the displayed time is different from the original time zone.

8.2.4 Patient

XRTS focuses on radiotherapy-specific contents.

- 1145 The patient requires the identifying information as specified in this section. Other aspects of patient management are not in scope of XRTS.

XRTS requires Patient resources to comply to the US Core Patient profile.

<http://hl7.org/fhir/us/core/STU4/StructureDefinition-us-core-patient.html>

The dependency on US Core Patient is inherited from mCODE Procedure and it fulfils the requirements of XRTS.

- 1150 This section lists all R+ elements of the US Core Patient Profile. See US Core Patient definition for additional Must Support elements (R2, not R+). Here, Must Support elements of US Core are only listed if required by XRTS.

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
Name	R+	name	HumanName	1..*	US Core	Name	Invariant us-core-8 Patient.name.given or Patient.name.family or both SHALL be present
>First Name	R2	>given	string	0..*	US Core		
>Last Name	R2	>family	string	0..1	US Core		
Patient Identifier	R+	identifier	Identifier	1..*	US Core		
>Patient ID	R+	>value	string	1..1	US Core		The primary identifier shall be declared by use = 'usual'
>Identifier System	R+*	>system	uri	1..1	US Core		
Birth Date	R2	birthDate	date	0..1	US Core		

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
Administrative Gender	R2	gender	code	1..*	US Core	FHIR (required) http://hl7.org/fhir/R4/ValueSet/administrative-gender	male female other unknown
Sex at Birth	O	us-core-birthsex	code	0..*	US Core	US Core (required) http://hl7.org/fhir/us/core/STU4/ValueSet/birthsex	codes F M UNK

1155 8.2.5 Course Summary

<http://hl7.org/fhir/us/codex-radiation-therapy/STU1/StructureDefinition/codexrt-radiotherapy-course-summary>

1160 As opposed to Treated Phase, Course Summary summarizes all Modalities and Techniques, fractions and doses delivered in a Course of treatment and, potentially, multiple Phases.

Elements in **bold font** show differences in the Course Summary profile compared to the Treated Phase profile.

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
Patient	R	subject	Reference(us-core-patient)	1..1	US Core		Requires US Core Patient because the Procedure profile is derived from us-core-procedure
Provider	O	performer.actor	Reference(Organization)	0..*	-		

IHE Radiation Oncology Technical Framework Supplement – Exchange of Radiotherapy Summaries (XRTS)

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
Course Identifier	O	identifier	Identifier	0..*	-		SHOULD contain an identifier with identifier.use = 'usual' that is the preferred display name for the Course .
Reference to Plan Summary	R2*	basedOn	Reference(ServiceRequest CarePlan)	0..*	XRTS		If the summary of what is planned is available on FHIR as Radiotherapy Planned Course resource, this shall be referenced here. However, it is not forbidden to reference other ServiceRequests or CarePlans. Therefore not formally restricted.
Treatment Intent	R2	mcode-procedure-intent	CodeableConcept	0..1	mCODE	mCODE (required) http://hl7.org/fhir/us/mcode/STU2.1/StructureDefinition/mcode-procedure-intent	
Treatment Termination Reason	R2	mcode-treatment-termination-reason	CodeableConcept	0..1	mCODE	mCODE (required) http://hl7.org/fhir/us/mcode/STU2.1/ValueSet/mcode-treatment-termination-reason-vs	
Category of Procedure	R+*	category	CodeableConcept	1..1	US Core	mCODE (fixed code) http://snomed.info/sct 108290001 "Radiation oncology AND/OR radiotherapy"	

IHE Radiation Oncology Technical Framework Supplement – Exchange of Radiotherapy Summaries (XRTS)

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
Type of Procedure	R+*	code	CodeableConcept	1..1	US Core	mCODE (fixed code) http://snomed.info/sct/1217123003 "Radiotherapy course of treatment (regime/therapy)"	The display SHALL clearly label that this summary covers a Course . An explicit display of the code is not required.
Status	R	status	code	1..1	FHIR (*1)	FHIR(required) http://hl7.org/fhir/ValueSet/event-status	In XRTS only the following status values are allowed: in-progress not-done on-hold stopped completed Status values preparation unknown entered-in-error not expected in the XRTS use cases.
Modality (Photons, Protons, etc.)	R2	mcode-radiotherapy-modality (contained in mcode-radiotherapy-modality-and-technique)	CodeableConcept	0..*	mCODE	mCODE (required) http://hl7.org/fhir/us/mcode/STU2.1/ValueSet/mcode-radiotherapy-modality-vs	All modalities used in the Course. See phases for associating modalities with fractions.
Technique	R2	mcode-radiotherapy-technique (contained in mcode-radiotherapy-modality-and-technique)	CodeableConcept	0..*	mCODE	mCODE (required) http://hl7.org/fhir/us/mcode/STU2.1/ValueSet/mcode-radiotherapy-technique-vs	All techniques used in the Course. See phases for associating techniques with fractions.
Actual Number of Sessions	R2	mcode-radiotherapy-sessions	unsignedInteger	0..1	mCODE		http://hl7.org/fhir/us/mcode/STU2.1/StructureDefinition/mcode-radiotherapy-sessions

IHE Radiation Oncology Technical Framework Supplement – Exchange of Radiotherapy Summaries (XRTS)

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
Target locations	R2	bodySite	CodeableConcept	0..*	mCODE	mCODE (required) http://hl7.org/fhir/us/mcode/STU2.1/ValueSet/mcode-radiotherapy-treatment-location-vs	Anatomy of all target volumes in the Course. For details of each target and non-target volume, see the Radiotherapy Volumes referenced in mcode-dose-delivered-to-volume
Diagnosis Reference	O	reasonReference	Reference(Condition)	0..*	mCODE		<i>Note: Discussed in TC Aug 03, 2021 that XRTS does not add requirements on Diagnosis contents. It is a crucial element for context but not scope of this profile.</i>
Diagnosis Code	R2	reasonCode	CodeableConcept	0..*	mCODE		
Diagnosis Staging		n/a					N/A in Procedure. See referenced Condition resource for staging.
Start Date	R+	performedPeriod.start	dateTime	0..1	US Core		The date and time when the first therapeutic radiation was delivered. XRTS restricts type to Period.
End Date	C	performedPeriod.end	dateTime	0..1	US Core		An end date is expected if the status is 'stopped' or 'completed'
Dose to Volume	R2	mcode-radiotherapy-dose-delivered-to-volume	complex	0..*	mCODE		Dose to this volume from this Course (all Phases)

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
>Volume	R+	>volume	Reference(RadiotherapyVolume)	1..1	mCODE		Specification of the volume including identifiers is contained in the referenced RadiotherapyVolume.
>Total Dose	R2	>totalDoseDelivered	Quantity	0..1	mCODE		Dose to this volume from this Course (all Phases)
>Fractions Delivered	R2	>fractionsDelivered	unsignedInt	0..1	mCODE		Number of Fractions delivered to this volume. Fractions may come from different Phases and therefore differ in treatment method and dose. See details in Treated Phases.

1165 (*1) FHIR itself does not specify 'Must Support' but requires some elements by defining minimum Cardinality 1.

8.2.6 Treated Phase

1170 <http://hl7.org/fhir/us/codex-radiation-therapy/STU1/StructureDefinition/codexrt-radiotherapy-treated-phase>

As opposed to Course Summary, which can summarize over any combination of fractionations, Modalities and Techniques, the Treated Phase resources covers a single Series of Fractions treated with a single Modality and Technique and one number of Fractions.

1175 Implementations may even create a dedicated Phase for each Target Volume, but the profile supports multiple Target Volumes in a Phase. (See descriptions in mCODE.)

Elements in **bold** font show differences to compared to the Course Summary resource profile.

IHE Radiation Oncology Technical Framework Supplement – Exchange of Radiotherapy Summaries (XRTS)

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
Patient	R	subject	Reference(us-core-patient)	1..1	US Core		Requires US Core Patient because the Procedure profile is derived from us-core-procedure
Provider	O	performer.actor	Reference(Organization)	0..*	-		
Phase Identifier	R2	identifier	Identifier	0..*	XRTS		SHOULD contain an identifier with identifier.use = 'usual' that is the preferred display name for the Phase .
Reference to Plan Summary	R2*	basedOn	Reference(ServiceRequest CarePlan)	0..*	XRTS		If the summary of what is planned is available on FHIR as Radiotherapy Planned Phase resource, this shall be referenced here. However, it is not forbidden to reference other ServiceRequests or CarePlans. Therefore not formally limited.
Course Reference	R+	partOf	Reference(RadiotherapyCourseSummary)	0..1	XRTS		References the summary of the complete Course of which this Phase fulfills a part.
Category of Procedure	R+*	category	CodeableConcept	1..1	US Core	mCODE (fixed code) http://snomed.info/sct 108290001 "Radiation oncology AND/OR radiotherapy"	

IHE Radiation Oncology Technical Framework Supplement – Exchange of Radiotherapy Summaries (XRTS)

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
Type of Procedure	R+*	code	CodeableConcept	1..1	US Core	mCODE (fixed code) http://snomed.info/sct/1222565005 “Radiotherapy treatment phase (regime/therapy)”	The display SHALL clearly label that this summary covers a Phase . An explicit display of the code is not required.
Status	R	status	code	1..1	FHIR (*1)	FHIR(required) http://hl7.org/fhir/ValueSet/event-status	In XRTS only the following status values are allowed: in-progress not-done on-hold stopped completed Status values preparation unknown entered-in-error are not expected in the XRTS use cases.
Modality (Photons, Protons, etc.)	R2	mcode-radiotherapy-modality (contained in mcode-radiotherapy-modality-and-technique)	CodeableConcept	0..1	mCODE	mCODE (required) http://hl7.org/fhir/us/mcode/STU2.1/ValueSet/mcode-radiotherapy-modality-vs	The modality used in this Phase.
Technique	R2	mcode-radiotherapy-technique (contained in mcode-radiotherapy-modality-and-technique)	CodeableConcept	0..1	mCODE	mCODE (required) http://hl7.org/fhir/us/mcode/STU2.1/ValueSet/mcode-radiotherapy-technique-vs	The technique used in this Phase.

IHE Radiation Oncology Technical Framework Supplement – Exchange of Radiotherapy Summaries (XRTS)

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
Delivered Number of Fractions	R2	mcode-radiotherapy - fractions-delivered	unsignedInt	0..1	mCODE		For Treated Phases, the number of Fractions is here and not per Target (not in dose-delivered-to-volume). This is because the number of fractions is the same for all targets in the same phase. http://hl7.org/fhir/us/codex-radiation-therapy/STU1/StructureDefinition-codext-radiotherapy-fractions-delivered.html
Targeted locations	R2	bodySite	CodeableConcept	0..*	mCODE	mCODE (required) http://hl7.org/fhir/us/mcode/STU2.1/ValueSet/mcode-radiotherapy-treatment-location-vs	Anatomy of all target volumes in the course. For details of each target and non-target volume, see the Radiotherapy Volumes referenced in mcode-dose-delivered-to-volume
Diagnosis Reference	O	reasonReference	Reference(Condition)	0..*	mCODE		<i>Note: Discussed in TC Aug 03, 2021 that XRTS does not add requirements on Diagnosis contents. It is a crucial element for context but not scope of this profile.</i>
Diagnosis Code	R2	reasonCode	CodeableConcept	0..*	mCODE		

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
Diagnosis Staging		n/a					N/A in Procedure. See referenced Condition resource for staging.
Start Date	R+	performedPeriod.start	dateTime	0..1	US Core		The date and time when the first therapeutic radiation was delivered. XRTS restricts type to Period.
End Date	C	performedPeriod.end	dateTime	0..1	US Core		An end date is expected if the status is 'stopped' or 'completed'
Dose to Volume	R2	mcode-radiotherapy-dose-delivered-to-volume	complex	0..*	mCODE		Dose to this volume from this Phase .
>Volume	R+	>volume	Reference(RadiotherapyVolume)	1..1	mCODE		Specification of the volume including identifiers is contained in the referenced RadiotherapyVolume.
>Total Dose	R2	>totalDoseDelivered	Quantity	0..1	mCODE		Dose to this volume from this Phase .

(*1) FHIR itself does not specify 'Must Support' but requires some elements by defining minimum Cardinality 1.

1180 8.2.7 Irradiated Volumes

<http://hl7.org/fhir/us/codex-radiation-therapy/STU1/StructureDefinition/codexrt-radiotherapy-volume>

1185

IHE Radiation Oncology Technical Framework Supplement – Exchange of Radiotherapy Summaries (XRTS)

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
Identifier	R+	identifier	Identifier	1..*	mCODE		SHALL contain at least one DICOM UID to reliably identify the same volume in different requests and procedures. For example, the Conceptual Volume UID or Dose Reference UID if available. The system for this identifier SHALL be 'urn:dicom:uid'. The volume SHOULD contain additionally an identifier with identifier.use = 'usual' as human readable display name for overviews or summaries.
Description	R2	description	string	0..1	mCODE		Additional description of volume properties that are not captured in a structured way; e.g., how the volume was constructed with margins etc. For a short display name see identifier.
Volume Type	R2	morphology	CodeableConcept	0..1	mCODE	mCODE (extensible) http://hl7.org/fhir/us/mcode/STU2.1/ValueSet/mcode-radiotherapy-volume-type-vs	
Anatomic site	R2	location	CodeableConcept	0..1	mCODE	mCODE (required) http://hl7.org/fhir/us/mcode/STU2.1/ValueSet/mcode-radiotherapy-treatment-location-vs	

Data Element	OPT	FHIR Element	FHIR Data Type	Card.	Must Support by	Binding Profile (strength) ValueSet	Comment
Anatomic site qualifier	R2	locationQualifier	CodeableConcept	0..*	mCODE	mCODE (extensible) http://hl7.org/fhir/us/mcode/STU2.1/ValueSet/mcode-radiotherapy-treatment-location-qualifier-vs	E.g., left, right

8.2.8 Planned Course

For the resource profile Radiotherapy Planned Course, see the CodeX RT IG directly. The extensions and bindings are the same as documented above for the Radiotherapy Course Summary.

<http://hl7.org/fhir/us/codex-radiation-therapy/STU1/StructureDefinition/codexrt-radiotherapy-planned-course>

8.2.9 Planned Phase

For the resource profile Radiotherapy Planned Phase, see the CodeX RT IG directly. The extensions and bindings are the same as documented above for Radiotherapy Treated Phase.

<http://hl7.org/fhir/us/codex-radiation-therapy/STU1/StructureDefinition/codexrt-radiotherapy-planned-phase>

8.3 RO Value Sets

All required Value Sets are defined in CodeX RT or the respective base profiles on which CodeX RT is based.

Appendices to Volume 3

Not applicable.

Volume 4 – National Extensions

1210 This supplement defines no National Extensions.

Supplement Only – Not added to Technical Framework

- 1215 The content of this part is temporarily added during development of the supplement. It is not expected to be added to the Technical Framework.

Appendix A – Sources for Sequence Diagrams

This appendix contains the sources for the sequence diagrams of Volumes 1 and 2.

The definitions can be copy pasted to <https://sequencediagram.org/> to generate the figures.

1220

Volume 1: Figure X.4.2.1.2-1: Process Flow Transfer End of Treatment Summary

1225

1230

1235

1240

1245

1250

```
participant "Treatment Summary Provider" as TSP
participant "RO Resource Repository" as RRR
participant "Treatment Observer" as TO

opt #lightgray subscribe to change notifications
TO->RRR: Subscribe to Treatment Summary\nUpdates [XRTS-03]
end
activate TSP
TSP->TSP : Course completed
TSP->RRR : Create or Update Treatment Summary [XRTS-01]\n(Course status
completed)
deactivate TSP
activate RRR
opt #lightgray update on change notification
RRR->TO: Notify of Treatment Summary\nUpdates [XRTS-04]
deactivate RRR
activate TO
TO->RRR : Retrieve Treatment Summary [XRTS-02]
deactivate TO
end
space
activate TO
TO->TO : Start creating\nEnd of Treatment\nSummary Note
opt update only when data is needed
TO->RRR : Retrieve Treatment Summary [XRTS-02]
end
deactivate TO
```

Volume 1: Figure X.4.2.2.2-1: Process Flow On Treatment Visit Monitoring of Treatment Progress

1255

```
participant "Treatment Summary Provider" as TSP
participant "RO Resource Repository" as RRR
participant "Treatment Observer" as TO
```

1260

```
opt #lightgray subscribe to change notifications
TO->RRR: Subscribe to Treatment Summary\nUpdates [XRTS-03]
end
activate TSP
loop update until course completed
TSP->TSP : Treatment Session delivered
TSP->RRR : Create or Update Treatment Summary [XRTS-01]
activate RRR
```

1265

```
opt #lightgray update on change notification
RRR->TO: Notify of Treatment Summary\nUpdates [XRTS-04]
deactivate RRR
```

1270

```
activate TO
TO->RRR : Retrieve Treatment Summary [XRTS-02]
deactivate TO
end
end
deactivate TSP
```

1275

```
space
activate TO
TO->TO : Start creating\nNote
opt update only when data is needed
TO->RRR : Retrieve Treatment Summary [XRTS-02]
```

1280

```
end
deactivate TO
```

Volume 2: Figure 3.Y1.1-1: Sequence Diagram for Transaction XRTS-01

	Title Create or Update Treatment Summary [XRTS-01] (1/2)
1285	participant Treatment Summary Provider participant Resource Repository participant #green HIE Central Infrastructure
1290	group #lightgray Acquire Patient Reference #black Treatment Summary Provider ->Treatment Summary Provider : Patient registered Treatment Summary Provider -> Resource Repository : GET [base]/Patient?<search-parameters>
1295	alt Patient has been registered Resource Repository -->Treatment Summary Provider : HTTP 200: Body: Patient resource
1300	else Patient not found in RO Resource Repository Resource Repository -->Treatment Summary Provider : HTTP 200: Body: Empty Bundle, patient not found Treatment Summary Provider ->HIE Central Infrastructure : GET [base]/Patient?<search-parameters>
1305	alt HIE Infrastructure exists and patient found HIE Central Infrastructure -->Treatment Summary Provider : HTTP 200: Body: Patient resource
1310	Treatment Summary Provider ->Resource Repository: POST [base]/Patient Body: {Patient: { link->other: URL(central patient), link->type: refers }} Resource Repository -->Treatment Summary Provider: HTTP 201: Created
1315	else Patient centrally not found HIE Central Infrastructure -->Treatment Summary Provider : HTTP 200: Body: Empty Bundle, patient not found
1320	Treatment Summary Provider ->Resource Repository: POST [base]/Patient Body: {Patient: { link: null }} Resource Repository -->Treatment Summary Provider: HTTP 201: Created end end // Patient not registered
1325	Treatment Summary Provider ->Treatment Summary Provider : save FHIR Patient reference internally for further use end // group
1330	Treatment Summary Provider->Treatment Summary Provider: ---**Detect 1st therapy occasion of patient treatment of given Intent/Prescription Treatment Summary Provider -->Treatment Summary Provider : fetch FHIR Patient resource Reference
1335	group #lightgray Acquire BodyStructure References #black loop for any BodyStructure required in Treatment Summary

1340	Treatment Summary Provider -> Resource Repository : GET [base]/BodyStructure?identifier=<volume unique identifier> Resource Repository --> Treatment Summary Provider : --HTTP 200 : Body: { Bundle { BodyStructure(identifier=<volume_id>, patient[pid]) }
1345	Treatment Summary Provider -->Treatment Summary Provider : find in result Bundle the matching BodyStructures relevant to Treatment Summary opt if Volume has not been created Treatment Summary Provider->Resource Repository: **Radiotherapy Volume:**\nPOST [base]/BodyStructure Body: {BodyStructure { **identifier=<volume_id>**, patient: [base]/Patient/<pid> } } Resource Repository -->Treatment Summary Provider: HTTP 201: Created end end // for each BodyStructure Treatment Summary Provider ->Treatment Summary Provider : save FHIR BodyStructure reference(s) internally for further use end // group
1350	
1355	Title Create or Update Treatment Summary [XRTS-01] (2/2) participant Treatment Summary Provider participant Resource Repository
1360	group #lightgray Acquire Plan Summary (Planned Course and Planned Phase) References #black loop for any Planned Course and Planned Phase that will be referenced from Course Summary and Treated Phase
1365	Treatment Summary Provider -> Resource Repository : GET [base]/ServiceRequest?identifier=<Planned Course or Planned Phase business identifier> Resource Repository --> Treatment Summary Provider : --HTTP 200 : Body: { Bundle { ServiceRequest(identifier=<business identifier >,\npatient/[pid], category=**http://snomed.info/sct 108290001** } }
1370	
1375	Treatment Summary Provider -->Treatment Summary Provider : find matching Planned Course or Planned Phase in result bundle opt if the Planned Course or Planned Phase was not found Treatment Summary Provider->Resource Repository: **Planned Course:**\nPOST [base]/ServiceRequest Body: {ServiceRequest { **identifier=<Planned Course business identifier>**,\npatient: [base]/Patient/<pid>, code=**http://snomed.info/sct 1217123003**} } Resource Repository -->Treatment Summary Provider: HTTP 201: Created Treatment Summary Provider->Resource Repository: **Planned Phase:**\nPOST [base]/ServiceRequest Body: {ServiceRequest { **identifier=<Planned Phase
1380	

1385	<pre> business identifier>**,\npatient: [base]/Patient/<pid>, code=**http://snomed.info/sct 1222565005**} } Resource Repository -->Treatment Summary Provider: HTTP 201: Created end Treatment Summary Provider ->Treatment Summary Provider : save FHIR ServiceRequest reference(s) internally for further use end // for each Planned Course and Planned Phase end // group </pre>
1390	<pre> Treatment Summary Provider->Resource Repository: **Create Course Summary:**\nPOST [base]/Procedure Body: {Procedure { subject: [base]/Patient/<pid>,\ncode=**http://snomed.info/sct 1217123003**,\nbasedOn=/Se rviceRequest/[course_plan_id]/_history/<v_id>}} } </pre>
1395	<pre> Resource Repository-->Treatment Summary Provider: --HTTP 201 Headers: Location: [base]/Procedure/[id_course]/_history/<v_id> </pre>
1400	<pre> Treatment Summary Provider->Resource Repository: **Create Treated Phase:**\nPOST [base]/Procedure Body: {Procedure { subject: [base]/Patient/<pid>,\ncode=**http://snomed.info/sct 1222565005**, partOf=/Procedure/[id_course]/_history/<v_id>,\nbasedOn=/ServiceRequest/[phase_ plan_id]/_history/<v_id>} } </pre>
1405	<pre> Resource Repository-->Treatment Summary Provider: --HTTP 201 Headers: Location: [base]/Procedure/[id_phase]/_history/<v_id> </pre>
1410	<pre> Treatment Summary Provider ->Treatment Summary Provider : save FHIR Procedure reference(s) internally for further use </pre>
1415	<pre> Treatment Summary Provider->Treatment Summary Provider: --**Detect N-th therapy occasion of patient treatment of given Intent/Prescription </pre>
1420	<pre> Treatment Summary Provider->Treatment Summary Provider: recalculate summary data </pre>
1425	<pre> Treatment Summary Provider->Resource Repository: **Update Course Summary:**\nPUT [base]/Procedure/[id_course] Body: {Procedure { subject: [base]/Patient/<pid>,\ncode=**http://snomed.info/sct 1217123003**,\nbasedOn=/Se rviceRequest/[course_plan_id]/_history/<v_id>}} } </pre>
1430	<pre> Resource Repository-->Treatment Summary Provider: --HTTP 200 Headers: Location: [base]/Procedure/[id_phase]/_history/<v_id> </pre>

Volume 2: Figure 3.Y2.1-1: Sequence Diagram for Transaction XRTS-02

1435	<pre>Title Retrieve Treatment Summary [XRTS-02] participant Treatment Observer participant Resource Repository</pre>
1440	<pre>group Handle request for Treatment Summary status for a Patient group #lightgray Patient reference acquisition #black</pre>
1445	<pre>Treatment Observer -> Resource Repository : GET [base]/Patient?<search- parameters> or POST /_search? Resource Repository ->Resource Repository : exact match of search parameters Resource Repository -->Treatment Observer : --HTTP 200 : Body: {Bundle { total:1, [resourceType:Patient, id:[id] } } end // group</pre>
1450	<pre>alt Search for both Course Summaries and Treated Phases Treatment Observer->Resource Repository: GET [base]/Procedure?**category**=http://snomed.info/sct 108290001&subject:Patient/ [id] or POST /_search?</pre>
1455	<pre>else Search for Course Summaries Treatment Observer->Resource Repository: GET [base]/Procedure?**code**=http://snomed.info/sct 1217123003&subject:Patient/[id]] or POST /_search?</pre>
1460	<pre>else Search for Radiotherapy Phase Summaries Treatment Observer->Resource Repository: GET [base]/Procedure?**code**=http://snomed.info/sct 1222565005&subject:Patient/[id]] or POST /_search?</pre>
1465	<pre>end Resource Repository-->Treatment Observer: --HTTP 200 : Body: {Bundle { [Procedure[i].meta.versionId: vN } }</pre>
1470	<pre>Treatment Observer ->Treatment Observer: Select one or multiple Treatment Summaries in the returned bundle from Patient query response and cache their resource id:s [id] end //group</pre>
1475	<pre>group Handle request for Treatment Summary current version of selected Treatment Course or Phase Treatment Observer->Resource Repository: Fetch current version of the Treatment Summary\n\n--GET [base]/Procedure/[id]</pre>
1480	<pre>Resource Repository-->Treatment Observer: --HTTP 200 : Body: { Procedure/[id] }</pre>
1485	<pre>group Retrieve referenced Radiotherapy Volumes Treatment Observer->Resource Repository: --GET [base]/BodyStructure/<volume_id> - for each reference in Procedure resource Resource Repository-->Treatment Observer: --HTTP 200 : Body: {BodyStructure} end //group</pre>

```

1490   group Retrieve referenced Plan Summaries (Planned Course and Planned Phases)
      Treatment Observer->Resource Repository: --GET
      [base]/ServiceRequest/<plan_id>/<v_id> - for basedOn reference in Procedure
      resource
      Resource Repository-->Treatment Observer: --HTTP 200 : Body: {ServiceRequest}
      end //group

1495   end //group

      group Handle request for treatment progress history

1500   Treatment Observer->Resource Repository: GET [base]/Procedure/[id]/_history
      Resource Repository-->Treatment Observer: --HTTP 200 : Body: {Bundle { [
      Procedure[1..N]  } }

      end // group

```

1505 Volume 2: Figure 3.Y3.4-1: Sequence Diagram for Transaction XRTS-03

```

1510   Title Subscribe to Treatment Summary Updates [XRTS-03]

      participant Treatment Observer
      participant Resource Repository

      alt Subscription to be notified without payload

1515   Treatment Observer ->> Resource Repository: POST [base]/Subscription Body:
      {Subscription: \n{ criteria :
      Procedure?**category**=http://snomed.info/sct|108290001 \n  channel: { type:
      rest-hook, **endpoint:** <endpoint-uri>} }

1520   else Subscription to be notified with payload

      Treatment Observer ->> Resource Repository: POST [base]/Subscription Body:
      {Subscription: \n{ criteria :
      Procedure?**category**=http://snomed.info/sct|108290001 \n  channel: { type:
      rest-hook, **endpoint:** <endpoint-uri>, **payload:** application/fhir+json } }

1525   end

      Resource Repository -->> Resource Repository : Create subscription resource

1530   Resource Repository-->> Treatment Observer: Subscription creation acknowledgment
      --HTTP 201 : Body: { Subscription([id]) status: active }

      Treatment Observer -->> Treatment Observer : save subscription Id for query of
      subscription status or un-subscribe

1535

```

Volume 2: Figure 3.Y4.4-1: Sequence Diagram for Transaction XRTS-04

```
1540 Title Notify of Treatment Summary Updates [XRTS-04]

Resource Repository -->Resource Repository: processes XRTS-01 from Treatment
Summary Provider \n and finds matching subscription

1545 alt Subscription to be notified without payload

Resource Repository ->Treatment Observer : POST <endpoint-uri-
base/**criteria**> Body: empty } }
Treatment Observer ->Resource Repository: XRTS-02 with &_lastUpdate=:last
1550 parameter

Treatment Observer-->Treatment Observer: update :last locally

else Subscription to be notified with payload
Resource Repository ->Treatment Observer : PUT <endpoint-uri-
base/**Procedure/<resource_id>** Body: Procedure } }
1555 Treatment Observer-->Treatment Observer: manage the resource locally
end
```